

2

PRICE LIST No. 55

EFFECTIVE JANUARY 15, 1955



IKOFLEX, SUPER IKONTA CAMERAS AND ACCESSORIES

Prices, specifications and technical data subject to change without notice.

IKOFLEX Ia and IIa (2¼x2¼ in.)

Using #120 roll film. Lenses factory coated. All shutters with built-in flash synchronization (MX).

catalog
number

PRICE

IKOFLEX Ia, NOVAR f/3.5, 75mm., Prontor SV, self-timer, case extra	854/16 Fpms	76.00
IKOFLEX Ia, TESSAR f/3.5, 75mm., Prontor SV, self-timer, case extra	854/16 Lpms	96.00
IKOFLEX IIa, (AUTOMATIC), TESSAR f/3.5, 75mm., Synchro Compur, case extra.....	855/16 Lcm	126.00
CASE, eveready, for Ikoflex Ia	1224/16	14.00
eveready, for Ikoflex IIa	1238/16	16.00
SYNCHRO CORD, PC.....	PC	1.95
CABLE RELEASE, locking.....	1312/24	1.25
LENS CAP, twin, for Ikoflex Ia and IIa.....		.75
LENS SHADE, special screw-on mount, 35.5mm., for both models.....	1121	2.50
LEATHER CASE for lens shade, 35.5mm.....	780	1.75
FILTERS, screw-on mount, 35.5mm., for Ikoflex Ia and IIa:		
Ultra Violet 1x	371-UV	6.00
Yellow 2x	371-G	6.00
Yellow Green 2x	371-GR	6.00
Orange 5x	371-O	6.00
Red 8x	371-R	6.00
POLARIZING FILTER, IKOPOL, dual, slip-on mount, with calibrations, complete in leather case.....	337	27.50
CLOSE-UP LENSES, IKOPROX, dual, parallax-corrected, slip-on mount, complete in leather case:		
1x, f = 1m (for distances 40 to 20 in.).....	937/1	12.50
2x, f = 0.5m (for distances 20 to 13 in.).....	937/05	15.00
PRISMATIC VIEW-FINDER, for focusing and viewing at eye-level....	400/16	22.00
NECK STRAP for camera.....	TR 499	1.80
IKOBLITZ III, BC flash unit, with cord, for 22½-volt (battery not included).....		
	1369	
	1256/02	19.00
ADAPTER for bayonet-base flash bulbs, with ejector.....	1356/01	3.50
BOOK: The Ikoflex Guide by K. Tydings, 128 pages.....		1.95

SUPER IKONTA A ($1\frac{5}{8} \times 2\frac{1}{4}$), B and BX ($2\frac{1}{4} \times 2\frac{1}{4}$), III ($2\frac{1}{4} \times 2\frac{1}{4}$), and C ($2\frac{1}{4} \times 3\frac{1}{4}$)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (MX) Built-in coupled range-finders. BX has built-in ASA-calibrated photo-electric exposure meter.

	catalog number	PRICE
SUPER IKONTA A, TESSAR f/3.5, 75mm., Synchro Compur, case extra	531 Lcm	99.00
SUPER IKONTA C, TESSAR f/3.5, 105mm., Synchro Compur, self-timer, case extra.....	531/2 Lcms	114.00
SUPER IKONTA B, TESSAR f/2.8, 80mm., Synchro Compur, self-timer, case extra.....	532/16 Pcms	139.00
SUPER IKONTA BX, TESSAR f/2.8, 80mm., Synchro Compur, self-timer, built-in exposure meter, case extra.....	533/16 Pcms	163.00
SUPER IKONTA III, NOVAR f/3.5, 75mm., Synchro Compur, case extra	531/16 Fcm	96.00
SUPER IKONTA III, TESSAR f/3.5, 75mm., Synchro Compur, case extra	531/16 Lcm	120.00
CASE, eveready, for A.....	1208	10.00
eveready, for C.....	1206/2	10.00
eveready, for B.....	1204/16	12.00
eveready, for BX.....	1203/16	12.00
eveready, for III.....	1237/16	10.50
SYNCHRO CORD, PC.....	PC	1.95
CABLE RELEASE, locking.....	1312/24	1.25
LENS SHADE, slip-on mount, 32mm., for A and III.....	1111	2.50
slip-on mount, 37mm., for B, BX and C.....	1112	2.50
LEATHER CASE for lens shade, 32mm.....	779	1.75
for lens shade, 37mm.....	780	1.75
FILTERS, screw-on mount, 35.5mm., for A and III:		
Ultra Violet 1x	353-UV	6.00
Yellow 2x	353-G	6.00
Yellow Green 2x	353-GR	6.00
Orange 5x	353-O	6.00
Red 8x	353-R	6.00
slip-on mount, 37mm., for B and BX:		
Ultra Violet 1x	322-UV	6.00
Yellow 2x	322-G	6.00
Yellow Green 2x	322-GR	6.00
Orange 5x	322-O	6.00
Red 8x	322-R	6.00

	catalog number	PRICE
screw-on mount, 40.5mm., for C:		
Ultra Violet 1x	354-UV	6.00
Yellow 2x	354-G	6.00
Yellow Green 2x	354-GR	6.00
Orange 5x	354-O	6.00
Red 8x	354-R	6.00
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for A and III.....	330	15.00
slip-on mount, 37mm., for B, BX, and C.....	331	16.00
PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for A and III:		
1x, f = 1m (for distances 40 to 21 in.).....	910/1	5.00
2x, f = 0.5m (for distances 20 to 14 in.).....	910/05	5.00
slip-on mount, 37mm., for B, BX, and C:		
0.5x, f = 2m (for distances 79 to 39 in.).....	911/2	5.00
1x, f = 1m (for distances 40 to 26 in.).....	911/1	5.00
2x, f = 0.5m (for distances 20 to 15 in.).....	911/05	5.00
CONTAMETER close-up focusing device for B and BX, parallax- compensation adjustment, complete with three lenses (for dis- tances 12, 20, and 28 in.), slip-on mounts, 37mm., complete in case	442	81.00
EYE-CORRECTION EYE-PIECE lens mount, for B and BX, without lens	901	1.80
NECK STRAP for camera.....	TR 500	1.80
MASK, 16 exposure, for C.....		1.50
IKOBLITZ O, BC flash unit, with test bulb, ejector, flash cord, for 22½-volt (battery not included).....	1316	9.50
IKOPHOT photo-electric exposure meter, with metal safety chain, filter for incident light, in leather case.....	1329	28.00
BOOK: The Ikonta and Super Ikonta Guide by W D. Emanuel, 72 pages		1.25