

# NOVOFLEX



***BROOKS***<sup>®</sup>

**BURLEIGH BROOKS INC.**



44 BURLEWS COURT  
HACKENSACK, NEW JERSEY 07601

Telephone: (201) 489-1300

NEW YORK CITY DEALERS CAN DIAL DIRECT ON BRYANT 9-9085



**WEST COAST**


219 S. SAN PEDRO STREET  
LOS ANGELES, CALIFORNIA 90012

Telephone: (213) 624-5128



# NOVOFLEX LENSES & ACCESSORIES

- FOLLOW-FOCUS TELE LENSES
- NESTING TELE LENSES
  - WIDE ANGLE 35mm LENS
  - EXTENSION BELLOWS
  - LENS HEADS
    - COPYING AND MICROSCOPE ATTACHMENTS
    - CARRYING CASES



Novoflex lenses and accessories bring new dimensions of versatility to still and movie cameras. Designed and manufactured to the highest standards of the optical science, these superb instruments provide the means of taking extreme close-up or long-distance superior quality shots with effortless ease and convenience.

Scientists, including lab technicians, doctors and dentists rely on Novoflex for clinical and extreme close-up work. News photographers, sportsmen, nature photographers and serious amateurs find the Novoflex Follow-Focus Telephoto Lens System indispensable for fast, accurate shooting of distant scenes. Other equipment includes Novoflex

Nesting Tele Lenses essential where compactness is a necessity, Novoflex Bellows, slide copying attachments, micro attachments and other accessories which greatly broaden the usefulness of 35mm and 2 1/4 x 2 1/4" SLR cameras with focal plane shutters, rangefinder cameras with reflex housing, and 8mm and 16mm reflex movie cameras.


**BURLEIGH BROOKS INC.**



# NOVOFLEX FOLLOW FOCUS TELEPHOTO LENS SYSTEM

ONE-HAND FOCUSING FROM CLOSE-UP TO INFINITY

- Now with quick-release bayonet mounts
- Interchangeable adapters available for more than 50 different cameras
- Only three main parts
- Focal lengths. 280, 400 and 640mm



## Newly Improved System Now Permits Quick Interchange of Lenses and Cameras by Utilizing Quick-Release Bayonet Mounts

Focus instantly from close-up to infinity with the world famed Novoflex Follow Focus Tele Lens System. In a split-second, focus accurately on a speeding race car a bird on the wing an ir retrievable moment of football action. With one hand on the camera ready to press the shutter release, the other gently squeezes the unique pistol grip to keep your subject constantly in focus. No turning, no twisting of the lens barrel. It simply glides into focus as you squeeze the pistol grip. Danger of camera movement is kept to the minimum. Locking knobs permit locking lens in any focus position if required. Built-in swivel mechanism of camera adapter allows swiveling camera for taking horizontal or vertical pictures. Base of grip is equipped with tripod socket.

Now redesigned for greater interchangeability, the Novoflex Follow Focus Lens System has been so ingeniously simplified that just 14 adapters accommodate more than 50 different cameras including 35mm and 2 1/4 x 2 1/4" single lens reflex models, plus some 8mm and 16mm movie cameras. Superb examples of advanced lens design, the Follow Focus Lenses are notable for color correction, excellent definition, exceptional resolving power and highest brilliance. These rugged, lightweight lenses have been accepted as standard equipment for nature photographers, conservation specialists, law enforcement agencies, sports and news photographers and many others whose daily assignments involve capturing on film a distant subject in action.

## NOVOFLEX FOLLOW FOCUS TELEPHOTO LENSES

Complete with reversible bayonet lens hood and lens cap LESS CAMERA ADAPTERS. (Camera adapters listed on following page.)

Focal Length	280mm f/5.6	400mm f/5.6	640mm f/9
CATALOG #	11/PI-280B	11/PI-400B	11/PI-640B
Speed	f/5.6	f/5.6	f/9
*Focusing Range	∞ - 13 ft.	∞ - 26 ft.	∞ - 65 ft.
Picture angle	9°	6°	3 3/4°
Weight	2 lbs. 10 oz.	3 lbs. 8 oz.	4 lbs. 10 oz.
Filter Size	8	9	9

\*Near focusing distance can be reduced considerably by using special bellows accessory (See accessory listing on following page.)

**BURLEIGH BROOKS INC.**



# ADAPTERS, COMPONENTS AND ACCESSORIES FOR NOVOFLEX FOLLOW FOCUS LENSES

## ADAPTERS

### 1. Adapters For 35mm Cameras Camera:

Alpa  
Canon FX, Pellix  
Contarex  
Exakta/Exa II (Exakta External Bayonet)  
Leica with Visoflex II and III  
Leicaflex  
Minolta SR  
Miranda  
Nikon F, Nikkorex, Nikkormat  
Pentax/Edixa/Praktica/  
Pentacoin/Yashica Reflex  
Petriflex  
Praktina/Porstreflex  
Topcon/Mamiya Reflex (Exakta Internal  
Bayonet)  
Zenit

### Catalog Code

11/ALBA  
11/CANBA  
11/REXBA  
11/AUXBA  
11/VISBA  
11/LEBA  
11/MINBA  
11/MIRBA  
11/NIKBA  
  
11/COBA  
11/PEBA  
11/PRABA  
  
11/IXBA  
11/ZENBA


### Adapters For Movie Cameras\*

\*Important: Also see mounting supports and intermediate tube for movie cameras under accessories.

### Camera:

Arriflex  
C-Thread (16mm Cameras, Bolex H8RX  
and Beaulieu S2008)  
D-Thread (8mm Cameras except Bolex  
H8RX and Beaulieu S2008)  
Camex Reflex - 2 adapters required

11/ARBA  
11/CEBA  
11/DEBA  
11/CAMCO and  
11/COBA



## COMPONENTS

### 2. Pistol Grip Handle

### Catalog Code

11/PIGRIFB-B

### LENSHEADS

3. 280mm f/5.6 Follow Focus Lenshead complete with lenshood and lens cap  
3a. Reversible bayonet lenshood for 280mm lenshead  
4. 400mm f/5.6 Follow Focus Lenshead complete with lenshood and lens cap  
4a. Diaphragm assembly only of 400mm lenshead  
4b. 400mm f/5.6 lens cell only  
4c. Reversible bayonet lenshood for 400mm and 640mm lensheads  
\*5. 640mm f/9 lenshead only without lenshood  
\*Must be used with diaphragm assembly of 400mm lenshead (4a) and lenshood (4c).

11/B-280

11/SONPI

11/B-400

11/PIFAS-B

11/LINSE-400

11/SONFE

11/N-640



## ACCESSORIES

### Special Bellows

Mounted between Pistol Grip and camera in place of camera adapter ring, this bellows increases the near focusing range of a Follow Focus Lens without effecting its ability to focus at infinity\* A must for those who specialize in photographing small subjects (birds, animals, insects, etc.) and must focus close in order to gain frame-filling image sizes. Guide rails are engraved with exposure increase factors for 280mm and 400mm lenses for

close-up photography. Maximum increase factor is 1X. No exposure increase required when used with the 640mm lenshead even at full bellows extension. Swivel rear mount permits swivelling camera for taking vertical or horizontal photos. Front of bellows has quick-release bayonet mount to accept Pistol Grip; back has quick-release bayonet mount to accept camera adapters. Locking knob permits locking bellows at any position.

### Focusing Range of Follow Focus Lenses with Special Bellows

280mm Lens  
400mm Lens  
640mm Lens

infinity to 1 ft. 3 in.  
infinity to 6 ft.  
infinity to 13 ft. 8 in.

### Special Bellows LESS CAMERA ADAPTER

Catalog Code 11/BAL-U

Adapters for Special Bellows listed on following page

\*When used with cameras with reflex housing such as Visoflex, the special bellows will not permit a Follow Focus Lens to focus to infinity. In such cases the lens must be used for close-ups only.

**BURLEIGH BROOKS INC.**



# ADAPTERS, COMPONENTS & ACCESSORIES FOR NOVOFLEX FOLLOW FOCUS LENSES



## ADAPTERS FOR SPECIAL BELLOWS

Camera:	CATALOG #	Camera:	CATALOG #
Alpa	11/ALA	Miranda	11/MIRA
Canon FX, Pëllix	11/CANA	Nikon F, Nikkorex, Nikkormat	11/NIKA
Contarex	11/REXA	Pentax/Edixa/Practica/Yashica Reflex	11/COA
Exakta/Exa II (Exakta External Bayonet)	11/AUXA	Petriflex	11/PEA
Leica with Visoflex II and III	11/VISA	Praktina/Porstreflex	11/PRAA
Leicaflex	11/LEA	Topcon/Mamiya Reflex	
Minolta	11/MINA	(Exakta Internal Bayonet)	11/IXA
		Zenit	11/ZENA



**Chest or Shoulder Support** Designed for the Novoflex Pistol Grip, this handy accessory weighing only 13 ounces provides firm and stable support for hand-held cameras with long focus lenses. Gunstock type of construction folds into compact 10" x 5" package. Fits comfortably against chest or shoulder. Ribbed rubber coated front grip can be used as support on car roof, fence or table.

CATALOG #  
11/PISTOCK



**Tripod Clamp** Designed primarily for the 640mm Follow Focus lens, this clamp permits mounting the lens and camera on a tripod at their center of gravity. Not required but also useful with the 400mm lens. Equipped with tripod socket, clamp fits over lens barrel and is tightened in place by using a screwdriver. Accepts any conventional tripod.

CATALOG #  
11/PISTAR

### Mounting Supports For Movie Cameras (B)

Camera:	CATALOG #
Beaulieu 16mm	11/PIBEA-16
Bolex Reflex	11/PIBOLEX
Pathe Webo	11/PIWEBO

Most other movie cameras do not require a mounting support.

### Intermediate Tube For Movie Cameras (A)

Required for using a Follow Focus lens on a movie camera. The location of the film plane in a movie camera differs from that in a 35mm still camera. Fitted between lens head and pistol grip, this tube assures the proper location of the lens head in relation to the film plane so that the lens will focus.

CATALOG #  
11/PITUB-B

### Filters

Finest selected optical glass. Precision ground, coated and polished. Screw-in type.

#### For Use With Black-and-White Film

Light yellow, medium yellow, orange,  
U V., haze, light red, infrared

#### For Use With Color Film

Blue series—B-3, B-6, B-12  
Red Series—R-1.5, R-3, R-6, R-12

#### Please Specify Filter Type CATALOG #

For 280mm Lens 11/FILPI  
For 400 and 640mm Lens 11/FILFE

### Carrying Cases

Holster type, leather construction with shoulder strap

CATALOG #

For 280mm Follow Focus Lens 11/TASPI  
For 400mm Follow Focus Lens 11-TASPI-400



Carrying case for 640mm lens head and two filters

CATALOG #  
11/TASFE



**BURLEIGH BROOKS INC.**



# NOVOFLEX SQUEEZE FOCUS

## 135mm f4.5 Xenar Lens Instant Focusing with a 135mm Lens



### SPECIFICATIONS

APERTURE RANGE	f4.5 - 32
DIAPHRAGM	MANUAL
FOCUSING RANGE	∞ - 5 ft.
WEIGHT	15 oz.
LENGTH	4 <sup>3</sup> / <sub>4</sub> "
FILTER SIZE	7

Many years ago, Novoflex pioneered the development of a quick, controllable means for focusing long focal length lenses. The result is the famous Novoflex Follow Focus System. Their latest innovation, the Squeeze-Focus 135mm Xenar, extends the range to include a medium telephoto optic. This new lens incorporates a horizontal squeeze bar for focusing, rather than a squeeze pistol grip as is used in the longer Follow Focus lenses. Split second, sharply focused exposure is accomplished by having one hand on the squeeze focus bar situated on top of the lens, and the other hand on the camera shutter release. Extremely sharp exposures are further assured by the world famous Schneider Xenar lens incorporated in the system. Unaffected by adverse weather conditions, the squeeze focus 135mm lens offers fast, trouble-free operation even during extremely cold temperatures. Its design allows it to be used comfortably while wearing heavy gloves. The lens can be pre-set to pinpoint focus at any two distances. The pre-focus points are controlled by two knobs: This design is unbeatable for sports, children, or any rapid action subject. Built-in swivel mechanism permits camera to be swivelled 90° for vertical or horizontal compositioning. For tripod use a convenient knob permits slow finger controlled focusing throughout the entire range.

Novoflex Squeeze Focus 135mm f4.5 Xenar Lens

Complete Less Camera Adapter

Catalog 11/S-135

### Adapters For Squeeze Focus 135mm f4.5 Xenar Lens

#### FOR 35mm CAMERAS

Alpa  
Canon FX, Pellix  
Contarex  
Edixa (-mat) Reflex  
Edixa-rea  
Exakta/Exa  
Exakta Real  
Leicaflex  
Mamiya Reflex (FP)  
Minolta SR  
Miranda  
Nikon F, Nikkormat  
Nikkorex  
Pentacox  
Pentax  
Petriflex  
Praktica  
Praktina  
Porstreflex  
Topcon  
Yashica Reflex  
Zenit

#### CATALOG #

ALA  
CANA  
REXA  
COA  
EREXA  
IXA  
REALA  
LEA  
IXA  
MINA  
MIRA  
NIKA  
NIKA  
NIKA  
COA  
COA  
PEA  
COA  
COA  
PRAA  
PRAA  
IXA  
COA  
ZENA

#### for Movie Cameras


Arriflex		11/ARA
Beaulieu 8 mm		11/DEA + 11/CINE-S
Beaulieu 16 et S 2008		11/CEA + 11/CINE-S
Bolex Reflex		11/COA + 11/CINE-S
Camex Reflex	11/CAMCO +	11/COA + 11/CINE-S
Pathe Webó		11/CEA + 11/CINE-S

**BURLEIGH BROOKS INC.**



# NOVOFLEX TELEPHOTO NESTING LENS SYSTEMS

COMPACT, LIGHTWEIGHT, MODERATELY PRICED PRECISION TELE LENSES



Novoflex Nesting Lenses make telephoto photography easier than ever. This unique design virtually eliminates the three main disadvantages of a long telephoto lens — size, weight and high cost. Economically priced, Novoflex Telephoto Nesting Lenses are unusually light in weight and actually telescope down to half their size for storage. Interchangeable 400 and 640mm lensheads feature optical glass of the highest quality — notable for color correction, excellent definition, exceptional resolving power and highest brilliance. Focusing knob provides continuous, smooth rack and pinion focusing unaffected by temperature extremes. Locking knob permits locking lens in any focusing position. Designed for use on a tripod, the Nesting Lenses have large tripod bases that firmly support the lenses. Vibration and camera shake are kept to the barest minimum. Built-in swivel mechanism permits swivelling camera for taking vertical or horizontal photos or for leveling lens on tripod. A special shorter lens is available for 35mm cameras with reflex housings.

## Novoflex Telephoto Nesting Lenses for 35mm SLR Cameras with Focal Plane Shutters and 8mm and 16mm SLR Movie Cameras

Complete with reversible Bayonet Lens Hood and Lenscap *LESS CAMERA ADAPTER*. Adapters listed on following page.

Focal Length	400mm f/5.6	640mm f/9
CATALOG #	11/LA	11/LA-640
Speed	f/5.6	f/9
Focusing range	$\infty$ — 13 ft.	$\infty$ — 33 ft.
Picture angle	6°	3¾°
Weight	3 lb. 3 oz.	4 lb. 11 oz.
Filter size	9	9

Novoflex Telephoto Nesting Lenses for \*35mm Cameras with Reflex Housings, complete with Reversible Bayonet Lenshood and Lenscap *LESS CAMERA ADAPTER*.

Adapters listed on following page. Specifications same as above.

Focal Length	400mm f/5.6	640mm f/9
CATALOG #	11/KU	11/KU-640

\*Can also be used with 35mm SLR cameras by means of an accessory extension tube. See accessories on following page.

**BURLEIGH BROOKS INC.**



# ADAPTERS, COMPONENTS, & ACCESSORIES FOR NESTING LENSES

## ADAPTERS

### 1) ADAPTERS FOR 35MM CAMERAS

Camera:	Catalog Code
Alpa	11/AL
Canon FX, Pellix	11/CAN
Contarex	11/REX
Exakta/Exa II (Exakta External Bayonet)	11/EX
Leica with Visoflex II and III Reflex Housing	11/VIS
Leica with Novoflex Housing or Visoflex I	11/LEI
Leicaflex	11/LE
Minolta SR	11/MIN
Miranda	11/MIR
Nikon F, Nikkorex, Nikkormat	11/NIK
Pentax/Edixa/Praktica/Pentacon/Yashica Reflex	11/CO
Petriflex	11/PE
Praktina/Porstreflex	11/PRA
Topcon/Mamiya Reflex (Exakta Internal Bayonet)	11/TOP
Zenit	11/LEI

### Adapters for Movie Cameras\*

\*Important—See also mounting supports for movie cameras under accessories.

Camera:	Catalog Code
Arriflex	11/AR
C-Mount (16mm Cameras and Bolex H8RX, Beaulieu S2008)	11/CE
D-Mount (8mm Cameras except Bolex H8RX and Beaulieu S2008)	11/DE 11/CAMCO and 11/CO
Camex Reflex—2 adapters required	

## ACCESSORIES

### ACCESSORIES FOR NESTING LENSES

#### Mounting Supports For Movie Cameras

Camera:	Catalog Code
Arriflex 16mm (16mm only)	11/STUAR-16
Beaulieu 16mm and 9.5mm	11/STUBEA-16
Beaulieu 8mm	11/STUBEA-8
Bolex H 16 RX and H8RX	11/STUBOL
Camex Reflex 8mm	11/STUCAM-8
Pathe Webbo 16mm and 9.5mm	11/STUWEDO-16

#### Extension Tube


For use with the short Nesting Lens designed for cameras with reflex housings. This accessory tube provides the extension necessary to enable this lens to be used with 35mm SLR cameras.

Catalog Code  
11/KUTUB

#### Carrying Cases


Leather construction with shoulder strap.  
For 400mm Nesting Lens.

Catalog Code  
11/TASKULA



## COMPONENTS

- |   | Catalog Code |
|---|--------------|
| 2) Body only of Nesting Lens<br>For SLR cameras   | 11/LA-Lens   |
| For cameras with reflex housings  | 11/KU-Lens   |
| 3) 400mm f/5.6 Lenscell Only  | 11/LINSE-400 |
| 3A) Reversible Bayonet Lenshood<br>For 400mm and 640mm Lensheads                        | 11/SONFE     |
| 4) 640mm f/9 Lenshead only without Lenshood<br>Accepts same lenshood as 400mm lenshead. | 11/N-640     |



## FILTERS

Finest selected optical glass. Precision ground, coated and polished. Screw-in type.

#### For Use With Black-and-White Film

Light yellow, medium yellow, orange, U.V., haze, light red, infrared.

#### For Use With Color Film

Blue Series—B-3, B-6, B-12  
Red Series—R-1.5, R-3, R-6, R-12

#### PLEASE SPECIFY FILTER TYPE

For 400mm or 640mm lenses

Catalog Code  
11/FILFE

Carrying case for 640mm lenshead and two filters.


Catalog Code  
11/TASFE






**BURLEIGH BROOKS INC.**



# NOFLEXAR



**Fascinating Wide Angle/Macro Lens  
Focuses from Infinity to 2¼ inches!  
35mm f/3.5 Noflexar for SLR's  
is no larger than standard 50mm lens**



This amazing Novoflex lens is actually 5 lenses in one! Small enough to fit in any eveready case, it provides both wide angle and macro pictures – without requiring accessories of any kind. As a wide angle lens, the Noflexar takes in the entire subject with its 63° angle of coverage – ideal for confined areas like interiors or narrow streets. Then four click stop extension positions transform it into a macro lens, permitting

extreme close-ups without an extension bellows. An excellent choice for clinical and nature photography. The lens itself is an outstanding example of optical design. Features include 4-element construction . . . pre-set diaphragm . . . excellent definition with extreme brilliance and high color correction . . . built-in lens shade . . . filter thread M 49 x 0.75. Continuous focusing action—in four click stop positions.

Noflexar for 35mm Macro Wide Angle Lens	Catalog Code
Pentax/Edixa/Praktica/Pentacon/Yashica RX	11/COWEIT
Exakta/Exa I and II/Mamiya Reflex	11/EXWEIT
Nikon F, Nikkorex, Nikkormat	11/NIKWEIT
Zenit	11/ZENWEIT
Canon FX, Pellix	11/COWEIT and 11/CANCO
<b>Accessories for 35mm Macro Wide Angle Lens</b>	
Reversal Ring fits lens to Leica threads of Novoflex bellows attachments in reversed position (gives 3X to 5X magnification)	11/LEIUM
<b>Carrying Case</b> Leather Construction with Camera Strap Loops.	11/TASWEIT

**BURLEIGH BROOKS INC.**




# NOVOFLEX EXTENSION BELLOWS

SIMPLIFY THE FASCINATING FIELD OF CLOSE-UP PHOTOGRAPHY

Fitting directly between camera and lens these superbly machined extension bellows provide a simple means of producing fascinating close-ups of the tiniest subjects. They are excellent for clinical, nature, macro and micro photography and copying. A bellows is a must for anyone who wishes to extend his photographic capabilities. It will broaden his

knowledge of close-up photography and provide an economical means of exploring the field of telephoto photography. By providing a single focusing system, a bellows allows the use of inexpensive tele-lensheads in non-focusing mounts. The high-precision rack and pinion focusing of a Novoflex bellows permits continuous, smooth focusing of lenses from close-up to infinity.



## The quality features incorporated into a Novoflex bellows are:

1. Precision machined rack and pinion focusing
2. Rugged but extremely lightweight construction
3. All metal parts of anodized aluminum alloy
4. Scratch-resistant baked-on grain finish
5. Sliding track engraved with exposure increase factors for 50, 105, and 135mm lenses
6. Two control knobs for focusing and locking
7. Long-wearing weatherproof bellows
8.  $\frac{3}{8}$ " and  $\frac{1}{4}$ " tripod threads
9. Compact and easy to use

**BURLEIGH BROOKS INC.**



# NOVOFLEX EXTENSION BELLOWS

## Models and Specifications



### Model I

Economically priced standard two-track model with *fixed (non-swivelling) non-interchangeable rear mounts*. Front mount has Leica thread which accepts all Novoflex Bellows Lensheads directly or other lenses by using inexpensive Novoflex front mount adapters. (See adapters on following page.) Can be used with Novoflex focusing tripod rack.

With back mount fitted for:	Catalog Code
Pentax/Edixa/Practica/ Pentacon/Yashica Reflex	11/COLEIBAL
Exakta, Exa/Topcon	11/EXLEIBAL
Zenit	11/ZENLEIBAL



### Model S

Standard two-track model same as Model I but with *swivelling rear mount* for taking vertical and horizontal photos and *interchangeable rear mount* which accepts quick-release Novoflex camera adapters. Leica threaded front mount accepts all Novoflex Bellows Lensheads directly or other lenses by using inexpensive Novoflex front mount adapters. (See adapters on following page.) Can be used with Novoflex focusing tripod rack.

**LESS CAMERA ADAPTER.** See camera adapters on following page.

**Catalog Code 11/BAL-S**



### Model II

Deluxe four-track model with *built-in tripod focusing rack, swivelling rear mount* for taking vertical and horizontal photos, and *interchangeable rear mount* which accepts the quick release Novoflex camera adapters. Leica threaded front mount accepts all Novoflex Bellows Lensheads directly or other lenses by using inexpensive Novoflex front mount adapters. (See adapters on following page.)

**LESS CAMERA ADAPTER.** See camera adapters on following page.

**Catalog Code 11/BALCAST**

### Follow Focus Bellows

Combines the features of the standard Novoflex Bellows with the added convenience of instantaneous pistol grip focusing. Perfect for photographing small living insects which requires constant refocusing in order to capture the right picture. Front mount has Leica thread which accepts all Novoflex Bellows Lensheads directly or other lenses by using inexpensive Novoflex front mount adapters. (See adapters on following page.) Novoflex Lensheads in focal lengths from 105mm to 240mm, when used with a Follow Focus Bellows, focus from close-up to infinity, giving full flexibility for covering all types of action photos. Locking knobs permit locking pistol grip in compressed position for time exposures. Tripod socket is in base of handle for perfect balance on a tripod. Swivelling, non-interchangeable rear mount permits swivelling camera for taking both vertical and horizontal photos.



With back mount fitted for:	Catalog Code
<b>35mm cameras</b>	
Alpa	11/ALPIBAL
Canon FX, Pellix	11/CANPIBAL
Contarex	11/REXPIBAL
Exakta/Exa II (Exakta External Bayonet)	11/AUXPIBAL
Leicaflex	11/LEPIBAL
Leica with Visoflex Housing II and III	11/VISPIBAL
Leica with Visoflex I Housing	11/LEIPIBAL
Minolta SR	11/MINPIBAL
Miranda	11/MIRPIBAL
Nikon, Nikkorex, Nikkormat	11/NIKPIBAL
Pentax/Edixa/Practica/ Pentacon/Yashica Reflex	11/COPIBAL
Petriflex	11/PEPIBAL
Praktina/Porstreflex	11/PRAPIBAL
Topcon/Mamiya Reflex (Exakta Internal Bayonet)	11/IXPIBAL
Zenit	11/ZENPIBAL

### For Movie Cameras:

Arriflex	11/ARPIBAL
C-Thread (16mm cameras Bolex H8RX and Beaulieu S2008)	11/CEPIBAL
D-Thread (8mm cameras except Bolex H8RX and Beaulieu S2008)	11/DEPIBAL
Camex Reflex -	11/CAMCO and 11/COPIBAL

**BURLEIGH BROOKS INC.**



# ADAPTERS FOR NOVOFLEX BELLOWS

## REAR MOUNT ADAPTERS For Bellows Models S & II

### For 35mm Cameras

#### Camera:

Canon FX, Pellix  
 Exakta/Exa II (Exakta External Bayonet)  
 Leica with Visoflex II and III Reflex Housing  
 Leicaflex  
 Minolta SR  
 Miranda  
 Nikon F, Nikkorex, Nikkormat  
 Pentax/Edixa/Practica/Pentacon/Yashica Reflex  
 Petriflex  
 Praktina/Porstreflex  
 Topcon/Mamiya Reflex (Exakta Internal Bayonet)  
 Zenit

#### Catalog Code

11/CANA  
 11/AUXA  
 11/VISA  
 11/LEA  
 11/MINA  
 11/MIRA  
 11/NIKA  
 11/COA  
 11/PEA  
 11/PRAA  
 11/IXA  
 11/ZENA

### For Movie Cameras

#### Camera:

Arriflex  
 C-Mount—16mm cameras  
 D-Mount—most 8mm cameras  
 Camex Reflex—2 adapters required

11/ARA  
 11/CEA  
 11/DEA  
 11/CAMCO  
 and  
 11/COA

## FRONT MOUNT ADAPTERS For Models I, S, II and Follow Focus Bellows Converts Camera Lenses To Leica Thread

### 35mm Camera Lenses with:

Canonflex Bayonet  
 Exakta/Exa II/Topcon/Mamiya Reflex  
 (Exakta Internal Bayonet)  
 Leica-M Bayonet  
 Leicaflex Bayonet  
 Leitz Hektor 1:2.5/125mm Lenshead  
 Leitz Hektor and Elmar 135mm Lenshead  
 Leitz Elmar 90mm Lenshead  
 Leitz Elmar 65mm Lenshead  
 Minolta Bayonet  
 Miranda Thread  
 Nikon Bayonet  
 Pentax/Edixa Practica/Yashica Thread  
 Praktina/Porstreflex Bayonet

#### Catalog Code

11/LEICAN  
 11/LEIEX  
 11/LEI-M  
 11/LEI-F  
 11/LEILEI  
 11/LEIHEK  
 11/LEIEL  
 11/LEIMAR  
 11/LEIMIN  
 11/LEIMIR  
 11/LEINIK  
 11/LEICO  
 11/LEIPRA

### Movie Camera Lenses with:


Arriflex Bayonet  
 C-Mount—16mm cameras

11/LEIAR  
 11/LEICE



# LENSHEADS FOR NOVOFLEX BELLOWS

The normal lens of a given camera can take *only close-ups* when used with an extension bellows. It will not focus to infinity and its focal length is too short to be suitable for 1.1 slide copying unless a supplementary lens is used. (See accessories for bellows.) The standard camera lens is therefore very limited in its bellows applications. These high-quality *Novoflex and Schneider* lenses permit *both close-ups and distant shots with the same lens*. Consisting of only the lens elements and iris diaphragms, these moderately priced lensheads eliminate the need for expensive helical focusing mounts or long focus lenses. Provided with Leica threads, the lensheads attach directly to Novoflex Bellows with Leica-threaded front mounts.



## Lensheads with click stop diaphragms

## Catalog Code

60mm f/4.5 Noflexar (for slide copying and macro photography)

11/BALFLEX

\*105mm f/3.5 Noflexar

11/LEINO

\*105mm f/3.5 Schneider Xenar

11/LEIXIN

\*105mm f/4.5 Schneider Xenar

11/LEIXAR

\*most popular focal length lens since it is suitable for both extreme close-ups and infinity shots with a Novoflex Bellows.

135mm f/4.5 Schneider Xenar

11/LEIXEAL

135mm f/4.5 Noflexar

11/LEINO-135

150mm f/4.5 Schneider Xenar

11/LEIXIAN

240mm f/4.5 Noflexar

11/LEINO-240

240mm f/5.6 Schneider Tele-Arton

11/LEITELAR

## Lensheads with automatic diaphragms

Lensheads with automatic diaphragms are extremely practical for close-up photography, since they permit capturing any photo in an instant without the delay of manually stopping down the lens diaphragm for the exposure. With an automatic diaphragm lens the required exposure setting is pre-selected on the lens. The subject is focused at maximum aperture and only at the instant of exposure does the diaphragm stop down to the pre-selected aperture and immediately re-opens afterwards. Activated by a double cable release, these lenses are particularly suitable for nature photography where small moving subjects such as insects require maximum aperture for critical focusing and an instant exposure to capture the action.

## Catalog Code

105mm f/3.5 Auto-Noflexar lens only

11/LEINO-A

135mm f/4.5 Auto-Noflexar lens only

11/LEINO-135A

Double cable release for automatic diaphragm lenses

11/AKAB

Double cable release adapter for use with Edixa or Leica type release buttons

11/AKABEL

## Installations of automatic diaphragms

Burleigh Brooks can install automatic diaphragms in existing lensheads of the following types:

105mm f/3.5 Noflexar

135mm f/4.5 Noflexar

105mm f/3.5 Travegar

135mm f/4.5 Travenon

135mm f/4.5 Xenar

Additional information available on request.

**BURLEIGH BROOKS INC.**



# ACCESSORIES FOR USE WITH NOVOFLEX BELLOWS

## Focusing Tripod Rack

For use with Novoflex Bellows Models I and S, (Model II has built-in focusing rack) or any camera/lens/extension tube arrangement used for close-up or macrophotography. In these two fields of photography the working distances are very short, subject area is small and the depth-of-field shallow. Under these conditions any movement of tripod-mounted camera to adjust the lens-to-subject distance may result in shifting the lens off the subject entirely. Here, a focusing rack is of great convenience because it provides a smooth, accurate means of adjusting the lens-to-subject distance without changing the subject's position in the image field. Focusing tripod racks are also used for taking stereo pictures of non-moving subjects. (For stereo photography also see spirit level below.)

Catalog Code 11/CASTEL



## Spirit Level

For leveling focusing tripod rack when taking stereo pictures.


Catalog Code 11/NIVEL



## Extension Tubes

If for some reason the extension of a Novoflex Bellows is insufficient, it can be lengthened by adding one or more extension tubes. Equipped with *Leica threads* these tubes can also be used with the Microscope adapter.

12mm tube    Catalog Code 11/NORING I  
24mm tube    Catalog Code 11/NORING II  
48mm tube    Catalog Code 11/NORING III



## Microscope Adapter

Equipped with a clamping device at one end that fits the popular microscope eyetube diameter of 27mm. Opposite end has Leica thread that screws directly into Novoflex Extension Bellows, Extension Tubes and Microscope Bellows.


Catalog Code 11/MICRO



## Microscope Bellows

Provides additional bellows extension for greater magnification when used with a Novoflex Bellows on a copying stand. Also very efficient in absorbing vibration. (See illustration below.)

Catalog Code 11/MICROBALG



## Carrying Cases

Leather carrying case accepts Novoflex Extension Bellows Models I, S or II complete with lenshead and bellows lenshood.

Catalog Code 11/TASBA



Vinyl case for Follow Focus Bellows with lens and lenshood.

Catalog Code 11/TASPIBA




**BURLEIGH BROOKS INC.**



# SLIDE COPYING EQUIPMENT FOR USE WITH NOVOFLEX BELLOWS

Novoflex slide copying equipment provides the photographer with a simple, efficient means of duplicating slides. It allows him to make direct 1:1 copies or to crop and enlarge any portion of a slide. It also permits correction of errors in the original photo. Over or underexposure and/or poor color balance correction in the duplication will provide a first-class copy from a second-class original. Special effects can be added to the original by experimentation with the slide copier. As seen in the illustration below, the Novoflex Slide Copying Attachment is used with a camera, lens and a Novoflex Extension Bellows.

A complete Novoflex slide copying system consists of:



A. Camera—Any camera that can be fitted with a Novoflex Bellows.

B. Bellows—Novoflex Bellows, Models I or S with or without tripod focusing rack or Model II with built-in rack.

C. Lens—Preferably 60 mm\* in focal length; however, any standard 50mm lens will do if equipped with a Novoflex supplementary lens (E)

\*See slide copy lenshead under accessories

D. Coupling Ring—Required for lenses with a front lens mount other than 42mm in diameter. Allows lens to accept either supplementary lens (E) if required or bellows lenshood (F). Specify lens to be used when ordering and/or front mount diameter and filter thread. Catalog Code 11/M

E. Supplementary Lens—42mm\* slip-on diameter. Increases the focal length of a standard 50mm camera lens, making it suitable for 1:1 slide copying. Front mount fits directly into bellows lenshood (F). A 50mm lens without this accessory produces cropped copies.

\*For lenses having front lens mounts other than 42mm in diameter, see coupling ring (D)

Catalog Code 11/BALTES

F. Bellows Lenshoods—\*\*42mm slip-on diameter. Holds slide copying attachment at required distance. Slide rods fit directly into hollow tracks of Novoflex Bellows. An excellent lenshood for Novoflex Bellows Lensheads (60mm to 150mm focal lengths), providing better protection against stray light or splashed water than other hoods.

\*\*For lenses with front lens mounts other than 42mm in diameter, see coupling ring (D)

Catalog Code 11/BALSON

G. Slide Copying Attachment—Holds transparencies and negatives in position. Slides into grooves in front of Bellows lenshood. Supplied complete with connecting bracket (G1)

and clamp (G2) which permit focusing by means of the tripod focusing rack. Opal glass diffuses light. Test chart assures accurate positioning of slide for 1:1 copying.

Catalog Codes

For Bellows Models I, S & II 11/BALCOP

For Follow Focus Bellows 11/BALCOP-P

H. Tripod Focusing Rack\*—For use with Novoflex Bellows Models I & S. (Model II has built-in focusing rack). A focusing rack is not essential for slide copying, however, it aids in focusing and its use is recommended.

Catalog Code 11/CASTEL

## Accessories For Slide Copying Attachment

Slide Copying Lenshead—60mm f/4.5 Novoflex lenshead specifically designed for slide copying. In special mount with Leica thread. Lens fits directly into all Novoflex bellows having Leica threaded front mounts and accepts Bellows lenshood without the need for an adapter ring. Picture quality of this lens is so good that no stopping down for exposure is required. Focusing is done at full ground glass luminosity and exposures can be short. Lens is also an excellent choice for close-up and macro photography

Catalog Code 11/BALFLEX



## Roll Film Cups

For holding film strip when copying individual frames.

Catalog Code 11/BALFILM



**BURLEIGH BROOKS INC.**



# NOVOFLEX EQUIPMENT FOR 2¼ x 2¼" SINGLE LENS REFLEX CAMERAS

## Follow Focus Lenses for 2¼ x 2¼" SLR Cameras

These lenses are basically the same as the Follow Focus lenses for 35mm cameras but are somewhat larger in size. Designed specifically for use with the 2¼" square format, they can also be adapted for use on a 35mm camera. Information regarding 35mm camera adapters is available on request.

240mm f/5.6 Follow Focus lens  
with built-in lenshood  
and back mount for

Bronica  
Hasselblad 1000 and 1600 F  
Praktisix

### Catalog Code



11/BROPI-240  
11/HAPI-240  
11/TISPI-240

500mm f/5.6 Follow Focus lens  
complete with reversible bayonet  
lenshood and back mount for

Bronica  
Hasselblad 1000 and 1600 F  
Praktisix

### Catalog Code

11/BROPI-500  
11/HAPI-500  
11/TISPI-500



## Components of 2¼ x 2¼" Follow Focus Lenses

Pistol grip handle  
with back mount for:

Bronica  
Hasselblad 1000 and 1600 F  
Praktisix

### Catalog Code

11/BROPIGRIF  
11/HAPIGRIF  
11/TISPIGRIF

Lensheads:

240mm f/5.6 Noflexar  
500mm f/5.6 Noflexar

### Catalog Code

11/K-240  
11/KS-500

## Accessories for 2¼ x 2¼" Follow Focus Lenses

Chest or Shoulder Support:  
Same as model supplied for  
35mm Follow Focus lenses but  
with special leather strap.

### Catalog Code

11/PISTOCK-66

Carrying Case:

Vinyl-covered wooden case  
for 240mm 2¼ x 2¼"  
Follow Focus lens complete

11/TASBOX-240

## Bellows for 2¼ x 2¼" SLR Cameras

### Deluxe Model II 2¼ x 2¼" Bellows with Built-in Focusing Rack

Basically the same as the Model II Bellows for 35mm cameras, but designed specifically for use with the 2¼" square format. It can also be adapted for use on 35mm cameras. Information regarding 35mm camera adapters is available on request.

With back mount for:

Bronica  
Praktisix

### Catalog Code

11/BROBIG  
11/TISBIG

Lensheads in short mounts and slide copying equipment is available for deluxe Model II 2¼ x 2¼" Bellows on special order. Additional information available on request.

## Novoflex Miscellaneous Accessories

Rubber Lens Caps—All Novoflex lenses are supplied complete with lens caps. If a lens cap is lost, we offer the following replacements.

For  
Leica threaded lensheads  
Exakta bayonet  
Pentax threads  
Front of 280mm lens  
Front of 400 and 640mm lenses  
Front of 35mm macro wide angle lens

### Catalog Code

11/DUSTLEI  
11/DUSTEX  
11/DUSTCO  
11/DUSTPI  
11/DUSTFE  
11/DUSTWEIT



# NOVOFLEX LENSES

For 35mm, 16mm, 8mm

(For 2 1/4 Square Format Lenses — Accessories see page 2)

**FOLLOW FOCUS LENS OUTFITS** without camera adapters — See camera adapter listing below.

**Includes Pistol Grip, Lens Head with Diaphragm, Lens Hood and Lens Cap.**

	Catalog Code	List	Net
280mm f:5.6 .....	11/PI-280B	\$224.00	\$145.60
400mm f:5.6 .....	11/PI-400B	255.00	165.75
640mm f:9.0 .....	11/PI-640B	313.00	203.45

## CAMERA ADAPTERS\* for Follow Focus Lenses

\*See special close focusing Bellows accessory (see accessories) used in place of the following Adapters.

### For 35mm Cameras

Alpa .....	11/ALBA	31.00	20.15
Canon FX, Pellix .....	11/CANBA	31.00	20.15
Contarex .....	11/REXBA	31.00	20.15
Exakta/Exa II (Exakta External Bayonet) .....	11/AUXBA	31.00	20.15
Icarex .....	11/ICABA	31.00	20.15
Leica with Visoflex II & III .....	11/VISBA	31.00	20.15
Leicaflex .....	11/LEBA	31.00	20.15
Leicaflex SL .....	11/LEBASL	31.00	20.15
Minolta SR .....	11/MINBA	31.00	20.15
Miranda .....	11/MIRBA	31.00	20.15
Nikon F, Nikkorex, etc. ....	11/NIKBA	31.00	20.15
Pentax/Edixa/Praktica, etc. ....	11/COBA	31.00	20.15
Petriflex .....	11/PEBA	31.00	20.15
Praktina/Porstreflex .....	11/PRABA	31.00	20.15
Topcon/Mamiya Reflex (Exakta Internal Bayonet) .....	11/IXBA	31.00	20.15
Zenit .....	11/ZENBA	31.00	20.15

### For Movie Cameras\*

\*Important: Also required — mounting support and intermediate tube — See Accessory Listing.

Arriflex .....	11/ARBA	31.00	20.15
C-Thread (16mm Cameras, Bolex H8RX and Beaulieu S2008) .....	11/CEBA	31.00	20.15
D-Thread (8mm Cameras except Bolex H8RX and Beaulieu S2008) .....	11/DEBA	31.00	20.15
Camex Reflex — 2 Adapters required .....	11/CAMCO and 11/COBA	16.00 31.00	10.40 20.15

## COMPONENT PARTS of Follow Focus Lenses

<b>PISTOL GRIP only</b> .....	11/PIGRIF-B	99.00	64.35
-------------------------------	-------------	-------	-------

### LENS HEADS — complete

Includes Diaphragm, Lens Cells, Lens Hood and Lens Cap.

280mm f:5.6 .....	11/B-280	125.00	81.25
400mm f:5.6 .....	11/B-400	156.00	101.40
640mm f:9.0 .....	11/B-640	214.00	139.10

640mm f:9.0 Lens Head with two piece barrel only

without Diaphragm or Lens Hood .....	11/N-640	125.00	81.25
--------------------------------------	----------	--------	-------

### LENS CELLS only

400mm f:5.6 .....	11/LINSE-400	68.00	44.20
640mm f:9.0 .....	11/LINSE-640	68.00	44.20

### DIAPHRAGM ASSEMBLY only

For 400mm & 640mm Lenses .....	11/PIFAS-B	73.00	47.45
--------------------------------	------------	-------	-------

### LENS HOODS

For 280mm Lens .....	11/SONPI	\$10.00	\$ 6.50
For 400mm & 640mm Lenses .....	11/SONFE	16.00	10.40

Design and Prices Subject To Change Without Notice

**BROOKS® BURLEIGH BROOKS INC.**



LENS CAPS	Catalog Code	List	Net
For 280mm Lens .....	11/DUSTPI	.50	.33
For 400mm & 640mm Lenses .....	11/DUSTFE	.50	.33

**ACCESSORIES for Follow Focus Lenses**

**SPECIAL CLOSE FOCUSING BELLOWS — complete**

Includes Camera Adapter .....	Specify Camera	44.00	28.60
-------------------------------	----------------	-------	-------

<b>SPECIAL CLOSE FOCUSING BELLOWS only</b> .....	11/BAL-U	34.00	22.10
--	----------	-------	-------

**CAMERA ADAPTERS for Special Bellows**

**For 35mm Cameras**

Alpa .....	11/ALA	10.00	6.50
Canon FX, Pellix .....	11/CANA	10.00	6.50
Contarex .....	11/REXA	10.00	6.50
Exakta/Exa II (Exakta External Bayonet) .....	11/AUXA	10.00	6.50
Icarex .....	11/ICAA	10.00	6.50
Leica with Visoflex II & III .....	11/VISA	10.00	6.50
Leicaflex .....	11/LEA	10.00	6.50
Leicaflex SL .....	11/LEASL	10.00	6.50
Minolta .....	11/MINA	10.00	6.50
Miranda .....	11/MIRA	10.00	6.50
Nikon F, Nikkorex, etc. ....	11/NIKA	10.00	6.50
Pentax/Edixa/Praktica, etc. ....	11/COA	10.00	6.50
Petriflex .....	11/PEA	10.00	6.50
Praktina/Porstreflex .....	11/PRAA	10.00	6.50
Topcon/Mamiya Reflex (Exakta Internal Bayonet) .....	11/IXA	10.00	6.50
Zenit .....	11/ZENA	10.00	6.50

<b>CHEST OR SHOULDER SUPPORT</b> .....	11/PISTOCK	42.00	27.30
--	------------	-------	-------

<b>TRIPOD CLAMP</b> .....	11/PISTAR	18.00	11.70
---------------------------	-----------	-------	-------

**MOUNTING SUPPORTS for Movie Cameras**

**Camera:**

Beaulieu 16mm .....	11/PIBEA-16	21.00	13.65
Bolex Reflex .....	11/PIBOLEX	21.00	13.65
Pathe Webbo .....	11/PIWEBO	26.00	16.90

Most other movie cameras do not require a mounting support.

<b>INTERMEDIATE TUBE for Movie Cameras</b> .....	11/PITUB-B	19.00	12.35
--	------------	-------	-------

<b>FRONT MOUNT GRIP with cable shutter release</b> .....	11/YSSIH	41.00	26.65
--	----------	-------	-------

<b>MOTORIZED CAMERA ADAPTION for front mount grip</b> .....	Specify Camera	15.00	9.75
---	----------------	-------	------

**LENS HOODS**

For 280mm lens .....	11/SONPI	10.00	6.50
For 400mm & 640mm lenses .....	11/SONFE	16.00	10.40

**LENS CAPS**

For 280mm lens .....	11/DUSTPI	.50	.33
For 400mm & 640mm lenses .....	11/DUSTFE	.50	.33

**FILTERS — Specify color**

For 280mm lens .....	11/FILPI	16.00	10.40
For 400mm & 640mm lenses .....	11/FILFE	26.00	16.90

**CARRYING CASES**

For 280mm Follow Focus Lens .....	11/TASPI	26.00	16.90
For 400mm Follow Focus Lens .....	11/TASPI-400	31.00	20.15
For 640mm Lens Head with Barrel .....	11/TASFE	26.00	16.90

Design and Price Subject To Change Without Notice

**BROOKS® BURLEIGH BROOKS INC.**



# NOVOFLEX LENSES

For 35mm, 16mm, 8mm

	Catalog Code	List	Net
<b>SQUEEZE FOCUS 135mm f:4.5 XENAR LENS without camera adapter</b> .....	11/S-135	\$146.00	\$ 94.90
See camera adapter listing below.			

## CAMERA ADAPTERS for Squeeze Focus 135mm f:4.5 Xenar Lenses

### For 35mm Cameras

Alpa .....	11/ALA	10.00	6.50
Canon FX, Pellix .....	11/CANA	10.00	6.50
Contarex .....	11/REXA	10.00	6.50
Edixa (-mat) Reflex .....	11/COA	10.00	6.50
Edixa-rex .....	11/EREXA	10.00	6.50
Exakta/Exa .....	11/IXA	10.00	6.50
Exakta Real .....	11/REALA	10.00	6.50
Icarex .....	11/ICAA	10.00	6.50
Leicaflex .....	11/LEA	10.00	6.50
Leicaflex SL .....	11/LEASL	10.00	6.50
Mamiya Reflex (FP) .....	11/IXA	10.00	6.50
Minolta SR .....	11/MINA	10.00	6.50
Miranda .....	11/MIRA	10.00	6.50
Nikon F, Nikkormat .....	11/NIKA	10.00	6.50
Nikkorex .....	11/NIKA	10.00	6.50
Pentacon .....	11/COA	10.00	6.50
Pentax .....	11/COA	10.00	6.50
Petriflex .....	11/PEA	10.00	6.50
Praktica .....	11/COA	10.00	6.50
Praktina .....	11/PRAA	10.00	6.50
Porstreflex .....	11/PRAA	10.00	6.50
Topcon .....	11/IXA	10.00	6.50
Yashica Reflex .....	11/COA	10.00	6.50
Zenit .....	11/ZENA	10.00	6.50

### For Movie Cameras\*

\*Important: Also required — intermediate adapter. See accessories.

Arriflex (Intermediate adapter not required) .....	11/ARA	10.00	6.50
Beaulieu 8mm .....	11/DEA	10.00	6.50
Beaulieu 16 & S2008 .....	11/CEA	10.00	6.50
Bolex Reflex .....	11/CEA	10.00	6.50
Camex Reflex (2 adapters required) .....	11/CAMCO and	16.00	10.40
	11/COA	10.00	6.50
Pathe Webbo .....	11/CEA	10.00	6.50

## ACCESSORIES for Squeeze Focus 135mm f:4.5 Xenar Lens

INTERMEDIATE ADAPTER for Movie Cameras .....	11/CINE-S	12.00	7.80
CARRYING CASE .....	11/TAS-135	9.00	5.85

## MACRO/WIDE ANGLE 35mm f:3.5 NOFLEXAR

### For cameras

Pentax/Edixa, etc. ....	11/COWEIT	83.00	53.95
Exakta, etc. ....	11/EXWEIT	83.00	53.95
Nikon, etc. ....	11/NIKWEIT	83.00	53.95
Zenit .....	11/ZENWEIT	83.00	53.95
Canon FX, Pellix (Pentax thread Macro Lens	11/COWEIT +	83.00	53.95
plus Novoflex Canon adapter) .....	11/CANCO	16.00	10.40

Design and Prices Subject To Change Without Notice

**BROOKS®** BURLEIGH BROOKS INC.



**ACCESSORIES for Macro/Wide Angle 35mm f:3.5 NOFLEXAR**

**REVERSAL RINGS**

**For Bellows Lens Mount with:**

	<u>Catalog Code</u>	<u>List</u>	<u>Net</u>
Leica Thread .....	11/LEIUM	8.00	5.20
Pentax .....	11/COUM	8.00	5.20
Exakta Bayonet .....	11/EXUM	8.00	5.20
<b>LENS CAP</b> .....	11/DUSTWEIT	.25	16
<b>CARRYING CASE</b> .....	11/TASWEIT	5.00	3.25

**NOVOFLEX BELLOWS**

For 35mm, 16mm, 8mm

(For 2 1/4 Square Format Bellows — Accessories see page 5)

**MODEL I MONORAIL BELLOWS**

For Cameras

Canon FX, Pellix .....	11/BALCAN	\$21.50	\$13.95
Exakta/Topcon/Mamiya Reflex .....	11/BALIX	19.00	12.35
Minolta SR .....	11/BALMIN	21.50	13.95
Nikon F, Nikkorex, Nikkormat .....	11/BALNIK	21.50	13.95
Pentax/Edixa/Praktica, etc. ....	11/BALCO	19.00	12.35

**MODEL S TWO TRACK BELLOWS only — see Adapters below** .....11/BAL-S 31.00 20.15

**MODEL II FOUR TRACK BELLOWS only — see Adapters below** .....11/BALCAST 50.00 32.50

**ADAPTERS for Novoflex Bellows Models S & II**

**REAR Camera Mount Adapters**

**For 35mm Cameras**

Canon FX, Pellix .....	11/CANA	10.00	6.50
Exakta/Exa II (Exakta External Bayonet) .....	11/AUXA	10.00	6.50
Icarex .....	11/ICAA	10.00	6.50
Leica with Visoflex II and III Reflex Housing .....	11/VISA	10.00	6.50
Leicaflex .....	11/LEA	10.00	6.50
Leicaflex SL .....	11/LEASL	10.00	6.50
Minolta SR .....	11/MINA	10.00	6.50
Miranda .....	11/MIRA	10.00	6.50
Nikon F, Nikkorex, Nikkormat .....	11/NIKA	10.00	6.50
Pentax/Edixa/Praktica/Pentacon/Yashica Reflex .....	11/COA	10.00	6.50
Petriflex .....	11/PEA	10.00	6.50
Praktina/Porstreflex .....	11/PRAA	10.00	6.50
Topcono/Mamiya Reflex (Exakta Internal Bayonet) .....	11/IXA	10.00	6.50
Zenit .....	11/ZENA	10.00	6.50

For Movie Cameras

Arriflex .....	11/ARA	10.00	6.50
C-Mount — 16mm Cameras .....	11/CEA	10.00	6.50
D-Mount — most 8mm Cameras .....	11/DEA	10.00	6.50
Camex Reflex — 2 Adapters required .....	11/CAMCO &	16.00	10.40
	11/COA	10.00	6.50

**FRONT Lens Mount Adapters**

**For 35mm Camera Lenses with:**

Canonflex Bayonet .....	11/LEICAN	10.00	6.50
Exakta/Exa II/Topcon/Mamiya Reflex (Exakta Internal Bayonet) .....	11/LEIEX	10.00	6.50
Leica M Bayonet .....	11/LEI-M	18.00	11.70
Leicaflex Bayonet .....	11/LEI-F	18.00	11.70

Design and Prices Subject To Change Without Notice

**BROOKS® · BURLEIGH BROOKS INC.**



	<u>Catalog Code</u>	<u>List</u>	<u>Net</u>
Leitz Hektor 1:2.5/125mm Lens Head .....	11/LEILEI	10.00	6.50
Leitz Hektor & Elmar 135mm Lens Head .....	11/LEIHEK	10.00	6.50
Leitz Elmar 90mm Lens Head .....	11/LEIEL	10.00	6.50
Leitz Elmar 65mm Lens Head .....	11/LEIMAR	10.00	6.50
Minolta Bayonet .....	11/LEIMIN	10.00	6.50
Miranda Thread .....	11/LEIMAR	10.00	6.50
Nikon Bayonet .....	11/LEINIK	10.00	6.50
Pentax/Edixa/Praktica/Yashica Thread .....	11/LEICO	10.00	6.50
Praktina/Porstreflex Bayonet .....	11/LEIPRA	10.00	6.50

**For Movie Cameras with:**

Arriflex Bayonet .....	11/LEIAR	10.00	6.50
C-Mount — 16mm Cameras .....	11/LEICE	10.00	6.50

**ACCESSORIES for use with Novoflex Bellows**

TRIPOD FOCUSING RACK .....	11/CASTEL	23.00	14.95
SPIRIT LEVEL .....	11/NIVEL	7.00	4.55
EXTENSION TUBE — 24mm .....	11/NORING	4.00	2.60
MICROSCOPE ADAPTER .....	11/MICRO	14.00	9.10
MICROSCOPE BELLOWS .....	11/MICROBALG	19.00	12.35

**LENS HEADS for Novoflex Bellows — \*LEICA THREAD**

\*For applications required other than Leica threads, see adapters for lens heads under lens head accessories listed below.

**Lens Heads with Manual Diaphragm**

60mm f:4.5 Noflexar .....	11/BALFEX	\$31.00	\$20.15
105mm f:3.5 Noflexar .....	11/LEINO	33.00	21.45
105mm f:3.5 Schneider Xenar .....	11/LEIXIN	78.00	50.70
105mm f:4.5 Schneider Xenar .....	11/LEIXAR	73.00	47.45
135mm f:4.5 Schneider Xenar .....	11/LEIXEAL	73.00	47.45
135mm f:4.5 Noflexar .....	11/LEINO-135	42.00	27.30
150mm f:4.5 Schneider Xenar .....	11/LEIXIAN	73.00	47.45
200mm f:4.0 Noflexar .....	11/LEINO-200	134.00	87.10
240mm f:5.6 Schneider Tele Artou .....	11/LEITELAR	203.00	131.95

**Lens Heads with \*Automatic Diaphragms**

\*Double cable release required — see accessories below.

105mm f:3.5 Auto Noflexar .....	11/LEINO-A	62.00	40.30
135mm f:4.5 Auto Noflexar .....	11/LEINO-135A	73.00	47.45
135mm f:4.5 Schneider Auto Xenar .....	11/LEIXEAL-A	78.00	50.70

**ACCESSORIES for Lens Heads**

DOUBLE CABLE RELEASE for Automatic Diaphragm Lenses .....	11/AKAB	12.00	7.80
DOUBLE CABLE RELEASE ADAPTER for use with Edixa or Leica type release buttons .....	11/AKABEL	1.00	.65

**ADAPTERS for Lens Heads — convert Leica threaded lenses to:**

Arriflex Bayonet .....	11/ARLEI	8.00	5.20
Broncia Thread .....	11/BROLEI	15.00	9.75
Canon FX, Pellix Bayonet .....	11/CANLEI	16.00	10.40
Exakta Bayonet .....	11/EXLEI	4.00	2.60
Minolta Bayonet .....	11/MINLEI	10.00	6.50
Miranda Thread .....	11/MIRLEI	10.00	6.50
Nikon Bayonet .....	11/NIKLEI	10.00	6.50
Pentax/Edixa/Praktica, etc. ....	11/COLEI	10.00	6.50
Praktina/Porstreflex Bayonet .....	11/PRALEI	10.00	6.50
Praktisix .....	11/TISLEI	15.00	9.75

Design and Prices Subject To Change Without Notice

**BROOKS<sup>®</sup> • BURLEIGH BROOKS INC.**



# NOVOFLEX SLIDE COPYING EQUIPMENT

For use with Novoflex Bellows Models I, S & II

	Catalog Code	List	Net
<b>SLIDE COPYING OUTFIT complete</b>			
Includes Slide Copying attachment, Bellows Lens Hood and special 60mm f:4.5 Slide Copying Lens Head .....			
Specify Bellows Model		\$74.00	\$48.10
<b>COMPONENT PARTS of Slide Copying Outfit</b>			
<b>SLIDE COPYING ATTACHMENT only</b>			
For Bellows Model I .....	11/BALCOP-P	25.00	16.25
For Bellows Models S & II .....	11/BALCOP	25.00	16.25
<b>BELLOWS LENS HOOD only</b>			
	11/BALSON	18.00	11.70
<b>*60mm f:4.5 COPYING LENS HEAD only</b> .....			
*For use of Lenses other than above 60mm f:4.5 the following 2 items are required:	11/BALFLEX	31.00	20.15
<b>LENS COUPLING RING — converts Lens Mount to required 42mm diameter PLEASE specify Camera Lens Model and/or Filter Thread and front Mount diameter</b> .....			
	11/M	8.00	5.20
<b>SUPPLEMENTARY LENS — increases focal length of Camera Lens to required 60mm</b> .....			
	11/BALTES	12.00	7.80
<b>ACCESSORIES for Slide Copying Outfit</b>			
<b>TRIPOD FOCUSING RACK</b>			
For Bellows Models I & S only .....	11/CASTEL	23.00	14.95

## NOVOFLEX LENSES

For \*2 1/4 Square Format Single Lens Reflex Cameras  
(\*Also adaptable to 35mm SLR Cameras — See accessories)

### FOLLOW FOCUS LENS OUTFITS complete

Includes Pistol Grip, with Camera Mount, Lens Head with Diaphragm, Lens Hood and Lens Cap.

#### 240mm f:5.6

##### For Camera

	Catalog Code	List	Net
Bronica .....	11/BROPI-240	\$333.00	\$215.45
Bronica S2 or C .....	11/BROPI-240S2C	333.00	215.45
Hasselblad 1000 & 1600F .....	11/HAPI-240	333.00	215.45
Praktisix .....	11/TISPI-240	333.00	215.45

#### 500mm f:5.6

Bronica .....	11/BROPI-500	687.00	446.55
Bronica S2 or C .....	11/BROPI-500S2C	687.00	446.55
Hasselblad 1000 & 1600F .....	11/HAPI-500	687.00	446.55
Praktisix .....	11/TISPI-500	687.00	446.55

### COMPONENT PARTS of Follow Focus Lenses

#### PISTOL GRIP with Camera Mount only

##### For Camera

Bronica .....	11/BROPIGRIF	146.00	94.90
Bronica S2 or C .....	11/BROPIGRIFFS2C	146.00	94.90
Hasselblad 1000 & 1600F .....	11/HAPIGRIF	146.00	94.90
Praktisix .....	11/TISPIGRIF	146.00	94.90

Design and Prices Subject To Change Without Notice

# BROOKS® • BURLEIGH BROOKS INC.



**LENS HEAD — complete**

Includes Diaphragm, Lens Cells, Lens Hood and Lens Cap.

	<u>Catalog Code</u>	<u>List</u>	<u>Net</u>
240mm f:5.6 .....	11/K-240	187.00	121.55
500mm f:5.6 .....	11/KS-500	541.00	351.65

**ACCESSORIES for Follow Focus Lenses****CAMERA ADAPTERS\* for 35mm SLR Cameras**

\*Intermediate Adapter also required — see below

**For Camera**

Alpa .....	11/ALLEI-P	16.00	10.40
Canon FX, Pellix .....	11/CANLEI-P	16.00	10.40
Exakta/Exa II (Exakta External Bayonet) .....	11/EXLEI-P	16.00	10.40
Minolta SR .....	11/MINLEI-P	16.00	10.40
Miranda .....	11/MIRLEI-P	16.00	10.40
Nikon F, Nikkorex, Nikkormat .....	11/NIKLEI-P	16.00	10.40
Pentax/Edixa/Praktica/etc. ....	11/COLEI-P	16.00	10.40
Praktina/Porstreflex .....	11/PRALEI-P	16.00	10.40
Contarex .....	11/REXLEI-P	16.00	10.40
Topcon/Mamiya (Exakta Internal Bayonet) .....	11/TOPLEI-P	16.00	10.40

**INTERMEDIATE ADAPTER****For 2¼ Follow Focus Lenses with**

Bronica Mount .....	11/LEIBRO	18.00	11.70
Bronica S2 or C Mount .....	11/LEIBROS2C	18.00	11.70
Hasselblad Mount .....	11/LEIHA	18.00	11.70
Praktisix Mount .....	11/LEITIS	18.00	11.70

CHEST OR SHOULDER SUPPORT .....	11/PISTOCK66	47.00	30.55
---------------------------------	--------------	-------	-------

**NOVOFLEX BELLOWS**

For \*2¼ Square Format Single Lens Reflex Cameras  
 (\*Also adaptable to 35mm SLR Cameras — See accessories)

	<u>Catalog Code</u>	<u>List</u>	<u>Net</u>
<b>MODEL II FOUR TRACK BELLOWS complete</b>			
<b><u>For Camera</u></b>			
Bronica S2 & C .....	11/BROBIG-S2C	\$83.00	\$53.95
Bronica .....	11/BROBIG	83.00	53.95
Praktisix, Pentaconsix .....	11/TISBIG	83.00	53.95

**ACCESSORIES for use with Novoflex 2¼ Square Bellows****CAMERA ADAPTERS\* for 35mm SLR Cameras**

\*Intermediate Adapter also required — see below

**For Camera**

Alpa .....	11/ALLEI-P	16.00	10.40
Canon FX, Pellix .....	11/CANLEI-P	16.00	10.40
Exakta/Exa II (Exakta External Bayonet) .....	11/EXLEI-P	16.00	10.40
Minolta SR .....	11/MINLEI-P	16.00	10.40
Miranda .....	11/MINLEI-P	16.00	10.40
Nikon F, Nikkorex, Nikkormat .....	11/NIKLEI-P	16.00	10.40
Pentax/Edixa/Praktica, etc. ....	11/COLEI-P	16.00	10.40
Praktina/Porstreflex .....	11/PRALEI-P	16.00	10.40
Contarex .....	11/REXLEI-P	16.00	10.40
Topcon/Mamiya (Exakta Internal Bayonet) .....	11/TOPLEI-P	16.00	10.40

Design and Prices Subject To Change Without Notice

**BROOKS® BURLEIGH BROOKS INC.**



**INTERMEDIATE ADAPTER****For 2¼ Bellows with**

	<u>Catalog Code</u>	<u>List</u>	<u>Net</u>
Bronica Mount .....	11/LEIBRO	18.00	11.70
Bronica S2 or C Mount .....	11/LEIBROS2C	18.00	11.70
Hasselblad Mount .....	11/LEIHA	18.00	11.70
Praktisix Mount .....	11/LEITIS	18.00	11.70

**LENS HEADS\* for Novoflex 2¼ Square Bellows — Manual Diaphragms**

\*Adapters required — see Adapter listing below

105mm f3.5 Noflexar .....	11/LEINO	33.00	21.45
150mm f4.5 Schneider Xenar .....	11/LEIXIAN	73.00	47.45
180mm f4.5 Schneider Xenar .....	11/XUR	104.00	67.60
200mm f4.0 Noflexar .....	11/N-200	116.00	75.40
300mm f5.6 Noflexar .....	11/N-300	120.00	78.00

**ADAPTERS FOR LENS HEADS****Adapts**

105mm f3.5 Noflexar to Bronica Mount .....	11/BROLEI	15.00	9.75
105mm f3.5 Noflexar to Praktisix Mount .....	11/TISLEI	15.00	9.75
150mm f4.5 Xenar to Bronica Mount .....	11/BROLEI	15.00	9.75
150mm f4.5 Xenar to Praktisix Mount .....	11/TISLEI	15.00	9.75
180mm f4.5 Xenar to Bronica Mount .....	11/BROXURRING	15.00	9.75
180mm f4.5 Xenar to Praktisix Mount .....	11/TISXURRING	21.00	13.65
200mm f4.0 Noflexar to Bronica Mount .....	11/BRONORING	15.00	9.75
200mm f4.0 Noflexar to Praktisix Mount .....	11/TISNORING	21.00	13.65
300mm f5.6 Noflexar to Bronica Mount .....	11/BRONORING	15.00	9.75
300mm f5.6 Noflexar to Praktisix Mount .....	11/TISNORING	21.00	13.65

**SLIDE COPYING EQUIPMENT for use with Novoflex 2¼ Square Bellows**

SLIDE COPYING ATTACHMENT .....	11/BIGCOP	38.00	24.70
BELLOWS LENS HOOD .....	11/BIGSON	23.00	14.95
LENS COUPLING RING — converts Lens Mount to required 60mm diameter. PLEASE specify Lens Model and/or Filter Thread and front Mount diameter .....	11/M66	8.00	5.20

**BROOKS® BURLEIGH BROOKS INC.**