





**CONTAFLEX CAMERAS
AND ACCESSORIES
35mm**

CONTAFLEX


prima, rapid and super 35mm



Contaflex prima



Contaflex rapid



Contaflex super


The Contaflex cameras are 35mm single lens reflex cameras of sturdy construction and unique design. The camera body is die-cast from a light metal alloy and covered with black morocco leather. Other outside metal parts are either black anodized or satin chrome finished for greater durability. The camera measures $5 \times 3\frac{1}{2} \times 2\frac{3}{4}$ " and weighs 23 to 28 ozs. depending on the model. These proportions give the Contaflex an extremely compact design. The optical elements are manufactured and installed with utmost precision and the Contaflex has proven to be extremely dependable in all parts of the world.

SPECIAL FEATURES


1. Interchangeable front elements in sturdy bayonet mounts.
2. Built-in between-the-lens shutter with full flash synchronization (MXV). Shutter blades are permanently protected by rear elements.
3. Extra bright eye-level viewfinder with upright and unreversed image.
4. Penta Roof Prism incorporates both split-image rangefinder and extra fine focusing screen; automatic pre-set lens diaphragm and automatic frame counter.
5. Lenses factory coated (anti-reflection coating).
6. The Contaflex uses standard 35mm cartridges or bulk 36 exposure loads. Negative size: $1 \times 1\frac{1}{2}$ ".
7. Prima and super models feature built-in photo-electric exposure meters complying with ASA specification and coupled to the diaphragm.
8. All current models are equipped with rapid-wind lever for quick sequence shots.

Contaflex prima System


(Accessories Also for Alpha and Beta Models)




*Pantar f/4 30mm and
Pantar f/4 75mm*



Pantar f/4 30mm



Pantar f/4 75mm



*Micro attachment for Contaflex
alpha, beta, prima, III, IV,
rapid and super*

CONTAFLEX prima, convertible Pantar, f/2.8, 45mm., Prontor Reflex with self-timer, built-in photo-electric exposure meter coupled to the diaphragm, case extra.....

CASE, Eveready, for Contaflex prima.....

CASE, Eveready, for Contaflex alpha and beta

PANTAR, f/4, 30mm., 60mm. diameter, in plastic case

PANTAR, f/4, 75mm., 60mm. diameter in plastic case

CASE, leather, for 1 Pantar lens.....

CASE, leather, for 2 Pantars, front element, 1 Proxar lens, lens shade 28.5mm. and 2 filters 60mm.

LENS CAP, front, for Pantar 30 and 75mm....

LENS CAP, rear, for Pantar 30 and 75mm....

STERITAR D, stereo attachment, with separator

FILTERS, screw-on mount, 60mm., for Pantar 30 and 75mm.:

ZEISS IKON MANUFACTURE

Ultra Violet 1x.....

Yellow 2x

Yellow Green 2x.....

Orange 5x

Red 8x

DOMESTIC MANUFACTURE IN ZEISS

1A Skylight for Kodachrome, Anscochrome, Ektachrome, Super Anscochrome, High Speed Ektachrome, all daylight.....

85C for Kodachrome and Ektachrome Type F.....

85B for Super Anscochrome-Tungsten and High Speed Ektachrome Type B.....

LENS SHADE, screw-on mount, 60mm. for Pantar 75mm.

CASE, leather, for lens shade, 60mm.....

MICRO ATTACHMENT for 25mm. Eye-Piece Sleeve, consisting of:

1 Adapter ring.....

1 Connecting ring.....

(Ocular with high eyepoint RECOMMENDED).

catalog
number

PRICE

10.1291 149.00

20.7512 17.50

20.7502 12.00

11.0601 69.00

11.0602 71.00

20.7753 9.00

20.7810 } 16.00

20.7811 } 16.00

20.0604 1.00

20.0613 1.00

20.2006 68.00

20.1009-UV 15.00

20.1009-G 15.00

20.1009-GR 15.00

20.1009-O 15.00

20.1009-R 15.00

IKON MOUNT

20.1009-1A 15.00

20.1009-85C 15.00

20.1009-85B 15.00

20.0709 3.95

20.7823 3.50

20.1620 3.00

20.1616 8.00




*Leather case for Pantar lenses, Proxar lens,
lens shade and filters.*



Eveready case for Contaflex camera

(Contaflex) A-3



Pro-Tessar f/4 35mm



Pro-Tessar f/4 85mm




Pro-Tessar M 1:1



Leather case for Pro-Tessar lenses, Proxar lens, lens shade and filters



The Zeiss 8x30B Monocular with detachable eye cup fully extended for viewing



Close-up stereo attachment for Contaflex III, IV, rapid and super


Contaflex rapid and super System

(accessories also for III and IV models)


	catalog number	PRICE
CONTAFLIX rapid, convertible Tessar f/2.8, 50mm., Synchro-Compur with self-timer, light values, case extra.....	10.1261	169.00
CONTAFLIX super, convertible Tessar f/2.8, 50mm., Synchro-Compur with self-timer, built-in photo-electric exposure meter coupled to the diaphragm, case extra.....	10.1271	199.00
CASE, Eveready for Contaflex rapid and super	20.7512	17.50
PRO-TESSAR, f/4, 35mm., 49mm. diameter, in plastic case, with lens cap.....	11.1201	89.00
PRO-TESSAR, f/4, 85mm., 60mm. diameter, in plastic case, with lens cap.....	11.1202	99.00
PRO-TESSAR M 1:1, 3-elements.....	11.1204	55.00
CASE, leather, for 1 Pro-Tessar 35 or 85mm.	20.7753	9.00
CASE, leather, for 2 Pro-Tessars, front element, 1 Proxar lens, lens shade 28.5mm. and 2 filters 60mm.....	20.7810 } 20.7811 }	16.00
LENS CAP, front, for 35mm. Pro-Tessar.....	20.0605	1.00
LENS CAP, front, for 85mm. Pro-Tessar.....	20.0604	1.00
LENS CAP, rear, for all Pro-Tessars and Steritar B	20.0613	1.00
STERITAR B, stereo attachment, with separator	20.2005	68.00
CLOSE-UP STERITAR B stereo attachment for distances 2½' to 8', with filter holder and Lens Shade #20.0707 (Proxar 28.5mm. lenses can be used for stereo close-ups down to 8 in.).....	20.2009	69.00
CASE, for close-up Steritar B.....	20.7760	7.50
FILTERS, screw-on mount, 60mm. for Pro-Tessar 35mm. (step-up ring #20.1011 required) and Pro-Tessar 85mm.: ZEISS IKON MANUFACTURE Ultra Violet 1x..... Yellow 2x	20.1009-UV 20.1009-G 20.1009-GR 20.1009-O 20.1009-R	15.00 15.00 15.00 15.00 15.00
Red 8x		
DOMESTIC MANUFACTURE IN ZEISS IKON MOUNT 1A Skylight for Kodachrome, Anscochrome, Ektachrome, Super Anscochrome, High Speed Ektachrome, all daylight	20.1009-1A	15.00
85C for Kodachrome and Ektachrome Type F	20.1009-85C	15.00
85B for Super Anscochrome-Tungsten and High Speed Ektachrome, Type B	20.1009-85B	15.00
INTERMEDIATE RING for 35mm. Pro-Tessar (step-up ring from 49mm. to 60mm. for using standard 60mm. filters and lens shade)	20.1011	3.00
FILTERS, screw-on mount, 49mm., for 35mm. Pro-Tessar only: ZEISS IKON MANUFACTURE Ultra Violet 1x..... Yellow 2x	20.1007-UV 20.1007-G 20.1007-GR 20.1007-O 20.1007-R	9.50 9.50 9.50 9.50 9.50
Orange 5x		
Red 8x		
LENS SHADE, screw-on mount, 60mm., for 35mm. and 85mm. Pro-Tessar (35mm. Pro-Tessar requires step-up ring #20.1011).....	20.0709	3.95
CASE, leather, for lens shade, 60mm....	20.7823	3.50
MICRO ATTACHMENT for 25mm. Eye piece Sleeve, consisting of: 1 Adapter ring	20.1620	3.00
1 Connecting ring	20.1616	8.00
(Ocular with high eyepoint RECOMMENDED). MONOCULAR 8x30 B, f/14. 400 mm. tele attachment (for close-up lenses for Monocular, see Binocular Price Sheet K-2).....	20.1629	89.00
CASE, leather, for Monocular.....	20.7812	10.00

CAM-891-d (5605)

Accessories for Contaflex I and II




*Micro attachment
and Carrier Bracket
for Contaflex I and II*



*Stereo attachment on
Contaflex I
(note carrier bracket)*



*Tele attachment lens on Contaflex I
(note carrier bracket)*




*Tele attachment lens combined
with 45mm Tessar lens of camera*

	catalog number	PRICE
CASE, Eveready, for Contaflex I and II.....	20.7502	12.00
TELESKOP 1.7x, tele attachment lens, 55mm. diameter, for Contaflex I and II (Carrier Bracket #20.0200 essential).....	11.1203	53.00
LENS CAP, front, for Teleskop.....	20.0607	1.00
STERITAR A, stereo prism attachment, with separator, for Contaflex I and II (Carrier Bracket #20.0200 essential).....	20.2004	47.00
CARRIER BRACKET for Teleskop 1.7x, Steri- tar A and micro attachment of Contaflex I and II	20.0200	5.00
FILTERS, screw-on mount, 55mm., for Tele- skop 1.7x:		
ZEISS IKON MANUFACTURE		
Yellow 2x	20.1008-G	12.00
Yellow Green 2x.....	20.1008-GR	12.00
Orange 5x	20.1008-O	12.00
Red 8x	20.1008-R	12.00
FILTERS, slip-on mount, 30mm. for Steri- tar A:		
ZEISS IKON MANUFACTURE		
Ultra Violet 1x	20.1001-UV	6.00
Yellow 2x	20.1001-G	6.00
LENS SHADE, screw-on mount, 55mm., for Teleskop 1.7x	20.0708	2.50
CASE, leather, for lens shade, 55mm.....	20.7823	3.50
MICRO ATTACHMENT, for Contaflex I and II, for 25mm. Eye-Piece Sleeve, consisting of:		
1 Adapter ring	20.1615	3.00
1 Connecting ring	20.1616	8.00
(Carrier bracket #20.0200 ESSENTIAL; Ocular with high eyepoint RECOMMENDED).		

(Contaflex) A-5



Leather case for lens shade and 3 filters



*Proxar close-up lenses, slip-on mount,
28.5mm in plastic case (#20.7070)*





Table reproduction stand



Right-angle view-finder



Cassettes



Eveready case



Ikoblitz 4 closed and open



*Ikophot Rapid exposure
meter*

Accessories for all Contaflex models


	catalog number	PRICE
ACCESSORY SHOE for flash attachment on top of Contaflex I, II, III, IV, alpha, beta.....	20.0210	2.50
CASE, Eveready, for Contaflex alpha, beta, I, II, III and IV.....	20.7502	12.00
FILTERS, screw-on mount, 27mm., for Contaflex, Steritar D and Steritar B:		
Ultra Violet 1x	20.1000-UV	5.00
Yellow 2x	20.1000-G	5.00
Yellow Green 2x	20.1000-GR	5.00
Orange 5x	20.1000-O	5.00
Red 8x	20.1000-R	5.00
} Zeiss Ikon Manufacture.....		
1A Skylight for Kodachrome, Anscochrome & Ektachrome Daylight	20.1000-1A	6.00
85C for Kodachrome & Ektachrome Type F	20.1000-85C	6.00
85B for Super Anscochrome-Tungsten and High Speed Ektachrome, Type B	20.1000-85B	6.00
} Domestic manufacture in Zeiss Ikon mount		
PLASTIC CASE for 4 filters, 27mm.....	20.7060	1.50
CONTAPOL 3x, Polarizing filter.....	20.1200	11.00
LENS CAP for front of 45mm. and 50mm. Tessar and Pantar.....	20.0602	1.00
LENS SHADE, slip-on mount, 28.5mm.....	20.0700	1.95
LENS SHADE, screw-in mount, 27mm., rubber.....	20.0713	1.95
CASE, leather, for lens shade, 28.5mm.....	20.7821	1.75
CASE, leather, for 1 lens shade 28.5mm. and 3 filters 27mm.....	20.7822	2.75
PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm.:		
1x, f = 1m (for distances 40 to 18 in.)	(Set 4 Proxars (#20.7070),	
2x, f = 0.5m (for distances 20 to 12 in.)	in plastic case with depth	
3x, f = 0.3m (for distances 12 to 8 in.)	ind. at no extra charge	
4x, f = 0.2m (for distances 8 to 6 in.)	inst. of individ. cases)	
10x, f = 0.1m (for distances 3½ to 4¼ in.), screw-in mount, 27mm.....	20.0800	5.00
	20.0801	5.00
	20.0802	5.00
	20.0803	5.00
	20.0804	12.00
TABLE REPRODUCTION STAND (specify camera model) consisting of:		
Table Clamp	20.1826	11.00
Pillar, 2 ft. high.....	20.1819	11.00
Connecting Arm	20.1828	12.00
Adapter with tripod screw for Contaflex I, II, III, IV, alpha, beta or	20.1823	14.00
Adapter with tripod screw for Contaflex rapid, super, prima.....	20.1824	12.00
LIGHTING UNIT FOR TABLE REPRODUCTION STAND:		
1 T-Clamp	20.1810	9.50
1 Transverse Tube	20.1820	8.00
2 Clamps	20.1811, ea.	7.00
2 Tubes for carrying Reflector.....	20.1808, ea.	3.00
4 Clamps	20.1812, ea.	7.00
4 Reflectors with articulated tubes and U.S. adapter.....	20.1813, ea.	9.00
RIGHT-ANGLE VIEWFINDER for viewing and focusing at waist-level and for copying work, photo-micrography, etc.....	20.1614	17.00
FLASH CORD (4-inch) with angular plug.....	20.2210	1.40
CASSETTE, complete	20.0300	6.00
TAKE-UP SPOOL.....	20.0001	.45
CORE FOR CASSETTE.....	20.0301	.45
CABLE RELEASE, locking.....	20.0281	1.25
NECK STRAP for camera (with lock).....	20.0211	1.95
EYE-CORRECTION LENSES (spherical only) from ± 1 to ± 5 diopters in steps of 0.5 diopters each (on special order only together with prescription for eye used).....	20.0504	3.00
IKOPHOT RAPID photo-electric exposure meter complying with ASA specifications and calibrated for both linear shutter and conventional speeds, with light values, for reflected and incident light readings, small compact design for instant one-hand operation, complete with metal safety chain and leather case.....	20.2402	19.95
SCALE, for Ikophot, with cine speeds instead of conventional speeds	75.530	1.00
IKOBLITZ 4, BC flash unit for bayonet base flash bulbs No. 5, with folding reflector, removable adapter for M5 and M25 bulbs. For 15-volt BC battery (battery not included).....	20.2214	9.95

Accessories for all Contaflex models—continued


ACCESSORIES and EQUIPMENT for Contaflex Stereo Slides

	catalog number	Price
STEREO HAND-VIEWER (without battery housing).....	20.2801	12.50
BATTERY HOUSING for stereo hand-viewer (without battery).....	20.2810	12.50
TRANSFORMER with cord, for battery housing of stereo hand- viewer, for 110V AC house current, with US adapter.....	20.2819	7.00
STEREO MASKS, 20 sets, for Contaflex stereo slides.....	20.2825	1.50

BOOKS: The Contaflex Way by H. Freytag, 310 pages.....	—	4.95
The Contaflex Manual by E. S. Bomback, 256 pages.....	—	7.95
The Contaflex Guide by W. D. Emanuel and Norman Rothschild, 89 pages.....	—	1.95
The Ikophot Guide by L. A. Mannheim, 95 pages.....	—	1.25



*Stereo viewer for Contaflex and Contina
stereo slides*



Stereo slide