



**CONTAX IIa and IIIa
and ACCESSORIES**

35mm


CONTAX

IIa and IIIa






1932 Model
*CONTAX I—first 35mm. camera with
built-in coupled range-finder.*

1936 Model
*CONTAX II—successor to
the Model I—so successful
the world over.*



1936 Model
*CONTAX III—like CONTAX II,
but with built-in
photo-electric exposure meter.*



Current Models
*CONTAX IIa and IIIa cameras
reflect the optical and mechan-
ical refinement of nearly a cen-
tury of manufacturing skill.*

The current models CONTAX IIa and CONTAX IIIa

are successors to the world famous CONTAX II and III cameras, but matured, so to speak, to mechanical and optical perfection. While many of the proven features of the former models have been retained, important and valuable improvements have been added.

CONSTRUCTION OF THE CONTAX

The secret of producing a successful 35mm. miniature camera lies in making it complete enough to tackle any task, without making it too complicated for fast, easy operation. And though a camera must be built to function with the utmost precision, it should have the sturdiness to withstand many years of use. All these desirable qualities have been perfectly embodied in the Contax.

The Contax is of small size and light weight and the proportions of the body have been nicely designed for perfect balance and compactness. It measures only $1\frac{1}{2}$ x 3 x $5\frac{1}{4}$ in. (without lens) and weighs but $18\frac{1}{2}$ ounces.

The Contax is remarkably sturdy, because the extreme accuracy demanded of a camera using 35mm. film calls for a type of construction that will always retain its precision qualities. Therefore, the entire Contax body is die-cast from light metal alloy and all the sensitive units, such as range-finder, lens focusing and shutter mechanisms, etc., are completely inclosed in the strong metal housing. The body is handsomely covered with black Morocco leather and all exposed metal parts are chromium plated or enameled for utmost durability.

CONTAX IIa

SPECIAL FEATURES: Interchangeable bayonet (inside and outside) lens mounting.
 Combined view-finder and range-finder with solid glass, long-base prism of highest accuracy.
 One-finger focusing and shutter release control.
 Shutter speeds ranging from T, B, 1 to 1/1250th second on a single speed-setting dial.
 All-metal focal-plane shutter.
 Internal flash synchronization.
 Completely detachable back for easy, quick film loading and cleaning.
 Built-in variable delayed-action release.
 Automatic frame counter and film type indicator.
 Uses standard 35mm. film cartridges or bulk film (in CONTAX cassettes).
 Allows two cassettes to be used, in which case film does not have to be rewound after exposure. Different films may also be interchanged at will without losing too much film in the process.

CONTAX IIIa

SPECIAL FEATURES: Same as CONTAX IIa, but with the addition of a built-in photoelectric exposure meter complying with ASA specifications.

	catalog number	PRICE
CONTAX IIa and IIIa CAMERAS		
CONTAX IIa with TESSAR f/3.5, 50mm., case extra.....	10.1801	197.00
CONTAX IIa with SONNAR f/2, 50mm., case extra.....	10.1802	248.00
CONTAX IIa with SONNAR f/1.5, 50mm., case extra.....	10.1803	268.00
CONTAX IIIa with TESSAR f/3.5, 50mm., case extra.....	10.1811	217.00
CONTAX IIIa with SONNAR f/2, 50mm., case extra.....	10.1812	268.00
CONTAX IIIa with SONNAR f/1.5, 50mm., case extra.....	10.1813	288.00
CONTAX IIa, camera body only.....	10.1800	129.00
CONTAX IIIa, camera body only.....	10.1810	149.00
EVEREADY CASE for Contax IIa and IIIa.....	20.7500	18.00


CONTAX LENSES

World-famous Carl Zeiss lenses have more than a century of experience in optical research and manufacturing methods behind them. As a result, they represent the ultimate in fine photographic lenses. All air-to-glass surfaces are hard-coated (anti-reflection coating) Distance scales are calibrated in feet, and precision bayonet mounts ensure perfect fitting to all post-war models and pre-war Contax II and III bodies. All lenses except the Panflex Tessar couple with the built-in range-finder and all are fully color-corrected. Listed filters, lens shades, Proxar lenses, etc. are accurately machined to fit perfectly the lenses with which they are intended to be used.


SPECIFICATIONS

Lens	Angle of View	Elements	Smallest Aperture	Closest Distance	Approx. Min. Coverage
Biogon f/4.5 21mm. (1 $\frac{3}{16}$ ")	90°	8	f/22	3 ft.	3'1"x4'8"
Biogon f/2.8 35mm. (1 $\frac{3}{8}$ ")	63°	7	f/22	3 ft.	1'11"x2'10"
Planar f/3.5 35mm. (1 $\frac{3}{8}$ ")	63°	5	f/22	3 ft.	1'11"x2'10"
Tessar f/3.5 50mm. (2")	45°	4	f/22	3 ft.	1'3"x1'10"
Sonnar f/2 50mm. (2")	45°	6	f/22	3 ft.	1'3"x1'10"
Sonnar f/1.5 50mm. (2")	45°	7	f/16	3 ft.	1'3"x1'10"
Triotar f/4 85mm. (3 $\frac{3}{8}$ ")	28°	3	f/22	3 $\frac{1}{2}$ ft.	0'11"x1'5"
Sonnar f/2 85mm. (3 $\frac{3}{8}$ ")	28°	7	f/22	3 $\frac{1}{2}$ ft.	0'11"x1'5"
Panflex Tessar f/3.5 115mm. (4 $\frac{1}{2}$ ")	21°	4	f/22	3'9"	0'7"x0'11"
Sonnar f/4 135mm. (5 $\frac{3}{8}$ ")	18°	4	f/22	5 ft.	0'9"x1'1"

(Contax) C-3




Biogon 21mm. f/4.5



Biogon 35mm. f/2.8



Planar 35mm. f/3.5




Tessar 50mm. f/3.5



Sonnar 50mm. f/1.5



Sonnar 50mm. f/2



Sonnar 85mm. f/2



Sonnar 135mm. f/4

LENSES IN BAYONET MOUNT FOR CONTAX IIa and IIIa

	catalog number	PRICE
BIOGON f/4.5, 21mm.	11.1804	209.00
BIOGON f/2.8, 35mm.	11.1806	166.00
PLANAR f/3.5, 35mm.	11.1805	102.00
TESSAR f/3.5, 50mm.	11.1801	68.00
SONNAR f/2, 50mm.	11.1802	119.00
SONNAR f/1.5, 50mm.	11.1803	139.00
TRIOTAR f/4, 85mm.	11.1807	106.00
SONNAR f/2, 85mm.	11.1808	179.00
SONNAR f/4, 135mm.	11.1809	146.00
PANFLEX TESSAR f/3.5, 115mm., with automatic pre-set diaphragm, incl. special cable release to be used only in conjunction with the Panflex reflex housing	11.1815 } 20.0280 }	179.00
LENS CAPS for FRONT of lenses:		
for 50mm. lenses, 85mm. Triotar and 135mm. Sonnar.....	20.0622	1.00
for all wide-angle lenses.....	20.0611	1.00
for Sonnar 85mm.	20.0619	1.00
LENS CAPS for REAR of lenses:		
for all wide-angle lenses.....	20.0618	1.00
for 50mm. lenses only.....	20.0600	1.00
for all 85mm. and 135mm. lenses.....	20.0610	1.00
EVEREADY CASE , brown leather, cowhide, velvet lined, metal reinforcements, chrome trimmed, closes with 50mm. or 35mm. lens on camera, for IIa and IIIa.....	20.7500	18.00
UNIVERSAL CASE , brown leather, cowhide, outside dimensions 4"x7"x9"	20.7950	45.00

- with compartments for:
- 1 CONTAX IIa or IIIa with 50mm. lens
 - 1 Sonnar 85mm. or 135mm. lens
 - 1 wide-angle lens
 - 2 lens shades
 - 4 Contax cassettes
 - 2 filters
 - 1 Ikophot exposure meter or 2 additional filters
 - 2 view-finders
 - other small accessories

SOFT POUCH CASES , with draw-string:		
For 50mm. lenses	20.7701	2.50
For Sonnar 85mm. lens	20.7702	3.50
For Triotar 85mm. and Sonnar 135mm. lenses.....	20.7703	3.50
For Biogon and Planar lenses.....	20.7700	3.50

LEATHER CASES:		
For Sonnar 85mm. lens.....	20.7750	10.00
For Triotar 85mm. and Sonnar 135mm. lenses.....	20.7751	10.00
For Biogon 21mm., 35mm. or Planar lenses.....	20.7754	8.50

These leather cases for Contax lenses are made of cowhide, and are velvet-lined. A separate space for one filter and lens shade is provided. Each case is furnished with carrying strap.




Eveready Carrying Case for Contax



Hard and soft lens cases




Universal Carrying Case




Universal turret type view-finder for 21, 35, 50, 85 and 135mm lenses.



Wide-angle view-finder for 35mm lens.



Finder attachment with parallax control for 85 and 135mm lenses.



Universal view-finder with luminous frames for 35, 50, 85 and 135mm lenses.

VIEW-FINDERS

	catalog number	PRICE
UNIVERSAL turret type view-finder for 21, 35, 50, 85, 135mm. lenses, in leather case.....	20.1502	96.00
<p>The Universal View-Finder is of the revolving (turret) type, and slides into the accessory shoe of the Contax. It is adjustable for parallax compensation and shows the fields covered accurately and sharp to the edges. The field remains the same regardless of the focal length lens used. Built-in eye correction.</p>		
UNIVERSAL view-finder with luminous frames for 35, 50, 85, 135mm. lenses and stereo field, parallax adjustment, eyepiece threaded for eye-correction lens #20.0502, in leather case.....	20.1503	22.00
<p>Parallax correction ranges: . = 3 to 6 ft., : = 6 to 13 ft., oo = 13 ft. to Infinity.</p>		
WIDE-ANGLE view-finder for Biogon 21mm. lens.....	20.1500	25.00
WIDE-ANGLE view-finder for Biogon and Planar 35mm. lenses.....	20.1501	8.00
<p>These clear glass optical finders slip into the accessory shoe of the Contax</p>		
ATTACHMENT view-finder for 85 and 135mm. lenses.....	20.1504	13.00
<p>This finder slips over the view-finder window and eye-piece of the Contax, reducing the finder field for 85mm. and 135mm. lenses by means of metal masks, adjustable for parallax correction. CANNOT BE USED ON PRE-WAR CONTAX CAMERAS!</p>		

LENS SHADES AND CASES

Screw-on mount, 40.5mm., for Sonnar and Tessar 50mm. lenses.....	20.0706	1.95
Slip-on mount, 42mm., for Sonnar and Tessar 50mm. lenses.....	20.0711	1.95
Screw-on mount, 49mm., for Sonnar 85mm. lens.....	20.0707	1.95
Screw-on mount, 40.5mm., for Sonnar 135mm. and Triotar 85mm. lenses	20.0705	1.95
Leather case for any of the above lens shades.....	20.7820	9.50

The lens shades for Contax are made of a light-weight alloy material, precision turned to assure secure, accurate fit over lenses. The leather cases can be secured to the shoulder strap of the camera Eveready case for convenience.

FILTERS

Screw-on mount, 40.5mm., for 21, 35, 50, 135 and Triotar 85mm. lenses, focusing head and Stereotar C:		
Ultra Violet 1x	20.1006-UV	6.00
Yellow 2x	20.1006-G	6.00
Yellow Green 2x	20.1006-GR	6.00
Orange 5x	20.1006-O	6.00
Red 8x	20.1006-R	6.00
1A Skylight for Kodachrome, Anscochrome, Ektachrome, Super Anscochrome, High Speed Ektachrome, all daylight	20.1006-1A	7.00
85C for Kodachrome & Ektachrome, Type F	20.1006-85C	7.00
85B for Super Anscochrome-Tungsten and High Speed Ektachrome, Type B	20.1006-85B	7.00
85 for Kodachrome Type A professional film	20.1006-85	7.00
<p>Screw-on mount, 49mm., for Sonnar 85mm. lens and Panflex Tessar 115mm.:</p>		
Ultra Violet 1x	20.1007-UV	9.50
Yellow 2x	20.1007-G	9.50
Yellow Green 2x	20.1007-GR	9.50
Orange 5x	20.1007-O	9.50
Red 8x	20.1007-R	9.50

All Zeiss Ikon filters are dyed-in-the-mass, solid optical glass, plane-parallel finished to the highest degree. Mounted in metal screw-on or slip-on mounts and furnished in clear plastic boxes. Color film conversion filters are domestically manufactured to our specifications.

POLARIZING FILTER, BERNOTAR, for lenses 42mm. outside diam.	20.1204	16.50
POLARIZING FILTER, BERNOTAR, for lenses 51mm. outside diam.	20.1205	21.00

The Bernotars subdue reflections in glass, water and other non-metallic surfaces, darken blue skies in color photography, but have no influence upon color correction in natural color photography. The filter factor is approx. 3x.

SUNDRY ACCESSORIES

	catalog number	PRICE
CABLE RELEASE, locking	20.0281	1.25
10-in. long, with special locking device for long time exposure.		
DUST CAP for Contax without lens.....	20.0601	1.00
A protective cover for the opening of the camera when lens is removed. Slips over outer bayonet mounting. Made of alloy metal.		
TAKE-UP SPOOL for Contax.....	20.0001	.45
Made of plastic, with tooth for anchoring film. No special cutting of film required.		
NECK STRAP for Contax.....	20.0211	1.95
Black leather, adjustable to a length of 29-in. Equipped with swivel locking hooks.		
EYE-CORRECTION EYE-PIECE for view-finder without lens.....	—	1.80
EYE-CORRECTION LENS (spherical only) in screw-on mount from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Contax, Contameter and Universal view-finder (special order only together with prescription for eye used).....	20.0502	5.00
CASSETTE for Contax, complete.....	20.0300	6.00
CORE for Contax Cassette.....	20.0301	.45



Contax Film Cassettes

For using "bulk" film. By using a cassette at each end, films may be interchanged with a minimum loss and film need not be re-wound before unloading. This cassette is also used in the Contaflex cameras. Complete cassette furnished in container and with core (spool). Core supplied separately for replacement; it is not identical with take-up spool.


IKOPHOT RAPID photo-electric exposure meter in leather case with metal safety chain, for use with CONTAX IIa.....	20.2402	19.95
--	---------	-------

Calibrated in accordance with ASA and DIN, with both conventional and linear shutter speeds, light values, reflected and incident light readings. Direct readings (no calculations required), instant one-hand operation, small, compact size: 3/4" x 2 1/4" x 3"; weight 4 1/2 ozs.



Ikophot Rapid exposure meter

FLASH CORD, 4", with angular plug, for fully synchronized Contax models	20.2210	1.40
This cord attaches to all cords with standard European "PC" fitting.		
BOOKS: The Contax Way by H. Freytag, 280 pages.....	—	4.50



Proxar close-up lenses are easy to use

CONTAX ACCESSORIES FOR CLOSE-UP PHOTOGRAPHY

PROXAR CLOSE-UP LENSES, screw-on mount, 40.5mm., for all new style 50mm. lenses:
 1x, f = 1m (for distances 40 to 21 in.).....
 2x, f = 0.5m (for distances 20 to 12 in.).....



catalog number	PRICE
20.0826	5.00
20.0827	5.00

Single Proxar close-up supplementary lenses to be used with chart furnished with each lens.

1x approx. minimum coverage: 7 1/4" x 11" — Max. coverage: 1'6" x 2'3 1/2"
 2x approx. minimum coverage: 5 3/4" x 8 1/2" — Max. coverage: 9 1/2" x 1'2"



Contatest shown in use on a Contax IIa



Contameter on Contax IIa

Contakop copying device

CONTATEST, close-up focusing device, (range 40" to 20") in case..... 20.1601 29.00

A near focusing device, parallax-free viewing, continuous focusing from 20" to 40" attaches to outer bayonet mount of Contax IIa and IIIa body. Cannot be used with pre-war Contax models. Proxar 1x (#20.0826) furnished with Contatest. Approx. Max. coverage: 1'6" x 2'3 1/2" Min. Coverage: 7 1/4" x 11".

CONTAMETER close-up focusing and viewing device, parallax compensation adjustment, complete with three lenses (for distances 8, 12, and 20 in.), screw-on mounts, 40.5mm., for 50mm. lenses, complete in case..... 20.1602 81.00

Equally suitable for Contax II, IIa and IIIa. Ideal for instantaneous close-ups hand-held at distances 8, 12 and 20 inches.

Approx. Coverage	Distance	Reduction
3 3/4" x 5 5/8"	8"	1:4
6" x 8"	12"	1:6.5
9 1/2" x 1'2 1/8"	20"	1:10

SPECIAL COPYING DEVICE 1:1 "CONTAKOP"..... 20.1603 37.00

Ideal set-up for copying color slides or negatives 1" x 1 1/2" (24x36), for photographing stamps, finger prints, textiles, coins, other small objects. Once the CONTAKOP is adjusted to a particular lens, it operates as a fix-focus unit. Correct framing insured by sturdy metal frame. Adapter holds any 50mm. CONTAX lens and CONTAX. Exposure factor 4x.

(Contax) C-7

	catalog number	PRICE
CONTAPROX I close-up focusing device for use with tripod or Zeiss Ikon reproduction stands.....	20.1606	
Contaprox I consists of the following items:		
Focusing Head with built-in TESSAR f/3.5, 50mm. lens.....	11.1814	88.00
Ground Glass adapter.....	20.1608	7.00
Focusing Magnifier, straight.....	20.1610	13.00
Extension Tube 1x.....	20.1816	12.00
Case for Contaprox (if desired).....	20.7850	8.50

Focusing head with helical mount focusing from 9' to Infinity, critical focusing on ground-glass with 5x magnifier; ground-glass adapter and Contax body conveniently interchangeable by means of standard bayonet mount.

Extension Tube	Object Size	Ratio of Reproduction
—	1 5/8" x 2 7/16"	1:1.8 reduction
1x	1 3/16" x 7/32"	1.1:1 magnification

TABLE REPRODUCTION STAND, consisting of:

Table Clamp.....	20.1826	11.00
Pillar, 24 in. high.....	20.1819	11.00
Connecting Arm.....	20.1828	12.00
Holding Bracket for Focusing Head or Helix.....	20.1804	13.00


LIGHTING UNIT FOR TABLE REPRODUCTION STAND, consisting of:

1 T-Clamp.....	20.1810	9.50
1 Transverse Tube.....	20.1820	8.00
2 Lamps.....	20.1811	ea. 7.00
2 Tubes for carrying Reflector.....	20.1808	ea. 3.00
4 Clamps.....	20.1812	ea. 7.00
4 Reflectors with articulated tubes and U.S. Adapter.....	20.1813	ea. 9.00

FOCUSING MAGNIFIER, angular, for Contaprox..... 20.1611 19.00

CLEAR GLASS ADAPTER..... 20.1609 7.00

The Angular Focusing Magnifier may be used in place of the straight type #20.1610.



The Panflex reflex attachment with Panflex Tessar and Contax

	catalog number	PRICE																				
PANFLEX mirror reflex attachment without lens. It can be used with Panflex Tessar 115mm. from 3'9" to Infinity and with Contax 85mm. and 135mm. lenses only for close-ups. See charts under Panflex Tessar. Panflex especially suitable for medical and dental photography.....	20.1600	135.00																				
PANFLEX TESSAR f/3.5, 115mm., with automatic pre-set diaphragm, with special cable release.....	11.1815 } 20.0280 }	179.00																				
The Panflex Attachment with Panflex Tessar f/3.5, 115mm. (4 1/2") lens focuses from 3'9" to Infinity. For close-ups Extension Tubes 1x, 2x, and 4x may be used.																						
<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;">Extension Tube</th> <th style="text-align: left;">Lens Setting</th> <th style="text-align: left;">Object Size</th> <th style="text-align: left;">Ratio of Reproduction</th> </tr> </thead> <tbody> <tr> <td>—</td> <td>3'9"</td> <td>7" x 11"</td> <td>1:7.9 reduction</td> </tr> <tr> <td>1x</td> <td>oo</td> <td>2 13/32" x 3 5/8"</td> <td>1:3.98 "</td> </tr> <tr> <td>2x</td> <td>oo</td> <td>1 9/64" x 1 47/64"</td> <td>1:1.5 "</td> </tr> <tr> <td>4x</td> <td>oo</td> <td>1 9/32" x 5 5/64"</td> <td>1.6:1 magnification</td> </tr> </tbody> </table>	Extension Tube	Lens Setting	Object Size	Ratio of Reproduction	—	3'9"	7" x 11"	1:7.9 reduction	1x	oo	2 13/32" x 3 5/8"	1:3.98 "	2x	oo	1 9/64" x 1 47/64"	1:1.5 "	4x	oo	1 9/32" x 5 5/64"	1.6:1 magnification		
Extension Tube	Lens Setting	Object Size	Ratio of Reproduction																			
—	3'9"	7" x 11"	1:7.9 reduction																			
1x	oo	2 13/32" x 3 5/8"	1:3.98 "																			
2x	oo	1 9/64" x 1 47/64"	1:1.5 "																			
4x	oo	1 9/32" x 5 5/64"	1.6:1 magnification																			
PANFLEX WITH SONNAR f/2, 85mm. or TRIOTAR f/4, 85mm.																						
—	oo	1 1/4" x 1 3/4"	1.1.2 reduction																			
1x	oo	3/4" x 1 1/4"	1.15:1 magnification																			
PANFLEX WITH SONNAR f/4, 135mm.																						
—	oo	1 3/4" x 2 3/4"	1:2 reduction																			
1x	oo	1 1/4" x 2"	1:1.4 "																			
Request additional charts and any other information desired.																						
BELLOWS EXTENSION for CONTAX (double track) suitable for CONTAX lenses with inner or outer bayonet mount. (On special order only).....	20.1604	106.00																				
CAMERA BRACKET for Bellows Extension..... (Not required when Bellows Extension attachment is used with Panflex reflex housing)	20.1605	23.00																				
All CONTAX lenses including the focusing head and focusing helix will couple to this attachment. Use extension tubes to increase magnification. Panflex housing will fit the bellows extension attachment. It is an added convenience. Magnification obtainable with various CONTAX lenses are as follows: with Panflex Tessar (including Panflex) 1:8 (reduction) to 1:1 natural size with Sonnar f/4, 135mm. (excluding Panflex) 1:3.5 (reduction) to 1:1 natural size with 50mm. lens (excluding Panflex) 1:1.7 (reduction) to 2.2:1 magnif.																						
Owners of Panflex with Panflex Tessar and the bellows extension attachment have continuous focusing from Infinity to 1:1 (natural size).																						

ACCESSORIES AND EQUIPMENT FOR CONTAX STEREO PHOTOGRAPHY

STEREOTAR C, f/3.5, 35mm. twin lenses in Contax mount, couples to rangefinder of camera.....	20.2000	164.00
STEREO PRISM ATTACHMENT for STEREOTAR C.....		

(Contax) C-9

	catalog number	PRICE
STEREO VIEW-FINDER for STEREOTAR	20.1505	10.00
<p>This equipment couples to the range-finder of all post-war Contax IIa and IIIa cameras. Not recommended for pre-war Contax cameras. Stereotar C furnished with outer bayonet mount like Contax tele and wide-angle lenses. Focuses from 2'8" to Infinity. Accommodates 40.5mm. filters, (#20.1006). Produces two images 16 x 22.5mm. each on one full frame 24 x 36mm. Stereotar C without prism attachment used from 2'8" to 9'. Stereotar C with prism attachment used from 9' to Infinity. View-finder slides into accessory shoe of Contax, and is adjustable for above two ranges. Optical, clear-glass type.</p>		
CONTAMETER CLOSE-UP FOCUSING and VIEWING device, parallax compensation adjustment, with additional Stereo field, without Proxars, but with case	20.1602	66.00
<p>This Contameter is of the same design as listed under Near Focusing Devices, but is not furnished with Proxar lenses. Stereo Proxar Lenses only can be used with Stereotar C. Approximate distances, camera to subject: 8", 12" 20"</p>		
1 SET of 3 STEREO PROXAR LENSES	20.0836 } 20.0837 } 20.0838 }	16.50
CASE, leather, for Stereotar, view-finder, and three Proxar lenses	20.7800	29.00
<p>Provides space for Stereotar C, Prism Attachment, Stereo View-Finder, Contameter, three Stereo Proxar Lenses, three regular 40.5mm. filters. Outside dimensions: 3 1/2" x 4 1/2" x 7 1/4". Velvet lined. Furnished with short carrying strap.</p>		
STEREO MASKS, 20 sets	20.2825	1.50
<p>Each set consists of two aluminum foil masks, used for binding stereo transparency between glass. Insures exact framing and clear-cut stereo effect. Use 2" x 2" cover glass.</p>		
STEREO HAND VIEWER for Contax slides, without battery (Size D) with built-in light unit	20.2800	19.00
TRANSFORMER with cord, for battery housing of Stereo Hand Viewer for 110 volt A.C. house current with U.S. adapter	20.2819	7.00



Stereotar C and Contameter on Contax IIa for close-up photography





Diagram of Stereotar C




Stereotar C with prism attachment on Contax IIa for normal-distance photography (9 ft. to infinity)

STEREO CLOSE-UP ATTACHMENTS for camera-to-object distances of:

5 1/8 inches.....	20.2001	13.50
3 1/2 inches.....	20.2002	13.50
2 3/8 inches.....	20.2003	13.50

These attachments are fitted to the Stereotar C without prism attachment. Accurate focus and correct framing are provided.




Stereo close-up attachments

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
PANFLEX mirror reflex attachment without lens. It can be used with Panflex Tessar 115mm. from 3'9" to Infinity and with Contax 85mm. and 135mm. lenses only for close-ups. See charts under Panflex Tessar. Panflex especially suitable for medical and dental photography.....	20.1600	87.75	135.00
PANFLEX TESSAR f/3.5, 115mm., with automatic pre-set diaphragm, with special cable release.....	11.1815 } 20.0280 }	109.25	10.93	179.00
The Panflex Attachment with Panflex Tessar f/3.5. 115mm. (4 1/2") lens focuses from 3'9" to Infinity. For close-ups Extension Tubes 1x, 2x, and 4x may be used.				
Extension Tube	Lens Setting	Object Size	Ratio of Reproduction	
—	3'9"	7" x 11"	1:7.9 reduction	
1x	oo	2 13/32" x 3 5/8"	1:3.98 "	
2x	oo	1 9/64" x 1 47/64"	1:1.5 "	
4x	oo	1 9/32" x 5 9/64"	1.6:1 magnification	
PANFLEX WITH SONNAR f/2, 85mm. or TRIOTAR f/4, 85mm.				
—	oo	1 1/4" x 1 3/4"	1:1.2 reduction	
1x	oo	3/4" x 1 1/4"	1.15:1 magnification	
PANFLEX WITH SONNAR f/4, 135mm.				
—	oo	1 3/4" x 2 3/4"	1:2 reduction	
1x	oo	1 1/4" x 2"	1:1.4 "	
Request additional charts and any other information desired.				
BELLOWS EXTENSION for CONTAX (double track) suitable for CONTAX lenses with inner or outer bayonet mount. (On special order only).....	20.1604	68.90	106.00
CAMERA BRACKET for Bellows Extension..... (Not required when Bellows Extension attachment is used with Panflex reflex housing)	20.1605	14.95	23.00
All CONTAX lenses including the focusing head and focusing helix will couple to this attachment. Use extension tubes to increase magnification. Panflex housing will fit the bellows extension attachment. It is an added convenience. Magnification obtainable with various CONTAX lenses are as follows:				
with Panflex Tessar (including Panflex)		1:8 (reduction) to 1:1 natural size		
with Sonnar f/4, 135mm. (excluding Panflex)		1:3.5 (reduction) to 1:1 natural size		
with 50mm. lens (excluding Panflex)		1:1.7 (reduction) to 2.2:1 magnif.		
Owners of Panflex with Panflex Tessar and the bellows extension attachment have continuous focusing from Infinity to 1:1 (natural size).				
CARL ZEISS MICRO ATTACHMENT for photomicrography with the Contax, with beam-splitting reflecting prism I, focusing eye-piece I, and adapters for microscope and Contax.....	UKINS	88.50	118.00
CASE, for Micro Attachment.....	UKVIL	17.25	23.00
Request special folder and detailed information on this item.				

ACCESSORIES AND EQUIPMENT FOR CONTAX STEREO PHOTOGRAPHY

STEREOTAR C, f/3.5, 35mm. twin lenses in Contax mount, couples to rangefinder of camera.....	20.2000	76.29	7.63	125.00
STEREO PRISM ATTACHMENT for STEREOTAR C.....	—	25.35	39.00
STEREO VIEW-FINDER for STEREOTAR.....	20.1505	6.50	10.00
This equipment couples to the range-finder of all post-war Contax Ila and IIIa cameras. Not recommended for pre-war Contax cameras. Stereotar C furnished with outer bayonet mount like Contax tele and wide-angle lenses. Focuses from 2'8" to Infinity. Accommodates 40.5mm. filters, (#20.1006). Produces two images 16 x 22.5mm. each on one full frame 24 x 36mm. Stereotar C without prism attachment used from 2'8" to 9'. Stereotar C with prism attachment used from 9' to Infinity. View-finder slides into accessory shoe of Contax, and is adjustable for above two ranges. Optical, clear-glass type.				
CONTAMETER CLOSE-UP FOCUSING and VIEWING device, parallax compensation adjustment, with additional Stereo field, without Proxars, but with case.....	20.1602	42.90	66.00
This Contameter is of the same design as listed under Near Focusing Devices, but is not furnished with Proxar lenses. Stereo Proxar Lenses only can be used with Stereotar C. Approximate distances, camera to subject: 8", 12", 20".				
1 SET of 3 STEREO PROXAR LENSES.....	20.0836 } 20.0837 } 20.0838 }	10.73	16.50

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
CASE, leather, for Stereotar, view-finder, and three Proxar lenses..... Provides space for Stereotar C, Prism Attachment, Stereo View-Finder, Contameter, three Stereo Proxar Lenses, three regular 40.5mm. filters. Outside dimensions: 3 1/2" x 4 1/2" x 7 1/4". Velvet lined. Furnished with short carrying strap.	20.7800	18.85	29.00
1 SET of 50 STEREO MASKS..... Each set consists of two aluminum foil masks, used for binding stereo transparency between glass. Insures exact framing and clear-cut stereo effect. Use 2" x 2" cover glass.	20.2825	2.28	3.50
STEREO HAND VIEWER for Contax slides, without battery (Size D) with built-in light unit.....	20.2800	12.35	19.00
TRANSFORMER with cord, for battery housing of Stereo Hand Viewer for 110 volt A.C. house current with U.S. adapter.....	20.2820	4.55	7.00



Stereotar C and Contameter on Contax IIa for close-up photography






Diagram of Stereotar C



Stereotar C with prism attachment on Contax IIa for normal-distance photography (9 ft. to infinity)

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
STEREO CLOSE-UP ATTACHMENTS for camera-to-object distances of:				
5 1/8 inches.....	20.2001	8.78	13.50
3 1/2 inches.....	20.2002	8.78	13.50
2 3/8 inches.....	20.2003	8.78	13.50

These attachments are fitted to the Stereotar C without prism attachment. Accurate focus and correct framing are provided.



Stereo close-up attachments