

# ZEISS IKON CAMERAS AND ACCESSORIES

CONFIDENTIAL DEALER  
PRICE LIST  
(6 pages)

See separate price schedule  
for Contax Cameras, Lenses and Accessories

REVISED AND EFFECTIVE AS OF  
FEBRUARY 15th, 1956

*All prices, specifications and technical data subject to change without notice*



Made in West Germany

CARL ZEISS, INC., 485 FIFTH AVENUE, NEW YORK 17, N. Y.

Telephone: VAnderbilt 6-0260





### CONFIDENTIAL DISCOUNT SCHEDULE ON ZEISS IKON CAMERAS AND ACCESSORIES

Our discounts on established consumer retail prices (less excise tax, if any) are, until further notice, as follows:

**On Cameras, including Eveready Cases:**

|  |                   |
|--|-------------------|
| 1 or 2.....  | 35%               |
| 3 or more, assorted (not including Box Tengor), ordered at one time and on one order (Contax with one lens only) ..... | 35% & 10% on net* |

**On Contina IIa Package deal consisting of either  
Contina IIa, with Novar f/3.5 in case with Ikoblitz O  
OR  
Contina IIa, with Novicar f/2.8 in case with Ikoblitz O**

|   |                          |
|---|--------------------------|
| 1 or 2.....   | 35% & 5% on net*         |
| 3 or more (assorted with any type of camera excluding Box Tengor), ordered at one time and on one order ..... | 35% & 10% & 5% on net**† |

**On accessories .....**

35%

**On Box Tengor, Ikophot, Ikoblitz O, and Ikoblitz III:**

|  |                  |
|--|------------------|
| 1 or 2 of an item.....   | 35%              |
| 3 to 5 of an item, ordered at one time and on one order .....    | 40%*             |
| 6 or more of an item, ordered at one time and on one order ..... | 40% & 5% on net* |

If an order for three or more cameras includes Contax cameras, the quantity discount of 10% will apply to one lens only for every Contax body ordered (as mentioned above under "Cameras"); if more than one lens is ordered for one Contax body, the special 10% will be granted on the most expensive lens.

\*Any excise tax will be correspondingly reduced.

†The additional 5% applies to the Contina IIa package deal only.





CARL ZEISS, Inc.

485 Fifth Avenue

New York 17, N. Y.

# ZEISS IKON CAMERAS

**DEALER PRICE LIST — EFFECTIVE FEBRUARY 15, 1956**

Prices, specifications and technical data subject to change.

## CONTINA Ia and IIa (35mm)

Using standard 35mm. color and black-and-white film cartridges. Lenses factory coated. Shutters fully synchronized for flash (MX). Contina IIa has built-in ASA-calibrated photo-electric exposure meter.

|  | catalog<br>number | Net Cost to Dealer<br>excluding<br>tax | DEALER<br>excise<br>tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|--|-------------------|--|-------------------------|---|
| CONTINA Ia, Novar f/3.5, 45mm., Prontor SVS, self-timer, case extra  | 526/24 Fpms       | 32.96                                  | 3.30                    | 54.00                                     |
| CONTINA IIa, Novar f/3.5, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra   | 527/24 Fpms       | 45.77                                  | 4.58                    | 75.00                                     |
| CONTINA IIa, Novicar f/2.8, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra   | 527/24 Vpms       | 52.49                                  | 5.25                    | 86.00                                     |
| CASE, Eveready, for Contina Ia, IIa  | 1244/24           | 5.85                                   | .....                   | 9.00                                      |
| Eveready, for Contina I  | 1213/24           | 7.15                                   | .....                   | 11.00                                     |
| Eveready, for Contina II   | 1216/24           | 7.15                                   | .....                   | 11.00                                     |
| Eveready for Contessa } discontinued<br>camera models  | —                 | 7.80                                   | .....                   | 12.00                                     |
| SYNCHRO CORD, PC   | PC                | 1.27                                   | .....                   | 1.95                                      |
| CABLE RELEASE, locking   | 1312/24           | .81                                    | .....                   | 1.25                                      |
| NECK STRAP, for Contina I  | TR 499            | 1.17                                   | .....                   | 1.80                                      |
| for Contina II and Contessa } discontinued<br>camera models  | TR 500S           | 1.63                                   | .....                   | 2.50                                      |
| LENS SHADE, slip-on mount, 28.5mm., for Contina and Contessa   | 1110              | 1.63                                   | .....                   | 2.50                                      |
| LEATHER CASE for lens shade, 28.5mm.   | 778               | 1.14                                   | .....                   | 1.75                                      |
| FILTERS, screw-on mount, 27mm., for Contina and Contessa:  |                   |  |                         |   |
| Ultra Violet 1x  | 352-UV            | 3.25                                   | .....                   | 5.00                                      |
| Yellow 2x  | 352-G             | 3.25                                   | .....                   | 5.00                                      |
| Yellow Green 2x  | 352-GR            | 3.25                                   | .....                   | 5.00                                      |
| Orange 5x  | 352-O             | 3.25                                   | .....                   | 5.00                                      |
| Red 8x   | 352-R             | 3.25                                   | .....                   | 5.00                                      |
| Skylight for Kodachrome & Ektachrome Daylight  | —                 | 3.90                                   | .....                   | 6.00                                      |
| 85C for Kodachrome and Ektachrome Type F   | —                 | 3.90                                   | .....                   | 6.00                                      |
| POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for Contina and Contessa  | 330               | 9.75                                   | .....                   | 15.00                                     |
| EYE-CORRECTION LENS MOUNT (without lens) for Contessa  | —                 | 1.17                                   | .....                   | 1.80                                      |
| EYE-CORRECTION LENSES (spherical only) in screw-on mount from $\pm 0.5$ to $\pm 5$ diopters in steps of 0.5 diopters each, for Contessa and Contameter (special order only together with prescription for eye used)  | 901               | 3.25                                   | .....                   | 5.00                                      |
| PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contina and Contessa:  |                   |  |                         |   |
| 1x, f = 1m (for distances 40 to 18 in.)  | 909/1             | 3.25                                   | .....                   | 5.00                                      |
| 2x, f = 0.5m (for distances 20 to 12 in.)  | 909/05            | 3.25                                   | .....                   | 5.00                                      |
| LENS CAP for front of Contina Lens   | 1053              | .65                                    | .....                   | 1.00                                      |
| CONTAMETER, close-up focusing and viewing device for Contessa only, parallax compensation, three lenses (for distances 8, 12, and 20 in.) in case  | 441               | 52.65                                  | .....                   | 81.00                                     |
| IKOBLITZ O, BC flash unit with test bulb, ejector, cord, for 22½-volt (battery not included)   | 1316              | 6.18                                   | .....                   | 9.50                                      |
| IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case | 1329              | 18.20                                  | .....                   | 28.00                                     |
| BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages   | —                 | 1.27                                   | .....                   | 1.95                                      |
| The Contina Guide by W. D. Emanuel, 72 pages   | —                 | .81                                    | .....                   | 1.25                                      |





## CONTAFLEX I and II (35mm)

Single lens reflex, Penta roof prism incorporating both ground glass and split-image range-finder focusing, automatic pre-set lens diaphragm and automatic frame counter. Using standard 35mm. film cartridge or bulk, 36-exposure loads. Negative size  $1\frac{1}{2}$ ". Lenses factory coated. Shutter with built-in, full flash synchronization (MX). Prismatic, eye level single-lens reflex type. II with built-in ASA-calibrated photo-electric exposure meter.

|  | catalog number | Net Cost to Dealer<br>excluding tax | DEALER<br>excise tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|--|----------------|-------------------------------------|----------------------|---|
| CONTAFLEX I, Tessar f/2.8, 45mm., Synchro-Compur (new style) with self-timer, case extra.....  | 861/24 Pcms    | 103.15                              | 10.31                | 169.00                                    |
| CONTAFLEX II, Tessar f/2.8, 45mm., Synchro-Compur (new style), with self-timer, built-in photo-electric exposure meter, case extra   | 862/24 Pcms    | 121.45                              | 12.15                | 199.00                                    |
| CASE, Eveready, for Contaflex I and II.....  | 1242/24        | 9.10                                | .....                | 14.00                                     |
| TELE ATTACHMENT LENS, "TELESKOP 1.7x", maximum aperture f/5.6  | 861/03         | 60.42                               | 6.04                 | 99.00                                     |
| STEREO PRISM ATTACHMENT STERITAR "A" for Contaflex.....  | 812            | 38.35                               | .....                | 59.00                                     |
| CARRIER BRACKET for tele attachment lens and stereo attachment of Contaflex  | 861/07         | 7.15                                | .....                | 11.00                                     |
| STEREO HAND VIEWER for Contaflex slides (without battery housing)  | 1427           | 8.13                                | .....                | 12.50                                     |
| BATTERY HOUSING for Stereo Hand Viewer.....  | 1427/01        | 8.13                                | .....                | 12.50                                     |
| RIGHT-ANGLE VIEWFINDER for viewing and focusing the Contaflex at waist-level and for copying work, photomicrography, etc.  | 1253           | 14.30                               | .....                | 22.00                                     |
| ACCESSORY SHOE for flash attachment on top of Contaflex.....   | 861/02         | 1.27                                | .....                | 1.95                                      |
| FLASH CORD (4-inch) with angular plug.....   | 1340           | .91                                 | .....                | 1.40                                      |
| CASSETTE for Contaflex, complete.....  | 540/1          | 3.45                                | .....                | 5.30                                      |
| TAKE-UP SPOOL for Contaflex.....   | 563/01         | .29                                 | .....                | .45                                       |
| CORE for Contaflex Cassette.....   | 540/5          | .29                                 | .....                | .45                                       |
| CABLE RELEASE, locking.....  | 1312/24        | .81                                 | .....                | 1.25                                      |
| NECK STRAP for camera (with lock).....   | TR 500-S       | 1.63                                | .....                | 2.50                                      |
| LENS SHADE, slip-on mount, 28.5mm., for Contaflex.....   | 1110           | 1.63                                | .....                | 2.50                                      |
| LENS SHADE, screw-on mount, 55mm., for Contaflex tele lens.....  | 1126           | 1.63                                | .....                | 2.50                                      |
| LEATHER CASE for lens shade, 28.5mm.....   | 778            | 1.14                                | .....                | 1.75                                      |
| EYE-CORRECTION LENSES (spherical only) from $\pm 1$ to $\pm 5$ diopters in steps of 0.5 diopters each (on special order only together with prescription for eye used)..... | 902            | 1.95                                | .....                | 3.00                                      |
| FILTERS, screw-on mount, 27mm., for Contaflex:   |                |                                     |                      |   |
| Ultra Violet 1x  | 352-UV         | 3.25                                | .....                | 5.00                                      |
| Yellow 2x  | 352-G          | 3.25                                | .....                | 5.00                                      |
| Yellow Green 2x  | 352-GR         | 3.25                                | .....                | 5.00                                      |
| Orange 5x  | 352-O          | 3.25                                | .....                | 5.00                                      |
| Red 8x   | 352-R          | 3.25                                | .....                | 5.00                                      |
| Skylight for Kodachrome & Ektachrome Daylight } Domestic   | —              | 3.90                                | .....                | 6.00                                      |
| 85C for Kodachrome & Ektachrome Type F } Manufacture   | —              | 3.90                                | .....                | 6.00                                      |
| screw-on mount, 55mm., for Contaflex tele lens:  |                |                                     |                      |   |
| Ultra Violet 1x  | 355-UV         | 9.75                                | .....                | 15.00                                     |
| Yellow 2x  | 355-G          | 9.75                                | .....                | 15.00                                     |
| Yellow Green 2x  | 355-GR         | 9.75                                | .....                | 15.00                                     |
| Orange 5x  | 355-O          | 9.75                                | .....                | 15.00                                     |
| Red 8x   | 355-R          | 9.75                                | .....                | 15.00                                     |
| slip-on mount, 30mm., for Steritar "A" stereo attachment for Contaflex:  |                |                                     |                      |   |
| Ultra Violet 1x  | 313-UV         | 3.90                                | .....                | 6.00                                      |
| Yellow 2x  | 313-G          | 3.90                                | .....                | 6.00                                      |
| Yellow Green 2x  | 313-GR         | 3.90                                | .....                | 6.00                                      |
| Orange 5x  | 313-O          | 3.90                                | .....                | 6.00                                      |
| Red 8x   | 313-R          | 3.90                                | .....                | 6.00                                      |
| POLARIZING FILTER, CONTAPOL, for Contaflex.....  | 338            | 9.75                                | .....                | 15.00                                     |
| PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contaflex:   |                |                                     |                      |   |
| 1x, f = 1m (for distances 40 to 18 in.).....   | 909/1          | 3.25                                | .....                | 5.00                                      |
| 2x, f = 0.5m (for distances 20 to 12 in.).....   | 909/05         | 3.25                                | .....                | 5.00                                      |
| 3x, f = 0.3m (for distances 12 to 8 in.).....  | 909/03         | 3.25                                | .....                | 5.00                                      |
| 4x, f = 0.2m (for distances 8 to 6 in.).....   | 909/02         | 3.25                                | .....                | 5.00                                      |
| LENS CAP for front of Tessar f/2.8, 45mm. lens.....  | 1053           | .65                                 | .....                | 1.00                                      |
| MICRO ATTACHMENT for 25mm. Eye-Piece Sleeve consisting of:   |                |                                     |                      |   |
| 1 Adapter ring   | 1525 }         | 5.35                                | .....                | 9.00                                      |
| 1 Connecting ring  | 1526 }         |                                     |                      |   |
| (Carrier bracket 861/07 ESSENTIAL; Ocular with high eye-point RECOMMENDED)   |                |                                     |                      |   |
| TABLE REPRODUCTION STAND (#1412) for Contaflex, consisting of:   |                |                                     |                      |   |
| Table Clamp with Pillar.....   | 1405/030 }     | 17.55                               | .....                | 27.00                                     |
| T-Shaped Clamp   | 1405/031 }     |                                     |                      |   |
| Supporting Bracket for Contaflex.....  | 1408/02        | 7.15                                | .....                | 11.00                                     |
| IKOBLITZ O, BC flash unit with test bulb, cord, ejector, for 22½-volt (battery not included).....  | 861/01         | 9.10                                | .....                | 14.00                                     |
| IKOPHOT RAPID photo-electric exposure meter, (see page 1).....   | 1316           | 6.18                                | .....                | 9.50                                      |
| ADDITIONAL SET OF SCALES, either conventional or linear with light values (specify) for previous model Ikophot.....  | 1329           | 18.20                               | .....                | 28.00                                     |
| 1 SET of 50 STEREO MASKS for Contaflex stereo slides.....  | —              | .65                                 | .....                | 1.00                                      |
| BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....  | 1503           | per set 2.28                        | .....                | 3.50                                      |
| The Contaflex Guide by W. D. Emanuel, 88 pages.....  | —              | 1.27                                | .....                | 1.95                                      |
|  | —              | 1.14                                | .....                | 1.75                                      |





# **IKOFLEX TWIN LENS REFLEX (2¼x2¼ in.)**

Using #120 roll film. Lenses factory coated. All shutters with built-in flash synchronization (MX). Ic models with built-in ASA-calibrated photo-electric exposure meters.

|   | catalog number      | NET COST TO DEALER<br>excluding tax | DEALER<br>excise tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|---|---------------------|-------------------------------------|----------------------|---|
| IKOFLEX Ib, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra .....  | 856/16 Fpms         | 60.42                               | 6.04                 | 99.00                                     |
| IKOFLEX Ib, TESSAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra .....   | 856/16 Lpms         | 72.63                               | 7.26                 | 119.00                                    |
| IKOFLEX Ic, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....   | 886/16 Fpms         | 72.63                               | 7.26                 | 119.00                                    |
| IKOFLEX Ic, TESSAR f/3.5, 75mm lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....   | 886/16 Lpms         | 84.84                               | 8.48                 | 139.00                                    |
|   |                     |                                     |                      |   |
| CASE, eveready, for Ikoflex Ib.....   | 1245/16             | 9.10                                | .....                | 14.00                                     |
| eveready, for Ikoflex Ic.....   | 1249/16             | 9.10                                | .....                | 14.00                                     |
| eveready, for Ikoflex Ia } discontinued   | 1224/16             | 9.10                                | .....                | 14.00                                     |
| eveready, for Ikoflex IIa } camera models   | 1238/16             | 10.40                               | .....                | 16.00                                     |
| SYNCHRO CORD, PC .....  | PC                  | 1.27                                | .....                | 1.95                                      |
| CABLE RELEASE, locking.....   | 1312/24             | .81                                 | .....                | 1.25                                      |
| LENS CAP, twin, for Ikoflex Ia, IIa, Ib and Ic.....   | —                   | .49                                 | .....                | .75                                       |
| LENS SHADE, special screw-on mount, 35.5mm.....   | 1121                | 1.63                                | .....                | 2.50                                      |
| LEATHER CASE for lens shade, 35.5mm.....  | 780                 | 1.14                                | .....                | 1.75                                      |
| FILTERS, screw-on mount, 35.5mm.:   |                     |                                     |                      |   |
| Ultra Violet 1x .....   | 371-UV              | 3.90                                | .....                | 6.00                                      |
| Yellow 2x .....   | 371-G               | 3.90                                | .....                | 6.00                                      |
| Yellow Green 2x .....   | 371-GR              | 3.90                                | .....                | 6.00                                      |
| Orange 5x .....   | 371-O               | 3.90                                | .....                | 6.00                                      |
| Red 8x .....  | 371-R               | 3.90                                | .....                | 6.00                                      |
| POLARIZING FILTER, IKOPOL, dual, slip-on mount, with calibrations, complete in leather case.....  | 337                 | 17.88                               | .....                | 27.50                                     |
| CLOSE-UP LENSES, IKOPROX, dual, parallax-corrected, slip-on mount, complete in leather case:  |                     |                                     |                      |   |
| 1x, f = 1m (for distances 40 to 20 in.).....  | 937/1               | 8.13                                | .....                | 12.50                                     |
| 2x, f = 0.5m (for distances 20 to 13 in.).....  | 937/05              | 9.75                                | .....                | 15.00                                     |
| PRISMATIC VIEW-FINDER, for focusing and viewing at eye-level (for Ikoflex Ia and IIa only).....   | 400/16              | 9.10                                | .....                | 14.00                                     |
| NECK STRAP for Ikoflex Ia and IIa only.....   | TR 499              | 1.17                                | .....                | 1.80                                      |
| NECK STRAP with lock (for Ikoflex Ib and Ic).....   | TR 500 S            | 1.63                                | .....                | 2.50                                      |
| IKOBLITZ III, BC flash unit, with cord, for 22½-volt (battery not included) .....   | 1369 }<br>1356/02 } | 8.13                                | .....                | 12.50                                     |
| ADAPTER, for bayonet base flash bulbs, with ejector.....  | 1356/01             | 1.92                                | .....                | 2.95                                      |
| IKOPHOT RAPID photoelectric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small, compact design for instant one-hand operation, complete with metal safety chain and leather case ..... | 1329                | 18.20                               | .....                | 28.00                                     |
| BOOK: The Ikoflex Guide by K. Tydings, 128 pages.....   | —                   | 1.27                                | .....                | 1.95                                      |





# **SUPER IKONTA III, IV, and BX (2¼x2¼)**

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (MX). Built-in coupled range-finders. IV and BX have built-in ASA-calibrated photo-electric exposure meter.

|   | catalog<br>number | NET COST TO DEALER<br>excluding<br>tax | DEALER<br>excise<br>tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|---|-------------------|--|-------------------------|---|
| SUPER IKONTA III, NOVAR f/3.5, 75mm., Synchro Compur,<br>case extra .....   | 531/16 Fcm        | 58.59                                  | 5.86                    | 96.00                                     |
| SUPER IKONTA IV, TESSAR f/3.5, 75mm., Synchro-Compur, MXV<br>(light values), built-in photo-electric exposure meter, self-timer,<br>case extra .....  | 534/16 Lcms       | 78.73                                  | 7.87                    | 129.00                                    |
| SUPER IKONTA BX, TESSAR f/2.8, 80mm., Synchro-Compur, self-<br>timer, built-in exposure meter, case extra.....  | 533/16 Pcms       | 99.48                                  | 9.95                    | 163.00                                    |
| CASE, eveready, for III and IV.....   | 1237/16           | 6.83                                   | .....                   | 10.50                                     |
| eveready, for BX.....   | 1203/16           | 7.80                                   | .....                   | 12.00                                     |
| eveready, for A } discontinued  | 1208              | 6.50                                   | .....                   | 10.00                                     |
| eveready, for C } camera  | 1206/2            | 6.50                                   | .....                   | 10.00                                     |
| eveready, for B } models  | 1204/16           | 7.80                                   | .....                   | 12.00                                     |
| SYNCHRO CORD, PC .....  | PC                | 1.27                                   | .....                   | 1.95                                      |
| CABLE RELEASE, locking.....   | 1312/24           | .81                                    | .....                   | 1.25                                      |
| LENS SHADE, slip-on mount, 32mm., for A, III and IV.....  | 1111              | 1.63                                   | .....                   | 2.50                                      |
| slip-on mount, 37mm., for B, BX and C.....  | 1112              | 1.63                                   | .....                   | 2.50                                      |
| LEATHER CASE for lens shade, 32mm.....  | 779               | 1.14                                   | .....                   | 1.75                                      |
| for lens shade, 37mm.....   | 780               | 1.14                                   | .....                   | 1.75                                      |
| FILTERS, screw-on mount, 35.5mm., for A, III and IV:  |                   |  |                         |   |
| Ultra Violet 1x .....   | 353-UV            | 3.90                                   | .....                   | 6.00                                      |
| Yellow 2x .....   | 353-G             | 3.90                                   | .....                   | 6.00                                      |
| Yellow Green 2x .....   | 353-GR            | 3.90                                   | .....                   | 6.00                                      |
| Orange 5x .....   | 353-O             | 3.90                                   | .....                   | 6.00                                      |
| Red 8x .....  | 353-R             | 3.90                                   | .....                   | 6.00                                      |
| slip-on mount, 37mm., for B and BX:   |                   |  |                         |   |
| Ultra Violet 1x .....   | 322-UV            | 3.90                                   | .....                   | 6.00                                      |
| Yellow 2x .....   | 322-G             | 3.90                                   | .....                   | 6.00                                      |
| Yellow Green 2x .....   | 322-GR            | 3.90                                   | .....                   | 6.00                                      |
| Orange 5x .....   | 322-O             | 3.90                                   | .....                   | 6.00                                      |
| Red 8x .....  | 322-R             | 3.90                                   | .....                   | 6.00                                      |
| screw-on mount, 40.5mm., for C:   |                   |  |                         |   |
| Ultra Violet 1x .....   | 354-UV            | 3.90                                   | .....                   | 6.00                                      |
| Yellow 2x .....   | 354-G             | 3.90                                   | .....                   | 6.00                                      |
| Yellow Green 2x .....   | 354-GR            | 3.90                                   | .....                   | 6.00                                      |
| Orange 5x .....   | 354-O             | 3.90                                   | .....                   | 6.00                                      |
| Red 8x .....  | 354-R             | 3.90                                   | .....                   | 6.00                                      |
| POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for<br>A, III and IV.....  | 330               | 9.75                                   | .....                   | 15.00                                     |
| slip-on mount, 37mm., for B, BX, and C.....   | 331               | 10.40                                  | .....                   | 16.00                                     |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for A, III<br>and IV:   |                   |  |                         |   |
| 1x, f = 1m (for distances 40 to 21 in.).....  | 910/1             | 3.25                                   | .....                   | 5.00                                      |
| 2x, f = 0.5m (for distances 20 to 14 in.).....  | 910/05            | 3.25                                   | .....                   | 5.00                                      |
| slip-on mount, 37mm., for B, BX, and C:   |                   |  |                         |   |
| 0.5x, f = 2m (for distances 79 to 39 in.).....  | 911/2             | 3.25                                   | .....                   | 5.00                                      |
| 1x, f = 1m (for distances 40 to 26 in.).....  | 911/1             | 3.25                                   | .....                   | 5.00                                      |
| 2x, f = 0.5m (for distances 20 to 15 in.).....  | 911/05            | 3.25                                   | .....                   | 5.00                                      |
| CONTAMETER close-up focusing device for B and BX, parallax-<br>compensation adjustment, complete with three lenses (for dis-<br>tances 12, 20, and 28 in.), slip-on mounts, 37mm., complete in case   | 442               | 52.65                                  | .....                   | 81.00                                     |
| EYE-CORRECTION EYE-PIECE lens mount, for B, BX, III, IV,<br>and Contameter, without lens.....   | —                 | 1.17                                   | .....                   | 1.80                                      |
| EYE-CORRECTION LENSES, in screw-on mount (spherical only),<br>from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for<br>Super Ikonta B, BX, III, IV, and Contameter (on special order<br>only together with prescription for eye used).....  | 901               | 3.25                                   | .....                   | 5.00                                      |
| NECK STRAP for B and BX models (with lock).....   | TR 500 S          | 1.63                                   | .....                   | 2.50                                      |
| MASK, 16 exposure, for C.....   | —                 | .98                                    | .....                   | 1.50                                      |
| IKOBLITZ O, BC flash unit, with test bulb, ejector, flash cord, for<br>22½-volt (battery not included).....   | 1316              | 6.18                                   | .....                   | 9.50                                      |
| IKOPHOT RAPID photo-electric exposure meter, ASA and DIN cali-<br>brated for both conventional and linear shutters, with light values,<br>for reflected and incident light readings, small compact design<br>for instant one-hand operation complete with metal safety chain<br>and leather case..... | 1329              | 18.20                                  | .....                   | 28.00                                     |
| BOOK: The Ikonta and Super Ikonta Guide by W. D. Emanuel,<br>72 pages .....   | —                 | .81                                    | .....                   | 1.25                                      |





## BOX TENGOR (2¼x3¼ in.)

Using #120 roll film. Lens factory coated. Built-in flash synchronization.

|   | catalog number | NET COST TO DEALER<br>excluding tax | DEALER<br>excise tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|---|----------------|-------------------------------------|----------------------|---|
| BOX TENGOR, f/9, two element lens, three stops, three focusing settings, accidental double-exposure prevention device, case extra | 56/2           | 9.15                                | .92                  | 15.00                                     |
| CASE, leather carrying, for Box Tengor.....   | 1227/2         | 2.44                                | .....                | 3.75                                      |
| FILTER for Box Tengor, yellow 2x.....   | 347            | 1.63                                | .....                | 2.50                                      |

## NETTAR IIB (2¼x2¼ in.), NETTAR IIC (2¼x3¼ in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (X) at 1/25th sec.

|   |            |       |       |       |
|---|------------|-------|-------|-------|
| NETTAR IIB, NOVAR f/4.5, 75mm., Pronto, self-timer, case extra....  | 518/16 Its | 23.80 | 2.38  | 39.00 |
| NETTAR IIC, NOVAR f/6.3, 105mm., Vero, case extra.....  | 518/2 Eg   | 17.70 | 1.77  | 29.00 |
| CASE, leather carrying, for IIB.....  | 1231/16    | 5.01  | ..... | 7.70  |
| leather carrying, for IIC.....  | 1234/2     | 5.01  | ..... | 7.70  |
| CABLE RELEASE, locking.....   | 1312/24    | .81   | ..... | 1.25  |
| LENS SHADE, slip-on mount, 32mm., for either camera.....  | 1111       | 1.63  | ..... | 2.50  |
| LEATHER CASE for lens shade, 32mm.....  | 779        | 1.14  | ..... | 1.75  |
| SYNCHRO CORD, PC.....   | PC         | 1.27  | ..... | 1.95  |
| FILTERS, slip-on mount, 32mm., for either camera:   |            |       |       |       |
| Ultra Violet 1x.....  | 349-UV     | 3.90  | ..... | 6.00  |
| Yellow 2x .....   | 349-G      | 3.90  | ..... | 6.00  |
| Yellow Green 2x .....   | 349-GR     | 3.90  | ..... | 6.00  |
| Orange 5x .....   | 349-O      | 3.90  | ..... | 6.00  |
| Red 8x .....  | 349-R      | 3.90  | ..... | 6.00  |
| FILTERS, screw-on mount, 35.5mm., for Nettar IIB only:  |            |       |       |       |
| Ultra Violet 1x.....  | 353-UV     | 3.90  | ..... | 6.00  |
| Yellow 2x .....   | 353-G      | 3.90  | ..... | 6.00  |
| Yellow Green 2x .....   | 353-GR     | 3.90  | ..... | 6.00  |
| Orange 5x .....   | 353-O      | 3.90  | ..... | 6.00  |
| Red 8x .....  | 353-R      | 3.90  | ..... | 6.00  |
| POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for IIB and IIC.....   | 330        | 9.75  | ..... | 15.00 |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIB:  |            |       |       |       |
| 1x, f = 1m (for distances 40 to 21 in.).....  | 910/1      | 3.25  | ..... | 5.00  |
| 2x, f = 0.5m (for distances 20 to 14 in.).....  | 910/05     | 3.25  | ..... | 5.00  |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIC:  |            |       |       |       |
| 0.5x, f = 2m (for distances 79 to 39 in.).....  | 910/2      | 3.25  | ..... | 5.00  |
| 1x, f = 1m (for distances 40 to 26 in.).....  | 910/1      | 3.25  | ..... | 5.00  |
| 2x, f = 0.5m (for distances 20 to 15 in.).....  | 910/05     | 3.25  | ..... | 5.00  |
| IKOBLITZ O, BC flash unit with test bulb, ejector, flash cord, for 22½-volt (battery not included).....   | 1316       | 6.18  | ..... | 9.50  |
| IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case..... | 1329       | 18.20 | ..... | 28.00 |

## PHOTOGRAPHIC GUIDE BOOKS

|   |   |      |       |      |
|---|---|------|-------|------|
| The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....        | — | 1.27 | ..... | 1.95 |
| The Contina Guide by W. D. Emanuel, 72 pages.....               | — | .81  | ..... | 1.25 |
| The Contaflex Guide by W. D. Emanuel, 88 pages.....             | — | 1.14 | ..... | 1.75 |
| The Ikoflex Guide by K. Tydings, 128 pages.....                 | — | 1.27 | ..... | 1.95 |
| The Ikonta & Super Ikonta Guide by W. D. Emanuel, 72 pages..... | — | .81  | ..... | 1.25 |





## ZEISS IKON PROJECTION EQUIPMENT FOR FLAT AND STEREO PROJECTION

|   | catalog<br>number | NET COST TO DEALER<br>excluding<br>tax | DEALER<br>excise<br>tax | CONSUMER<br>RETAIL PRICE<br>including tax |
|---|-------------------|--|-------------------------|---|
| IKOLUX 250 PROJECTOR, 250-watt, 110-volt, for 2x2-in. slides, complete with bulb, slide carrier and ORIKAR f/2.5, 100mm. lens (for flat projection) including field lens for 100mm. Orikar (#1478/06) ..... | 1478/1            | 87.50                                  | 4.38                    | 139.00                                    |
| STERIKON 10, with pre-polarizer, for Stereo projection with Ikolux 250 (for Contax and Contaflex stereo slides).....  | 1478/01           | 60.45                                  | .....                   | 93.00                                     |
| SLIDE CHUTE 2x2-in., instead of slide carrier.....  | 1478/032          | 2.11                                   | .....                   | 3.25                                      |
| CARRYING CASE, for Ikolux 250.....  | 1478/045          | 9.75                                   | .....                   | 15.00                                     |

### MOVIKON EIGHT (8mm Motion Picture)

A unique double-eight spool film movie camera of the same sterling quality workmanship and materials that characterize all Zeiss Ikon still cameras.

|   |          |       |       |        |
|---|----------|-------|-------|--------|
| MOVIKON 8, for 25 ft. double-8 film, with Movitar f/1.9, 10mm. lens                       | 5532/288 | 78.73 | 7.87  | 129.00 |
| CASE, eveready, stiff leather, for Movikon 8.....   | 1280/28  | 10.40 | ..... | 16.00  |
| ZIPPER POUCH CASE, eveready, soft leather, for Movikon 8.....                             | 775      | 8.45  | ..... | 13.00  |
| MOVIGONAR wide-angle lens, 0.5x, with view-finder, lens shade, and case .....             | 5532/07  | 42.11 | 4.21  | 69.00  |
| MOVITELAR telephoto lens, 2x, with view-finder, lens shade, and case                      | 5532/06  | 42.11 | 4.21  | 69.00  |
| FILTERS, screw-on mount, 22.5mm., for Movitar f/1.9 lens:                                 |          |       |       |        |
| Ultra Violet 1x.....  | 361-UV   | 2.93  | ..... | 4.50   |
| Yellow 2x.....  | 361-G    | 2.93  | ..... | 4.50   |
| Yellow Green 2x.....  | 361-GR   | 2.93  | ..... | 4.50   |
| Orange 5x.....  | 361-O    | 2.93  | ..... | 4.50   |
| Red 8x.....   | 361-R    | 2.93  | ..... | 4.50   |
| Neutral Gray 4x.....  | 361-N    | 2.93  | ..... | 4.50   |
| FILTERS, screw-on mount, 35.5mm., for Movigonar and Movitelar lenses:                     |          |       |       |        |
| Ultra Violet 1x.....  | 371-UV   | 3.90  | ..... | 6.00   |
| Yellow 2x.....  | 371-G    | 3.90  | ..... | 6.00   |
| Yellow Green 2x.....  | 371-GR   | 3.90  | ..... | 6.00   |
| Orange 5x.....  | 371-O    | 3.90  | ..... | 6.00   |
| Red 8x.....   | 371-R    | 3.90  | ..... | 6.00   |
| Neutral Gray 4x.....  | 371-N    | 3.90  | ..... | 6.00   |
| MOVISCOP VIEWER and EDITOR for 8mm. film, with rewind reels (on special order only).....  | 1431/28  | 69.25 | 3.46  | 110.00 |
| MOVISCOP VIEWER and EDITOR for 16mm. film, with rewind reels (on special order only)..... | 1431/30  | 71.77 | 3.59  | 114.00 |
| SPARE LAMP for Moviscop.....  | 1357     | 1.46  | ..... | 2.25   |

### For CONTAX CAMERAS, LENSES and ACCESSORIES

see separate price schedule



Made in West Germany