Sinar CAMERA & ACCESSORY PRICE LIST

6/76 Effective June 1, 1976

> FRI PTP

As an aid to you in quickly finding the Sinar product you have selected, we have prepared an alphabetical listing of major Sinar items found in this price list. In additon, each product can be identified by both the PTP product number (used when ordering) and the Sinar code number (found in all Sinar brochures). If more information is required, please contact your Sinar representative or Photo Technical Products in Garden City, N.Y.

PRODUCT INDEX

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
Α				0-0	
Accessory shoe	3	Focus mount lenses	7-8	Pentax camera adapter, T-42	5
Adjustable bellows mask		Format changing sets	4	Photo-Know-How	
Alpa camera adapter		Format divider	5	Plaubel adapter, B.R.M.	
Apo — Nikkor lenses		Format dividing masks (8x10)	5	Plate holders	
Apo — Ronar lenses.		Fresnel lenses/holders	4	Polaroid 405 mask	-
Auto — aperture shutter		Front projection sets	5		
a second of the second s		Front surface mirror	5	Police Special Sinar-c.	
Automatic cable	4		5	Projection, front	
в		G-H		Projectors Projector bracket	
Base plate	5	Graduated filters	6		. 0
Bayonet piece.		Grandagon lenses	7-8		
Bellows		Gelatin filter holder	5	R-S	
Bellows holders		Ground glass	3		3
Bellows hood/filter holder rods		Handgrips	3	Rail clamp	5
			5	Rails	
Bellows mask.		Hasselblad camera adapter		Rapid adapter.	
Binocular magnifier		Holder, camera	5	Rear carrier frames	
Binocular reflex magnifier (B.R.M.)		Holder, filter	5	Recessed lensboard	6
Books	6	Holder, roll film	5	Reducing adapters	4
c		Hood, light	4	Reducing bushing	
Cable, automatic.	4	I-L boost of the			
Cable Release		Imagon lenses	7-8	Screw set	
Calumet adapter, B.R.M.		Intermediary frame, Sinarsix	1-0	Series VIII & IX adapters	
		Lensboards	4	Shoe, accessory	
Calumet adapter, lensboard.			0	Shutter, auto-aperture	
Cambo adapter, B.R.M.		Lenses		Sinarsix light meter & accessories	
Cameras		Lenses, fresnel.	4	Sironar lenses	
Camera bracket		Lenses, multiple	5	Special bellows.	
Camera holders	5	Light hood	4	Spirit level	3
Camera screw	4	Light meter, Sinarsix	4	Spring backs	3
Camera support	5	Linear shading filters.	5	Square bellows	3
Cap, rail	3	Linhof adapter, B.R.M.	4	Standards	- 3
Carrier frames	3	Linhof adapter, lensboard	6	Strap, case	. 4
Cases, camera	4	Loupe, bino. ref. mag.	4	Super Angulon lenses	
Cassettes, Sinarsix	4	Loupe, Nikon 7X	4	Super Angulon filters.	
Clamping stand				Symmar-S lenses	
Clamps, rail	-	M-N		Symmars lenses	
Coupling piece, shutter	-	Macro lensboard	6		
		Macro-Nikkor lenses	10		
Coupling piece, 'handy'	3	Manuals	6	T-Z	
D-F		Mask/fresnel lens holder	4	Tapered bellows	3
					-
DB lenses		Masks.	5	Threaded adapter, camera holder	
Densitometer Mask		Metal cable release	4	Toyo adapter, B.R.M.	
Dials, Sinarsix		Meter, Sinarsix & accessories	4	T-42 camera adapter	
Exacta camera adapter		Microscope adapter.	5	Universal camera holder	
Extension rails		Minolta camera adapter	5	Universal case & acces.	
Filters	5-6	Mirrors	5	Üniversal filter holder	
Filter holders	. 5	Multiple lens clusters	. 5	Universal standard bearer	
Filter holder rods		Multipurpose standards	3	Viewfinders, recommendations for 'handy'	
Flat uncut lensboards	6	Nikon camera adapter	5	Viewing masks	
Focus mount lensboards		Nikon 7X loupe	4	Wide angle bellows	- 3

1

SINAR VIEW CAMERAS

	Product Number	Description		Sinar Code #	User Net
	1.11	SINAR-f 4" x 5" VIEW CAMERA	Margaret .		
94201		Sinar-f 4 x 5 view camera; consisting of multipurpose st I & II, 12" basic rail unit, bellows, Sinar-f rail clamp, and holder with ground glass.		# 491.46	\$622.00
		SINAR-f+ 4" x 5" VIEW CAMERA			
	94200	Same as above; but the normal lightweight Sinar-f Rail Cla replaced by the Sinar-c/p Rail Clamp. This allows the rap the camera rail from the clamp and facilitates horizontal le the camera.*	id release of		\$630.00
		The Sinar-f accepts most Sinar accessories and compone be converted to a 4 x 5 Sinar-c with the addition of the # 9 Universal Standard Bearer and the # 94551 Rear Carrier F	4546		
		SINAR-c CAMERAS 4" x 5", 5" x 7", AND 8" x	10"		
	94107	Sinar-c 4 x 5: Equipped with Sinar-c front standard, 12" ba universal standard bearer, rapid release rail clamp with sle Bellows, ground glass and plateholder carrier for 4 x 5 forr	eeve.	# 491.36	\$1130.00
	94108	Sinar-c 5×7 : Same as above; but with tapered bellows, gr and plateholder carrier for 5×7 format.*	# 491.37	\$1385.00	
	94508	Sinar-c 8 x 10: Same as above; but with special standard I tapered bellows, ground glass and plateholder carrier for 8 format.*	# 491.38	\$1855.00	
		The Sinar-c accepts all Sinar-p accessories, and can be a # 94545 front standard.	converted to	a Sinar-p with	the addition of the
		SINAR-p STANDARD CAMERAS 4" x 5", 5" x 7	· AND 9"	. 10"	Section for the section of the
	94101	Sinar-p 4 x 5: Equipped with Sinar-p front standard, 12" ba universal standard bearer, rapid release rail clamp with slo Bellows, ground glass and plateholder carrier for 4 x 5 forr	asic rail unit, eeve.		\$1559.00
	94103	Sinar-p 5 x 7: Same as above; but with tapered bellows, gr and plateholder carrier for 5×7 format.*	# 491.27	\$1815.00	
	94106	Sinar-p 8 x 10: Same as above; but with special standard I Tapered bellows, ground glass and plateholder carrier for format.*	# 491.28	\$2284.00	
		SINAR-pEXPERT CAMERA SETS			
		EXPERT camera sets include the STANDARD camera plu	s the EXPER	Faccessories.	
	94511	Sinar-p 4 x 5 EXPERT: Consists of 4 x 5 Sinar-p STANDAF as above. Includes complete set of viewing masks, and all accessories.		# 492.26	\$2625.00
	94513	Sinar-p 5 x 7 EXPERT: Consists of 5 x 7 Sinar-p STANDAF as above, plus all EXPERT accessories.	RD camera	# 492.27	\$2910.00
	94516	Sinar-p 8 x 10 EXPERT: Consists of 8 x 10 Sinar-p STAND camera as above, plus all EXPERT accessories.	ARD	# 492.28	\$3550.00
		EXPERT ACCESSORI	ES		
		18" extension rail unitEFresnel lens (for selected format)S4 x 5 Square bellowsEWide angle bellows (for selected format)LCarrying case for camera and accessoriesMCamera supportE	Binocular ligh Binocular mag Set of filter ho Bellows holde Jniversal Can Aultipurpose Bellows Mask Viewing Mask	gnifier older rods ors nera Holder Standard I	

SPECIAL PURPOSE CAMERAS

Product Number

Description

Sinar Code #

User Net

	SINAR-handy WIDE ANGLE CAMERA	
94202	Sinar-handy wide-angle camera; consisting of 4 x 5" plate holder with #493.16 ground glass (also accepts various roll film holders), accessory shoe, two-way spirit level, coupling piece, and hand grip. Accepts all Sinar focus mount lenses.	\$412.00

SINAR-c "POLICE SPECIAL" CAMERAS

The Sinar-c "Police Special" consists of a specially calibrated rear standard bearer, two multipurpose standard I's, and a special mask to yield three separate vertical images. Image proportions permit full length identification photos to be made, as well as head-and-shoulders views. The mask is readily removable so that the Sinar-c "Police Special" may be used as a normal 4" x 5" view camera, thus increasing its flexibility.

94510	Sinar-c 4" x 5" "Police Special" Camera (for 4" x 5" sheet and Polaroid films)	\$1166.00
94517	Sinar-c 405 "Police Special" Camera (for the Polaroid 405 film holder)	\$1166.00

CAMERA COMPONENTS AND ACCESSORIES

Prod. No.	Description	Sinar Code #	User Net		Prod. No.		Description	Sinar Code #	User Net
	STANDA	RDS					RAIL CL	AMPS	
94545 Si	inar-p front main Standard	#431.21N	\$703.00		94571	Rail Clamp	(standard on Sinar-f)	#411.31	\$ 53.80
543 M	ultipurpose Standard I	#437.31	219.00		94570	Rail clamp	w/sleeve (standard on	#411.21N	63.80
642 M	ultipurpose Standard II	#433.31	303.00			Sinar-p & c	:)		
	niversal Standard bearer	#433.21N	619.00						
	pecial standard bearer 8 x 10	#433.22N	776.00				GROUND	GLASS	
(1	ncluded with 8 x 10 cameras)			1	94549	Ground gla	ss 4 x 5 (grid lined)	#536.66	\$ 9.96
	CARRIER F	RAMES			94553	Ground gla	ss 5 x 7 (grid lined)	#536.37	11.00
551 R	ear carrier frame 4 x 5	#433.26NN	\$114.00		94564	Ground gla	ss 8 x 10 (grid lined)	#536.38	21.00
	ear carrier frame 5 x 7	#433.27NN	221.00		94554	Ground gla	ss 4 x 5 (plain)	#536.56N	9.96
	ear carrier frame 8 x 10	#433.28NN	289.00		94558	Ground gla	ss 5 x 7 (plain)	#536.27N	11.00
1001 10					94563	Ground gla	ss 8 x 10 (plain)	#536.28N	21.00
	PLATE HOLDERS (S	SPRING BAC	CKS)		94126	Ground gla	ss 5 x 5 (f/Rapid Adapter) #536.46	12.00
4552 4	x 5 Plate holder w/ground glass	#461.26	\$125.00			SINAR	-Handy COMPON	ENTS ACCE	SSORIES
	x 7 Plate holder w/ground glass	#461.27	238.00		04270				
562 8	x 10 Plate holder w/ground glass	#461.28	448.00		94276	not used w	for 'handy' (requires 94279	9; #513.211NIN	\$111.00
	BELLO	ws			04277		used w/94595)	#513.31NN	132.00
165 5	quare bellows 4 x 5 (also used as	#454.11	\$ 73.60			01	iece (w/3/8" tripod	#513.61NN	45.90
	ompendium lens hood with 94184 &		φ 73.00		54275	bushing)	iece (w/ 5/6 tripod	#313.011	45.50
	4185)				94269	Accessory	Shoe	#531.61NN	48.60
	apered bellows 5 x 7	#452.17	\$137.00			Spirit level		#531.71NN	48.90
	apered bellows 8 x 10	#452.18	228.00		0.1210	opinition			
	Vide-angle bellows 4 x 5	#455.36	82.10				RECOMM		IN
	/ide-angle bellows 5 x 7	#455.27	134.00			,	IEWFINDERS FO		NDY
	vide-angle bellows 8 x 10	#455.28	207.00			A Contraction	FURM	AI	ALC: NO ALC: NO ALC: NO
	pecial bellows, 8 x 10 to 5 x 7; for	#453.18	382.00						6 x 9cm
2	O" bellows extension (used with					LENS	4 x 5"	9 x 12cm	56 x 72mm
94	4556 & 94546)					47mm	n.a.	50mm	MAMIYA
	BAIL UN	ITS				65mm	50mm M	AMIYA	65mm MAMIY
1517 B	asic standard rail unit 12"	#422.11	\$ 34.90			75mm	50mm M	AMIYA	
	xtension rail unit 6"	#421.11	45.80			90mm	50mm MAMIYA	A CONTRACTOR OF	The second second
	xtension rail unit 12"	#423.11	46.90		L				
	xtension rail unit 12"	#424.11	71.80		NN = c	omnonente	which cannot be combin	ed with previous	Sinar
	ail cap.	#429.11	8.00				bined, but not recommen		Union .

Prod. Sinar User No. Description Code # Net	Prod. No. Description	Sinar Code #	User Net
CAMERA AC	CESSORIES		
SINAR AUTO-APERTURE SHUTTER	VIEWING DEVICES INCL. BINO	CULAR REFI	
he Sinar shutter is rugged, accurate and self cocking. It has settings from $1/60$ to $1/2$ accond, and 1 second to 8 seconds as well as Bulb. It offers X synchronization. Filters an be used behind the shutter in a holder provided in the shutter. The shutter can be ontrolled for viewing by the insertion or removal of the film holder. When DB mount nses are used, the lens will automatically stop down to a pre-set aperture when the	Fresnel lenses improve the center to edge br binocular magnifier replaces the old dark-clo allows binocular viewing even with eye glasses image upright for viewing at normal and 2.5x	th with a modern s. The binocular re	n viewing system w oflex magnifier turns
utter is actuated.	77337 Nikon 7x loupe 94128 Fresnel (field) lens 4 x 5 (Requires	#535.26	\$ 15.00 45.80
e main advantages of the Sinar Automatic Shutter are:	94128 Fresher (field) fells 4 x 5 (Requires 94124 or 94191; see 94192)	# 535.26	45.80
e use of one accurate shutter system instead of several with varied tolerances in	94197 Fresnel (field) lens 5 x 7 (fits 94556)	#535.17	60.90
posure times.	94199 Fresnel (field) lens 8 x 10 (fits 94561		92.70
tomatic operation of lens aperture when DB lenses are used.	94191 4 x 5 Mask/fresnel lens holder	#461.66	18.00
	94192 4 x 5 Fresnel lens in holder (94191 &	#461.76	65.00
4595 Sinar Auto-aperture shutter; (includes #521.31 \$592.00 94247, 94248 & 94249)	94128) 94124 Mask/fresnel lens holder for Rapid	#551.66	16.80
4248 Automatic cable for 94595 #521.51 43.90	Adapter		10.00
4247 Metal cable release for 94595 #521.61 47.90 4239 Coupling piece (for connecting two #521.81 14.00	94189 4 x 5 Fresnel lens in holder for Rapid Adapter	#551.76	63.20
94248 together) 4249 Bayonet piece (for plate holder) #521.91 12.00	94271 Binocular reflex magnifier housing (requires 94270)	#531.12	241.00
ote: The Sinar shutter accepts gelatine filter size 4 x 4" and 5 x 5" as well as Sinar ass filters.	94273 Binocular magnifier (requires 94270 & Bellows)		69.80
	94270 Light hood for 94271 & 94273	#531.91	39.90
	Note: The binocular reflex magnifier is availabl are far-sighted.	le with a 4.25 diop	oter loupe for those
	94275 Binocular reflex magnifier housing	#531.12 &	
	w/4.25 loupe (requires 94270)	#531.12.001	\$283.00
	94274 Loupe only (4.25 diopter)	#531.12.001	42.80
		# 331.12.001	42.00
SINARSIX (II) LIGHT METER SYSTEM	Note: The following adapters allow the binoc with 4" x 5" cameras other than Sinar.	ular reflex magnit	fier (94271) to be u
easurement is unaffected by camera extensions, filters, camera movements or flare.	94621 Toyo adapter	#559.16	\$ 59.50
e Sinarsix reading is 100% accurate — without any photo mathematics.	94622 Linhof adapter	#559.26	59.50
e Sinarsix System can be used to measure brightness range, contrast ratio or give a	94622 Linitol adapter 94623 Cambo adapter	#559.26	59.50
nean" value index. It reads both ASA or DIN film speeds.		#559.36	59.50
tean value much. It reads beth non of biny mill specus.	94624 Calumet adapter		59.50
	94625 Plaubel adapter	#559.56	
4600 Sinarsix II w/probe & three dials (used #524.21 \$562.00	FORMAT CHANGING SE 94550 4 x 5 Adapter	#497.26	
w/94130 or 94575)	94550 4 X 5 Adapter 94555 5 X 7 Adapter	#497.26 #497.27	\$316.00
4130 4 x 5 light meter cassette #525.16 69.30			604.00
4575 5 x 7 light meter cassette #525.17 95.90	94560 8 x 10 Adapter	#497.28	978.00
4122 Sinarsix intermediary frame 5 x 7 to #525.18 64.90 8 x 10	(adapter sets include rear carrie	r, plate holder, an	id bellows)
4566 Sinarsix 'N' dial #524.61 16.00	REDUCING A	DAPTERS	
94567 Sinarsix 'S' dial #524.71 16.00			

The reducing adapter allows you to use a large camera with a 4 x 5 film holder; it must be used in conjunction with a 4 x 5 plateholder.

94572	Reducing adapter 5 x 7 to 4 x 5	#553.27NN	\$245.00	
94137	Reducing adapter 8 x 10 to 4 x 5	#553.28NN	263.00	

CASES

94521	Case for Sinar-f	#475.16NN	\$253.00	
94523	Case for Sinar-p or Sinar-c, 4 x 5 or			
	5 x 7	#475.32NN	344.00	
94525	Case for Sinar-p or Sinar-c 8 x 10	#475.28NN	454.00	
94580	Case for 5 x 7 adapter (94555 and			
	accessories)	#571.17	237.00	
94585	Case for 8 x 10 adapter (94560 and			
	accessories)	#571.18	287.00	
94401	One pair of carrying straps for case			
	#94525	#577.11	50.50	
94522	Universal carrying case	#571.11	96.70	
94631	4 x 5 film holder container	#571.16*	13.00	
94632	Sinarsix/4 x 5 + 5 x 7 filmholder			
	container	#573.21*	27.80	
94634	Lens container	#571.11.005*	35.40	
			00.10	

*For #94523 Sinar-p/c 4 x 5" case and Universal Carrying Case

94600	Sinarsix II w/probe & three dials (used w/94130 or 94575)	#524.21	\$562.00	
94130	4 x 5 light meter cassette	#525.16	69.30	
94575	5 x 7 light meter cassette	#525.17	95.90	
94122	Sinarsix intermediary frame 5 x 7 to	#525.18	64.90	
	8 x 10			
94566	Sinarsix 'N' dial	#524.61	16.00	
94567	Sinarsix 'S' dial	#524.71	16.00	
94568	Sinarsix 'X' dial	#524.81	16.00	
94569	Sinarsix 'P' dial	#524.91	16.00	
94125	Sinarsix attachment f/Rapid Adapter	#525.26	92.00	
94633	Sinarsix (II) densitometer Mask	#524.51	14.20	

RAPID ADAPTER

	(sliding	back	for	2¼"	X	2¼"—4"	Х	5"	formats)	
--	----------	------	-----	-----	---	--------	---	----	----------	--

94123	Rapid adapter	#551.16	\$640.00	
94129	Rapid adapter with attach. for Sinarsix	#551.26	748.00	
	probe			

Note: used with lenses of at least 100mm focal length. Comes with 94124 mask/ Fresnel lens holder.

PAN HEADS

94354	Sinar pan-tilt head 3/8" (w/¼" x 3/8" camera screw)	#516.41	\$199.00
94358	Reducing bushing $3/8'' - \frac{1}{4}''$ (to	#519.61	5.96
94361	attach 94354 or 94570-to ¼" mount) Camera screw f/pan-tilt head	#519.71	11.00

4

Prod. No.	Description	Sinar Code #	User Net		Prod. No.	-	Description	Sinar Code #	User Net
			CAMERA	ACCESS	ORIE	S	014521.14		10710-017-012
	BELLOWS HOOD/FILTE		RODS			F	RONT PROJEC	TION SETS	
0/191 Ro	llows hood/filter holder rod 414"	#472.61	\$ 5.00		Inc				
	llows hood/filter holder rod 6¼"	#472.01 #472.71	\$ 5.00 5.00		(110	t including	g projectors; used wi	ui sivi screeli #	/010 & #/011)
	llows hood/filter holder rod 10"	#472.81	5.99	9461	3 For me	dium & sn	nall format cameras		\$563.00
34303 De			5.55				numbers 94571,		
	BELLOWS HO	LDERS					1543, 94606, 94607 8	k l	
94284 Be	llows holder (used with above rods)	# 473.31	\$ 17.00		two 94				
				94614		and the state list at	ameras (includes		\$461.00
						and 9460	94548, 94543,		
	CAMERA HOLDERS/CL	AMPING S	STAND	9461			t camera sets		* 000000
94350 Sin	ar clamping stand (includes 94353,	#51/1 21	\$214.00				numbers 94280 and		\$206.00
	351, & 94352)	#J14.21	φ214.00	r derere s	94607)				
	mera holder	#514.71	92.30	Note	see helou	v for addit	ional components		
94351 Cla		#514.81	111.00	Note: 3					
94352 Th	readed adapter 3/8"	#514.91	10.90			FRON	PROJECTION	COMPONE	INTS
94530 Un	iversal camera holder (used w/rail	#519.11	45.90	94606	6 Camera	bracket		#519.31	\$ 47.90
cla	mp 94570)			94607	Projecto	or bracket		#519.41	59.80
	mera support (used with	#519.21NN					35mm PROJE	CTORS	
	546/94544)		42.90				(for front projection		
	se plate w/screws (for two rail	#418.11	66.80				tion mone projection	3013 200407	
cia	mps)			94616	; Projecto	or; 100w. 7	funsten illumination (CDS lamp)	\$137.00
	VIEWING M	ASKS					sec. Electronic flash.		467.00
94127 Vie	wing mask set: for 6 x 6cm-2¼ x	#534.16	\$ 14.00	94618	Power p	back for #	94617		503.00
	", 56 x 72mm-2¼ x 2¾", 6.5 x						SCREW ADAP	TER SET	
901	m-21/2 x 31/2, 9 x 12cm, 4 x 5"			The Sin	ar corow	adaptor c	at allows you to adap	t different trined	and camera threads
	mats (fits 94124 & 94191)			one and	other It c	an also h	e used in combination	a with various s	inar accessories havir
	aroid 405 viewing mask (fits 94124	#534.19	1.00		thread.			i with valious s	inal accessories navi
& 9	94191)			Distant Page					
	MISC. MASKING	DEVICES		94620	Screw a	dapter set		#515.11	\$ 74.40
94506 Adi	ustable bellows mask	#533.11	\$ 36.90	S. 1915.			FILTER	S	
	mat dividing masks (1 pair) for	#439.18	16.90	·					
	x 10''						FOR BLACK &	WHITE	
	MIRROR	9			Medium			#546.01	\$ 53.80
					Bright o			#546.02	53.80
	nt surface mirror in case	#538.11	\$175.00		Yellow-g			#546.03	53.80
	% semi-reflecting mirror 5" x 5"	#539.11	168.00		Bright rec			#546.04	53.80
	% semi-reflecting mirror 7" x 7" ly for 5" x 7" carrier frame)	#539.91	84.60	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Infra-rec			#546.05	53.80
(01)				54255	mina-rec			#546.06	53.80
	MULTIPLE LENS (CLUSTERS	6				FOR COLOR & BLAC	K & WHITE	
	ens unit (used with #94595	#586.26	\$322.00		Haze filt			#546.11	\$ 53.80
	utter) Simultaneously divides 4 x 5				Skylight			#546.12	53.80
	mat into (4) 2 x 2½ photos (requires				Skylight		A She was the	#546.13	53.80
	601)		50.00			Neutral De Neutral De		#546.14	53.80
	mat divider (used with 94610) ens unit (used with #94595	#558.26	56.30		Soft-foc		ensity	#546.15	53.80
A A B B B B B B B	utter)	#586.86	399.00		Polarizin			#546.16 #546.21	53.80 158.00
	ens unit (used with #94595	#586.96	551.00			-	As a start of the start of the		
	utter)		001.00	Sinar gl	ass illiters	are 4 di	ameter coated, colore	d glass and will	fit in Sinar filter holde
	CAMERA ADA	PTERS		# 541/4	and als		shutter #94595 (ex		
(†	o mount the following cameras on t	the 4 x 5 Sina	r rear carrier)				EAR SHADING		
				The Line	ear shadi	ng filter s	et allows the user to	partially or tota	lly introduce a gelatin
and press and provide	a camera adapter*	#556.63	\$ 56.60	filter in	front of t	he taking	lens. This facilitates i	making density	or color variations ove
	sselblad 500c camera adapter	#556.64 #556.73	120.00	part of t	he image	. The set i	ncludes three empty f	ilter frames plus	the following mounter
	acta adapter board on camera adapter (f/Nikon F, F2 &	#556.73 #556.93	54.60 88.30	filters: (J.3N.D., ().6N.D., pr	imary red, primary g	reen, medium bl	ue, orange, and heav
	kormat)	1 330.33	00.00	frost (di	trusion).	The filter	set is normally used	with #94506 b	ellows mask.
	2 (Pentax type) camera adapter	#556.83	95.30	04620	Filtor or	t complete		#542.01	¢ 40.60
	nolta camera adapter	#556.53	97.70	34030	i inter sei	complete		#542.91	\$ 49.60
	*Requires Alpa "TUBANA A"	and "TURANT	RF"						
						FILTE	R HOLDER & A	CCESSORI	ES
	MICROSCOPE			94174	Universa	I filter hold	ler, w/retaining ring	#541.21	\$ 84.30
	croscope adapter for 25mm dia. tube	#441.61	\$181.00			on filter h	00		
(ind	cludes "Tubanfor" and "Microfix")			94175			g for 94174	#541.91	16.90
Note: for fu	rther information on Macro & Micro a	ccessories. se	e Information Sheet #6.	94281	Gelatin fi	lter holder	4 x 4" (for 94174)	#542.21	59.50
						adapter f		#543.11	42.70
	ROLL FILM HO	OLDER		94179	Series VI	II adapter	for 94174	#544.11	42.70
	ar 6 x 9cm, roll film holder for 120	#7C7 AE	¢265.00						
	n (8 exp.) ar 6 x 7cm roll film holder for 120	#767.45	\$265.00						
01676 0:-									

LENSBOARDS. 94503 180mm 94502 305mm 94500 NF Lens thread 94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	D LENSBOARD ORDER FORM & 240mm f9.0 Apo Nikkor & 360mm f9.0 Apo Nikkor s with 39mm (Leica type) ensboard for RMS threaded o RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LEI anm f5.6 Super Angulon Cpr. (no th 94595 shutter)	#441.71 ''MICRO- DAP'' ENSBOARDS	\$ 23.90 61.80 52.90 77.40 9.00	LOWING
LENSBOARDS. 94503 180mm 94502 305mm 94500 NF Lens thread 94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	& 240mm f9.0 Apo Nikkor & 360mm f9.0 Apo Nikkor s with 39mm (Leica type) ensboard for RMS threaded to RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LE mm f5.6 Super Angulon Cpr. (no	#441.71 ''MICRO- DAP'' ENSBOARDS	\$ 23.90 61.80 52.90 77.40 9.00	LOWING
LENSBOARDS. 94503 180mm 94502 305mm 94500 NF Lens thread 94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	& 240mm f9.0 Apo Nikkor & 360mm f9.0 Apo Nikkor s with 39mm (Leica type) ensboard for RMS threaded to RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LE mm f5.6 Super Angulon Cpr. (no	#441.71 ''MICRO- DAP'' ENSBOARDS	\$ 23.90 61.80 52.90 77.40 9.00	
94502 305mm 94500 NF Lens thread 94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	& 360mm f9.0 Apo Nikkor s with 39mm (Leica type) ensboard for RMS threaded to RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LEI am f5.6 Super Angulon Cpr. (no	"MICRO- DAP" ENSBOARDS	61.80 52.90 77.40 9.00	
94500 NF Lens thread 94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	s with 39mm (Leica type) ensboard for RMS threaded to RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LE mm f5.6 Super Angulon Cpr. (no	"MICRO- DAP" ENSBOARDS	52.90 77.40 9.00	
94234 Macro le lenses 77318 39mm t 94223 Flat (bla 94226 For 47m	o RMS Reducing adapter FLAT UNCUT LE ank) lensboard RECESSED LE nm f5.6 Super Angulon Cpr. (nc	"MICRO- DAP" ENSBOARDS	9.00	
77318 39mm t 94223 Flat (bla 94226 For 47m	FLAT UNCUT LE ank) lensboard RECESSED LE nm f5.6 Super Angulon Cpr. (nd	DAP" Ensboards	6	
94226 For 47m	ank) lensboard RECESSED LE nm f5.6 Super Angulon Cpr. (nd			
94226 For 47m	RECESSED LE	NSBOARDS	\$ 17.90	
	nm f5.6 Super Angulon Cpr. (nd	NSBOARDS		
	nm f5.6 Super Angulon Cpr. (nd	NODOANDO		
used wi	(II 94595 Shuller)	ot	\$115.00	
	FOCUS MOUNT I FOR SUPER ANG			
For cameras in t	the 'handy' configuration; use	d without the Sin	ar-Auto-aperture	shutter
Available for the	following lenses.			
04000 47	E C Cuper Angulan Cor		¢000.00	
			228.00	
94219 75mm f	8.0 Super Angulon Cpr. or		228.00	
Prontor				
94231 90mm f Prontor			228.00	
Cpr. = Compur	shutter			
		ADAPTERS		
Sector States and the sector of the sector				•
lens. Lensboard may result.	adapters should not be used	d with #94595 S	Sinar shutter or	damage
04005 1: 1 (3		" 4 4 1 0 1	¢ 04.00	
	and some of the source of the			
es on lensboard	#94224 may not opera	ate at infinity	when	
es	94229 65mm f 94217 65mm f 94218 65mm f 94230 75mm f 94219 75mm f Prontor 94231 90mm f Prontor Cpr. = Compur These allow you lens. Lensboard may result. 94225 Linhof T 94603 Calume	 94231 90mm f8.0 Super Angulon Cpr. or Prontor Cpr. = Compur shutter LENSBOARD A These allow you to use lenses from other car lens. Lensboard adapters should not be used may result. 94225 Linhof Technika IV/V Adapter 94603 Calumet adapter es on lensboard #94224 may not operation 	 94229 65mm f5.6 Super Angulon Cpr. 94217 65mm f8.0 Super Angulon Prontor 94218 65mm f8.0 Super Angulon Cpr. 94230 75mm f8.0 Super Angulon Cpr. or Prontor 94231 90mm f8.0 Super Angulon Cpr. or Prontor 9429 65mm f8.0 Super Angulon Cpr. or Prontor 9429 600 cm 9429 600 cm 9429 75mm f8.0 Super Angulon Cpr. or Prontor 9429 600 cm 9429 600 cm 9420 75mm f8.0 Super Angulon Cpr. or Prontor 9421 75mm f8.0 Super Angulon Cpr. or Prontor 9422 8 Super Angulon Cpr. or Prontor 9422 9 Super Angulon Cpr. or Prontor 9422 9 Super Angulon Cpr. or Prontor 942 9 Super Angulon Cpr. or Prontor 942 9 Super Angulon Cpr. or Prontor 94 9 Super Angulon Cpr	94229 65mm f5.6 Super Angulon Cpr. 228.00 94217 65mm f8.0 Super Angulon Cpr. 228.00 94218 65mm f8.0 Super Angulon Cpr. 228.00 94230 75mm f5.6 Super Angulon Cpr. or 228.00 94219 75mm f8.0 Super Angulon Cpr. or 228.00 94231 90mm f8.0 Super Angulon Cpr. or 228.00 Prontor 94231 90mm f8.0 Super Angulon Cpr. or 228.00 Prontor Prontor 228.00 Prontor 228.00 Prontor Prontor 228.00 Prontor Prontor 228.00 Prontor 94231 90mm f8.0 Super Angulon Cpr. or 228.00 Prontor Enception 228.00 Prontor Enception Sinar shutter or May result. 94225 Linhof Technika IV/V Adapter #441.91 \$ 94.20 94603 Calumet adapter #441.81 49.60 es on lensboard #94224 may not operate at infinity when

All Sinar lenses (unless otherwise noted) are delivered mounted on lensboards and are ready to use on any Sinar camera. DB lenses are specifically designed to work in conjunction with the Sinar Auto-aperture Shutter, but almost all of the listed lenses will work in this configuration; thus adding to the overall versatility of the camera system.

DESCRIPTION OF SINAR LENS TYPES

DB— This lens was specially designed for Sinar and is normally used in (446.11) combination with the Sinar Auto-aperture Shutter. All f-stops can be set from the rear of the camera and the aperture remains wide open until the cable release is actuated; the shutter also automatically closes when the film holder is inserted in the camera back. Once the photograph is taken and the holder removed from the camera the lens and shutter reopen wide. Provision has been made for previewing depth of field, f-stops may also be set manually. These lenses come in a barrel mount and are available in most popular lens series.

x801B— These lenses allow the user to set f-stops without moving to the front of (442.21) the camera (an aid for previewing depth of field or for use with the Sinar Auto-aperture Shutter). These lenses are available in barrel mount (NF) or in Compur or Copal shutters.

x800— The standard lens; requires that the operator set his lens from the front

(441.11) of the camera. x800 lenses are available in NF mounts or in Compur or Copal shutters.

LENS MOUNTING SERVICE

Most lenses similar to those listed on lens price sheet can be mounted on boards by an authorized Sinar Service Center. Other lenses may be mounted at special request. Service charge will vary depending on lens type.

Lenses may be mounted on the following lens boards:

Sinar rear aperture control X801B board.....Sinar Code #442.21 Sinar lensboard X800....Sinar Code #441.11

Note: It is not possible to modify a lens to DB configuration.

WARRANTY & REPAIR SERVICE

Warranty service and repairs are handled through authorized Sinar repair centers. For further information contact your Sinar dealer or write Sinar Div. of (P.T.P.) E.P.O.I., 101 Crossways Park West, Woodbury, N.Y. 11797.









(pages 7 thru 10)

Sinar			Without Betwee	NF				Com		•						
for Lenses 6 Mounted on ensboards	/76	Auto-Aperture		Aperture Barrel Mount					Compur/Prontor Mechanical Shutter				Copal Mechanical Shutter			
LENS TYPE	FOCAL LENGTH (mm)	Sin	ontrol with ar Shutter #94595)	x800(441.11) Standard Lensboard				1000000000	x800(441.11) Standard Lensboard		x801B(442.21) Behind Lens Aperture Control		x800(441.11) Standard Lensboard		x801B(442.21 Behind Lens Aperture Control	
		Prod. #	List Price	Prod. #	List Price	Prod. #	List Price	Prod. #	List Price	Prod. #	List Price	Prod. #	List Price	Prod. #	List Price	
Super**	47							94422*	\$ 882.00							
Angulon	65			-				943341	797.00	973341	\$ 971.00	943721	\$ 746.00	973721	\$ 919.00	
	65			-				94423*	1062.00							
1.5,6	75	94467	\$ 946.00	94337	\$ 778.00	97337	\$ 906.00	94336	891.00	97336	1019.00	94362	841.00	97362	969.00	
	75							94424*	1154.00							
	90	the state of the s	969.00	94339	902.00	97339	1030.00	94438	1013.00	97338	1141.00	94363	963.00	97363	1092.00	
Super**	65	94460	626.00					94321	623.00	97321	751.00				_	
Angulon	65					1.000		94425*	855.00							
00"	75	94461	629.00	94324	483.00	97324	656.00	94323	594.00	97323	768.00	94364	545.00	97364	718.00	
18	75			1.000		1		94426*	866.00		Cold State State	1		-		
	90	94462	637.00	94326	517.00	97326	661.00	94325	629.00	97325	779.00	94365	579.00	97365	728.00	
	90							94427*	892.00	Sec. 1		1.1.1.1.1.1				
	121	94463	985.00	94328	878.00	97328	1006.00	94327	991.00	97327	1119.00	94366	941.00	Behind Apertu Prod. # 973721 97362 97363 97363 97364 97365 97364 97366 97366 973731 973741 97755 97756 97756 97756 97756 97756 97756 97756 97757 97758 97758 97758 97758 97759 97758 97759 97760 977701 977701 97771 97712 97413 97414 97415 97416 97415 97416 97417 97418 97419 97418 97479 97378 97378 97378	1069.00	
	165			_				and the second second second second	2217.00	and the second se	2346.00	943731	Contractor of Contractor of Contractor		2240.00	
	210							943311	4010.00	973311	4138.00	943741	3903.00		4031.00	
Symmar-S	100							94428*	682.00	1				97753		
70°	100	94479	470.00	94384	306.00	97384	434.00	94385	418.00	97385	546.00	94753	369.00	97753	497.00	
	135	94480	498.00	94386	333.00	97386	462.00	94387	445.00	97387	573.00	94754	395.00	97754	523.00	
:5,6	150	94481	502.00	94388	359.00	97388	488.00	94389	472.00	97389	600.00	94755	422.00	97755	551.00	
	180	94482	514.00	94390	419.00	97390	547.00	94391	580.00	97391	708.00	94756	540.00	97373t 97374t 97753 97754 97755 97756 97756 97757 97758 97759 97759 97760	668.00	
	210	94483	566.00	94392	494.00	97392	622.00	94393	654.00	97393	782.00	94757	613.00		742.00	
	240	94484	822.00	94394	742.00	97394	870.00	94395	1070.00	97395	1198.00	94758	963.00		1092.00	
	300	94485	1286.00	94396	1065.00	97396	1194.00	94397	1395.00	97397	1523.00	94759	1290.00	97759	1418.00	
ice List 6 r Lenses 6 ounted on insboards LENS TYPE uper** nguion 05° 5,6 · · · · · · · · · · · · ·	360	94488	1523.00	94398	1297.00	97398	1425.00	94399	1625.00	97399	1754.00	94760	1520.00	97760	1648.00	
Grandagon	65					1111		943741	946.00	97345†	1119.00	947701	916.00	97770t	1089.00	
05*	75	94487	1159.00					94348	1032.00	97346	969.00	94771	1003.00	97771	1131.00	
:4,5	90	94488	1230.00			3 10 10		94349	1177.00	97348	1305.00	94772	1152.00	97772	1280.00	
lironar	100	94478	502.00	94720	294.00	97720	422.00	94721	376.00	97721	604.00	94412	346.00	97412	475.00	
'0°	135	94471	526.00	94722	313.00	97722	441.00	94723	406.00	97723	534.00	94413	377.00	97413	505.00	
:5,6	150	Contract of the second second	569.00	94405	369.00	97405	497.00	94406	447.00	97406	575.00	94414	419.00	97414	547.00	
	180	94473	587.00	94407	421.00	97407	549.00	94408	541.00	97408	669.00	94415	515.00	97415	643.00	
	210	94474	674.00	94409	509.00	97409	637.00	94410	624.00	97410	752.00	94416	598.00	97416	726.00	
	240	94475	911.00	94411	674.00	97411	802.00	94724	975.00	97724	1103.00	94417	923.00	97417	1051.00	
	300	94476	1249.00	94725	1026.00	97725	1154.00	94726	1303.00	97726	1431.00	94418	1251.00	x80* Behind Apertur Prod. # 97372t 97362 97362 97363 97364 97365 97364 97365 97364 97365 97364 97374t 97756 97756 97756 97756 97756 97756 97756 97758 97756 97758 97756 97757 97758 97756 97757 97758 97758 97759 97770 97770 97770 97770 97770 97771 97771 97771 97772 97413 97413 97413 97413 97419 97419 97376 97376	1379.00	
1:6,8	360	94477	1474.00	94727	1286.00	97727	1475.00	94728	1502.00	97728	1630.00	94419	1450.00	97419	1578.00	
Apo Ronar	150			94729	349.00	97729	477.00	94730	485.00	97730	613.00	94376	457.00	97376	585.00	
50°	240		648.00	94731	408.00	97731	536.00	94732	605.00	97732	733.00	94377	580.00	the second se	708.00	
1:9	300	Contract of the owner owner owner	742.00	94733	498.00	97733	626.00	94734	701.00	97734	829.00	94378	675.00	97378	803.00	
	360	and the box second	916.00	94735	580.00	97735	708.00	94736	973.00	97736	1101.00	94379	921.00	and the second se	1049.00	
	480	Contrast and Contrast Contrast	1122.00	94737	743.00	97737	871.00					94380	1127.00	and the second	1255.00	
	600	Contraction of the local distance of the second sec		94739	1294.00	97739	1423.00							-		
	800			94741	4270.00											
1:16	1000	<u>.</u>		94743	the second party of the second s											
magoo	200		1	94745	483.00			94746	877.00/585.00			94381	825.00			
	250			84747	546.00			94748	919.00/613.00			94382	867.00			
	300	B		94749	584.00							94383	842.00			
	360					_						Contraction of the local division of the loc				

Note: NF, Grandagon, Apo Ronar & Imagon lenses are special order items; allow sufficient time for delivery. Some lenses are available in Electronic shutters. Contact Woodbury for further details.

tNot compatable "Mounted on with Sinar Shutter w/Prontor Pre focusing board see Sinar brock w/Prontor Press Shutter; not compatable with Sinar Shutter

"See "Filters" for specialized filters for Super Angulon Lenses.

For complete specifications on lens & lensboards, see Sinar brochure V2E.

SPECIAL PURPOSE UNMOUNTED NF LENSES

(for use with Sinar Auto-aperture Shutter)

APO-NIKKOR LENSES

A four element-four group apochromatic lens of symmetrical design. Corrected for optimum performance at 1x (overall range 1/3x-3x), these lenses are excellent for copy or close-up photography. Minimum Aperture is f 128.

Apo-Nikkor 46° 1:9	Focal Length (mm)	Prod. #	List Price	
	180	96992	\$236.00	
	240	96972	277.00	
	305	96971	335.00	
	360	96980	397.00	1. 1. 27

Recommended Lensboard Prod. #					
94503					
94503					
94502					
94502					

MACRO-NIKKOR LENSES

These lenses are designed for use in the macro range of 1x and above where they will yield high-resolution images. These lenses have linear type aperture scales.

Macro- Nikkor	Focal Length (mm)	Prod. #	List Price	Recommended Lensboard Prod. #	Standard Mag. Range of Lens	Standard Film Format
1:6.3	120	77314	\$221.00	 94500	0.3X-4X 1X-4X	24 x 36mm 4 x 5"
1:4.5	65	77312	193.00	94500	3.5X-10X	24 x 36mm 4 x 5"
1:4.5	35	77310	158.00	94234 or 94500 w/77318	8X-20X	24 x 36mm 4 x 5"
1:2.8	19	77309	179.00	94234 or 94500 w/77318	15X-40X	24 x 36mm 4 x 5"

FORMULAS USED FOR COPY/CLOSE-UP PHOTOGRAPHY

M - Size of Image

- $M = \frac{1}{\text{Size of Original}}$ A = a + b = f (2 + M + 1/M)
- a = f(1 + 1/M)
- b = f(1 + M)

- M = Magnification ratio
- A = Distance from original to film plane
- a = Distance from original to lens
- b = Distance from lens to film plane (bellows extension)
- f = Focal length of lens

Effective f-number = f-number x (1 + M)



PHOTO TECHNICAL PRODUCTS DIVISION / EHRENREICH PHOTO-OPTICAL INDUSTRIES, INC. 101 CROSSWAYS PARK WEST, WOODBURY, NEW YORK 11797 / PHONE (516) 364-8030