

# KODAK PICTURE-TAKING EQUIPMENT AND SUPPLIES PRICE CATALOG

**EFFECTIVE JUNE 24, 1977** 

FOR COUNTER USE



Kodak's newest, lowest-priced instant camera.
List \$39.95



Simulated Projection

## Announcing the new Kodak Ektasound Moviedeck projectors.

This new sound projector is so easy to use. You can watch your movies without setting up a screen or turning down room lights. Just pull out the built-in viewing screen. It's ideal for small audiences. Of course, you can project onto a traditional screen.

Every time you show your movies, you will enjoy the easy-to-use auto-

matic threading and automatic rewind features.

And talk about versatile! You can show both sound and silent super 8 and 8 mm silent film at the flip of a switch. An instant rerun feature lets you replay previous scenes in just seconds.

The Kodak Ektasound Moviedeck projector is so handsome, you'll want

to leave it out on a bookshelf or next to your stereo equipment. There are three models to choose from. Ask your photo dealer for a demonstration and you'll really appreciate the new ease in showing sound movies.

New Kodak Ektasound Moviedeck® projectors.



## Index

A Page	Page	Page
Adapter, Kodak 2x2, for 110 Slides 28	Cord, Kodak Microphone Extension,	Full-Length Editions,
Albums, Photo	15-foot	KODAK Publications 95-97
Alkaline Batteries	Cord, KODAK Remote Extension, 25-foot 29	
ANALYST II Projector 16 mm, KODAK 56	Cord, Kodak 35-foot Speaker Extension,	G
Automatic Timer, KODAK EC 31	Type B	Glass:
Auxiliary Speaker, Kodak Ektasound 62	Cover Glass, Kodak Slide	KODAK Projector Slide Cover
	Cover for KODAK CAROUSEL Custom	KODAK Slide Cover
В	Projectors, Dust	Guides, Kodak Photographic 97
Batteries	Cover for Kodak Ektasound Moviedeck	
Battery Pack, Kodak Ektasound Camera 46	Projectors, Dust 65	
Bifocal Converter, CINE-KODAK 65	Cover for KODAK MOVIEDECK Projectors,	INSTAMATIC Movie Case, KODAK, Model C . 46
Binder for Kodak Technical Information 105	Dust	INSTAMATIC Reflex Auxiliary Equipment 12
Binder, Kodak Metal	Cover, RODAK PAGEANT Protective 02	INSTAMATIC Still Cameras and Outfits.
Books, Photographic 95-104		KODAK
Box, Kodak 400 File         29           Box, Kodaslide         30	D	Instant Cameras, KODAK 6, 7
Boy Scout Photography Merit Badge	Developing and Printing Services 84-87	Instant Camera Cases, KODAK 13
Manual	Directional Microphone, KODAK	Instant Print Film, KODAK 70
Maria	Dissolve Control, KODAK EC-K Solid State 31	
C	Dust Cover for KODAK CAROUSEL	K
Calculator and Seating Guide, KODAK	Custom Projectors	KODASLIDE BOX
Projection	MOVIEDECK Projectors 65	
Camera Clip, KODAK Pocket INSTAMATIC,	Dust Cover for KODAK MOVIEDECK	Carlo La Car
Type A	Projectors	Laboratories, KODAK IBC
Camera Outfits 8-11, 40-45	Trojectoro	Lamps:
Camera Stand, KODAK Compact, Model 2 14		Exciter for Sound System 66
Cameras:	E	KODAK Movie Projector 66
Instant 6, 7	Editing Equipment 63, 64	KODAK Slide Projector
Movie	EKTAGRAPHIC Universal Slide Tray, KODAK 28	Photoflood
Still	EKTALITE Projection Screen, KODAK,	Reflector Photo
Carded Films, Kodak Still and Movie 75 Carousel Projectors, Kodak 20-26	Model 3	Leader, Kodak Sound Movie, 8985 82
CAROUSEL Projectors, KODAK 20-26-20-20-20-20-20-20-20-20-20-20-20-20-20-	EKTASOUND Auxiliary Speaker, KODAK 62	Leader, Kodak White Movie, 7985 82
CAROUSEL Sound Synchronizer, KODAK,	EKTASOUND Camera Battery Pack, KODAK 46	Lens Cleaner, KODAK
Model 3	EKTASOUND Movie Cameras, KODAK 43-45	Lens Cleaning Paper, KODAK
CAROUSEL Stack Loader, KODAK 28	EKTASOUND MOVIEDECK Projectors,	Lens Spacer, Kodak Instamatic Reflex 12
CAROUSEL Stack Loader Outfit, KODAK 28	KODAK	Lenses:
CAROUSEL TRANSVUE Slide Trays, KODAK . 28	KODAK	KODAK INSTAMATIC Reflex Tele-Auxiliary 12 KODAK Silent Movie Projector 64
Carrying Cases:	EKTASOUND Movie-Making Case, KODAK 46	KODAK Slide Projector
KODAK CAROUSEL Projector 27	Electronic Flash Units, KODAK EKTRON II . 15	KODAK Sound Movie Projector 64, 65
KODAK CAROUSEL Slide Tray 27	Extenders:	XENAR
KODAK EKTASOUND MOVIEDECK Projector 62	KODAK Flashcube	Lighting Equipment
KODAK EKTASOUND Movie-Making 46	KODAK Flipflash	Loader, KODAK CAROUSEL Stack 28
KODAK Instant Camera, Model A 13	Kodak Magicube	Lubricating Oil, Kodak Special 63
KODAK Instant Camera, Model C 13 KODAK MOVIEDECK Projector 62	Extension Cord, Kodak Microphone,	
Movie Camera	15-foot	M
Still Camera	Extension Cord, KODAK Remote, 25-foot . 29	Magazine, KODAK SNAP-CAP 135 17
Cassettes, KODAK SUPERMATIC 61	Extension Cord, Kodak 35-foot Speaker,	Magicube
CAVALCADE Slide Tray, KODAK, No. 1 30	Type B	Magicube Extender
Cement:		Mailers, Kodak
KODAK Film	F	Manual, Boy Scout Photography Merit
KODAK Professional Film 64	Field Cases, Still Camera	Badge
Certificates, Kodak	File Boxes, Slide	Marketing and Distribution Centers,
Cleaner:	Filing Supplies, Slide	KODAK Regional IBC
KODAK Film	Film Cement, Kodak	Masks for Glass Slides, KODAK
KODAK Lens	Film Cement, Kodak Professional 64	Battery
KODAK Movie Film	Film Charts	KODAK PRESSTAPES 63
Clip, Kodak Pocket Instanatic Camera,	Film Cleaner, KODAK Movie 63	Mercury Batteries
Type A	Film Clips, Kodak Rewind 63	Metal Binder, KODAK
Clip-On Pouch Cases, Kodak	Film for Special Use, KODAK Still 78, 80	Microphone, KODAK 63
Clip Set, KODAK Slide 28	Film, KODAK	Microphone, Kodak Directional 46, 63
Clips, KODAK Rewind Film 63	Film, KODAK Instant Print 70	Movie Camera Cases
Compact Camera Stand, Kodak, Model 2 14	Film, Kodak Sheet 83	Movie Film Cleaner, KODAK 63
Compartment File, KODAK 29	Film Packs, Kodak 80	Movie Films, Kodak
Consumer Centers, KODAK	Flash Units, KODAK EKTRON II Electronic . 15	Movie Leader, Kodak Sound, 8985 82
Control, KODAK EC-K Solid State Dissolve 31	Flashcube	Movie Leader, Kodak White, 7985 82
Control, KODAK CAROUSEL Remote Power 29	Flashcube Extender, KODAK	Movie Processing Services
Controls, KODAK EC Remote	Flipflash	MOVIEDECK Projectors, KODAK 50, 61
Converter, CINE-KODAK Bifocal 65	Filpliasii Exterider, NODAK	MOVIEDEON I TOJECTOIS, NODAN 50-55
*O Oti 10 -f the Konay Dieture Teking Equipment and Cu	unnies Price Catalog or the Konak Sales Promotion Catalog for info	umotion on photo albumo

## Index (continued)

N Page	Page	Page
Notebook, Kodak Photographic 105	Projection Screen, Kodak (40x40 inches) 62	Slide Trays
0	Projection Screen, KODAK EKTALITE,	SNAP-CAP 135 Magazine, KODAK 17 Sound-Synchronizer, KODAK CAROUSEL,
Oil, Kodak Special Lubricating 63	Model 3	Model 3
Outfit, Kodak Carousel Stack Loader	Projector Case, Kodak Ektasound	Spacer, Kodak Instamatic Reflex Lens 12
Outfits, Movie Camera 40-45	MOVIEDECK	Speaker Extension Cord, Kodak 35-foot . 63
Outfits, Still Camera 8-11	Projector Case, Kodak Moviedeck 62	Speaker, Kodak Ektasound Auxiliary 62
D	Projectors: KODAK CAROUSEL 20-26	Splicer, Kodak Presstape Universal 63 Stack Loader, Kodak Carousel 28
Packets, Kodak Literature	KODAK EKTASOUND MOVIEDECK 54. 55	Stack Loader, RODAK CAROUSEL
PAGEANT Sound Projectors, KODAK 57-59	KODAK MOVIEDECK 50-53	Stand, Kodak Compact Camera, Model 2 14
Pamphlets, Kodak Customer Service 106-108	KODAK 16 mm Movie 56-59	Step-Up Charts:
Paper, Kodak Lens Cleaning 17	Protective Cover, KODAK PAGEANT 62	CAROUSEL Projectors 18, 19
Parts:		INSTAMATIC Still Cameras 4, 5
Movie Camera	R	Instant Cameras
Movie Projector	Ready-File, Kodak	Movie Projectors 48, 49
Still Projector	READY-MOUNTS, KODAK	Still Film Numbers and Descriptions 79
Photoflood Lamps	Regional Marketing and Distribution	SUPERMATIC Cassettes, KODAK
Photoguide, KODAK Master 97	Centers, KODAK IBC	Synchronizer, Kodak Carousel Sound, Model 3
Photo Albums	Remote Controls, KODAK EC 32	Model 5
Photo Lamps	Remote Extension Cord, KODAK, 25-foot . 29	т
Pocket Carousel 120 Slide Tray, Kodak 27	Remote Power Control, KODAK CAROUSEL 29 RETINA Auxiliary Equipment	Table of Sizes
Pocket Carousel Projectors, KODAK . 25, 26	Rewind Film Clips, Kodak 63	Take-Up Reels, Kodak Movie
Power Control, KODAK CAROUSEL Remote 29	The time of the post of the po	TELE-INSTAMATIC Cameras and Outfits 8
PRESSTAPE Universal Splicer, KODAK 63	S	Timer, Kodak EC Automatic 3
PRESSTAPES, KODAK	Screen, KODAK EKTALITE Projection,	Trays, Slide
Printing and Developing Services 84-87	Model 3	TRIMLITE INSTAMATIC Cameras and Outfits
Processing Services: KODAK Color	Screen, Kodak Projection (40x40 inches) 62	Outilis
KODAK Color	Services, Kodak Color Processing 84-94	U
Movie	Sheet Film, Kodak	Units, KODAK EKTRON II Electronic Flash . 15
Professional and Technical	Slide Cover Glass, Kodak	
Publications, KODAK	Slide Filing Supplies	X
Professional Film Cement, KODAK 64	Slide-Making Materials 32, 33	XL Movie Cameras and Outfits, KODAK 40-42
Projection Distance Tables 35, 36, 60	Slide Processing Services 90	XL Movie Case, Kodak 46

### For your customers' convenience we've opened Kodak Consumer Centers

To assist you, we want to help your customers with warranty service and advice about repairs on Kodak cameras and projectors, as well as give picture-taking tips. Our Consumer Centers with street locations and phone numbers are listed below:

#### **ALABAMA**

720 S. 37th Street Birmingham 35222 (205) 322-4417

#### **ARIZONA**

2643 University Drive Suite 107 Phoenix 85034 (602) 267-7363

#### **CALIFORNIA**

1017 N. Las Palmas Avenue Los Angeles 90038 (213) 465-7151

925 Page Mill Road Palo Alto 94304 (San Francisco area) (415) 493-7200

3250 Van Ness Avenue San Francisco 94109 (415) 776-6055

9100 Alcosta Boulevard San Ramon 94583 (San Francisco area) (415) 828-7000

12100 Rivera Road Whittier 90606 (Los Angeles area) (213) 685-5610

#### **COLORADO**

5555 S. Trenton Street Englewood 80110 (Denver area) (303) 771-5440

#### CONNECTICUT

111 Founders Plaza East Hartford 06108 (Hartford area) (203) 528-5064

#### DISTRICT OF COLUMBIA

See Arlington, Virginia

#### **FLORIDA**

1001 Ponce de Leon Boulevard Coral Gables 33134 (Miami area) (305) 445-0511

2715 Atlantic Boulevard Jacksonville 32207 (904) 398-8643

#### **GEORGIA**

1775 Commerce Drive, N.W. Atlanta 30318 (404) 351-6510

5315 Peachtree Industrial Blvd. Chamblee 30341 (Atlanta area) (404) 455-0123

#### HAWAII

1065 Kapiolani Boulevard Honolulu 96814 (808) 531-6565

1122 Mapunapuna Street Honolulu 96817 (808) 833-1661

#### ILLINOIS

1901 West 22nd Street Oak Brook 60521 (Chicago area) (312) 654-5542

#### **INDIANA**

4760 Kingsway Drive Indianapolis 46205 (317) 257-6581

#### **KANSAS**

7301 Frontage Road Interstate 35 Shawnee Mission 66204 (Kansas City area) (913) 831-4000

#### LOUISIANA

3040 33rd Street Metairie 70001 (New Orleans area) (504) 837-3562

#### **MARYLAND**

7115 Ambassador Road Baltimore 21207 (301) 265-5400

#### **MASSACHUSETTS**

480 Cochituate Road Framingham 01701 (Boston area) (617) 875-0979

#### **MICHIGAN**

21600 Greenfield Road Oak Park 48237 (Detroit area) (313) 564-5190

#### **MINNESOTA**

2412 Nicollet Avenue Minneapolis 55404 (612) 870-3456

#### **MISSOURI**

11525 Olde Cabin Road St. Louis 63141 (314) 567-4900

#### **NEBRASKA**

7262 Mercy Road Omaha 68124 (402) 393-4000

#### **NEW JERSEY**

16-31 Route 208 Fair Lawn 07410 (201) 797-0600

240 Sheffield Street Mountainside 07092 (Newark/Elizabeth area) (201) 233-8871

#### **NEW YORK**

1133 Avenue of the Americas New York City 10036 (212) 262-6170

1334 York Avenue New York City 10021 (212) 879-1500

800 Lee Road Rochester 14650 (716) 458-6143

#### **NORTH CAROLINA**

8300 Arrowridge Blvd. Charlotte 28210 (704) 525-3920

#### OHIO

14 Knollcrest Drive Cincinnati 45237 (513) 761-9343

4545 West 160th Street Cleveland 44135 (216) 267-0300

#### **OKLAHOMA**

3015 United Founders Boulevard Oklahoma City 73112 (405) 848-7803

#### **OREGON**

0234 S. W. Bancroft Street Portland 97201 (503) 222-3831

#### **PENNSYLVANIA**

425 Maryland Drive Ft. Washington 19034 (Philadelphia area) (215) 242-3200

2857 Banksville Road Pittsburgh 15216 (412) 563-6733

#### **TENNESSEE**

2225 Union Avenue Memphis 38104 (901) 278-5800

#### **TEXAS**

2800 Forest Lane Dallas 75234 (214) 241-1611

610 Gray Houston 77002 (713) 223-4281

509 South Main Street San Antonio 78204 (512) 225-7552

#### **UTAH**

837 East 4th South Salt Lake City 84102 (801) 363-5713

#### **VIRGINIA**

Hyde Park Building 4141 North Henderson (corner of Globe) Arlington 22203 (703) 524-1353

#### WASHINGTON

9675 Sunset Highway Mercer Island 98040 (Seattle area) (206) 232-7770

## Still Cameras

## KODAK Instant Cameras...using KODAK Instant Print Film PR10 and flipflash

- Easy-to-hold, easy-to-use design
- Bright, clear instant pictures with elegant SATINLUXE™ finish
- Automatic electric-eye exposure control
- Monograms
- Built-in battery testers



### THE HANDLE™— KODAK Instant Camera

- · Lowest-priced Kodak instant camera
- Fixed focus (from 4 feet to infinity)
- Integral hand-grip
- Two-element f/12.7 coated lens
- Convenient "crank" print ejection
- Automatic exposure control



#### KODAK EK4 Instant Camera

- Easy-to-use "zooming circle" focus aid
- Focuses from 3½ feet to infinity
- Automatic exposure control
- Three-element f/11 lens
- · Convenient "crank" print ejection



## KODAK EK6 Instant Camera

- Automatic motorized print ejection
- "Zooming circle" focus aid
- Focuses from 3½ feet to infinity
- Automatic exposure control
- Three-element f/11 lens

KODAK INSTAMATIC "X" Cameras... using 126 film cartridges and flipflash

- Drop-in cartridge loading
- Clear, big, colorful pictures
- Uses flipflash...shoot 4 flashes...flip...shoot 4 more
- Double-exposure prevention



#### X-15F

- Lowest-priced model
- Aim and shoot...no settings



#### X-35F

- f/8 lens
- Electric eye
- Easy close-ups
- Two-position focusing—2 feet to 6 feet and beyond 6 feet

## KODAK TELE-INSTAMATIC™ and TRIMLITE INSTAMATIC® Cameras . . . using 110 film cartridges

- Drop-in cartridge loading
- Uses flipflash...shoot 4 flashes... flip...shoot 4 more
- "Soft-touch" shutter release
- Monograms to personalize each camera
- Slip, compact...each model slips into pocket or purse
- Double-exposure prevention
- Uses Kodak Ektron Electronic Flash Units



#### **TELE-INSTAMATIC 608**

- · Normal or telephoto at the flick of a finger
- · Viewfinder changes automatically
- Sliding spring-loaded lens/viewfinder cover
- Shutter speeds: 1/125 second...1/45 second for flash



#### TELE-INSTAMATIC 708

- Normal or telephoto at the flick of a finger
- Dual-magnification viewfinder changes automatically
- Automatic exposure control
- Electronically controlled shutter speeds from 1/300 second to 1/30 second
- Multi-element f/5.6 lens
- · Focusing lens, 3 feet to infinity
- Folding lens and viewfinder cover
- Battery tester
- · Flashing low-light signal
- · Separate battery door



#### **TRIMLITE INSTAMATIC 28**

- Three-element f/9.5 lens
- Electronic shutter and electric eye
- Shutter speeds...1/160 second to 1/30 second
- Battery tester
- · Rich brown vinyl and black styling
- · Low-light signal
- · Sliding lens and viewfinder cover



**TRIMLITE INSTAMATIC 38** 

- Three-element f/8 lens
- Electronic shutter and electric eye
- Shutter speeds...1/225 second to 5 seconds
- Two-position focus...3 to 6 feet and beyond
- Battery tester
- Tripod and cable-release sockets
- · Rich brown vinyl and black styling
- Low-light signal
- Sliding lens and viewfinder cover



#### TRIMLITE INSTAMATIC 18

- Smallest, lightest pocket model
- Personalizers
- Shutter speeds: 1/90 second...1/40 second for flash
- · Projected frame viewfinder



#### TRIMLITE INSTAMATIC 48

- Fast four-element f/2.7 KODAK EKTAR Lens
- · Coupled rangefinder
- Electronic shutter and electric eye
- Shutter speeds...1/250 second to 1/30 second
- Automatic flash exposure, 3 feet to 30 feet
- · Glass lens cover
- Tripod socket
- · Rich brown vinyl and black styling
- Finest pocket model
- Low-light signal
- Battery tester

## Still Cameras

## KODAK Instant Cameras using KODAK Instant Print Film PR10 and flipflash

## 11 Basic Features shared by

#### **KODAK Instant Cameras**

- 1. Easy-to-hold, easy-to-use design
- 2. Automatic electric-eye exposure control, plus a manual control to lighten or darken prints
- 3. Uses slim, compact flipflash
- 4. Automatic flash-exposure control when a flipflash is inserted
- 5. 3-element, projected-frame viewfinder to help compose the picture

- 6. Low-light signal appears in the viewfinder when flash is
- 7. Built-in battery tester
- 8. Power provided by J-size flat-pack batteries
- 9. Easy film loading. Colored stripes help orient pack properly
- 10. Easy-to-read exposure counter that indicates whether the camera is loaded or empty, and the number of the next picture to be exposed
- 11. Recessed area for personalizing monograms which are supplied with each camera

· D.			
Pr	oa	u	ci

#### CAT. No.

### THE HANDLE—KODAK Instant Camera

EK2 Camera 130 6695

\$39.95



Eleven basic features plus:

- Integral hand-grip for easy holding
- Fixed focus (from 4 feet to infinity)
- · Electronic shutter speeds from 1/300 to 1/15 second
- Double-exposure protection
- Two-element, 100 mm f/12.7, plastic, coated lens
- Flash range from 4 feet to 8 feet
- · Ejects prints easily with a few turns of the folding crank
- Molded plastic body with metal trim

"Camera only" supplied with one J-size battery, neck strap, sheet of letters for monogram, instruction manual, and service brochure.

Camera dimensions, approximately

6%x5%x5% inches

Camera weight, approximately 27 ounces

Auxiliary Equipment: KODAK Instant Camera Case, Model C (C93C) KODAK Flipflash Extender (C179) Product

CAT. No.

### **KODAK EK4 Instant Camera**

EK4 Camera 108 4458

\$53.50



"Camera only" supplied with one J-size battery, wrist strap, eyecup, sheet of letters for monogram, instruction man-ual, and service brochure.

Camera dimensions, approximately 35x51x61/2 inches
Camera weight, approximately 26.7

Auxiliary Equipment:

KODAK Instant Camera Case, Model A

KODAK Flipflash Extender (C179)

Eleven basic features plus:

- 3 ways to focus: "zooming circle" focus aid, zone symbols, and distance scales
- Focuses from 3½ feet to infinity
- Electronic shutter speeds from 1/300 to 1/20 second
- 3-element, 137 mm f/11 lens
- · Ejects prints easily with a few turns of the folding crank
- Flash range from 4 feet to 10
- Convenient film-pack extractor for easy unloading
- Tripod socket

### **KODAK EK6 Instant Camera**

EK6 Camera 108 4490

\$69.50



"Camera only" supplied with two J-size batteries, wrist strap, sheet of letters for monogram, eyecup, instruction manual, and service brochure.

Camera dimensions, approximately 35/x5/x6/½ inches

Camera weight, approximately 29.1 ounces

Auxiliary Equipment:

KODAK Instant Camera Case, Model A (C91C) KODAK Flipflash Extender (C179)

Eleven basic features plus:

- Automatic motorized print ejection
- 3 ways to focus: "zooming circle" focus aid, zone symbols, and distance scales
- Focuses from 31/2 feet to infinity
- Electronic shutter speeds from 1/300 to 1/20 second
- 3-element, 137 mm f/11 lens
- Flash range from 4 feet to 10 feet
- Convenient film-pack extractor for easy unloading
- Tripod socket

## KODAK TELE-INSTAMATIC and TRIMLITE INSTAMATIC Cameras using 110 film and flipflash

#### 14 Basic Features shared by following **KODAK Pocket Cameras:**

TELE-INSTAMATIC 608,

TELE-INSTAMATIC 708.

TRIMLITE INSTAMATIC 18,

TRIMLITE INSTAMATIC 28.

TRIMLITE INSTAMATIC 38.

TRIMLITE INSTAMATIC 48

- 1. Drop-in film loading
- 2. Uses flipflash...shoot 4 flashes...flip...shoot 4 more

- 4. Monograms for owner identification
- 5. Automatic film-load identification
- 6. Automatic frame positioning and counting
- 7. Double-exposure prevention
- 8. LUMENIZED Lenses
- 9. Thumb-lever film advance
- 10. Pocket size
- 11. Uses KODAK EKTRON Electronic Flash Units
- 12. Gets big 3½ x 4½-inch pictures...also slides in plastic mounts about one inch square or in cardboard mounts about two inches square
- 13. Full three-year Warranty
- 14. Uses C110, ER110, KR110, and VP110 films

Product CAT. No.	KODAK TELE-INSTAMA	ATIC 608 Camera Outfi	t
A608R Outfit 148 0441 \$34.95	Each outfit contains camera with wrist strap, pressure-sensitive monograms, C110-20 film, flipflash (8 flashes), and instruction book  Auxiliary Equipment:  KODAK Flipflash Extender (C179)  KODAK Clip-On Pouch Case (C21C)  KODAK EKTRON II Electronic Flash  Unit, Model A (C102)	Fourteen basic features plus:  Normal or telephoto at the flick of a finger  No focusingpictures from 5 feet and beyond with normal lens and 6 feet and beyond with telephoto	<ul> <li>Normal single-element 25 mm f/11 lens</li> <li>Telephoto single-element 43 mm f/11 lens</li> <li>Viewfinder changes automatically</li> <li>Aiming device in viewfinder</li> <li>Sliding spring-loaded lens/viewfinder cover</li> <li>Two-speed mechanical shutter, 1/125 second and 1/45 second (for flash)</li> </ul>
A608 Camera 148 0433 \$30.95	"Camera only" supplied with wrist strap, pressure-sensitive monograms, and instruction book Camera dimensions, approximately 4%x2½x1½ inches Camera weight, approximately 4 ounces Auxiliary equipment listed above	110	<ul> <li>Flash exposure range from 5 feet to 16 feet with normal lens and from 6 feet to 16 feet with telephoto lens.</li> </ul>

## **KODAK TELE-INSTAMATIC 708 Camera Outfit**

### A708R Outfit 148 0763

\$99.50

Each outfit contains camera with wrist strap, K-size battery, pressure-sensitive monograms, C110-20 film, flipflash (8 flashes), and instruction book Auxiliary Equipment:

KODAK Flipflash Extender (C179) KODAK Clip-On Pouch Case, Model B (C22C)

KODAK EKTRON II Electronic Flash Unit, Model B (C104)

A708 Camera 148 0748

\$95.50

"Camera only" supplied with wrist strap, K-size battery, pressure-sensitive monograms, and instruction book Camera dimensions, approximately 5%x2½x1¼ inches

Camera weight, approximately 71/2 ounces with battery

Auxiliary equipment listed above

Fourteen basic features plus:

- · Normal or telephoto at the flick of a finger
- Dual-magnification viewfinder
- Automatic exposure control



- Electronically controlled shutter speeds from 1/300 second to 1/30 second
- Normal three-element 25 mm f/5.6 lens
- Telephoto four-element 43 mm converter lens
- · Focusing lens from 3 feet to infinity; no refocusing necessary when changing lenses
- · Flashing low-light signal in viewfinder indicates when flash is needed
- Flash exposure range from 3 feet to 30 feet using flipflash and color print film
- Built-in battery checker
- · Separate battery door
- · Folding lens cover

Product	KODAK TRIMLITE INSTAMATIC 18 C	Comoro Outfit
CAT. No.	RODAR TRIMLITE INSTAMATIC TO C	Jamera Outili
A18R Outfit	Each outfit contains camera with wrist strap, decorative personalizers, pres-	Fourteen basic
148 0383	sure-sensitive monograms, C110-20 film, flipflash (8 flashes), and instruction	Budget-priced     Kodak's small
\$26.95	book  Auxiliary Equipment:	
	KODAK Flipflash Extender (C179) KODAK Clip-On Pouch Case (C21C)	No focusing from 5 feet and
	KODAK EKTRON II Electronic Flash Unit, Model A (C102)	Flash exposure
	100	feet to 16 feet  • Recessed lens
A18 Camera	"Camera only" supplied with wrist	• Two-speed me
148 0359	strap, decorative personalizers, pres- sure-sensitive monograms, and in-	1/90 second a (for flash)
600.05	struction book Camera dimensions, approximately 4½x2½sx1 inches	Single-elemen
\$22.95	Camera weight, approximately 3.3	lens  • Nine decorative
	Auxiliary equipment listed above	- Wille decoration
	KODAK TRIMLITE INSTAMATIC 28 (	Camera Outfit

tures plus:

- , lightest
- ear pictures eyond
- ange from 5
- nanical shutter, d 1/40 second
- 5 mm f/11
- personalizers

## 148 0482

\$59.50

strap, pressure-sensitive monograms, K-size battery, C110-20 film, flipflash (8 flashes), and instruction book Auxiliary Equipment:

KODAK Flipflash Extender (C179)
KODAK Clip-On Pouch Case (C21C)
KODAK EKTRON II Electronic Flash
Unit, Model A (C102)

#### A28 Camera 148 0466

\$55.50

"Camera only" supplied with wrist strap, pressure-sensitive monograms, K-size battery, and instruction book Camera dimensions, approximately 51/x23/x11/16 inches Camera weight, approximately 6.5 ounces (with battery) Auxiliary equipment listed above



atures plus:

- CdS electric eye
- Battery tester
- Low-light warning signal in viewfinder; light goes out when flash is inserted
- Styling in rich brown vinyl and black
- Tripod socket
- No focusing...clear pictures from 5 feet and beyond
- Flash exposure range from 5 feet to 20 feet
- Three-element 25 mm f/9.5 color-corrected lens
- Protective sliding lens cover
- Electronic shutter, 1/160 second to 1/30 second

ıct
No.
utfit
98
0
nera
40
0
utfit
47
50

## **KODAK TRIMLITE INSTAMATIC 38 Camera Outfit**

Each outfit contains camera with wrist strap, pressure-sensitive monograms, K-size battery, C110-20 film, flipflash (8 flashes), and instruction book.

Auxiliary Equipment:

KODAK Flipflash Extender (C179) KODAK Clip-On Pouch Case (C21C) KODAK EKTRON II Electronic Flash Unit, Model A (C102)

"Camera only" supplied with wrist strap, pressure-sensitive monograms, K-size battery, and instruction book. Camera dimensions, approximately 5½x2½x1½6 inches. Camera weight, approximately 6.5 ounces (with battery) era 0

Auxiliary equipment listed above



Fourteen basic features plus:

- CdS electric eve
- Electronic shutter, 1/225 second to 5 seconds
- Cable release socket
- Tripod socket
- Two-position focus: 3 feet to 6 feet and beyond 6 feet
- · Focus-linked flash exposure, 3 feet to 25 feet with color print
- Three-element 25 mm f/8 color-corrected lens
- Protective sliding lens cover
- Styling in rich brown vinyl and black
- Battery tester
- · Low-light warning signal in viewfinder; light goes out when flash is inserted

### **KODAK TRIMLITE INSTAMATIC 48 Camera Outfit**

Each outfit contains camera with wrist tfit strap, pressure-sensitive monograms, K-size battery, C110-20 film, flipflash (8 flashes), and instruction book. 7

Auxiliary Equipment: KODAK Flipflash Extender (C179)

Корак Clip-On Pouch Case (C21C) Корак Ектвон II Electronic Flash Unit, Model B (C104)

"Camera only" supplied with wrist A48 Camera "Camera only" supplied with wrist strap, pressure-sensitive monograms, K-size battery, and instruction book. Camera dimensions, approximately 5%x2%x11/16 inches 148 0813

\$128.50

Camera weight, approximately 9 ounces (with battery)

Auxiliary equipment listed above



Fourteen basic features plus:

- · Kodak's finest pocket camera
- Fast, four-element color-corrected 26 mm f/2.7 KODAK EKTAR Lens
- · Protective glass lens cover
- Electronic shutter, 1/250 second to 1/30 second
- Coupled rangefinder focuses from 3 feet to infinity for convenient accurate focusing
- · Bright projected frame viewfinder with parallaxcorrection marks
- CdS electric eve
- Automatic flash exposure from 3 feet to 30 feet with color print
- · Easy, scale-type focusing (calibrated in feet and meters) from 3 feet to infinity
- Illuminated low-light warning signal in viewfinder; light goes out when flash is inserted
- Built-in battery tester
- · Rich "town and country" styling in pebbled brown vinyl and black
- Tripod socket
- Senses ASA 400 film

## KODAK INSTAMATIC Campras using 126 film and flinflash

Product	Vones biomine V	AFF Color On His	
CAT. No.	KODAK INSTAMATIC X	4-15F Color Outilit	Land Section
AX-15FR Outfit	Each outfit contains camera with wrist strap, C126-20 film, flipflash (8 flashes), and instruction book.  Auxiliary Equipment:	<ul><li>Drop-in film loading</li><li>Automatic film-load identification</li></ul>	<ul> <li>Handsome styling w brown-tone accents</li> <li>Accepts 126 film car</li> </ul>
\$23.50	KODAK INSTAMATIC Field Case, Model K (C86C) KODAK Flipflash Extender (C179)	<ul> <li>Automatic exposure positioning and counting</li> <li>Double-exposure prevention</li> </ul>	<ul> <li>Shutter speed, 1/90 second—changes to second for flash pict 4 feet to 9 feet</li> <li>No focusing. Preset f/11 lens for picture</li> </ul>
AX-15F Camera 131 2016	"Camera only" supplied with wrist strap and instructions in a setup box. Camera dimensions, approximately 4½x2¾x2½ inches. Camera weight, approximately 6	KODAK INSTAMATIC VISE CABACOTTI *** CABACOTTI *** CABACOTT	on in bright and on cloudy-bright day  Uses flipflash she flashes flip she more
\$19.50	ounces. Auxiliary equipment listed above.		<ul> <li>Monograms to perso camera</li> <li>Easy thumb-lever filr</li> <li>Clip-on wrist strap (s</li> <li>Uses C126, ER126, EK126, and VP126 fill</li> <li>Bright projected-fram viewfinder</li> <li>Tripod socket</li> <li>Full three-year Warra</li> </ul>
	KODAK INSTAMATIC >	(-35F Color Outfit	
AX-35FR Outfit 131 2156	Each outfit contains camera with wrist strap, C126-20 film, flipflash (8 flashes), PX-30-size battery, and instruction book.	<ul><li>Drop-in film loading</li><li>Automatic film-load identification</li></ul>	<ul> <li>CdS electric eye cor opening for automat exposures shutte</li> </ul>
\$57.50	Auxiliary Equipment: KODAK INSTAMATIC Field Case, Model K (C86C) Battery—1 PX-30 size required for CdS meter (supplied) KODAK Flipflash Extender (C179)	<ul> <li>Automatic exposure positioning and counting</li> <li>Double exposure prevention</li> <li>Handsome styling with brown-tone accents</li> <li>Accepts 126 film cartridges</li> </ul>	changes automatica 1/90 second to 1/49 reduced light • Automatic flash expecontrol. With "beyor setting, 41 mm f/8 for
AX-35F Camera	"Camera only" supplied with wrist strap, PX-30-size battery, and instruc-	<ul> <li>Two-position focusing for "2-6 feet" close-ups, and "beyond 6 feet."</li> </ul>	pictures from 6 feet with "2-6 feet" s for flash pictures fro

- with ts
- artridges
- 90 to 1/45 ctures from
- et 43 mm res from 4 feet d hazy sun or ays
- hoots 4 shoot 4
- sonalize the
- ilm advance
- (supplied)
- ED126, films
- ame
- ranty

131 2115

\$53.50

tions in a setup box.

Camera dimensions, approximately 4½x2¾x2½ inches.
Camera weight, approximately 10

ounces.
Auxiliary equipment listed above.

• Automatic reset to "beyond 6 feet" setting after picture is taken



- ontrols lens atic daylight tter speed ally from 45 second in
- posure ond 6 feet" for flash et to 18 feet setting, f/16 for flash pictures from 3 feet to 6 feet
- Monograms to personalize the camera
- Illuminated viewfinder signal tells when to use flash
- Uses flipflash . . . shoot 4 flashes . . . flip . . . shoot 4 more
- f/8 lens . . . clip-on wrist strap (supplied)
- Uses C126, ER126, ED126, KR126, and VP126 films
- Bright projected-frame viewfinder
- Tripod socket
- Full three-year Warranty

## Auxiliary Equipment

Product CAT. No.	For KODAK INSTAMATIC Reflex	and/or RETINA Camera
C45 XENAR Lens, 45 mm f/2.8 101 4786	For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Fast standard 4-element lens. Focusing range: 3.3 feet to "Inf."  \$46.50	
C216 KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TII/52 mm <b>102 1542</b>	For 135 mm TELE-XENAR Lens. Permits picture-taking with the 135 mm f/4 TELE-XENAR Lens from 12 feet 10% inches to 7 feet (film to subject).  \$15.50	C
C220 KODAK INSTAMATIC Reflex Lens Spacer 101 4729	Also works with KODAK RETINA Reflex Cameras. Fits between camera body and lens. Permits picture-taking at closer-than-minimum focus distances with all lenses.  \$38.50	
	The following lenses accept filters with 29.5 mm diameter threads (32 mm outside diameter)§  XENAR Lens, 45 mm f/2.8  XENAR Lens, 38 mm f/2.8  REOMAR Lens, 45 mm f/2.8  KODAK RETINA XENAR Lens, 45 mm f/2.8  KODAK RETINA XENAR Lens, 50 mm f/2.8  KODAK RETINA CURTAGON Lens, 35 mm f/2.8  TELE-ARTON Lenses, 90 mm and 85 mm f/4  KODAK RETINA XENON C Lenses, 50 mm f/2.8 and f/2  KODAK RETINA CURTAR Lens Component, 35 mm f/5.6	The following lenses accept filters with 58 mm diameter threads (60 mm outsid diameter)§  KODAK RETINA XENON Lens, 50 mm f/1.9  KODAK RETINA CURTAGON Lens, 28 mm f/4  KODAK RETINA TELE-XENAR Lens, 135 mm f/4  KODAK RETINA CURTAR Lens Component, 35 mm f/4  KODAK RETINA LONGAR Lens Component, 80 mm f/4
	§The filter packages carry only the "outside diameter" designation.	

Product CAT. No.	Still Camera Cases		
C86C KODAK INSTAMATIC Field Case, Model K 141 5884	For Kodak Instanatic 314, X-15F, X-15, X-30, X-35F, and X-35 Cameras—Permits picture-taking as well as loading and unloading of the camera while in the case. Tough, molded material with metal insert and hinges. Velveteen lined. Styled in pebble-grained black. With neck strap.  \$6.50		
C91C KODAK Instant Camera Case, Model A 131 2479	For Kodak EK4 and EK6 Instant Cameras—Made of durable, easy-care naugahyde material. Styled in black.  \$14.95		
C93C KODAK Instant Camera Case, Model C 110 1377	For The Handle—Kodak Instant Camera. Will accommodate camera plus extra film and flipflash. Styled in black vinyl with a shoulder strap and nylon zipper. Attractive blue lining. Dimensions, approximately 6 x 8½ x 6 inches.  \$9.95		

#### Product

CAT. No.

## KODAK Clip-On Pouch Cases for KODAK TELE-INSTAMATIC and TRIMLITE INSTAMATIC Cameras

Convenient way to carry camera and one flipflash. Has attached clip for wearing on a belt and a detachable lanyard-type shoulder strap. A separate compartment holds the flipflash unit. Constructed of supple glove-soft brown vinyl with a lined interior and nylon zipper.

#### C21C KODAK Clip-On Pouch Case

109 9530

Fits all models except Tele-Instanatic 708

\$6.15



#### C22C KODAK Clip-On Pouch Case, Model B

109 9555

For Tele-Instanatic 708 (and all other models)

\$7.75




### **Still Camera Accessories**

C227 KODAK Compact Camera Stand, Model 2 (with cable release)

109 2147

This pocket-size stand for long-exposure pictures offers: 1) a large base permitting use of KODAK Pocket INSTAMATIC Cameras in both vertical and horizontal positions, 2) a long cable release (8 inches), 3) a washer at the threaded shaft end for protecting the camera base and permitting easy camera positioning, and 4) provision for tightening the action of the shaft ball socket. The stand lets the customer adjust a camera to the best possible angle on firm, flat surfaces such as tabletops, shelves, and walls. It comes with self-storing cable release and threaded post to fit standard tripod sockets. Ideal for use with electronic-shutter models such as the KODAK Pocket INSTAMATIC 40, 50, and 60, INSTAMATIC X-30, and the TRIMLITE INSTAMATIC 38 Cameras.


\$4.20



143 1436


For TRIMLITE INSTAMATIC 28, 38, and 48, as well as Pocket INSTAMATIC Cameras 20, 30, 40, 50, and 60—This clip attaches any of these camera models securely to pocket, belt, or shoulder strap—so the camera is ready for every picture-taking opportunity. Screws into the tripod socket of these models.

\$1.30





Product	Flash Accessories	
CAT. No.	114011710000001100	
C177 KODAK Magicube Extender (Carded) 148 2736	Designed for all KODAK INSTAMATIC and KODAK Pocket INSTAMATIC Cameras and is for use with magicubes only. Helps prevent red reflections in the subjects eyes effect, which may occur in some flash pictures, by giving extra elevation to the magicube.  \$1.65	
C175 KODAK Flashcube Extender	For cameras accepting regular flashcubes (not magicubes).	R
150 0438	\$1.65	
C179 KODAK Flipflash Extender 149 3089	This 2½-inch flipflash extender can aid the picture-taker in getting more pleasing pictures when using flash. It can also be used with the built-in, self-storing 18-inch extension wire for special off-camera lighting effects with either flipflash or a KODAK EKTRON Electronic Flash Unit. Flipflash not included.  \$5.95	
		A CONTRACTOR OF THE PARTY OF TH
C102 KODAK EKTRON II Electronic Flash, Model A 110 6855	Model A fits the Tele-Instanatic 608 Camera and the Trimlite Instanatic 18, 28, and 38 Cameras. Model B is required for the Tele-Instanatic 708 and the Trimlite Instanatic 48 Cameras and fits all other Tele-Instanatic and Trimlite Instanatic Cameras. Both units provide bright, color-corrected light. Recycle time, approximately 10 seconds with fresh batteries. Additional features are 1/1000-second flash duration, spring-loaded mounting bracket coupled to on/off switch to prevent accidental	Knisk Estron II A
C104 KODAK EKTRON II Electronic Flash, Model B	bracket coupled to on/off switch to prevent accidental battery drain, and ready light. Up to 150 flashes per pair of AA-size batteries (not supplied).	G .
110 9214	\$24.95—C102, Model A \$29.95—C104, Model B	



## **Batteries**

Product	Alkaline Batteries Illustrations actual size	e (except 9-volt and J-Size).
CAT. No.	Especially suited for use in photographic equipment because of These factors are of prime importance for driving motors in m	of their long life and high-performance charac
AA-Size Battery 178 1913	For Kodak Ektasound 130, 140, 150, 160, 230, 240, 250 and 260, Kodak XL10, XL33, XL55, XL320, XL330, XL342, XL352, XL362, XL340, XL350, XL360, and Kodak Instamatic M22, M24, M26, M28, M30, M12, M14, M16, M18, M20, M2, M4, M5, M6, M7, M8, and M9 Movie Cameras, and Kodak Electric 8 Cameras: Kodak Supermite, Kodalite Midget, Kodalite Super-M 40, and Brownie Fiesta Flasholders. Also Kodak Ektron Electronic Flash Units.	
AAA-Size Battery 178 1897	For Kodak Instamatic 104, 100, 154, 150, 304, 300, 404, and 400 Cameras; Kodak Electric-Eye Remote Flash Unit; Hawkeye Instamatic Flasholder.	
N-Size Battery 179 0252	For Kodak Instamatic 324, 704, 700, 804, and 800, Automatic 35R4 and 35F, and Motormatic 35R4 and 35F Cameras; Kodak Ektamite Flasholder.  \$1.49	
PX-825-Size Battery 102 4991	For Kodak Instamatic 44, 124, 134, 174, S-10, S-20, 314, 414, 714, 814, and Reflex Cameras, and Brownie Fiesta R4 Camera; Kodak Flashcube Holder, Model 1.	PX-825
*PX-30-Size Battery 141 4481	For KODAK INSTAMATIC X-35F, X-35, X-45, and X-90 Cameras to power their CdS automatic exposure controls.  \$1.98	PX-30
K-Size Battery 102 6608	For Kodak Trimlite Instamatic 28, 38, 48; Kodak Tele-Instamatic 708; Kodak Instamatic X-30 Camera and Kodak Pocket Instamatic 30, 40, 50, and 60 Cameras.	Amount 6
9-volt Battery 178 3760	Transistor battery for KODAK EKTASOUND 130, 140, 150, 160, 230, 240, 250 and 260 Movie Cameras.  \$1.59	K 9-1
J-Size Battery 100 2369	6.0 volt for KODAK EK2, EK4 and EK6 Instant Cameras.	DURACELLE FLAT-FAK
	Mercury Batteries For use with some Co	IS exposure controls and some flash system
PX-13-Size Battery 179 6275	For Kodak Instamatic M24, M26, M28, M30, M4, M5, M6, M7, M8, and M9 Movie Cameras, Kodak Electric 8 Zoom Reflex, and Kodak Retina IIF Cameras.	
PX-23-Size Battery 179 6291	For Kodak Retina S1 Camera. \$1.80	
	visible coating on battery contacts, thereby greatly eq	stalling. An occasional cleaning of batte juipment contacts, especially after periods c also recommended.

\*If PX-30 not available, two PX-825 can be used.

reducing the battery's power output. Be sure to clean the contacts of *new* batteries with a rough cloth before

Product	Auviliary Car	nera Supplies			
CAT. No.	Auxilial y Cal	nera Supplies			
J770 KODAK SNAP-CAP 135 Magazine <b>141 8656</b>	Black, unmarked 135 magazine with a replaceable end cap. Useful as substitute magazine for film on core if leader is accidentally wound into a 135 magazine having hard-staked end caps. Space is provided on magazine body for writing film type and number of exposures. (Pkg of 10 magazines)  \$4.95				ROCCH F
KODAK Lens Cleaner 176 7136	of all optical glass—smudge era or enlarger lenses. Su polyethylene squeeze-type b	oreign matter from the surface d, dusty, or fingerprinted can polied in two sizes—1¼-ound ottle and 16-ounce glass bottl blied in dispenser package a	n- ee e.		<u> </u>
KODAK Lens Cleaner 146 3728	16-ounce bottle. \$3.70			Const.	
KODAK Lens Cleaning Paper 154 6027		e for use on the finest lense e. Folder contains 50 3x5-ind olders.)			
	Still Camera	Parts	Glass A.		
	Description			Part Number	List
	X-45 Cameras Wrist strap for Kodak TR INSTAMATIC 10, and INS Wrist strap for Kodak TR Pocket INSTAMATIC 20, Wrist strap for Kodak TR 708, and Pocket INSTA Neck strap for Kodak INS	IMLITE INSTAMATIC 18, TELE ITAMATIC 44 Cameras 30, 40 Cameras IMLITE INSTAMATIC 28, 88, 8 30, 40 Cameras IMLITE INSTAMATIC 48, KOD MATIC 50, 60 Cameras STAMATIC X-90 Camera ICKET INSTAMATIC 60 Camer SSTAMATIC ROBER SSTAMATIC 80 Camer	E-Instamatic 608, Pocket and ak Tele-Instamatic	*171497 *196522 *197881 *206381 *192736 *204593	\$.27 .27 .27 1.00 1.75 2.75
	Photo Lamps				
Product	CAT. No.	ANSI Code	Carton Quan.		List
Flipflash (8 flashes) Flashcube (4 flashes) Magicube (4 flashes) Photoflood No. 1 Photoflood No. 2 Reflector Photo RFL2	148 9046 141 1479 141 3061 152 6037 152 6045 152 6128	BBA EBV DXC	1 3 3 1 1	4	52.30 2.36 3.23 1.00 1.38 4.65

## Kodak Carousel projectors

- Gentle gravity feed
- Quiet, dependable operation
- Preconditioning of slides
- High-capacity trays
- Selective slide access, instant editing
- EKTANAR C f/2.8 curved-field lenses for sharper projection (not for Pocket models)

"H" and Custom "H" models...accepting 2x2-inch slides in 80- and 140-slide trays\*



#### 600H

- Dual-action "select" advance
- Priced for your economy-minded customer



#### 650H

- Push-button forward and reverse
- Remote control change, forward and reverse



#### 750H

- Push-button forward and reverse
- Remote control change, forward and reverse
- Remote focusing in same control unit as forward and reverse change. Adjust focus at any time without going back to the projector



#### 760H

 Automatic focusing. Focus the first slide. 760H then automatically sharp-focuses all other slides in the same type of mount

## Pocket models...accepting 30 mm square plastic-mounted slides in 120-slide tray



#### 100

- · Compact . . . for carrying, storing
- · Select-button forward projection
- · Lowest-priced pocket model



#### 200

- · Compact . . . for carrying, storing
- Remote focusing . . . adjust focus at anytime without going back to the projector
- Remote forward and reverse
- Push-button forward and reverse
- Rear leveling foot
- Accessory outlet



#### 300

- Compact . . . for carrying, storing
- Automatic focusing—focus first slide and "300" then automatically sharp-focuses all other slides
- Automatic timing at 5, 8, or 15 seconds
- Remote control change, forward and reverse
- Push-button forward and reverse
- Rear leveling foot
- Dust cover
- Accessory outlet

<sup>\*</sup>Also shows 30 mm slides using Kodak 2x2 adapters for 110 slides.

## "H" and Custom "H" models ...accepting 2x2-inch slides in 80- and 140-slide trays\* (continued)



#### 850H

- Automatic focusing (same as 760H)
- Automatic timing. Choice of 5, 8, or 15 seconds. Can put on whole show automatically
- Manual timing when desired, instead of automatic
- Remote control change, forward and reverse



#### Custom 840H

- · Automatic focusing
- Remote control change, forward and reverse
- Custom styling . . . dust cover . . . hideaway carrying handle . . . lens cover . . . attached power cord



#### Custom 850H

- Automatic focusing (same as 760H)
- Automatic timing (same as 850H). Manual timing, when desired
- Remote control change, forward and reverse
- Custom styling . . . deluxe features (same as Custom 840H and Custom 860H)



#### **Custom 860H**

- Top-of-the-line model, with combined special conveniences and refinements of all other "H" models
- Automatic timing (same as 850H)
- Automatic focusing (same as 760H and 850H)
- Remote focus override—especially useful whenever slides in different types of mounts are mixed in the same tray
- Remote control change, forward and reverse
- Manual timing when desired, instead of automatic
- Custom styling . . . deluxe features (same as Custom 840H and Custom 850H)

## Slide Projectors

12 Basic Features shared by the following

## KODAK CAROUSEL H, Custom H and Pocket CAROUSEL Projectors—

"H" Models: 600H, 650H, 750H, 760H, 850H;

Custom Models: 840H, 850H, 860H

Pocket Models: 100, 200, 300

- 1. Gentle, reliable gravity feed
- 2. Dependable, whisper-quiet operation
- 3. Sharp, bright screen images
- 4. Easy lamp replacement
- 5. Elevation adjustment

- 6. Tray features:
  - · High-capacity, circular trays for continuous shows
  - · Easy tray change-like a "hi-fi" record
  - · Quick loading
  - · Selective access to all slides at all times
  - Tray stores in its own book-type case
- 7. Rugged body with modern styling
- 8. Easy storing, easy carrying-with built-in handles
- Safety thermal fuses automatically protect projector from overheating
- Underwriters' Laboratories, Inc. Listed and CSA approved. Power required—110-125 volts, 60 Hz ac only except 600-K, 650H-K, 760H-K, and 850H-K which operate with 50-60 Hz ac.
- 11. Instant slide editing
- 12. Prewarming of slides—helps prevent "popping"

CAT. No.	KODAK CAROUSEL 60	00H Projector	
BC604 Projector <b>146 0849</b>	With EKTANAR C 102 mm f/2.8 Lens \$114.50	Twelve basic features plus:  • Accepts 2 x 2-inch slides in 80-and 140-slide trays	Slide change—forward—by select button at projector     Choice of sharp KODAK
BC605 Projector 146 0823	With EKTANAR C 127 mm f/2.8 Lens <b>\$114.50</b>		Projection EKTANAR C Lenses  Manual knob focus  Three-position switch—"Off," "Fan," "Lamp"  Projection elevation up to 6
BC600Z Projector <b>146 0864</b>	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5 \$144.50		<ul> <li>Projection elevation up to of degrees</li> <li>Supplied with 300-watt, 120-vol ELH lamp, power cord, Kodak CAROUSEL TRANSVUE 140 Slide</li> </ul>
BC601 Projector	Without lens	CAS	Tray, and instructions
147 8973	\$94.75		
4	KODAK CAROUSEL 600H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated  For auxiliary equipment, see pages 27-36.		
	Projector dimensions, approximately 11x11x4 inches Projector weight, approximately 12 pounds		
0	NOTE: The KODAK CAROUSEL 600H and 650 lar. The "600H" has a single select buttor and for releasing the tray. The "650H" h	n for advancing slides tor. The "650H" als	controls—by remote cord and at the project ohas an outlet for "special effect" accessoes not.

CAT. No.	KODAK CAROUSEL 65	50H Projector	No.
BC654 Projector <b>146 0906</b>	With EKTANAR C 102 mm f/2.8 Lens \$152.50	Twelve basic features plus:  • Accepts 2 x 2-inch slides in 80-and 140-slide trays	<ul> <li>Remote forward and reverse slide change</li> <li>Slide change—forward and reverse—by push buttons at</li> </ul>
BC655 Projector <b>146 0880</b>	With EKTANAR C 127 mm f/2.8 Lens \$152.50		projector. Also manual knob focus • Choice of sharp Kodak Projection EKTANAR C Lenses • Three-position switch—"Off,"
3C650Z Projector <b>146 0070</b>	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5 \$182.50	Constant of the second of the	"Fan," "Lamp"  Accessory outlet  Projection elevation up to 6 degrees  Supplied with 300-watt, 120-vol
BC651 Projector <b>147 8999</b>	Without lens  \$132.75  KODAK CAROUSEL 650H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  Projector dimensions, approximately 11x11x4 inches Projector weight, approximately 12 pounds		ELH lamp, power cord, remote control cord, Kodak Carousel Transvue 140 Slide Tray, and instructions
BC654K Projector <b>100 8960</b>	With EKTANAR C 102 mm f/2.8 Lens \$167.50	KODAK CAROUSEL 650H-K Proje This model—with the same deluxe features as the KODAK CAROUSEL	ector
BC655K Projector 100 8945	With EKTANAR C 127 mm f/2.8 Lens \$167.50	650H Projector—works on 110 to 130 volts and operates on 50 or 60 Hz by setting the cycleselector switch with lock screw. A	
BC650KZ Projector	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5	trilingual (English-Spanish- Portuguese) instruction manual is supplied.	
100 8986	\$197.50  KODAK CAROUSEL 650H-K Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  For auxiliary equipment, see pages 27-36.		
	NOTE: The KODAK CAROUSEL 650H and 75 lar. The "750H," however, has a remote f and "Low" lamp switch, and a leveling at	ocus control, a "High"	

Product	KODAK CAROLIGE 7	ENH Projector	
CAT. No.	KODAK CAROUSEL 7	oun Projector	
BC754 Projector <b>146 0377</b>	With EKTANAR C 102 mm f/2.8 Lens \$189.50	Twelve basic features plus:  • Accepts 2 x 2-inch slides in 80-	Remote forward and reverse slide change     Forward and reverse slide
BC755 Projector 146 0336	With EKTANAR C 127 mm f/2.8 Lens \$189.50	<ul> <li>and 140-slide trays</li> <li>Remote focusing adjust focus without going back to the projector. Also manual knob</li> </ul>	change by push button at the projector  • Choice of sharp KODAK
3C750Z Projector 146 0393	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5 <b>\$219.50</b>	focus	Projection EKTANAR C Lenses • Four-position switch—including "High" and "Low" brightness
BC751 Projector 147 9088	Without lens  \$169.75  KODAK CAROUSEL 750H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  For auxiliary equipment, see pages 27-36  Projector dimensions, approximately 11x11x4 inches  Projector weight, approximately 12 pounds	Empland In	control for longer lamp life  Accessory outlet  Projection elevation up to 6 degrees  Supplied with 300-watt, 120-vol ELH lamp, power cord, remote control cord, KODAK CAROUSEL TRANSVUE 140 Slide Tray, and instructions
BC764 Projector	KODAK CAROUSEL 7	60H Projector  Twelve basic features plus:	Remote forward and reverse
146 0450	\$222.50	<ul> <li>Accepts 2 x 2-inch slides in 80- and 140-slide trays</li> </ul>	slide change  • Forward and reverse slide
146 0419	With EKTANAR C 127 mm f/2.8 Lens <b>\$222.50</b>	Lowest-priced "H" model with automatic focusing—focus first slide and "760H" then	change by push buttons at the projector  • Choice of sharp Kodak
BC760Z Projector <b>146 0591</b>	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5 <b>\$252.50</b>	automatically sharp-focuses all other slides	Projection EKTANAR C Lenses Three-position switch—"Off," "Fan," "Lamp"
BC761 Projector 147 9146	Without lens  \$202.75  KODAK CAROUSEL 760H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  Projector dimensions, approximately 11x11x4 inches Projector weight, approximately 12 pounds		<ul> <li>Accessory outlet</li> <li>Projection elevation up to 6 degrees</li> <li>Supplied with 300-watt, 120-vo ELH lamp, power cord, remote control cord, KODAK CAROUSEL TRANSVUE 140 Slide Tray, and instructions</li> </ul>
BC764K Projector 151 2938	With EKTANAR C 102 mm f/2.8 Lens \$237.50	KODAK CAROUSEL 760H-K Pro	jector
BC765K Projector 151 2698	With EKTANAR C 127 mm f/2.8 Lens \$237.50	features as the KODAK CAROUSEL 760H Projector—operates on 110 to 130 volts, 50 Hz (cycles per	
		second) or 60 Hz operation by	

Portuguese) is provided. Offers

three-position lamp switch ("Off,"

"Fan," "Lamp").

151 3563

\$267.50

KODAK CAROUSEL 760H-K Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.

For auxiliary equipment, see pages 27-36.

Product	Konay Canada Co	EOU Droiseter	
CAT. No.	KODAK CAROUSEL 85	oun Projector	
BC854H Projector	With EKTANAR C 102 mm f/2.8 Lens	Twelve basic features plus:	<ul> <li>Automatic slide change—at 5-,</li> </ul>
151 2474	\$244.50	<ul> <li>Accepts 2 x 2-inch slides in 80- and 140-slide trays</li> <li>Automatic focusing—focus first</li> </ul>	<ul><li>8-, or 15-second intervals</li><li>Remote forward and reverse slide change</li></ul>
BC855H Projector	With EKTANAR C 127 mm f/2.8 Lens	slide and "850H" then automatically sharp-focuses	<ul> <li>Forward and reverse slide change by push buttons at the</li> </ul>
151 2433	\$244.50	similarly mounted slides. Also manual knob focus	projector • Choice of sharp Kodak Projection EKTANAR C Lenses
BC850ZH Projector	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5		<ul> <li>Four-position switch—including "High" and "Low" brightness control for longer lamp life</li> </ul>
151 2672	\$274.50		<ul> <li>Accessory outlet</li> <li>Projection elevation up to 6 degrees</li> </ul>
BC851H Projector	Without lens	(100	<ul> <li>Supplied with 300-watt, 120-vol ELH lamp, power cord, remote</li> </ul>
151 2516	\$224.75  KODAK CAROUSEL 850H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.		control cord, Kodak Carousel Transvue 140 Slide Tray, and instructions
	For auxiliary equipment, see pages 27-36.  Projector dimensions, approximately 11x11x4 inches Projector weight, approximately 12 pounds		
	NOTE: The KODAK CAROUSEL 850H and Cusare similar. But the Custom 850H offers features.		
	KODAK CAROUSEL C	ustom 840H Projector	
BC844 Projector	With EKTANAR C 102 mm f/2.8 Lens	Twelve basic features plus:	Forward and reverse slide
145 6029	\$262.50	<ul> <li>Accepts 2 x 2-inch slides in 80- and 140-slide trays</li> <li>Attractive wood-grain vinyl</li> </ul>	change by push levers at rear o the projector  • Choice of sharp KODAK
BC845 Projector	With EKTANAR C 127 mm f/2.8 Lens	paneling with protective rubber molding and chrome edges	Projection EKTANAR C Lenses  • Easy carrying—with self-storing
145 6003	\$262.50	<ul> <li>Protective dust cover for out-in-the-open storage plus</li> </ul>	retractable chrome carrying handle  • Easy access to lamp via rear
BC840Z Projector	With EKTANAR C Zoom Lens, 102 to 152	sliding lens cover     Automatic focusing focus	compartment
145 6060	mm f/3.5 <b>\$292.50</b>	first slide and "840H" then automatically sharp-focuses all other slides	<ul> <li>Attached power cord with wraparound storage front compartment storage for remot</li> </ul>
BC841 Projector	Without lens	<ul> <li>Remote forward and reverse slide change</li> </ul>	ontrol cord Projection elevation up to 10
145 6045	\$242.75		degrees  Accessory outlet and
. , ))	KODAK CAROUSEL Custom 840H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  For auxiliary equipment, see pages 27-36.		three-position switch—"Off," "Fan," "Lamp" • Supplied with 300-watt, 120-vol ELH lamp, attached power cord remote control cord, Kodak CAROUSEL TRANSVUE 140 Slide
	Projector dimensions, approximately 11x11%x5 inches Projector weight, approximately 14 pounds		Tray, and instructions  • Additional accessory lenses

**NOTE:** The KODAK CAROUSEL Custom 840H and Custom 850H Projectors differ in that the "840H" has 3-position switch control, while the "850H" has 4-position switch and automatic slide change.

available

Product	KODAK CAROUSEL CI	ustom 850H Projector	
CAT. No.			
BC854 Projector 146 0856	With EKTANAR C 102 mm f/2.8 Lens \$287.50	<ul> <li>Twelve basic features plus:</li> <li>Accepts 2 x 2-inch slides in 80- and 140-slide trays</li> </ul>	<ul> <li>Forward and reverse slide change by push levers at rear o the projector</li> </ul>
BC855 Projector 146 0831	With EKTANAR C 127 mm f/2.8 Lens \$287.50	<ul> <li>Attractive wood-grain vinyl paneling with protective rubber molding and chrome edges</li> <li>Protective dust cover for out-in-the-open storage plus</li> </ul>	<ul> <li>Choice of sharp Kodak         Projection Ektanar C Lenses     </li> <li>Easy carrying—with self-storing retractable chrome carrying handle</li> </ul>
3C850Z Projector <b>146 0898</b>	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5 \$317.50	<ul> <li>sliding lens cover</li> <li>Automatic focusing—focus first slide and "850H" then automatically sharp-focuses similarly mounted slides. Also</li> </ul>	<ul> <li>Easy access to lamp via rear compartment</li> <li>Attached power cord with wraparound storage front compartment storage for remote</li> </ul>
BC851 Projector 147 9260	Without lens  \$267.75  KODAK Carousel Custom 850H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  For auxiliary equipment see pages 27-36  Projector dimensions, approximately 11x11%x5 inches Projector weight, approximately 14 pounds	<ul> <li>manual knob focus</li> <li>Automatic slide change—at 5-, 8-, or 15-second intervals</li> <li>Remote forward and reverse slide change</li> </ul>	control cord  Projection elevation up to 10 degrees  Accessory outlet and four-position switch—including "High" and "Low" brightness control for longer lamp life  Supplied with 300-watt, 120-volt ELH lamp, attached power cord remote control cord, Kodak Carousel Transvue 140 Slide Tray, and instructions  Additional accessory lenses available
3C854K Projector 146 1029	With EKTANAR C 102 mm f/2.8 Lens \$307.50	KODAK CAROUSEL Custom 850 This model—with the same rich styling and deluxe features of	H-K Projector
3C855K Projector <b>146 0914</b>	With EKTANAR C 127 mm f/2.8 Lens \$307.50	Custom 850H model—operates on 110 to 130 volts, 50 Hz (cycles per second) or 60 Hz operation by setting cycle-selector switch with lock screw. A trilingual instruction	
BC850KZ Projector 146 1326	With EKTANAR C Zoom Lens, 102 to 152 mm f/3.5	manual (English-Spanish- Portuguese) is provided. Offers three-position lamp switch ("Off," "Fan," "Lamp").	
	KODAK CAROUSEL Custom 850H-K Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless otherwise indicated.  For auxiliary equipment see pages 27-36		

NOTE: The KODAK CAROUSEL Custom 850H and Custom 860H Projectors are similar. The difference is that the "860H" has a remote focus control override on the auto focus for finely tuned projection.

Product	Vanay Canouari C	ustam OCOLI Dusiastan	
CAT. No.	RODAK CAROUSEL C	ustom 860H Projector	CCA CONTROL
BC864 Projector	With EKTANAR C 102 mm f/2.8 Lens	Twelve basic features plus:  • Accepts 2 x 2-inch slides in 80-	Remote focusing to adjust or override automatic focusing
146 1482	\$314.50	and 140-slide trays  • Attractive wood-grain vinyl	<ul> <li>Automatic slide change—at 5-,</li> <li>8-, or 15-second intervals</li> </ul>
BC865 Projector	With EKTANAR C 127 mm f/2.8 Lens	paneling with protective rubber molding and chrome edges	<ul> <li>Remote forward and reverse slide change</li> </ul>
146 1441	\$314.50	<ul> <li>Protective dust cover for out-in-the-open storage plus sliding lens cover</li> </ul>	<ul> <li>Forward and reverse slide change by push levers at rear of the projector</li> </ul>
BC860Z Projector	With EKTANAR C Zoom Lens, 102 to	Automatic focusing—focus first slide and "860H" then	Choice of sharp Kodak     Projection Ektanar C Lenses
146 1508	152 mm f/3.5 <b>\$344.50</b>	automatically sharp-focuses similarly mounted slides. Also	Easy carrying—with self-storing, retractable chrome carrying handle
BC861 Projector	Without lens	manual knob focus	Easy access to lamp via rear
147 9401	\$294.75		<ul> <li>Attached power cord with wraparound storage front compartment storage for remote</li> </ul>
			<ul><li>control cord</li><li>Projection elevation up to 10</li></ul>
		0	<ul><li>degrees</li><li>Accessory outlet and four-position switch—including "High" and "Low" brightness</li></ul>
	KODAK CAROUSEL Custom 860H Projector supplied with 102 mm f/2.8 EKTANAR C Projection Lens unless		<ul> <li>control for longer lamp life</li> <li>Supplied with 300-watt, 120-volt</li> <li>ELH lamp, attached power cord,</li> <li>remote control cord, Kodak</li> </ul>
	otherwise indicated.  For auxiliary equipment, see pages 27-36		CAROUSEL TRANSVUE 140 Slide Tray, and instructions
	Projector dimensions, approximately 11x11%x5 inches Projector weight, approximately 14 pounds		Additional accessory lenses available
	KODAK Pocket CARO	OUSEL 100 Projector	
B100 Projector	With EKTAR 2½-inch f/2.8 Lens	Twelve basic features plus:	Slide change—forward—by
108 6875	\$79.50	<ul> <li>Lightweight, compact size—accepts small</li> </ul>	<ul><li>select button at projector</li><li>Super-sharp f/2.8 Kodak</li></ul>
B100Z Projector	With EKTAR Zoom Lens, 2- to 3-inch	high-capacity tray holding up to 120 plastic-mounted 30 mm	Projection EKTAR Lens  Manual knob focus
108 6826	\$109.50	square slides	<ul><li>Three-position switch—"Off," "Fan," "Lamp"</li></ul>
	Note: KODAK Pocket CAROUSEL 100 Pro-		<ul> <li>Supplied with 150-watt, 24-volt DDA lamp and convenient cord</li> </ul>
	jector supplied with 2½-inch f/2.8  EKTAR Lens unless otherwise indicated. Also supplied are power cord, KODAK Pocket CAROUSEL 120 Slide Tray, and instructions.		storage bobbin  Easy access to lamp and condensers via removable side panel plus lamp ejection
	For auxiliary equipment see pages		lovor

For auxiliary equipment, see pages 27-36

Projector dimensions, approximately 8x81/x334 inches
Projector weight, approximately 8 pounds

• Projection elevation up to 10

Wood-grain styling

lever

degrees

#### Product **KODAK Pocket CAROUSEL 200 Projector** CAT. No. **B200 Projector** · Remote forward and reverse With EKTAR 21/2-inch f/2.8 Lens Twelve basic features plus: slide change Lightweight, compact 108 6917 \$139.50 • Forward and reverse slide size-accepts small change by push buttons at the high-capacity tray holding up to B200Z Projector With EKTAR Zoom Lens, 2- to 3-inch projector. Also manual knob 120 plastic-mounted 30 mm focus square slides 108 6933 \$169.50 • Rear leveling foot-in addition • Remote focusing . . . adjust to front thumb-wheel elevation focus without going back to the up to 10 degrees projector Super-sharp f/2.8 Kodak Note: KODAK Pocket CAROUSEL 200 Projector supplied with 2½-inch f/2.8 EKTAR Lens unless otherwise indicated. Also supplied are power cord, remote control cord, KODAK Pocket CAROUSEL 100 CIJAC TANAGA POCKET CAROUSEL Projection EKTAR Lens • Three-position switch-"Off," "Fan," "Lamp" Supplied with 150-watt, 24-volt 120 Slide Tray, and instructions. For auxiliary equipment, see pages 27-36 DDA lamp and convenient cord storage bobbin Projector dimensions, approximately · Easy access to lamp and 8x8½x3¾ inches condensers via removable side Projector weight, approximately 8 pounds panel . . . plus lamp ejection lever · Wood-grain styling Accessory outlet

## **KODAK Pocket CAROUSEL 300 Projector**

## B300 Projector 108 6974

With EKTAR 21/2-inch f/2.8 Lens

\$189.50

#### B300Z Projector 108 6800

With EKTAR Zoom Lens, 2- to 3-inch f/2.8

\$219.50

Note: Kodak Pocket Carousel 300 Projector supplied with 2½-inch f/2.8 EKTAR Lens unless otherwise indicated. Also supplied are power cord, remote control cord, dust cover, Kodak Pocket Carousel 120 Slide Tray, and instructions.

For auxiliary equipment, see pages 27-36

Projector dimensions, approximately 8x8½x3¾ inches.
Projector weight, approximately 8 pounds

Twelve basic features plus:

- Lightweight, compact size—accepts small high-capacity tray holding up to 120 plastic-mounted 30 mm square slides
- Automatic focusing—focus first slide and "300" then automatically sharp-focuses all other slides. Also manual knob focus
- Automatic slide change—at 5-, 8-, or 15-second intervals



- Remote slide change—forward and reverse—by 12-foot cord
- Forward and reverse slide change by push buttons at the projector
- Super-sharp f/2.8 Kodak
   Projection Ektar Lens
- Three-position switch—"Off," "Fan," "Lamp"
- Rear leveling foot—in addition to front thumb-wheel elevation up to 10 degrees
- Supplied with 150-watt, 24-volt DDA lamp, convenient storage bobbin
- Easy access to lamp and condensers via removable side panel . . . plus lamp ejection lever
- Wood-grain styling
- Dust cover . . . plus accessory outlet

Product	Still Projection Aids		
CAT. No.	Other Tojection Alas		
B120 KODAK Pocket CAROUSEL 120 Slide Tray 103 5518	For 30 mm slides up to .050 inch thick. Accepts up to 120 slides. For pocket models only.		
B595 KODAK Pocket CAROUSEL Tray Case 106 7461	Holds three Pocket CAROUSEL 120 Slide Trays in their boxes. For pocket models only. Dimensions, 14½ x 10% x 7¼ inches.	B120	B595
B589C KODAK CAROUSEL Projector Case, Model D 100 2625	Accommodates either a CAROUSEL Projector or a Custom H Projector; a CAROUSEL TRANSVUE or CAROUSEL Slide Tray (140, 80, or universal) in carton; a stack loader, zoom lens, spare lamp, extension cords, etc. Constructed of brown simulated leather. Dimensions, 16 x 9% x 14% inches.  \$31.95		
		B589C	
B590 KODAK Pocket CAROUSEL Projector Case <b>105 8262</b>	Holds Pocket CAROUSEL Projector with either lens plus one boxed Pocket CAROUSEL 120 Slide Tray, one boxed spare lamp, power and remote cords. For pocket models only. Dimensions, 14½ x 10% x 7¼ inches.  \$12.95	B590	
B581C KODAK CAROUSEL Slide Tray Case 100 2765	Has two compartments which will accommodate any three CAROUSEL TRANSVUE or CAROUSEL Trays (140, 80, or universal) or other miscellaneous equipment. Made of brown simulated leather. Dimensions, 12 x 9% x 12½ inches. \$21.95		

B581C

Product	Still Projection Aids (cent.)		
CAT. No.	Still Projection Aids (cont.)		
B80T KODAK CAROUSEL TRANSVUE 80 Slide Tray	For 2x2-inch slides up to $1/10$ inch thick. Accepts up to 80 slides.		
104 6093	\$4.50		
B140T KODAK CAROUSEL TRANSVUE 140 Slide Tray	For 2 x 2-inch slides up to $\%_6$ inch thick. Accepts up to 140 slides. Not for 500 Series models.	B80T	B140T
104 6044	\$7.25		
AV680 KODAK EKTAGRAPHIC Universal Slide Tray 110 6699	For 2 x 2-inch slides up to ½ inch thick (glass, plastic, or cardboard). Accepts up to 80 slides. The box will accommodate the slide tray as well as an 8½ x 11-inch script and two cassette tapes (not supplied). The slide tray is black (opaque) and the slide retainer latch is orange.		100
	\$6.25		AV680
B22 KODAK 2 x 2 Adapter for 110 Slides	Adapts 30 mm slides for use in regular 2 x 2 slide projectors. (pkg of 20.)	Roundarent	
105 8197	\$1.65		
B40 KODAK CAROUSEL Stack Loader	For 2 x 2 inch thin (1/16 inch thickness) cardboard and plastic slides—up to 40. Fits like a tray. Forward projection only. Not for pocket, 500 Series, or S models.		
151 4249	\$21.00	B22	B40
B42 KODAK CAROUSEL Stack Loader Outfit	Includes Kodak Carousel Stack Loader and 6 Kodak Slide Clips and storage file.		
150 2012	\$29.50	BEE	
B44 KODAK Slide Clip Set for KODAK CAROUSEL Stack Loader 150 2038	Makes handling and showing "stacks" of slides easy and convenient. Each clip holds up to 36 slides in cardboard or thin plastic mounts (Kodak 2 x 2 Adapters for 110 slides are thicker than thin plastic mounts and each clip accommodates about 25 slide adapters). Slide clip box gives compact, low-cost storage. Twelve slide clips are provided in a storage file.  \$18.00	B42	B44

Product	Still Projection Aids (cor	nt.)	
CAT. No.			LATAS L-C
586 KODAK Remote Extension Cord, 25-foot (for KODAK CAROUSEL Projectors)	Extends the range of the 12-foot remote control cord. For pocket, H, and Custom H models (except 600, 600H and pocket 100).		
140 1363	\$8.95		
B588 KODAK CAROUSEL Remote Power Control (for KODAK CAROUSEL and Pocket CAROUSEL Projectors)	Permits the user to turn a projector "on" or "off" from a distance up to 37 feet. Not for any projector having a built-in, attached power cord.	586	
108 7154	\$12.00		B588
330R KODAK Compartment File (Red)  154 5532  330G KODAK Compartment File (Green)  154 5524	Has 12 compartments, each holding up to 20 KODAK READY-MOUNTS or 11 2 x 2-inch thin-glass slides. Each compartment can be swung out, as shown, for easy access to that group of slides. With textured ivory-colored top and either teal green or cardinal red base and individual compartments.  \$11.50—330R, Red \$11.50—330G, Green		
330/10 KODAK Compartment File Assortment (5 Red and 5 Green) 155 2389			
332R KODAK 400 File Box (Red) 150 4109	Convenient method of filing and storing 2 x 2-inch slides. Supplied in red or green. Molded of durable polystyrene with leather-grain finish on the front and back. Styled like a book for library filing. Contains 16 Kodaslide Boxes for easy filing of slides by groups. Capacity—up to 400 Kodak Ready-Mounts or 224 2 x 2-inch thin-glass slides.		
332G KODAK 400 File Box (Green)	\$12.90—332R, Red \$12.90—332G, Green		

332/10 KODAK 400 File Box Assortment (5 Red and 5 Green)

150 4117

155 2371



Product	Slide Filing Supplies (for 2x2-inch slides	
CAT. No.	not 30 mm square slides (cont.)	H. TOHOL C.
KODASLIDE BOX 149 9987	Each of these virtually shatterproof boxes holds twenty or more KODAK READY-MOUNTS. Supplied with KODAK 400 File Box and can be used in KODAK Ready-File. Carton of 6.  \$2.70	
331R KODAK Ready-File (Red) 153 9253	Holds up to 188 KODAK READY-MOUNTS, 82 2 x 2-inch thin-glass slides, 96 KODAK Stereo READY-MOUNTS, or 6 KODASLIDE Boxes with 20 or more slides in each box. Supplied in a counter display tray containing 6 Ready-Files—all cardinal red, all teal green, all beige, or 2 of each color. Unless otherwise specified, the case containing 2 of each color will be supplied.	
2010 Kopak Baady File	\$5.40—331R, Red \$5.40—331G, Green	1
331G KODAK Ready-File (Green)	\$5.40-331B, Beige	
153 9246	\$5.40—331/6, Assortment	
331B KODAK Ready-File (Beige) 153 9238		
331/6 KODAK Ready-File Assortment (2 Red, 2 Green, 2 Beige) 155 2363		
	Slide Tray for KODAK CAVALCADE Projectors	
570 KODAK CAVALCADE Slide Tray, No. 1	For cardboard- or thin-glass-mounted slides. (Pkg of 2 trays)	
154 8437	\$9.25	The state of the s

#### Product

#### CAT. No.

## "Special Effects" Projection Aids

AV67 KODAK CAROUSEL Sound Synchronizer, Model 3

105 5177

Enables preparation of automated and synchronized sound-slide shows with ease. It provides reliability in recording and playback of signals used to automatically advance all current KODAK EKTAGRAPHIC Slide Projectors (except RA-960) and all KODAK CAROUSEL and KODAK Pocket CAROUSEL Slide Projectors (except the older style 500 Series, RA-950, 600/600H, S-Series, and Pocket 100.) It features a high signal frequency and an isolation circuit which prevents ground loops when used with grounded slide equipment and tape recorders. It is compatible with the newer-type stereo tape recorders which incorporate 60 Hz filters. It makes possible the recording of narration and sound effects on one channel, while a slide-change signal is recorded on the other channel. Then during playback, the slides will advance automatically and synchronously with the narration, and the slide-change signal will not be audible. During playback, a remote control can be used to override the recorded signals. Attractively styled in gray and black and packed in a clear plastic storage case. Weight, approximately 4 ounces.



\$54.00

KODAK EC Automatic Timer

100 3110

Provides automatic slide changing for KODAK EKTAGRAPHIC and KODAK CAROUSEL Slide Projectors which accept a five-pin accessory plug; plugs into the remote accessory receptacle; continuously variable from approximately three to eighteen seconds. A knob located at the top of the Timer housing is used for selecting the time interval. Designed primarily to provide automatic slide change for projectors not so equipped, can also be used with KODAK EKTAGRAPHIC and KODAK CAROUSEL Projectors equipped with built-in timer, when the internal timer is set on "manual."



\$24.95

KODAK EC-K Solid State Dissolve Control

100 3581

Incorporates both dissolve and quick-change features. The dissolve rate has a continuously variable duration from quick cut to 5 seconds. A built-in timer provides automatic forward slide changes at a continuously variable cycle time from 6 to approximately 18 seconds. In addition to the built-in timer control, automatic cycling also can be accomplished by an external synchronizer or other programming equipment, and manual forward advance can be accomplished by the remote control unit of one of the projectors. Operates on 50/60 Hz at 110-125 volts and can be used with any current KODAK EKTAGRAPHIC (except Arc Module RF or RA-960) or CAROUSEL Projectors (except 600, 600H, Pocket 100, or Pocket 200) or equivalent. In addition, can be used with any of the following KODAK EKTAGRAPHIC or CAROUSEL "K" Projectors: AF-2K, 650H-K, 760H-K, and Custom 850H-K. Occupying about the same amount of space as a boxed Kodak slide tray, the KODAK EC-K Solid State Dissolve Control can be conveniently stored or carried along with a slide projector in a KODAK CAROUSEL Projector Case or equivalent. Can also be used with KODAK EKTAGRAPHIC and KODAK CAROUSEL Projectors equipped with built-in timers, when the internal timer is not on "manual."



\$350.00

Product	Pomoto Controlo for Capous	Projectore
CAT. No.	Remote Controls for CAROUS	EL Projectors
KODAK EC-1 Remote Control	Remote control cord for KODAK Pocket CAROUSEL 300, KODAK CAROUSEL 650H, 760H, 850H, Custom 840H, 850H Projectors. \$8.25	
KODAK EC-2 Remote Control	Remote control cord for Kodak Pocket Carousel 200, Kodak Carousel 750H, Custom 800H Projectors. \$10.50	
KODAK EC-3 Remote Control	Remote control cord for KODAK CAROUSEL Custom 860H Projector. \$11.50	
	Slide-Making Materials	
B256W KODAK READY-MOUNTS 145 1772	Folded, 2x2 in. Pkg of 50—126 for 28x28 mm transparencies (Carton of 5) \$5.95	For mounting 13x17 mm (110), 28x28 mm (126) 24x36 mm (135), and 1½x1½-inch (super-slide transparencies. Solid whiteboard with printing or face, "Seal edge with warm iron. Do not touch film Made in U.S.A." Two types are available: Folded—Convenient for mounting a few transparencies a
B255W KODAK READY-MOUNTS 145 1756	Pkg of 50—135 for 24x36 mm transparencies (Carton of 5) \$5.95	one time. Supplied with 3 edges sealed; open edge can be sealed with a household iron. Flat—Can be sealed on 4 edges with a household iron or mount ing press; 1/16 inch thickness.
B206W KODAK READY-MOUNTS 145 2309	Flat, 2x2 in. Pkg of 100—126 for 28x28 mm transparencies (Carton of 5) \$3.75	
B205W KODAK READY-MOUNTS 145 2283	Pkg of 100—135 for 24x36 mm transparencies (Carton of 5) \$3.75	
B207W KODAK READY-MOUNTS <b>145 2192</b>	Pkg of 100—127 for 1%x1%-in. (super-slide) transparencies (Carton of 5) \$3.75	
KODAK READY-MOUNTS 140 5901	Bulk packages Flat 2x2 in. 110 for 13x17 mm transparencies (Case quantity: 7500) \$97.50	
KODAK READY-MOUNTS 145 2630	126 for 28x28 mm transparencies (Case quantity: 7500) <b>\$97.50</b>	
KODAK READY-MOUNTS 145 2580	135 for 24x36 mm transparencies (Case quantity: 7500) \$97.50	
KODAK READY-MOUNTS 145 2549	127 for 1%x1%-in. (super-slide) transparencies (Case quantity: 2400) \$39.00	

e-Making Materials (Cordinates)  Ax36 mm transparencies (Carton of 10 pkgs)  Ax36 mm transparencies (Carton of 10 pkgs)  A transparencies of thin cover glass are inserted pipen end of the binder. The binder frames three holds the slide securely without the need of tape or (Carton of 10 pkgs)  A transparencies (Carton of 10 pkgs)  A tr		B35	and the second
nch slide cover glass, thin)—Provides a quick and ve method of glass-mounting slides. A transparsk, and two pieces of thin cover glass are inserted ppen end of the binder. The binder frames three holds the slide securely without the need of tape or (Carton of 10 pkgs)  s: .030 inch. For mounting slides in glass for use in TRANSVUE and other slide trays. (Package of 50)  s: .050 in. (Package of 24)	B355	B35	and the second
we method of glass-mounting slides. A transparsk, and two pieces of thin cover glass are inserted upen end of the binder. The binder frames three holds the slide securely without the need of tape or (Carton of 10 pkgs)  s: .030 inch. For mounting slides in glass for use in TRANSVUE and other slide trays. (Package of 50)  s: .050 in. (Package of 24)			and the second
S: .050 in. (Package of 24)  Reep film ready for clear projection at all times.  4-oz bottle	B351	B32	4
keep film ready for clear projection at all times. 4-oz bottle	B351	B32	4
4-oz bottle		I abita no	l ascent
Projector Parts			
tion		Part Number	List
ISER IENS for KODAK POCKET CAROUSEL		*626356	\$8.00
psorbing glass for Kodak Pocket Carousel 200, 300 Projectors			4.25
osorbing glass for current KODAK CAROUSEL ctors other than pocket models			6.00
ondenser lens for current KODAK CAROUSEL			6.00
ondenser lens for current KODAK CAROUSEL			6.00
			2.00
			7.00
ctors other than pocket models		*835595 *195276	6. 2.

Product	CAT. No.	List	Projection Lenses KODAK Projection Lenses give superb edge-to-edge sharpness and color clarity LUMENIZED.
°EKTANAR 2½-inch f/3.5 EKTANAR 3-inch f/3.5 EKTANAR 4-inch f/2.8 EKTANAR 5-inch f/2.8 EKTANON 7-inch f/3.5 EKTANAR Zoom 4- to 6-inch f/3.5	101 8506 141 9886 146 6325 155 0631 154 8460 144 2763	\$24.75 14.75 19.75 19.75 36.75 49.75	KODAK EKTANAR "Flat-Field" Lenses For KODAK CAROUSEL, CAROUSEL H, and Custom H Projectors:  Note: CAROUSEL 600, 600-K, 600H, 650H, 650H-K, 750H, 760H, 760H-K, 850H- and Custom 840H, 850H, 850H-K and 860H Projectors are available with 102 mm f/2.8, 127 mm f/2.8, 102 to 152 mm f/3.5 zoom lenses, and without lens (exceptor 600-K, 650H-K, 760H-K, and 850H-K).
EKTANAR C 102 mm f/2.8 EKTANAR C 127 mm f/2.8 EKTANAR C Zoom 102 to 152 mm f/3.5	178 2382 178 4503 141 4457	19.75 19.75 49.75	KODAK EKTANAR C "Curved-Field" Lenses For KODAK CAROUSEL, CAROUSEL H, and Custom H Projectors:  Note: Carousel 600, 600-K, 600H, 650H, 650H-K, 750H, 760H-K, 850H and Custom 840H, 850H, 850H-K and 860H Projectors are available with 102 mm f/2.8, 127 mm f/2.8, 102 to 152 mm f/3.5 zoom lenses, and without lens (except for 600-K, 650H-K, 760H-K, and 850H-K).
EKTAR 2½-inch f/2.8 EKTAR Zoom 2- to 3-inch f/2.8	147 2836 147 2851	19.75 49.75	KODAK EKTAR Lenses For KODAK Pocket CAROUSEL Projectors: Pocket CAROUSEL 100, 200, and 300 Projectors are available with 2½-inch f/2.8 and 2- to 3-inch f/2.8 zoom lenses.
signed for study carrel or rear-screen projection us ge sharpness with images up to 12 inches wide. Als ge images from 110-size transparencies mounted f	o for use in obtaining		Note: Orders for CAROUSEL H and Custom H Projectors (and 600 model) no indicating specific lenses will be filled with appropriate 102 mm lenses; unless otherwise indicated, Pocket CAROUSEL Projectors are supplied with 2½-inch lenses.

## Lamps for Slide Projectors and Slide Viewer

Lamps for projectors: Use ANSI Lamp Code and specify voltage when ordering. If no voltage is specified, the lamp with the lower voltage is supplied.

List	†Average Lamp Life	ANSI Lamp Code	Voltage/Watts	CAT. No.	Specified for
\$14.85	35	ELH	<b>120</b> /300	146 5558	KODAK CAROUSEL 600H, 650H, 650H-K, 750H, 760H, 760H-K
19.30	15	ENG	<b>120</b> /300	102 6269	800H, 850H, 850H-K, 860H, and Custom 840H, 850H, and 860H Projectors
21.35	175	ENH	<b>120</b> /250	151 7416	
7.40	18	DDA	<b>24</b> /150	105 8171	KODAK Pocket CAROUSEL 100, 200, 300 Projectors
9.90 9.90	25 25	DEK DEK	<b>120</b> /500 <b>125</b> §/500	146 7943 147 5839	КОДАК CAROUSEL 600, 600-К, 650, 700, 750, 760, 800, 850, 850-К, 860, and KODAK CAROUSEL 550, 570 Projectors
21.40	50	СВА	<b>120</b> /500	146 7596	
13.80	200	DAH	<b>120</b> /500	143 2160	
10.90	25	DDB	<b>115-120</b> /750	152 7225	KODASLIDE Projector, Master Model
11.75	25	DFT	<b>115-125</b> /1000	109 1917	

#### Lamp for slide viewer:

List	Order No.	Voltage/Watts	CAT. No.	Specified for
\$.44	7C7W	115-125/7	152 6466	KODAK Illuminator, Model 1 (for KODAK Pocket Viewers)

<sup>†</sup>When operated at the designated voltage. §An approximately 50% longer life at a 15% reduction in light output is obtained by using a 125-volt lamp on a 120-volt line. The 125-volt lamp is recommended for long-period or continuous projection.

## Projection Distance Tables

## for Kodak Carousel and Pocket Carousel Slide Projectors

Projection Distances Are Approximate and Are Measured (in Feet) from Slide to Screen

			Lens F	ocal Length (	in inches)	
Nominal Aperture Dimensions* of 2 x 2-inch Slide Mounts (Shown Full Size)	Screen- Image Width	3	(102 mm)	5 (127 mm)	7	4 to 6 Zoom (102 mi to 152 mm)
			Projec	ction Distance	s (in feet)	
	20 in.	4	5½	7	10	5½ to 8½
	30 in.	6	8	10	14	8 to 12
	40 in.	8	10½	13	181/2	10½ to 16
T	50 in.	10	13	161/2	23	13 to 19½
	5 ft.	111/2	151/2	191/2	27	15½ to 23½
22.9mm	6 ft.	14	181/2	23	321/2	18½ to 28
	8 ft.	181/2	241/2	301/2	43	24½ to 36½
34.2mm	10 ft.	23	301/2	38	53	30½ to 45½
	12 ft.	27	361/2	451/2	631/2	36½ to 54½
	1211.	21	3072	4372	0372	3072 10 3472
135—35 mm						
ananananananananananananananananananan						
		F1/	_	0	101/	7
	20 in.	5½	7	9	12½	7 to 10½
	30 in.	71/2	10½	13	18	10½ to 15½
20.5	40 in.	10	13½	17	231/2	13½ to 20
26.5mm	50 in.	121/2	16½	21	29	16½ to 25
	5 ft.	15	20	25	341/2	20 to 30
26.5mm →	6 ft.	18	231/2	291/2	411/2	23½ to 35½
	8 ft.	231/2	311/2	39	55	31½ to 47
	10 ft.	291/2	39	49	681/2	39 to 58½
	12 ft.	35	461/2	58½	81½	46½ to 70
126						e seriesas as
	20 in.	6	8	10	14	8 to 12
	30 in.	9	12	141/2	201/2	12 to 17½
	40 in.	11½	151/2	191/2	27	15½ to 23
45.0	50 in.	141/2	19	24	331/2	19 to 28½
15.9mm	5 ft.	17	23	281/2	40	23 to 34½
→ 22.9mm →	6 ft.	201/2	271/2	34	471/2	27½ to 41
	8 ft.	27	36	45		
					63½	36 to 54
	10 ft.	34	45	56½	79	45 to 67½
	12 ft.	40½	54	671/2	94½	54 to 81
135—Half Frame						

NOTE: Kodak supplies a 2½-inch EKTANAR Projection Lens (not shown). It is designed especially for use in study carrels and in small rear-projection cabinets. With a standard 35 mm slide, the lens produces an 8-inch-wide image in a 26-inch distance (back of projector to the front of the screen). Image sizes over 12 inches wide are *not* recommended.

<sup>\*</sup>Dimension tolerances may vary with mounts of different sizes and manufacture.

Nominal Aperture Dimensions*	Screen-									
of 2 x 2-inch Slide Mounts (Shown Full Size)	Image Width	1.4	2	3	<b>4</b> (102 mm)	<b>5</b> (127 mm)	7	9	11	4 to 6 Zoom (102 mm to 152 mm)
			Projection Distance (in feet)						Marile services	
	20 in.	2	21/2	4	5	61/2	9	111/2	14	5 to 7½
	30 in.	21/2	31/2	5½	71/2	9	13	161/2	201/2	7½ to 11
	40 in.	31/2	5	7	91/2	12	17	211/2	26½	9½ to 14½
	50 in.	4	6	9	12	15	201/2	261/2	321/2	12 to 17½
38mm	5 ft.	5	7	10½	14	17½	241/2	311/2	381/2	14 to 21
26.2mm	6 ft.	6	81/2	121/2	161/2	21	291/2	371/2	46	16½ to 25
	8 ft.	7½	11	161/2	22	271/2	381/2	491/2	601/2	22 to 33
38mm	10 ft.	9½	13½	201/2	271/2	341/2	48	611/2	75½	27½ to 41
	10 ft.	111/2	16½	241/2	33	41	571/2	731/2	90	33 to 49
	1211.	1172	1072	2472	33	41	31 /2	13/2	90	33 10 49
127—Super-Slide (38 x 38 mm)										
828—(26.2 x 38 mm)	light .		1	17		816				
unununununununun.										
	20 in.	2	3	41/2	6	8	11	14	17	6 to 9½
	30 in.	3	41/2	61/2	9	11	15½	20	241/2	9 to 13½
	40 in.	4	6	9	11½	141/2	201/2	261/2	32	11½ to 17½
30.7mm	50 in.	5	7	11	141/2	18	251/2	321/2	40	14½ to 21½
	5 ft.	6	81/2	13	17	21½	30	381/2	471/2	17 to 26
	6 ft.	7	101/2	15½	201/2	25½	36	46	561/2	20½ to 31
◆ 30.7mm →	8 ft.	9½	131/2	201/2	27	34	471/2	61	741/2	27 to 40½
	10 ft.	12	17	25½	34	42	59	76	93	34 to 50½
	12 ft.	14	20	301/2	401/2	501/2	701/2	91	111	40½ to 60½
	1211.	14	20	30 /2	40 /2	3072	1072	91	111	4072 10 0072
KODACHROME Duplicate or										
CODACOLOR Transparency from										
1% x 1%-inch or										
21/4 x 21/4-inch transparency										
or negative, respectively			199		1412					
Nominal Aperture Dimensions* of 30 x 30 mm Slide Mounts	Screen- Image			15.25	Lens F	Focal L	ength 2 to 3	(in in	ches)	
(Shown Full Size)	Width		21/2				Zoom)			4†
					Projec	ction D	istanc	es (in	feet)	
	20 in.		7			51/	2 to 8	31/2		111/2
12mm	30 in.		101/2				2 to 12		*	17
3	40 in.		14			11	to 16			22
+ 16mm+	50 in.		17				2 to 20			271/2
	60 in.		201/2				2 to 24			33
	70 in.		24				to 28			38
		1								

<sup>\*</sup>Dimension tolerances may vary with mounts of different sizes and manufacture.

th a Kodak Carousel Projector with 110 slides in Kodak 2x2 Adapters for 110 slides or 2x2-in. mounts. Dimensions for 3-in., 5-in., 7-in., and 4- to 6-in. zoom lenses vary proportionately. For best results, however, we recommend projecting 110 slides in 110 slide projectors.

The Kodak Ektasound movie camera makes it so easy to take sound movies. Just drop in a cartridge of film, such as Kodak Ektachrome 160 sound movie film, and push the shutter release. It's that simple.

And the microphone? It's right on the handle! So, you're free to move around and shoot wherever you want without worrying about cords or microphone placement.

You don't need movie lights, either. Indoors or outdoors, in room light or sunlight, the Kodak Ektasound movie camera takes colorful sound movies without movie lights.

There's also an automatic exposure control that adjusts the amount of light reaching the film.

Kodak's unique on-camera microphone. Sound made simple.

And, there's a sound monitor so you can hear what the camera is hearing—both before and during use.

Ask your photo dealer for a demonstration.

There are several models to choose from including the new model 250 with power zoom and the new model 260 with power zoom and coupled rangefinder.

Kodak Ektasound movie cameras



## Movie Cameras

KODAK XL Movie Cameras...take silent color movies without movie lights using KODAK Type G EKTACHROME 160 Movie Film or KODAK EKTACHROME 160 Movie Film (Type A)\* or equivalent



#### XL320

Simplest, easiest-to-use Kodak XL Movie Camera

- Budget-priced
- Accepts Type G, 160-speed, film which eliminates filter settings. Not intended for use with Kodachrome and other medium-speed movie films.
- Fast, 9 mm f/1.2 Kodak Ektar lens
- Electric eye sets exposure in virtually any light
- f/45 minimum effective aperture for high-brightness scenes



#### XL330

- Filter control switch—permits use of Type A color films
- Low-light signal in viewfinder that helps avoid underexposure
- Battery check
- Dual film-speed range—automatically adjusts for medium-speed (like KODACHROME 40) or high-speed (like KODAK EKTACHROME 160) movie films



#### XL342

- Automatic exposure control
- Manual zoom lens
- New exposure-meter lock
- New modern styling
- Convenient binocular design



#### XL352

- · Automatic exposure control
- Power zoom lens
- · New exposure-meter lock
- New modern styling
- Convenient binocular design



#### XL362

- · Automatic exposure control
- Power zoom lens
- · Superimposed image rangefinder
- New exposure-meter lock
- · New modern styling
- · Convenient binocular design

#### XL Cameras feature:

- 230-degree shutter-delivers more light
- Fast f/1.2 EKTAR Lens
- High-brightness optical viewfinder
- Double-vane exposure control—all the light reaches the film
- f/45 minimum effective aperture

<sup>\*</sup>XL320 uses Type G Film; other movie films not recommended.

## KODAK EKTASOUND Movie Cameras...take existing-light, color, lip-synchronized **sound** movies—using KODAK EKTACHROME 160 Sound Movie Film (Type A) or equivalent








230 Camera plus:

- Fast, 10-glass element, 9 mm f/1.2 KODAK EKTAR Manual Zoom Lens
- · Scale focus in feet and meters with zone symbols
- Sports-type viewfinder
- Automatic parallax correction





All the features of EKTASOUND 250 Camera plus:

• Rangefinder focusing



### **EKTASOUND 230**


- · Beautiful color sound movies indoors and out without movie lights
- On-camera microphone makes filming easier-no
- · Sound monitor allows you to judge quality of sound pickup before and during filming
- Viewfinder signals
- Fast, 6-glass element, 9 mm f/1.2 KODAK EKTAR Lens



240 Camera plus:

#### **EKTASOUND Cameras feature** XL capability:

- 230-degree shutter-delivers more light
- Fast f/1.2 EKTAR Lens
- · High-brightness optical viewfinder
- Double-vane exposure control-all the light reaches the film
- f/45 minimum effective aperture



## Movie Cameras

## KODAK XL Movie Cameras for Existing-Light Super 8 Silent Movies

19 Basic Features shared by the following

#### **KODAK Movie Camera Models:**

XL320, XL330, XL342, XL352, XL362,

- 1. Binocular design-Convenient to hold
- 2. Drop-in, error-free cartridge loading-No threading
- 3. Attached cover with snap lock-For speedy, positive loading
- 4. Exceptionally accurate film positioning and holding during exposure-for unusually sharp pictures
- 5. Automatic film-supply indication
- 6. Electric-motor drive-No spring winding. Accept four AA-size batteries (supplied with outfit)—alkaline-type recommended
- 7. Convenient exposure release—With dual lock for continuous run and for preventing accidental running
- 8. Automatic film-load identification
- 9. Standard tripod socket

- 10. End-of-film indicator in the viewfinder of all cameras
- 11. Gas-gauge-type film-supply indicator
- 12. Rubber eyecup and wrist strap or neck strap supplied with all cameras
- 13. Fast, 9 mm f/1.2 EKTAR Lens allows more light to reach the film
- 14. 230-degree shutter delivers 40 percent more exposure than conventional 165-degree shutter
- 15. f/45 minimum effective aperture for high-brightness
- 16. Specially designed viewfinder provides a bright image even in low-light conditions
- 17. Improved exposure system uses a double-vane structure which allows all the light to reach the film. Conventional, single-vane systems block part of the
- 18. Uses fast color film—Kodak Type G Ektachrome 160 Movie Film and KODAK EKTACHROME 160 Movie Film (Type A)\* or equivalent provide two additional stops of exposure over Kodachrome 40 Movie Film (Type A) or equivalent. This means they're four times as fast.
- 19. Automatic CdS Exposure Control

\*XL320 uses Type G Film; other movie films not recommended

Product CAT. No.	KODAK XL320 Movie Outfit
XL320R Outfit 142 4555	Each outfit contains movie camera, rubber eyecup, neck strap, 4 AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie 160-spec
\$107.50	Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)  filter sett other Ko  • Budget-
XL320 Camera 142 4498	"Camera only" supplied with rubber eyecup, neck strap, and instruction book.

\$99.50

Camera dimensions, approximately 43/4x61/2x31/2 inches.

Camera weight (with batteries, eye-cup, and neck strap) approximately 1 pound 12 ounces.

Nineteen basic features plus

- · Designed for use with Type G, 160-speed, film which eliminates filter settings. Not intended for other Kodak movie films
- Budget-priced



- · Red signal in viewfinder indicates last three feet of film
- · Electric eye automatically sets exposure
- · Attractively styled in aluminum-colored case with black vinvl trim
- · Film compartment blockage discourages loading of films having speed ratings lower than
- One filming speed-18 fps
- · Fixed focus

Product	KODAK XL330 Movie	Outfit	
CAT. No.	RODAK ALSSU IVIOVIE	Outili	
XL330R Outfit	Each outfit contains movie camera,	Nineteen basic features plus:	Dual film-speed range—
142 4613	rubber eyecup, neck strap, 4 AA-size alkaline batteries, one cartridge of Kodak Type G Ектаснвоме 160 Movie	<ul> <li>Electric eye sets exposure in any light</li> </ul>	automatically adjusts for medium-speed (like
\$137.50	Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)	<ul> <li>Filter control switch—permits use of Type A color film</li> <li>Fixed focus</li> </ul>	KODACHROME 40) or high-spee (like KODAK EKTACHROME 160) movie films
XL330 Camera <b>142 4597</b>	"Camera only" supplied with rubber eyecup, neck strap, and instruction book.	<ul> <li>Low-light signal in viewfinder that helps avoid underexposure</li> <li>Battery check</li> </ul>	<ul> <li>Red signal in viewfinder indicates last three feet of film</li> <li>Accepts all super 8 silent cartridge films, including Type</li> </ul>
\$129.50	Camera dimensions, approximately 43/x61/x31/2 inches. Camera weight (with batteries, eyecup, and neck strap), approximately 1 pound 12 ounces. Auxiliary equipment listed above.	Existing Light Mortes  Kodak  movia	<ul> <li>G, which eliminates filter settings</li> <li>Attractively styled in aluminun colored case with black vinyl trim</li> <li>One filming speed—18 fps</li> </ul>
		1330	
XL342R Outfit	KODAK XL342 Mov	ie Outfit  Nineteen basic features plus:	New exposure-meter
XL342R Outfit 110 1898	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie	Nineteen basic features plus:  • 10-element, 9-21 mm f/1.2 KODAK EKTAR ZOOM Lens	lock—manually locks in a pre-selected exposure setting
	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of	Nineteen basic features plus:  • 10-element, 9-21 mm f/1.2  KODAK EKTAR Zoom Lens  • Easy scale focus calibrated in both feet and meters with zone symbols	lock-manually locks in a
110 1898	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie Film, and instruction book.  Auxiliary Equipment: KODAK XL Movie Case (D147C)  "Camera only" supplied with rubber	Nineteen basic features plus:  • 10-element, 9-21 mm f/1.2 KODAK EKTAR Zoom Lens • Easy scale focus calibrated in both feet and meters with zone symbols • Coupled sports-type viewfinder for a wider view of the scene	lock—manually locks in a pre-selected exposure setting which produces good movies under unusual lighting conditions, i.e. backlit scenes  • Low-light signal in viewfinder
\$224.50	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)  "Camera only" supplied with rubber eyecup, neck strap, and instruction book.  Camera dimensions, approximately	Nineteen basic features plus:  10-element, 9-21 mm f/1.2 KODAK EKTAR Zoom Lens Easy scale focus calibrated in both feet and meters with zone symbols Coupled sports-type viewfinder for a wider view of the scene Attractively styled in aluminum-colored case with	lock—manually locks in a pre-selected exposure setting which produces good movies under unusual lighting conditions, i.e. backlit scenes.  Low-light signal in viewfinder that helps avoid underexposus.  Accepts all super 8 silent cartridge films, including Typ
\$224.50 XL342 Camera	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)  "Camera only" supplied with rubber eyecup, neck strap, and instruction book.	Nineteen basic features plus:  • 10-element, 9-21 mm f/1.2 KODAK EKTAR Zoom Lens • Easy scale focus calibrated in both feet and meters with zone symbols • Coupled sports-type viewfinder for a wider view of the scene • Attractively styled in	lock—manually locks in a pre-selected exposure setting which produces good movies under unusual lighting conditions, i.e. backlit scenes  • Low-light signal in viewfinder that helps avoid underexposu  • Accepts all super 8 silent cartridge films, including Typ G, which eliminates filter settings  • Filter control switch permuse of Type A color film
110 1898 \$224.50 XL342 Camera 110 1856	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)  "Camera only" supplied with rubber eyecup, neck strap, and instruction book.  Camera dimensions, approximately 4%x7%x3½ inches.  Camera weight (with batteries, eyecup, and neck strap), approximately 2 pounds, 4 ounces.	Nineteen basic features plus:  10-element, 9-21 mm f/1.2 KODAK EKTAR Zoom Lens Easy scale focus calibrated in both feet and meters with zone symbols Coupled sports-type viewfinder for a wider view of the scene Attractively styled in aluminum-colored case with black vinyl trim and silver wing	lock—manually locks in a pre-selected exposure setting which produces good movies under unusual lighting conditions, i.e. backlit scenes  • Low-light signal in viewfinder that helps avoid underexposu  • Accepts all super 8 silent cartridge films, including Typ G, which eliminates filter settings  • Filter control switch perm use of Type A color film  • Dual film-speed range automatically adjusts for
110 1898 \$224.50 XL342 Camera 110 1856	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)  "Camera only" supplied with rubber eyecup, neck strap, and instruction book.  Camera dimensions, approximately 4%x7%x3½ inches.  Camera weight (with batteries, eyecup, and neck strap), approximately 2 pounds, 4 ounces.	Nineteen basic features plus:  10-element, 9-21 mm f/1.2 KODAK EKTAR ZOOM Lens Easy scale focus calibrated in both feet and meters with zone symbols Coupled sports-type viewfinder for a wider view of the scene Attractively styled in aluminum-colored case with black vinyl trim and silver wing panels	lock—manually locks in a pre-selected exposure setting which produces good movies under unusual lighting conditions, i.e. backlit scenes  • Low-light signal in viewfinder that helps avoid underexposu  • Accepts all super 8 silent cartridge films, including Typ G, which eliminates filter settings  • Filter control switch perm use of Type A color film  • Dual film-speed range

NOTE: The principal differences: The "XL342" and "XL352" differ in that the "XL352" has a 10-element, 9-21 mm f/1.2 KODAK EKTAR Power Zoom Lens.

Product	KODAK VI 252 Movio	Outfit		
CAT. No.	KODAK XL352 Movie	Outilit	583143 S	
XL352R Outfit	Each outfit contains movie camera,	Nineteen basic features plus:	New exposure-meter lock—	
110 1955	rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of Kodak Type G Ektachrome 160 Movie	• Power zoom lens—10-element,	manually locks in a pre-selected exposure setting which	
\$254.50	Film, and instruction book.  Auxiliary Equipment:  KODAK 1796 G ENTACHOME 100 Movie Film, and instruction book.  Auxiliary Equipment:  KODAK 1796 G ENTACHOME 100 Movie Film, and instruction book.	<ul> <li>9-21 mm f/1.2 KODAK EKTAR</li> <li>Easy scale focus calibrated in both feet and meters with zone symbols</li> </ul>	produces good movies under unusual lighting conditions, i.e. backlit scenes	
XL352 Camera	"Camera only" supplied with rubber eyecup, neck strap, and instruction	<ul> <li>Coupled sports-type viewfinder for a wider view of the scene</li> <li>Attractively styled in aluminum- colored case with black vinyl</li> </ul>	<ul> <li>Low-light signal in viewfinder that helps avoid underexposure</li> <li>Accepts all super 8 silent cartridge films, including</li> </ul>	
110 1914	book. Camera dimensions, approximately 4¾x7¾x3½ inches.	trim and silver wing panels	Type G, which eliminates filter	
\$246.50	Camera weight (with batteries, eyecup, and neck strap), approximately 2 pounds, 4 ounces.  Auxiliary equipment listed above.	Existing Light Movies  Kodak  avove  outrit	<ul> <li>Filter control switch permits use of Type A color film</li> <li>Dual film-speed range automatically adjusts for medium-speed (like KODACHROME 40) or high-speed (like KODACHROME 40) movie films</li> <li>One filming speed—18 fps</li> <li>Red signal in viewfinder</li> </ul>	
	NOTE: The principal differences: The "XL3 differ in that the "XL362" has all the features o superimposed image rangefinder for fast, acc	of the "XL352" plus: curate focusing.		
VI 000D O 151	Fook outfit contains mayin somer	Ninatoon hadia faaturaa alua:	Now expenses meter look	
XL362R Outfit 110 1021	Each outfit contains movie camera, rubber eyecup, neck strap, four AA-size alkaline batteries, one cartridge of KODAK Type G EKTACHROME 160 Movie	Nineteen basic features plus:  Power zoom lens—10-element, 9-21 mm f/1.2 Kodak Ektar	<ul> <li>New exposure-meter lock— manually locks in a pre-selected exposure setting which</li> </ul>	
\$289.50	Film, and instruction book.  Auxiliary Equipment:  KODAK XL Movie Case (D147C)	<ul> <li>Superimposed image rangefinder</li> <li>Easy scale focus calibrated in</li> </ul>	produces good movies under unusual lighting conditions, i.e. backlit scenes • Low-light signal in viewfinder	
XL362 Camera	"Camera only" supplied with white-	both feet and meters with zone symbols  • Coupled sports-type viewfinder	that helps avoid underexposure  • Accepts all super 8 silent	
110 1971	"Camera only" supplied with rubber eyecup, neck strap, and instruction book.	for a wider view of the scene	cartridge films, including Type G, which eliminates filter	
\$281.50	Camera dimensions, approximately 43/x73/x31/2 inches. Camera weight (with batteries, eyecup, and neck strap), approximately 2 pounds, 4 ounces. Auxiliary equipment listed above.	<ul> <li>Attractively styled in aluminum- colored case with black vinyl trim and silver wing panels</li> </ul>	settings  Filter control switch permits use of Type A color film  Dual film-speed range	



- Dual film-speed range . . . automatically adjusts for medium-speed (like KODACHROME 40) or high-speed (like Kodak Ektachrome 160) movie films
- One filming speed—18 fps
- Red signal in viewfinder indicates last three feet of film
- Built-in battery check

## KODAK EKTASOUND Movie Cameras for Existing-Light Super 8 Sound Movies

8 Basic Features shared by the following KODAK EKTASOUND Movie Camera Models: EKTASOUND 230, EKTASOUND 240, EKTASOUND 250, EKTASOUND 260

- 1. Sound movies without movie lights using KODAK EKTACHROME 160 Sound Movie Film (Type A) or equivalent, and sound movies in daylight or with movie lights using KODACHROME 40 Sound Movie Film (Type A) or equivalent.
- 2. Take super 8 sound/silent movies
- 3. One-step automatic sound movies with lip synchronization

- 4. Sound is recorded on the magnetic-striped super 8 film in the EKTASOUND Camera
- 5. Automatic gain control (AGC) sets proper sound recording level . . . as CdS automatic control sets proper exposure
- 6. Low-light signal visible in viewfinder . . . an amber light appears in the lower left part of the viewfinder.
- 7. Filter control switch-Permits use of Type A films
- 8. XL capability
  - Fast, f/1.2 KODAK EKTAR Lens
  - 230-degree shutter
  - Double-vane exposure control
  - High-aperture, high-brightness optical viewfinder
  - f/45 minimum effective aperture for high-brightness

Synchronization	Sceries
Product	Konay Eyzacoung 220 Moyic Outlit
CAT. No.	KODAK EKTASOUND 230 Movie Outfit
D230R Outfit	Each outfit contains movie camera, on- camera microphone, extension micro-
131 5639	phone and stand, monitor earpiece, windscreen, rubber eyecup, six AA-size alkaline batteries, one 9-volt transistor
\$287.50	battery, one cartridge of Kodak  Ektachrome 160 Sound Movie Film, wrist strap, and instruction book.  Fixed focus  High styling—modern appearance
	Auxiliary equipment:  KODAK EKTASOUND Movie-Making Case, Model 2 (D155C)  KODAK Microphone Extension Cord (D162)  • Automatically adjusts medium- or high-spec
	KODAK EKTASOUND Camera Battery Pack (D164)  KODAK EKTASOUND EKTASOUND
D230 Camera	"Camera only" supplied with on-camera microphone, extension microphone
131 5571	and stand, monitor earpiece, wind- screen, rubber eyecup, wrist strap, and instruction book.
\$274.50	Camera dimensions, approximately 11x9½x3¾ inches. Camera weight, approximately 3 pounds, 2 ounces. Auxiliary equipment listed above.



Eight basic features plus:

- Fast, 6-element, 9 mm f/1.2 KODAK EKTAR Lens
- Fixed focus
- High styling—modern appearance
- · Automatically adjusts for medium- or high-speed films
- Quiet running
- On-camera microphone as well as extension microphone
- · Normal and reduced extension microphone jacks
- Electric eye
- · Sound monitor-before or during filming
- Viewfinder signals Amber low-light indicator Red sound-film travel indicator Green sound indicator Blue viewfinder film-supply indicator Black arrow end-of-film indicator
- Illuminated external film-supply indicator
- · Motor battery check (external)
- · Camera-on light
- Run-lock exposure release
- Tripod socket
- External power jack
- · Electric motor drive
- · Automatic CdS exposure control
- Viewfinder focus
- · Easy-load battery tray
- Microphone windscreen

Product
CAT. No.
D240R Outfit
131 5712
\$412.50

#### KODAK EKTASOUND 240 Movie Outfit

Each outfit contains movie camera, on-camera microphone, extension micro-phone and stand, monitor earpiece, windscreen, rubber eyecup, six AA-size alkaline batteries, one 9-volt transistor battery, one cartridge of KODAK EKTASOUND 160 Sound Movie Film, wrist strap, and instruction book.

Auxiliary equipment:

KODAK EKTASOUND Movie-Making Case, Model 2 (D155C)
Kodak Microphone Extension Cord

KODAK EKTASOUND Camera Battery Pack (D164)

D240 Camera 131 5654

\$399.50

"Camera only" supplied with on-camera microphone, extension microphone and stand, monitor earpiece, wind-screen, rubber eyecup, wrist strap, and

instruction book.

Camera dimensions, approximately 11x9½x3¾ inches
Camera weight, approximately 3 pounds 9 ounces
Auxiliary equipment listed above

#### Eight basic features plus:

- Sharp, 10-element, 9-21 mm f/1.2 KODAK EKTAR Manual Zoom Lens
- · Scale focus in feet and meters with zone symbols
- Automatic parallax correction
- Sports-type viewfinder



- High styling-modern appearance
- Automatically adjusts for medium- or high-speed films
- Quiet running
- On-camera microphone as well as extension microphone
- Normal and reduced extension microphone jacks
- Electric eye
- · Sound monitor-before or during filming
- Viewfinder signals Amber low-light indicator Red sound-film travel indicator Green sound indicator Blue viewfinder film-supply indicator Black arrow end-of-film indicator
- Illuminated external film-supply indicator
- Motor battery check (external)
- Camera-on light
- Run-lock exposure release
- Tripod socket
- External power jack
- Electric motor drive
- Automatic CdS exposure control
- Viewfinder focus
- · Easy-load battery tray
- Microphone windscreen

Product	VODAK EKTACOUND	250 Movie Outfit	
CAT. No.	KODAK EKTASOUND	250 MOVIE OUTIL	
D250R Outfit	Each outfit contains movie camera with on-camera microphone attached, ex-	Eight basic features plus:	Automatic CdS exposure control
110 0510	tension microphone with stand, wrist strap, rubber eyecup, monitor ear plug, microphone handle cap, six AA-size	<ul> <li>Fast, 10-element, 9-21 mm f/1.2</li> <li>KODAK EKTAR Power Zoom Lens</li> </ul>	<ul> <li>Sports-type viewfinder</li> </ul>
\$457.95	alkaline batteries, one 9-volt alkaline battery, one cartridge of Kodak EKTACHROME 160 Sound Movie Film, and instruction book.  Auxiliary Equipment:  KODAK EKTASOUND Movie-Making Case, Model 2 (D155C)  KODAK Microphone Extension Cord (D162)  KODAK EKTASOUND Camera Battery Pack (D164)	<ul> <li>Scale focus in feet and meters with zone symbols</li> <li>Electric motor drive</li> <li>On-camera microphone as well as extension microphone</li> <li>Sound monitor—before or during filming</li> </ul>	<ul> <li>Automatic parallax correction</li> <li>Viewfinder focus</li> <li>Viewfinder signals         Amber low-light indicator         Red sound-film transport indicator         Green sound indicator         Blue viewfinder film-supply indicator     </li> </ul>
Data Comoro	"Camera only" supplied with on cam-	KODAK EKTASOUND 250 MOVE COUNTY	Black arrow end-of-film indicator
D250 Camera 110 0494	"Camera only" supplied with on-cam- era microphone attached, extension microphone with stand, wrist strap, rub-	Address 9 - Entire year Accession Specialistics cooler control specialistics	<ul> <li>Automatically adjusts for medium- or high-speed films</li> </ul>
	ber eyecup, monitor ear plug, micro- phone handle cap, and instruction book.	CONTRACTOR OF THE PARTY OF THE	<ul><li>Easy-load battery tray</li><li>Battery check</li></ul>
\$444.50	Camera dimensions, approximately 11 x 9½ x 3¾ inches. Camera weight, approximately 3 pounds, 12 ounces. Auxiliary equipment listed above.		<ul> <li>Run-lock exposure release</li> <li>Camera-on light</li> <li>External power jack</li> <li>Tripod socket</li> <li>Microphone windscreen</li> </ul>
	NOTE: The principal differences: The "D2 in that the "D260" has all the features superimposed image rangefinder for fast,  KODAK EKTASOUND	of the "D250" plus: accurate focusing.	
	Each outfit contains movie camera with	Eight basic features plus:	Automatic CdS exposure
D260R Outfit	on-camera microphone attached, ex-		control
D260R Outfit 110 0593	on-camera microphone attached, ex- tension microphone with stand, wrist strap, rubber eyecup, monitor ear plug, microphone handle cap, six AA-size	<ul> <li>Fast, 10-element, 9-21 mm f/1.2</li> <li>KODAK EKTAR Power Zoom Lens</li> </ul>	control • Sports-type viewfinder • Automatic parallax correctio

#### D260 Camera 110 0577

\$486.50

"Camera only" supplied with on-camera microphone attached, extension microphone with stand, wrist strap, rubber eyecup, monitor ear plug, microphone handle cap, and instruction book.

Camera dimensions, approximately 11 x 9½ x 3¾ inches.
Camera weight, approximately 3 pounds, 12 ounces.
Auxiliary equipment listed above.



- indicator
- Automatically adjusts for medium- or high-speed films
- Easy-load battery tray
- Battery check
- Run-lock exposure release
- Camera-on light
- External power jack
- Tripod socket
- Microphone windscreen

Product			
CAT. No.			
D147C KODAK XL Movie Case 151 0270	Fits all KODAK XL Movie Cameras—Styled of textured vinyls and shades of brown with the pleasing effect of genuine leather. Vinyl coating protects it from scuffing and water damage. This handsome case has a safari look. Case holds any KODAK XL Movie Camera plus film.		
\$16.50			
D143C KODAK INSTAMATIC Movie Case, Model C 102 3597	For Kodak Instanatic M22, M24, M28, and M30 Movie Cameras—Provides protection and easy carrying. Made from rugged molded material. Hinged cover with snap lock. Inside top and bottom are padded. Styled in pebble-grained black with bright metal trim. With adjustable shoulder strap.		D147C
\$6.95			
D155C KODAK EKTASOUND Movie-Making Case, Model 2 100 3953	For Kodak Ektasound 230, 240, 250, and 260 Movie Cameras with on-camera microphone attached and monitor cord. Handsome top-opening case is made of dark brown simulated leather stock. Holds extra cartridges of super 8 film and extension microphone with attached 12-foot cord. Extension microphone can be attached to the outside of the case for		
\$25.50	convenient method of microphone placement. Dimensions: 13%x11½x5½ inches.		E
			D155C
D162 KODAK Microphone Extension Cord, 15-foot <b>141 1693</b>	Extends distance between Kodak Ektasound Movie Camera and microphone up to 27 feet for greater maneuverability.		
\$7.75			
D164 KODAK EKTASOUND Camera Battery Pack 141 1859	Holds six AA-size alkaline batteries to supplement (in parallel) camera batteries. Permits extended camera operation in temperatures between 32° F and 20° F. Plugs into KODAK EKTASOUND Movie Camera's external-power jack.	D162	-1
\$7.75			D164
D158 (ODAK Directional Microphone 178 3000	Directional microphone with 8-foot cord and miniature 1/8-inch plug. For use with KODAK EKTASOUND MOVIEDECK 275 and 285 Projectors and with KODAK EKTASOUND Movie Cameras and KODAK SUPERMATIC 200 Sound Camera to add narration, original sound-track sound on sound, background music, sound effects.	D158	
\$14.75	made, sound enough	D100	

## **Movie Camera Parts**

		Part	
List	Description	Number	
\$.40	Rubber eyecups for Kodak XL and Ektasound Movie Cameras Round rubber eyecups for Kodak Instanatic M28 and M30	*192742	
.27	Movie Cameras	*183992	
.11	Movie Cameras	*179654	
1.75	Neck strap for KODAK XL10, XL33, and XL55 Movie Cameras	*192736	
1.70	XL350, and XL360 Movie Cameras	*206279	
.11	Filter Key	*172773	
7.00	and 260 Movie Cameras	*203649	
6.00	KODAK EKTASOUND Microphone and Stand Assembly	*206727	
.27	Cameras	*184535	
.35	Microphone handle cap	*215330	
3.50	Monitor earplug with cord	*203129	
1.00	Windscreen (for on-camera mike)	*216162	
8.50	Battery tray assembly	*212222	

<sup>\*</sup>Available from Parts Services (PS) in Rochester.

## Movie Projectors

### KODAK MOVIEDECK® Projectors for showing super 8 and 8 mm silent films



#### 425

- Budget-priced model
- Rapid reel-to-reel rewind
- Sharp, 22 mm f/1.8 lens
- 50-watt, 30-volt ENZ lamp



#### 435

- Three projection selections (18 frames per second forward or reverse plus "still")
- Automatic rewind
- Sharp, 22 mm f/1.8 lens
- 50-watt, 30-volt ENZ lamp



#### 447

- Lowest-priced model with built-in viewing screen
- Automatic threading
- Sprocketless projection
- Automatic rewind
- Three projection selections (18 frames per second forward and reverse plus "still")



#### 457

- Lowest-priced model with new, larger built-in viewing screen
- Easy thumbwheel focusing
- Five projection selections including slow motion (6, 18 frames per second forward and reverse plus "still")



#### 467

- New, larger built-in viewing screen
- Seven projection selections (6, 18, 54 frames per second forward and reverse plus "still")
- Off-on projection lamp switch
- Bright, 80-watt, 30-volt ELB lamp



#### 477

- New, larger built-in viewing screen
- Nine projection selections (3, 6, 18, 54 frames per second forward and reverse plus "still")
- Room-light lamp outlet
- · Off-low-high projection lamp switch
- Bright, 80-watt, 30-volt ELB lamp

# KODAK EKTASOUND MOVIEDECK® Projectors to show super 8 **sound**/silent and 8 mm silent films



#### 265

- Automatic threading
- · Sprocketless film drive
- Super 8 sound/silent and 8 mm silent capabilities
- Automatic rewind
- Instant rerun
- Large built-in viewing screen



#### 275

Offers all features of 265, plus:

- "Full" sound record capability
- Automatic control of sound recording level (AGC)
- Phone input jack
- 1/8-inch microphone input jack
- Off/On lamp switch



#### 285

Offers all features of 275, plus:

- Sound-on-sound recording capability
- Manual control of sound recording level with VU meter

## KODAK MOVIEDECK Projectors for showing super 8 and 8 mm silent films

19 Basic features shared by all

#### **KODAK MOVIEDECK Projectors:**

- 1. Low-profile styling
- 2. Smoke-tinted dust cover allows projection while in place. Mounted on pull-away hinges for easy removal
- 3. Automatic threading
- 4. Dual projection capability (super 8 and 8 mm)
- 5. 400-foot-reel capacity
- 6. Instant rerun
- 7. Permanently attached enclosed take-up reel
- 8. Cord storage compartment

- 9. 20-32 mm f/1.5 zoom lens available for all models
- 10. Spare projection lamp storage
- 11. Film trimmer
- 12. Up to 7 degrees elevation
- 13. Used lamp ejector
- 14. Sprocketless film drive for quiet operation and less wear on film
- 15. Wood-grain vinyl covered side panels
- 16. Fold-down carrying handle
- 17. Integral super 8 or 8 mm supply reel spindle
- 18. Permanently attached 8-foot power cord
- 19. Frame control

Product CAT. No.	KODAK MOVIEDECK 4	25 Projector	
CAT. No.			
D425 Projector	With 22 mm f/1.8 lens		Nineteen basic features plus:
179 0427		A Common of the	<ul><li>Projection forward at 18 fps</li><li>Rapid reel-to-reel/rewind</li></ul>
\$129.50			<ul> <li>Sharp, 22 mm f/1.8 lens</li> <li>50-watt, 30-volt ENZ lamp</li> </ul>
D425Z Projector	With 20-32 mm f/1.5 zoom lens		
179 0443		matinasta 425 §	
\$159.50			
D425K Projector	With 22 mm f/1.8 lens	KODAK MOVIEDECK 425-K Proje	ector
151 3621			
\$144.50			
D 405K7 Projector	Will 00 00		
D425KZ Projector <b>151 3647</b>	With 20-32 mm f/1.5 zoom lens <b>D425K and D425KZ projectors operate</b> <b>on 110-130-volt, 50 or 60 Hz</b>		
\$174.50	011 110-100-401t, 30 01 00 112		
\$174.50			
C			
	For auxiliary equipment, see pages 60-66 Dimensions, approximately 61/x121/4x		
	11% inches.  Weight, approximately 13 pounds, 8 ounces.		

Product	KODAK MOVIEDECK 435 Projector	
CAT. No.	RODAR MOVIEDECK 433 FTOJECIOI	
D435 Projector 179 0484	With 22 mm f/1.8 lens	Nineteen basic features plus:  • Three projection selections (18 fps forward and reverse
\$164.50		plus "still")  • Automatic rewind  • Sharp, 22 mm f/1.8 lens
D435Z Projector 179 0500	With 20-32 mm f/1.5 zoom lens	• 50-watt, 30-volt ENZ lamp
\$194.50	For auxiliary equipment, see pages 60-66 Dimensions, approximately 61/x121/x 111/x inches. Weight, approximately 13 pounds, 8 ounces.	

	KODAK MOVIEDECK 447 Project	tor
D447 Projector 100 9182 \$207.50	With 22 mm f/1.4 lens	Nineteen basic features plus:  • Three projection selections (18 fps forward and reverse plus "still")  • Built-in viewing screen (21/4"x31/4")
D447Z Projector	With 20-32 mm f/1.5 zoom lens	Automatic rewind     "Fast forward" plus "Rewind"— rapid acess

100 9208

\$232.50

For auxiliary equipment, see pages 60-66

Dimensions, approximately 61/4x121/4x 111/2 inches.

Weight, approximately 13 pounds.

- rapid acess
- 50-watt, 30-volt ENZ projection lamp

Product	KODAK MOVIEDECK 4	IS7 Projector	
CAT. No.	RODAK MIOVIEDECK 4	157 Projector	
D457 Projector 100 9265	With 22 mm f/1.4 lens		Nineteen basic features plus: • Five projection selections (6, 18 fps forward and reverse
\$247.50			plus "still")  New, larger built-in viewing screen (3½" x 5")
D457Z Projector 100 9281	With 20-32 mm f/1.5 zoom lens		<ul><li>Thumbwheel focusing</li><li>Automatic rewind</li><li>"Fast forward" plus "Rewind"-rapid access</li></ul>
\$272.50			50-watt, 30-volt ENZ projection lamp
D457K Projector 100 9307	With 22 mm <i>f</i> /1.4 lens	KODAK MOVIEDECK 457-K Project	tor
\$262.50			
D457KZ Projector 100 9323	With 20-32 mm <i>f</i> /1.5 zoom lens <b>D457K and D457KZ projectors operate</b> on 110-130 volt, 50 or 60 Hz		
\$287.50	For auxiliary equipment, see pages 60-66 Dimensions, approximately 6¼x12¼x 12 inches. Weight, approximately 13 pounds, 8 ounces		
	KODAK MOVIEDECK 4	167 Projector	
D467 Projector 100 9349	With 22 mm f/1.4 lens		Nineteen basic features plus:  • Seven projection selections (6, 18, 54 fps forward and reverse
\$274.50			plus "still")  New, larger built-in viewing screen (3½"x5")
D467Z Projector 100 9364	With 20-32 mm f/1.5 zoom lens For auxiliary equipment, see pages 60-66		<ul><li>Thumbwheel focusing</li><li>Automatic rewind</li><li>"Fast forward" plus "Rewind"-rapid access</li></ul>
\$299.50	Dimensions, approximately 61/4x121/4x 12 inches.  Weight, approximately 13 pounds, 8		Off/On projection lamp switch     Bright, 80-watt, 30-volt ELB lamp

lamp

Weight, approximately 13 pounds, 8 ounces.

Product	KODAK MOVIEDECK 477 Projector	
CAT. No.	RODAR MOVIEDECK 477 Projector	
D477 Projector 100 9380	With 22 mm f/1.4 lens	Nineteen basic features plu  Nine projection selections 18, 54 fps forward and rev
\$299.50		plus "still")  New, larger built-in viewin screen (3½" x 5")
D477Z Projector	With 20-32 mm f/1.5 zoom lens	Thumbwheel focusing     Automatic rewind
100 0406	For auxiliary equipment, see pages	"Fast forward" and "Rew

lus:

- ns (3, 6, everse
- ing
- wind" rapid access
- Room-light lamp outlet
- Off-low-high projection lamp switch
- Bright, 80-watt, 30-volt ELB lamp

100 9406

\$324.50

For auxiliary equipment, see pages 60-66

Dimensions, approximately 61/4x121/4x 12 inches.

Weight, approximately 13 pounds, 8 ounces.

# KODAK EKTASOUND MOVIEDECK Projectors to Show Super 8 **Sound**/Silent and 8 mm Silent Films

#### 25 Basic features shared by all

#### **KODAK EKTASOUND MOVIEDECK Projectors:**

- 1. Low-profile styling
- 2. Dual-projects super 8 sound/silent and 8 mm silent films
- 3. Large built-in viewing screen (31/2"x5")
- 4. 400-foot reel capacity
- 5. Up to 7 degrees elevation
- 6. Automatic threading
- 7. Sprocketless film drive
- 8. Automatic rewind
- 9. Forward and still projection
- Variable speed control (between approximately 17 and 24 fps)
- 11. Instant rerun
- 12. Fast forward

- 13. 80W, 30V, ELB lamp
- 14. Spare-lamp storage
- 15. Used-lamp ejector
- 16. 22 mm f/1.4 lens
- 17. 20-32 mm f/1.5 zoom lens
- 18. Room-light lamp outlet
- 19. Built-in speaker
- 20. 1/4" auxiliary speaker jack
- 21. Dust cover
- 22. Carry handle
- 23. Attached 8-foot power cord with storage compartment
- 24. Film trimmer
- 25. Underwriters' Laboratories, Inc. Listed Power required—120-volt, 60 Hz ac only

Product CAT No.	KODAK EKTASOUND MOVIEDEC	к 265 Projector
CAT. No.		
D265 Projector	With 22 mm f/1.4 lens	Twenty-five basic features
131 4376		
\$299.50		and the same of th
D265Z Projector	With 20-32 mm f/1.5 zoom lens	
131 4392	D265 and D265Z projectors operate on 120 volts, 2.4 amps, 60 Hz	
\$324.50	Auxiliary equipment: Kodak Ektasound Moviedeck Projector	

KODAK EKTASOUND MOVIEDECK Projector Case (D156C)

KODAK EKTASOUND Auxiliary Speaker (D166)

KODAK 882 Movie Reel (D882)

KODAK 884 Movie Reel (D884)

Dimensions, approximately 6%x12¼x 13% inches

Weight, approximately 17 pounds 8 ounces

Product	KODAK EKTASOUND MOVIEDECK 2	75 Projector
CAT. No.	NODAN EN MASOURD MICVIEDECK Z	73110,60101
D275 Projector 131 4418	With 22 mm f/1.4 lens	Twenty-five basic features plus  • "Full" sound record capabilit  • Automatic control of sound
\$374.50		recording level (AGC)  • Off/On lamp switch  • Phone input jack  • 1/8-inch microphone input jack
D275Z Projector 131 4434	With 20-32 mm f/1.5 zoom lens D275 and D275Z projectors operate on 120 volts, 2.4 amps, 60 Hz	
\$399.50	Auxiliary equipment:  KODAK EKTASOUND MOVIEDECK Projector Case (D156C)  KODAK EKTASOUND Auxiliary Speaker (D166)	
	Корак Directional Microphone (D158) Корак 882 Movie Reel (D882) Корак 884 Movie Reel (D884)	
	Dimensions, approximately 6% x 12% x 13% inches Weight, approximately 17 pounds 8 ounces	

## KODAK EKTASOUND MOVIEDECK 285 Projector

### D285 Projector

131 4459

\$434.50

With 22 mm f/1.4 lens

## D285Z Projector

131 4475

\$459.50

With 20-32 mm f/1.5 zoom lens

D285 and D285Z projectors operate on 120 volts, 2.4 amps, 60 Hz

Auxiliary equipment:

KODAK EKTASOUND MOVIEDECK Projector Case (D156C)

KODAK EKTASOUND Auxiliary Speaker (D166)

KODAK Directional Microphone (D158) KODAK 882 Movie Reel (D882)

KODAK 884 Movie Reel (D884) Dimensions, approximately 6%x12¼x 13% inches

Weight, approximately 17 pounds 8



Twenty-five basic features plus:

- Full record and sound-on-sound recording capability
- 1/8" microphone input jack
- Phone input jack
- Automatic control of sound recording level (AGC)
- Manual control of sound recording level with VU meter
- Off/On lamp switch

CAT. No.

## **KODAK ANALYST II Projector 16 mm**

AV262 Projector 100 9075

\$830.00

Equipment includes—Kodak Projection EKTANAR Lens; 2-inch f/1.6 (L); 200-watt 24-volt tungsten-halogen lamp (EJL), 400-ft. Kodak Movie Reel, instantaneous remote reversing switch, a daylight screen. Power Required—AC, 105- to 125-volt, 50 and 60 Hz. Underwriters' Laboratories, Inc., listed. Illumination—200-watt lamp. Film Capacity—400 feet, 16 mm. Speeds—5 to 24 fps. Dimensions—length 12½-inches, width 11-inches, height 17½-inches. Weight—25 pounds.

Auxiliary Equipment:
CINE-KODAK Bifocal Converter
KODAK Projection EKTANON Lenses

An attractively styled 16 mm silent projector, ideal for coaches for analyzing sports films and for engineers involved in time studies and motion analysis. The ANALYST II Projector features a 200-watt, 24-volt tungsten-halogen lamp (EJL) which provides brilliance throughout the lamp life.



#### Other features:

- Uses a permanent magnet DC motor and a solid-state speed control for precise speed adjustment
- Has a new easier-to-use reversing mechanism and a rugged reversing switch
- Storage space is provided in the lamphouse for a spare lamp
- Separate motors for film transport and for lamphouse blower
- Projection speed control from 5 to 24 fps
- Remote reverse control for rapid change of film direction
- Daylight screen permits easy projection viewing in lighted room
- Lubricated for life
- Attached reel arms with enclosed nylon gears
- An improved elevating mechanism makes elevation easier with more precise positive locking
- Attached 3-wire grounded power cord

CAT. No.

#### **KODAK PAGEANT 250E Sound Projector**

250E Projector 102 9172

\$935.00

Equipment Includes—KODAK Projection EKTANAR Lens, 2-inch f/1.6 (L), 200-watt, 24-volt EJL lamp, 1,600-foot KODAK Movie Reel. Film Capacity—2,000-feet, 16 mm. Power Required—105-125 volt, 60 Hz. Underwriters' Laboratories, Inc. 10 lists (1.0 lists)

Illumination (with 2-inch f/1.6 lens)-LOW MED 152 199 273 25 Life (Hours) 200 100 Amplifier—(completely transistorized) Rated Continuous Average Sinewave Power 25 watts minimum into an 8-ohm load (supplied speaker) at a total harmonic distortion of 5% maximum throughout a bandwidth of at least 50 Hz to 7 KHz. NOTE: The preceding applies for an rms line voltage of 120 volts at 60 Hz. **Sensitivity**—740 microvolts (.0001) microphone channel, 120 millivolts (.001) auxiliary nei, 120 millivoits (.001) auxillary channel Exciter Lamp—ANSI Code BSK; 6-volt, 1-amp T-5 bulb; single-contact, prefocused base. Sound Pickup—Silicon solar cell. Speaker—7x11-inch oval, PM, 8-ohm voice coil. 40-foot cord with 1/4-inch diameter 40-foot cord with %-inch dameter phone plug. Will handle full output of amplifier. **Dimensions**—Length 12½ inches, Width 11½ inches, Height 16¾ inches, Weight—Projector Complete: 38½ pounds Speaker unit (Case cover): 6½ pounds.

Auxiliary Equipment:
KODAK Microphone, Model PA-8
CINE-KODAK Bifocal Converter
KODAK Projection EKTANON Lenses:
1½-inch f/2.0
3-inch f/2.0
4-inch f/2.5
EJL Lamp, 200-watt, 24-volt
BSK Photocell Exciter Lamp
KODAK PAGEANT Protective Cover

(L) LUMENIZED

An attractively styled, 16 mm optical sound projector featuring an improved amplifier with full 25-watt continuous average sinewave power output and a 200-watt, 24-volt, tungstenhalogen lamp (EJL) which will provide more constant light output and color temperature throughout the lamp life than will non-halogen cycle lamps. The 250E Projector also features a 3-position lamp switch (low, medium, hi) which yields light output approximately equivalent to that of the tungsten-filament 750-, 1,000- and 1,200-watt lamps. Lamp life expectancy on the low lamp setting is approximately 200 hours.



#### Other features:

- Storage space for a spare lamp in the lamphouse
- ¼-inch phone-type speaker jack and plug
- 7x11-inch detachable speaker with 40-foot connecting cord
- Projector motor has thermalfuse protection
- 25-watt amplifier is protected by a delayed-opening fuse
- Permanently prelubricated, timetested projector mechanism is rubber shock-mounted, with permanently attached overhead reel arms
- Single lever, straight-line master control lever which operates the projector in forward direction ... either sound (24 fps) or silent (18 fps) speeds
- Special tungsten-carbide pulldown tooth for long life
- 12-foot permanently attached,
   3-wire grounded power cord
- Tab rewind lever prevents accidental threading while in rewind position

CAT. No.

### **KODAK PAGEANT 120M Sound Projector**

AV120M Projector 132 9697

\$1,875.00

Equipment Includes-KODAK Projection EKTANAR Lens, 2-inch f/1.6 (L), 200-watt, 24-volt EJL lamp, 1,600-foot KODAK Movie Reel, and microphone. Film Capacity—2,000 feet, 16 mm. Power Required—105-125-volt, 60 Hz. Underwriters' Laboratories, Inc. listed. Illumination (with 2-inch f/1.6 lens)— SUPER-40 Shutter in 3-blade position: LOW

273 25 Lumens 152 199 200 100 Life (Hours) SUPER-40 Shutter in 2-blade position: LOW 215 MED 280 385 Lumens

200

100

Life (Hours) Amplifier—(completely transistorized)
Rated Continuous Average Sinewave
Power 25 watts minimum into an
8-ohm load (supplied speaker) at a
total harmonic distortion of 5% maximum throughout a bandwidth of at least 50 Hz to 7 KHz. NOTE: The preceding applies for an rms line voltage of 120 volts at 60 Hz. **Sensitivity**—740 of 120 Voits at 60 Hz. Sensitivity—740 microvolts (.00001) microphone channel, 120 millivolts (.001) auxiliary channel. Exciter Lamp—ANSI Code BSK; 6-volt, 1-amp T-5 bulb; single-contact, prefocused base. Sound Pickup—Silicon solar cell. Speaker—6x9-inch oval, PM 8-ohm voice coil. 40-foot cord with 1/4-inch diameter bone plus Will bandle full output of phone plug. Will handle full output of amplifier. **Dimensions**—Length 12½ amplifier. **Dimensions**—Length 12½ inches, width 11½ inches, height 16¾ inches. **Weight**—Projector complete: 38½ pounds; Speaker unit (Case cover): 6½ pounds.

Auxiliary Equipment CINE-KODAK Bifocal Converter EJL Lamp, 200-watt, 24-volt KODAK Projection EKTANON Lenses: 11/2-inch f/2.0 3-inch f/2.0 4-inch f/2.5

BSK Photocell Exciter Lamp KODAK PAGEANT Protective Cover

(L) LUMENIZED

An attractively styled, silent or magnetic/optical sound playback, and magnetic sound record 16 mm sound projector featuring an amplifier with 7-watt continuous average sinewave power output and a 200-watt 24-volt, tungsten-halogen lamp (EJL) which will provide more constant light output and color temperature throughout the lamp life than will non-halogen cycle lamps. The 120M Projector also features a 3-position lamp switch (low, medium, hi) which yields light output approximately equivalent to that of the tungstenfilament 750-, 1,000- and 1,200watt lamps. Lamp life expectancy on the low lamp setting is approximately 200 hours.

#### Other features:

- Records and/or plays back sound on magnetic-striped 16 mm film
- VU meter indicates sound level during recording
- · Plays optical sound tracks on 16 mm film
- · Storage space for a spare lamp in the lamphouse



- 1/4-inch phone-type speaker jack
- 6x9-inch detachable speaker with 40-foot connecting cord
- · Projector motor has thermalfuse protection
- · Amplifier is protected by a delayed-opening fuse
- · Separate microphone and phono inputs allow the projector to be used as a portable P.A. system
- · Permanently prelubricated, timetested projector mechanism is rubber shock-mounted, with permanently attached overhead reel arms
- · Single lever, straight-line master control lever which operates the projector in either forward or reverse direction . . . either sound (24 fps) or silent (18 fps)
- Optical sound focus lever
- Both high- and low-level inputs are provided and are independently controlled for balanced mixing of sound, with a separate master volume to set the overall level
- 8-ohm output is provided for connection to the speaker; also 200-ohm output for headset monitoring
- · Lifetime solar cell for optical sound pickup
- Microphone supplied
- SUPER-40 Shutter provides optimum projection brightness at sound and silent speeds
- Special tungsten-carbide pulldown tooth for long life
- 12-foot permanently attached, 3-wire grounded power cord
- Tab rewind lever prevents accidental threading while in rewind position

CAT. No.

## **KODAK PAGEANT Sound Projector, Magnetic-Optical, Model AV-12M6-K**

AV286K Projector 141 9878

\$1.835.00

Equipment includes—KODAK Projection EKTANAR Lens, 2-inch, f/1.6 (L); 750-watt lamp (ANSI Code DDB); 1600-foot KODAK Movie Reel; dynamic microphone. Film Capacity—2000 feet, 16 mm. Power Required—120-volt, 50/60 Hz. Underwriters' Laboratories, Inc. listed. Illumination—750-watt or 1000-watt lamp can be used. Amplifier—Printed circuit, all transistor. Separate inputs for microphone and phonograph. Amplifier Frequency Response—20 to 35,000 Hz. Audio Output—12 watts IHFM Music Powerrating. Speaker—11 by 6-inch oval. Dimensions—Length 13% inches; width 11½ inches; height 16¾ inches. Weight—37½ pounds.

Auxiliary Equipment:
KODAK 35-foot Speaker Extension
Cord, Type B
CINE-KODAK Bifocal Converter
KODAK Projection EKTANON Lenses
BSK Photocell Exciter Lamp
Lamps for AV-12M6-K
DDB, 750-watt

In addition to the traditional PAGEANT Projector quality of picture and optical sound reproduction, the AV-12M6-K records and plays back sound from magnetic tracks (full, half, and quarter widths) at either silent or sound speed. Add magnetic sound to any film, old or new.

- Overhead reel arms for projection convenience
- VU meter indicates sound level during recording
- Solid-state, transistorized amplifier has a 12-watt Music Power output rating
- Both high- and low-level inputs are provided and are independently controlled for balanced mixing of sound, with a separate master volume control to set the overall level
- All controls are grouped for ease of use
- 6-8 ohm output is provided for connection to the speaker; also 200 ohm output for headphone monitoring
- Microphone supplied
- Corrections in magnetic recording are easily made . . . rerecording automatically erases the previous recording

- Lifetime solar cell for optical sound pickup
- SUPER-40 Shutter provides optimum projection brightness at 24 fps
- Operation with projection lamp not higher than 1,000 watts; and has fixed two-blade shutter.
- Special tungsten-carbide pulldown tooth gives long life
- 12-foot, permanently attached power cord with grounding-type plug and lifetime projector lubrication

AV286L 142 0447

\$1,835.00

KODAK PAGEANT Sound Projector, Magnetic-Optical, Model AV-12M6-L

Same as Model AV-12M6-K except 50 Hz, 220-volt operation only.



Lamp for AV-12M6-L DKK, 750-watt

(L) LUMENIZED

# Projection Distance Tables for Super 8 and 8 mm Movie Projectors

Approximate Distance from Film to Screen

			Focal Lengt	h of Projection L	ens (mm)**	
Film Size	Screen- Image	15 mm	20 mm	22 mm	30 mm	32 mm
CILO	Width		Proje	ction Distance (in	feet)	
Company of the company	30 in.	7.0	9.5	10.5	14.5	15.5
	40 in.	9.5	12.5	14.0	19.0	20.5
super 8	50 in.	12.0	16.0	17.5	23.5	25.5
	60 in.	14.0	19.0	21.0	28.5	30.5
	70 in.	16.5	22.0	24.5	33.0	35.5
A CONTRACTOR OF STREET	30 in.	8.5	11.5	12.5	17.5	18.5
	40 in.	11.5	15.5	17.0	23.0	24.5
8 mm	50 in.	14.5	19.0	21.0	29.0	30.5
	60 in.	17.5	23.0	25.5	34.5	37.0
	70 in.	20.0	27.0	29.5	40.0	43.0

<sup>\*\*</sup>For zoom lens use minimum and maximum focal lengths.

## **Projection Aids**

Product  CAT. No.	List	KODAK Movie Reels for Super 8 and	8 mm Films
D882 KODAK 882 Movie Reel (super 8 and 8 mm, 200-foot) 178 5023	\$1.95	This versatile smoke-tinted plastic reel provides a thread- easy slot for manual rewind projectors and an anchor-type core for auto rewind projectors.	
D884 KODAK 884 Movie Reel (super 8 and 8 mm, 400-foot) 178 5229	\$2.85	Like the KODAK 882 Movie Reel, this 400-foot movie reel can be used on manual rewind projectors or automatic rewind projectors.	D882
		KODAK Movie Take-Up Reels	
D525 KODAK Movie Take-Up Reel (super 8 and 8 mm, 200-foot) 150 0610 D545 KODAK Movie Take-Up Reel (super 8 and 8 mm, 400-foot) 150 0636	\$4.20 \$5.45	Supplied as original equipment with Kodak Instantic Movie Projectors. Attractive gray metal. Sprocket teeth at the reel center engage film during automatic threading, and slip-clutch keeps the film under tension. Accepts super 8 and 8 mm films. For replacement use only—not to be used as supply reels.	

150 2194  D523 KODAK SUPERMATIC Cassette B (super 8, 100-foot) supplied with reel 146 5491  D515 KODAK SUPERMATIC Cassette C (super 8, 220-foot)	
identification and neatly stored. Make possible long, uninterrupted showings. The 400-foot reels have the "easy-load" slot.  \$11.25    Solution   State   Stat	
KODAK SUPERMATIC Cassettes  S1.00  Super 8, 50-foot) supplied without reel 146 5350  D546 KODAK Movie Reel A (super 8, 50-foot) 150 2194  S1.00  Super 8, 100-foot) supplied with reel 146 5491  S1.00  S1.00  S1.00  For showing super 8 and 8 mm films with projectors designed to accommodate these cartridges. The 50-foot cassette (supplied without reel) accepts super 8 film on a standard 50-foot film return reel; 8 mm film has to be transferred to a 50-foot super 8 film return reel such as D546. The KODAK SUPERMATIC Cassette B (D523) is supplied with a special 100-foot movie reel that accepts super 8 and 8 mm films. For longer showings, the KODAK SUPERMATIC Cassette D (D517) projects 202 feet of film and the KODAK SUPERMATIC Cassette B (Super 8, 100-foot) supplied with reel 146 5491  S1.35	
### Standard Supermatic Cassette A (super 8, 50-foot) supplied without reel accommodate these cartridges. The 50-foot cassette (supplied without reel) accepts super 8 film on a standard 50-foot film return reel; 8 mm film has to be transferred to a 50-foot super 8 film return reel; 8 mm film has to be transferred to a 50-foot super 8 film return reel; 8 mm film has to be transferred to a 50-foot super 8 film return reel; 8 mm films. For longer showings, the Kodak Supermatic Cassette B (D523) is supplied with a special 100-foot movie reel that accepts super 8 and 8 mm films. For longer showings, the Kodak Supermatic Cassette C (D515) projects 220 feet of film and the Kodak Supermatic Cassette D (D517) projects 220 feet of film. Film in a projection cassette is well protected—never touched. It permits fully automatic film threading and rewinding. Cassettes are made from tough, translucent, molded material and are supplied with identification labels and loading instructions.  ### \$1.35	
(super 8, 50-foot) supplied without reel  146 5350  D546 KODAK Movie Reel A (super 8, 50-foot) 150 2194  D523 KODAK SUPERMATIC Cassette B (super 8, 100-foot) supplied with reel 146 5491  D515 KODAK SUPERMATIC Cassette C (super 8, 220-foot)  SUPERMATIC Cassette C (super 8, 220-foot)  \$4.35	
150 2194  D523 KODAK SUPERMATIC Cassette B (super 8, 100-foot) supplied with reel 146 5491  D515 KODAK SUPERMATIC Cassette C (super 8, 220-foot)  permits fully automatic film threading and rewinding. Cassettes are made from tough, translucent, molded material and are supplied with identification labels and loading instructions.	
\$1.35 (super 8, 100-foot) supplied with reel 146 5491  D515 KODAK SUPERMATIC Cassette C (super 8, 220-foot) \$4.35	D521
(super 8, 220-foot)	
supplied with reel	D523
148 2850	3
\$6.00 (super 8, 400-foot) supplied with reel	V
149 1653	D515
	D517

Product		Kanay Dyalastian Cayaana	
CAT. No.	List	KODAK Projection Screens	
D568 KODAK EKTALITE Projection Screen Model 3 (40x40) 145 7001	\$150.00	Produces over six times the brightness of present lenticular screens within its 60-degree-wide viewing area, so it is ideal for the projection of visuals in areas of high illumination or where darkening is not practical or desirable. The specially treated aluminum screen surface is mounted in a rugged, one-piece, molded housing and is equipped with a universal mounting bracket. The bracket permits free-standing use on a table or desk, or suspension from wall or ceiling. The double-curved surface of this rigid screen not only returns more light per unit of screen area but, by nature of its unique curvature and material, will reject stray light originating from outside the projection area. Dimensions (frame size), 45 x 45 inches. Weight, 14 pounds.	D568
338 KODAK Projection Screen (40x40 inches) 155 8857	\$33.00	For use with movie or slide projectors. Incorporates a highly reflective glass-beaded surface, mildew-resistant fabric, and easy-opening tripod legs.	338
		KODAK Movie Projector Accessori	es
D302C KODAK MOVIEDECK Projector Case <b>146 9550</b>	\$21.00	Made of soft brown vinyl, this convenient carry case holds any Корак Моуівреск Projector plus a 400-foot movie reel. Carry strap adjusts for hand or shoulder carrying.	
D156C KODAK EKTASOUND MOVIEDECK Projector Case 100 3433	\$31.95	Designed to carry Kodak Ektasound Moviedeck 265, 275, and 285 Projectors and a separate compartment accommodates movie reels, extension cord, etc. Dark brown simulated leather. Dimensions: 16x141/4x91/4 inches.	D302C
			D156C
AV460 KODAK PAGEANT Protective Cover <b>140 6644</b>	\$34.50	Made of a grained brown polyurethane material with a reinforced handle opening, this protective cover is specially designed to fit Kodak Pageant Sound Projectors, Models AV-12E6 and AV-12M6. Also featured as an integral part of the cover is a storage pocket for carrying a movie reel.  Dust Covers for Ektasound Moviedeck and Moviedeck Projectors, see Parts, page 65.	
D166 KODAK EKTASOUND Auxiliary Speaker 142 0918	\$22.95	An 8-ohm impedance speaker (3x5 inches). Constructed of wood to match Kodak Ektasound Moviedeck Projectors and Kodak Ektasound Movie Projectors. Cabinet dimensions: 10x4%x6 inches. Has 20-foot attached cord with a phone plug stored on a bobbin on cabinet backside.	
			D166

Product		Konak Mayia Drainatar Association (	ont)
CAT. No.	List	KODAK Movie Projector Accessories (	cont.)
D158 KODAK Directional Microphone <b>178 3000</b>	\$14.75	A 500 ohm impedance directional microphone with 8-foot cord and miniature ⅓-inch plug. For use with KODAK EKTASOUND MOVIEDECK 275 and 285 Projectors; KODAK EKTASOUND 245 and 245B Movie Projectors; and with all KODAK EKTASOUND Movie Cameras to add narration, original sound track sound-on-sound, background music, sound effects.	
KODAK Microphone, Model PA-8 144 8372	\$35.90	For Kodak Pageant Sound Projectors and Kodak Instanatic M100A Sound Projector. Dynamic microphone with 8-foot shielded cable and 0.250-inch-diameter standard telephone plug.	D158
KODAK 35-Foot Speaker Extension Cord, Type B 155 1837	\$16.95	For Kodak Pageant Sound Projectors. Complete with telephone-type connectors.	
KODAK Special Lubricating Oil 146 4288	\$1.30	For Kodak equipment requiring lubrication. 1-ounce bottle.	
D510 KODAK Rewind Film Clips 140 8657	\$.80	Used with Kodak Automatic 8, and Instandatic M60, M65, M65A, M105, M109, and M110 Projectors. Attach to end of film on inside of supply reel to trigger automatic rewind. 10 clips per package.	Rodak on Rowing Film Clips
		Editing Equipment and Supplies	
D550 KODAK PRESSTAPE Universal Splicer (8 mm, super 8, and 16 mm) <b>147 5599</b>	\$13.50	Accommodates super 8 as well as 8 mm and 16 mm films. Separate positioning pins for each film size provide proper alignment. A punch is provided for securely seating the splicing tape around the sprocket holes. Supplied with ten super 8 PRESSTAPES, ten 8 mm PRESSTAPES and splicing instructions.	()
69 KODAK PRESSTAPES (super 8) <b>147 5771</b>	\$.75	Merchandise card of 20 packages of 20.	2 200 mg
65 KODAK PRESSTAPES (8 mm) <b>154 9914</b>	\$.75	Merchandise card of 20 packages of 20.	323
66 KODAK PRESSTAPES (16 mm) <b>154 9922</b>	\$.75	Box of 20 packages of 20.	
KODAK Movie Film Cleaner (with Lubricant) 195 6440	\$2.00	Helps to keep film ready for clear projection at all times. 4-ounce bottle.	The state of the s

Product	11-4	<b>Editing Equipment and Supplies (cont.)</b>	
CAT. No.	List	Editing Equipment and Supplies (cont.)	
KODAK Film Cement ½-ounce bottle 195 6218	\$1.45	For speedy, smooth, permanent splicing.	
KODAK Film Cement 2-ounce bottle 195 6192	\$2.00		99
KODAK Professional Film Cement 16-ounce can 195 6176		Same as above, for large-scale users.	
KODAK Professional Film Cement 1-gallon can 195 6150	•	♦Consult your dealer for selling price.	
Product			
Part No.		KODAK Projection Lenses (super 8)	
*22 mm f/1.5 EKTANAR (L) 625410	\$17.00	For Kodak Instamatic M70, M80, M85, M90, M95, M100, M100A, M100-P, and M100A-P Movie Projectors.	
*22 mm f/1.0 EKTAR (L) 625330	\$32.00		
*20 to 32 mm f/1.5 Zoom (L) 625750	\$42.00		
*22 mm f/1.5 (L) 625940	\$17.00	For Kodak Instanatic M10, M67, M67-K, M77, M68, M68A, M105, M105P, M105-K, M109, M109-K, and M110 Movie Projectors.	
*20 to 32 mm f/1.5 Zoom (L) 625760	\$42.00		
*22 mm f/1.5 (L) 625365	\$17.00	For Kodak Instamatic M50, M60, M65, and M65A Movie Projectors	
*15 to 30 mm f/1.3 VARIO-KIPTAGON Zoom 626435	\$52.00	For Kodak Ektasound 235, 235B, 235-K, 235B-K, 245, and 245B Movie Projectors	
*22 mm f/1.8 (L) 626730	\$12.00	For Kodak Moviedeck 425, 425-K, and 435 Projectors. Also interchangeable with Kodak Moviedeck 447, 457, 457-K, 467, 477, 445, 445-K, 455, 455-K, 465 and 475 Projectors	
*22 mm f/1.5 (L) 626650	\$17.00	For Kodak Moviedeck 447, 457, 457-K, 467. 477. 445, 445-K, 455, 455-K, 465 and 475 Projectors. Also interchangeable with Kodak Moviedeck 425, 425-K, 435, and Ektasound 235, 235B, 235-K, 235B-K, 245, and 245B Projectors	
*22 mm f/1.4 (L) 627450	\$17.00	For Kodak Ektasound Moviedeck 265, 275, and 285 Projectors, all Kodak Moviedeck Silent Movie Projectors, Kodak Ektasound 235-K, 235B, and 245B Projectors, and Kodak Supermatic 60 and 70 Sound Projectors.	
*20 to 32 mm f/1.5 Zoom (L) 626740 L) LUMENIZED Available from Parts Services (PS) in	\$42.00	For Kodak Ektasound Moviedeck 265, 275, and 285 Projectors and all Kodak Moviedeck Silent Movie Projectors	

CAT. No.   List   KODAK Projection Extranon Lenses—(16 mm)   1/\(\frac{1}{2}\)   1/\	Product		Konay Drojection Eyeanon Lances (46 mm)
150 3093  2-inch f / 1.6 (L) (EKTANAR) 156 3364  3-inch f / 2.0 (L) 150 3119  4-inch f / 2.5 (L) 150 3127  CINE-KODAK Bifocal Converter 153 5830  CINE-KODAK Bifocal Converter 153 5830  CINE-KODAK Bifocal Converter 153 5830  Serial Results of the serial Results of Frequency Results of R	CAT. No.	List	RODAK Projection Ektanon Lenses—(16 mm)
156 3964   3-inch f / 2.0 (L)   150 3119   4-inch f / 2.5 (L)   150 3127     525.00		\$120.00	"throws" under unusual conditions. The 1½-inch lens produces extra-large screenings at short distances, while 3- and
### Spindle adapter for Kodak Instantatic M109 and M110 Movie Projectors ### Spindle adapter for Kodak Instantatic M109 and M110 Movie Projectors ### Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors ### 13362 ### 212316 ### 212316    **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie Projectors   **Spindle adapter for Kodak Instantatic M10, M67, M77, M80, M85 and M95 Movie M78, M78, M78, M78, M78, M78, M78, M78,		\$55.00	KODASCOPE Projectors, Models G, E, EE, Sixteen-10, Sixteen-20, ANALYST, ROYAL, Sound KODASCOPE, Model F Series, and KODAK PAGEANT Sound Projectors.
CINE-KODAK Bifocal Converter 153 5830  For Kodak Projection Extrana or Extranon Lens, 2-Inch 171.5-When mounted on a Kodak Projection Extrana or 153 5830  For Kodak Projection Extrana or Extranon Lens, 2-Inch 171.5-When mounted on a Kodak Projection Extrana or 153 5830  For Kodak Projection Extrana or 153 5830  For Kodak Projection Extrana or 153 5830  Movie Projection By Inches of Lengthers it to 2½ inches, depending 153 5830  Movie Projector Parts  Part Number  Part Number  Part Number  Description  Spindle adapter for Kodak Instranatic M109 and M110 Movie Projectors 153 183 183 183 183 183 183 183 183 183 18		\$225.00	
### Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors ### Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors ### 195276 #### 195276 ### 195276 ### 195276 ### 195276 ### 195276 ##		\$255.00	
### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  #### 153 5830  ##### 153 5830  ##### 153 5830  ##### 153 5830  ##### 153 5830  ###################################			CINE-KODAK Bifocal Converter
Part Number  *190965 *178443 *176936 *5.75 *195276 *213752 *213502 *212316  *212316  *212316  *212316  *212316  *212316  *212316  *212316  *212316  *212316  *2100 Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for KODAK INSTAMATIC M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for KODAK INSTAMATIC M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109 and M110 Movie Projectors Spindle adapter for KODAK INSTAMATIC M109, M67, M77, M80, M85 and M95 Movie Projectors  *213752  *213752  *213752  *213502  *213502  *212316  *2		\$79.50	f/1.6—When mounted on a KODAK Projection EKTANAR or EKTANON Lens, 2-inch f/1.6, shortens the effective focal length to 1% inches or lengthens it to 2½ inches, depending on which end of the converter is placed next to the basic lens. It fits all current Kodak 16 mm silent and sound projectors and all of their predecessors fitted with the 2-inch f/1.6 lens; Sixteen-10, Sixteen-20, E and EE; Sound KODASCOPE Pro-
*190965 *178443 *176936 *176936 *195276 *213752 *213502 *212316 *212316 *31.00 Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Power cord for Kodak Ektasound 235, 235-K, and 245 Movie Projectors Dust cover for Kodak Moviedeck Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Dust cover for Kodak Ektasound MovieDeck 265, 275, and 285 Projectors Kodak 400 Movie Reel to be used with Kodak Ektasound 235, 235-K, 235-K, 235-K, 235-K, 245, and 245B Movie Projectors			Movie Projector Parts
*190965 *178443 *176936  *195276 *213752 *213502 *212316  *212316  *51.00 \$1.25 \$Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M109 and M110 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Power cord for Kodak Ektasound 235, 235-K, and 245 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Power cord for Kodak Ektasound M0vie Dectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M80, M85 and M95 Movie Projectors Spindle adapter for Kodak Instamatic M10, M67, M77, M8	Part Number		Description
*178443 \$1.25 \$.75 \$Spindle adapter for Kodak Instanatic M65A Movie Projectors \$195276 \$2.00 \$213752 \$6.00 \$5.00 \$212316 \$\$\$  *212316 \$\$\$\$Spindle adapter for Kodak Instanatic M10, M67, M77, M80, M85 and M95 Movie Projectors Power cord for Kodak Ektasound 235, 235-K, and 245 Movie Projectors Dust cover for Kodak Moviedeck Projectors Dust cover for Kodak Moviedeck Projectors \$2.12316 \$	*190965		Spindle adapter for Kodak Instanatic M109 and M110 Movie Projectors
*195276 *213752 *213502 *212316  *22.00 *213502 *212316  *22.00 *213502 *212316  *22.00 *22.0			
*195276 *213752 *213502 *212316  \$2.00 \$6.00 \$5.00 \$5.00 \$2.50  \$2.50  \$2.50  \$2.50  \$2.60 \$5.00	*176936	\$.75	
*213752 *213502 *212316  \$6.00 \$5.00 \$5.00 \$2.50  Dust cover for Kodak Moviedeck Projectors Dust cover for Kodak Ektasound Moviedeck 265, 275, and 285 Projectors Kodak 400 Movie Reel to be used with Kodak Ektasound 235, 235-K, 235B, 235B-K, 245, and 245B Movie Projectors	*195276	\$2.00	
*213502 *212316  \$5.00 \$2.50  Dust cover for Kodak Ektasound Moviedeck 265, 275, and 285 Projectors Kodak 400 Movie Reel to be used with Kodak Ektasound 235, 235-K, 235B, 235B-K, 245, and 245B Movie Projectors			
235B-K, 245, and 245B Movie Projectors		\$5.00	
	*212316	\$2.50	
		1	
LUMENIZED			
vailable from Parts Services (PS) in Rochester.	vailable from Parts Services (PS) in Rochester.		

## **Lamps for Movie Projectors**

Use ANSI Lamp Code and specify voltage when ordering. If no voltage is specified, the lamp with the lower voltage is supplied.

List	Lamp Life Lamp Code Voltage		Voltage/Watts	CAT. No.	Specified for				
\$12.20			<b>30</b> /50	148 6422	Current projector models:  KODAK MOVIEDECK 425, 425-K, 435, 447, 457, 457-K, 445, 445-K, 455 and 455-K. Also interchangeable with ELB for use in MOVIEDECK 467, 477, 465, 475, EKTASOUND MOVIEDECK 265, 275 and 285, and SUPERMATIC 60 and 70 Movie Projectors.				
\$14.70	15	ELB	<b>30</b> /80	109 3046   KODAK EKTASOUND MOVIEDECK 265, 275, and 285 P   KODAK MOVIEDECK 467, 477, 465, and 475 Project SUPERMATIC 60 and 70 Movie Projectors. Also in ENZ for use in MovIEDECK 425, 425-K, 435, 447, 445-K, 455, and 455-K Projectors.					
\$14.70	25◊	EJL	<b>24</b> /200	KODAK ANALYST II Projector 16 mm; KODAK PAGEANT S Projectors, Models AV250S, AV250E, AV250A, AV25 AV120M.					
\$14.70	18	EPK	30/80	130 0516	KODAK EKTASOUND 235B, 235B-K, 245B, and 245B-L Projectors.				
\$9.00	15	DFE	<b>30</b> /80	109 9779	KODAK EKTASOUND 235, 235-K, 245; KODAK INSTAMATIC M10, M M67-K, M68A, M77, M105, M105-K, M109, M109-K, and M1 Movie Projectors				
\$9.65	15	DFN	<b>125</b> /150	140 5844	KODAK INSTAMATIC M50, M60, M65, M65A, M65-K, M68, and Brownie 8 Movie Projector (Model A15)				
\$15.10	12	DNE	<b>120</b> /150	147 3834	KODAK INSTAMATIC M70, M80, M85, MFS-8 and KODAK CARALUX 8 Movie Projectors				
\$15.10	25	DNF	<b>21</b> /150	/150 <b>155 7602</b> KODAK INSTAMATIC M90, M95, M100A, and M100 Movie Projectors					
\$10.90	25	DDB	<b>115-120</b> /750	152 7225	KODAK PAGEANT Sound, all models except AV-12M6-L; KODAK ANALYST and SHOWTIME 750; KODASCOPE L, G, E, EE, Eight-71, Eight-71A, Eight-90, Eight-90A, Sixteen-10, Sixteen-20, ROYAL, and Sound KODASCOPE Projectors				
\$11.75	25	DFT	<b>115-125</b> /1000	109 1917	KODAK PAGEANT Sound, all models except AV-12M6-L; KODAK ANALYST and KODASCOPE Eight-71, Eight-71A, Sixteen-10, Sixteen-20, and RoyaL Projectors				
\$17.80	10	DHT	<b>120-125</b> /1200	154 7132	KODAK PAGEANT AV-255-S, AV-126-TR, AV-256-TR, AV-154-S, AV-154, Type II, MK5, AV-085, 8K5, AV-105M, AV-12E6, and AV-12M6 Projectors				
\$25.50	25	DKK	<b>230</b> /750	190 9910	KODAK PAGEANT Sound Projectors, Models AV-126-TR-R, AV-256-TR-R and AV-12M6-L				
\$15.50	50		<b>12</b> /100	145 7662	Philips, No. 6834 for Kodak Instamatic M105-P Projector				
\$11.85	15	DKR	<b>21</b> /150	140 4201	Other projector models:  KODAK INSTAMATIC M100 Sound; KODAK CHEVRON 8, Model 1 and Model 10; and KODAK ANALYST 8 Projector, Model A75				
citer Lamp f	or sound system:	To the same of the		Zicinati saio					
\$3.90		вѕк	Voltage/Amp 6/1	152 6359	KODAK PAGEANT Sound Projectors, Models AV-12E6, AV-12M6, AV-12M6-K, AV-12M6-L, AV-126-TR, AV-126-TR-R, AV-256-TR, AV-256-TR-R; KODAK PAGEANT Arc Projector; and EASTMAN 16 mm Projector, Models 25, 25B, 25C, 30, and 40				
\$3.65		BTD	7/.2	152 6367	KODAK PAGEANT Sound Projectors except models listed for BSK lamp				

## KODAK Color Films

RODAK Color Film (Code)		BALANCED	Film Speed and KODAK WRATTEN Filter Number										
		FOR	DAYLIGHT Speed Filter		FLASH  Bulb Filter		PHOTOLAMPS (3400 K) Speed Filter		TUNGSTEN (3200 K) Speed Filter		ELECTRONIC FLASH Filter	PROCESSING  KODAK Chemicals	
KODACHROME 25 (Daylight) (KM) For color slides¹		Daylight, Electronic Flash, Blue Flash	25	None	Blue	None	8	80B	6	80A	None	1	By Kodak labs and photofinishers.
KODACHROME II Professional (Type A) (KPA) For color slides¹ 135-36 only		Photolamps (3400 K)	25	85	Clear	81C	40	None	32	82A	85	Not for user processing	Sent to Kodak by dealers or direct by users with
KODACHROME 64 (Dayli For color slides <sup>1</sup>	ight) (KR)	Daylight, Electronic Flash, Blue Flash	64	None	Blue	None	20	80B	16	80A	None	N g	Kodak Mailers.
KODACOLOR II (C) For color prints <sup>2</sup>		Daylight, Electronic Flash, Blue Flash	100	None	Blue	None	32	80B <sup>6</sup>	25	80A <sup>6</sup>	None	oLOR, s C-41	By Kodak, other labs, or user Sent to Kodak by
KODACOLOR 400 (CA) For color prints <sup>2</sup>		Daylight, Electronic Flash, Blue Flash	400	None	Blue	None	125	80B6	100	80A <sup>6</sup>	None	FLEXICOLOR, Process C-41	dealers or direct by users with KODAK Mailers.
EKTACHROME 64 (ER) (Daylight) For color slides¹		Daylight, Electronic Flash, Blue Flash	64	None	Blue	None	20	80B	16	80A	None <sup>7</sup>	Process E-6	By Kodak, other labs, or user Sent to Kodak by dealers or direct by users with
EKTACHROME 160 (ET) (Tungsten) For color slides <sup>1</sup>		Tungsten	100	85B	-	7 <u>1</u> ,	125	81A	160	None	-		
EKTACHROME 200 (ED) (Daylight) For color slides <sup>1</sup>		Daylight, Electronic Flash, Blue Flash	200	None	Blue	None	64	80B	50	80A None <sup>7</sup> Kodak Mail		KODAK Mailers	
VERICOLOR II Professional, Type S (VPS). <sup>3</sup> 120, 220, 135-20, 135-36, 620 Expose 1/10 sec or less		Electronic Flash, Daylight, or Blue Flash	100	None	Blue⁵	None	32	80B	25	80A	None	C-41	By Kodak, user lab or professional finishers. Sent to Kodak by dealers of direct by users with KODAK Mailers. Typ film is not printed by Kodak
VERICOLOR II Professional, Type L (VPL). <sup>2</sup> 120 only Expose 1/50 to 60 sec		3200 K Tungsten	50 at 1/	85B 50 sec	Not r	recom.	50 at 1	81A sec	64 at 1	None sec4	Not recom.	FLEXICOLOR, Process C-41	
EKTACHROME 64 Professional (Daylight) (EPR). For color slides¹ 120, 135-36, long rolls		Daylight, Electronic Flash, Blue Flash	644	None	Blue	None	20	80B	16	80A	None <sup>7</sup>		
EKTACHROME 50 Professional (Tungsten) (EPY). For color slides¹ 120, 135-36, long rolls		3200 K Tungsten	40 at 1/	85B 50 sec	-	-	40 at ½	81A sec	504 at ½	None	-	ss E-6	By Kodak, other labs, or use Sent to Kodak by
EKTACHROME 200 Profe (Daylight) (EPD). For color slides 120, long rolls		Daylight, Electronic Flash, Blue Flash	2004	None	Blue	None	64	80B	50	80A	None <sup>7</sup>	Proces	dealers or direct by users with KODAK Mailers.
EKTACHROME 160 Professional (Tungsten) (EPT). For color slides¹ 120, 135-36, long rolls		Tungsten	100	85B	-		125	81A	1604	None	-		
Sheet Films		BALANCED FOR	DAYLIGHT		FLASH		PHOTOLAMPS (3400 K)		TUNGSTEN (3200 K)		ELECTRONIC FLASH	PROCESSING	
	107, Type S	Electronic Flash,	Speed	Filter	Bulb	Filter	Speed	Filter	Speed	Filter	Filter	۳°	
Professional <sup>2</sup>	xpose 1/10 sec or less 108, Type L xpose 1/50	Daylight, or Blue Flash 3200 K	50	None 85B	Blue <sup>5</sup>	None recom.	32 50	80B 81A	25 64	80A None	None Not recom.	FLEXICOLOR, Process C-41	By user labs or professional finishers, not by Kodak
	to 60 sec	Tungsten  Daylight,	at 1/	50 sec	INOLI	GOUIII.	at 1	sec	at 1	sec4	INOUTECOM.	Pr	
EKTACHROME 64 Professional <sup>1</sup>	6117 (Daylight)	Electronic Flash, Blue Flash	644	None	Blue	None	20	80B	16	80A	None <sup>7</sup>	Process E-6	By user labs or professional finishers, not
EKTACHROME 50 Professional <sup>1</sup> (	6118 (Tungsten)	3200 K Tungsten	40 at 1/	85B 50 sec	-	-	40 at ½	81A sec	50 <sup>4</sup>	None		Pro	by Kodak

- NOTES:

  <sup>1</sup> Must be processed into slides or transparencies before prints can be made.
- Must be developed to negatives before prints or slides can be made.
   Also, available in long rolls, 35 mm perforated.
   See film instructions.

- S Or clear bulbs with No. 80C Filter; use No. 80D Filter with zirconium-filled clear bulbs such as AG-1 and M3.
- <sup>6</sup> Filter recommendations are for critical use in making negatives to be printed by
- \*Filter recommendations are for critical use in making negatives to be planted by photofinishers.

  7 If results are consistently bluish, use a CC05Y or CC10Y Filter with KODAK EKTACHROME Films for Process E-6; use an ultraviolet absorbing haze filter or a No. 81B Filter with KODACOLOR II Film. Increase exposure ½ stop when a CC10Y or No. 81B Filter is used.

  8 Chemicals other than the KODAK Chemicals listed may be available.

KODAK Color Films (continued)

Movie Films		BALANCED	DAYLIGHT <sup>1</sup>		PHOTOLAN	MPS (3400 K)	TUNGSTE	N (3200 K)	PROGEOGINO	
		FOR	Speed	Filter	Speed	Filter	Speed	Filter	200	PROCESSING
KODACHROME 25 (Daylight) Daylight 8 mm and 16 mm		Daylight	25	None	Not recommended		Not recommended		ser	
KODACHROME 40 (Type A), 8 mm, super 8 silent and sound, and 16 mm	Type A (KMA)	Movie Light (3400 K)	25	85	40	None	322	82A	Not for user processing	
EKTACHROME 40 (Type A) super 8 only	Type A (EMA)	Movie Light (3400 K)	25	85	40	None	Not recommended		Sent to Ko	
EKTACHROME 160 (Type A). For use in limited light. Super 8 and super 8 sound	Type A (ELA)	Tungsten	100	85	160	None	160	None³	EKTACHROME Movie	dealers or direct by users with KODAK Mailers.
Type G  EKTACHROME 160  For use in limited light. Super 8 only	Type G (EG)	Use in any light	160	None	160	None	160	None	ш	
EKTACHROME MS 7256 (EMS) 16 mm		Daylight	64	None	20	80B	16	80A	Proc. ME-4	By Kodak and other labs. Sent t Kodak by dealers

#### NOTES:

Also fluorescent lights, mercury-vapor lamps, carbon-arc spotlights, and television screens.
 Does not apply for KMA super 8—use of 3200 K Tungsten is not recommended with super 8.
 Also existing tungsten.

## KODAK Black-and-White Films

KODAK Film (Code)		SPEEDS		
Roll Films	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
VERICHROME Pan (VP)—rolls and for Cirkut cameras	All-round use.	125	125	
PLUS-X Pan (PX)—1351	General-purpose film.	125	125	
TRI-X Pan (TX) <sup>1</sup>	Very fast. For limited light, action.	400	400	
PANATOMIC-X (FX)—135¹ PANATOMIC-X Professional (FXP)—120	Extremely fine grain, very high resolving power.	32	32	
PLUS-X Pan Professional (PXP)— 120 and 220 in pro-pack (5 rolls)	General-purpose film, retouching surface on emulsion side.	125	125	
TRI-X Pan Professional (TXP)— 120 and 220 in pro-pack (5 rolls); film packs	Superior highlight brilliance, good contrast control, retouching surface on both sides.	320	320	
RoyaL-X Pan (RX)—120 only	Ultra-fast. For existing light.	1250³	1250³	
High Contrast Copy 5069 (HC)—135-361	Panchromatic; for line copying.	-	64	
Movie Films	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
PLUS-X Reversal 7276 (PXR)—super 8 & 16 mm	General use. Processes to projection original.	50	40	
TRI-X Reversal 7278 (TXR)—super 8 & 16 mm	High speed. Processes to projection original.	200	160	
4-X Reversal 7277 (4XR)—16 mm	Very fast. For limited light. Processes to projection original.	400	320	
EASTMAN PLUS-X Negative 7231 (PXN)—16 mm	General purpose. Processes to negative.	80	64	
EASTMAN DOUBLE-X Negative 7222 (DXN)—16 mm	High speed. Processes to negative.	250	200	
Sheet Films	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
EKTAPAN 4162 (ESTAR Thick Base) <sup>2</sup>	For portraits by electronic flash and general use.	100	100	
PLUS-X Pan Professional 4147 (ESTAR Thick Base) <sup>2</sup>	Excellent definition. For portrait and commercial work.	125	125	
SUPER-XX Pan 4142 (ESTAR Thick Base)	Long tonal gradation. Color-separation negatives.	200	200	
TRI-X Pan Professional 4164 (ESTAR Thick Base) <sup>2</sup>	Superior highlight brilliance, good contrast control.	320	320	
TRI-X Ortho 4163 (ESTAR Thick Base)	Superior highlight brilliance. For portraits and commercial subjects.	320	200	
Royal Pan 4141 (Estar Thick Base) <sup>2</sup>	High speed. General purpose.	400	400	
ROYAL-X Pan 4166 (ESTAR Thick Base)	Ultra-fast. For available-light exposure.	1250³	1250³	
Commercial 6127 and 4127 (ESTAR Thick Base)	Blue-sensitive. For continuous-tone copying, transparencies.	50 (204)	8	
Contrast Process Ortho 4154 (ESTAR Thick Base)	Extremely high contrast. For line copies.	1004	50	
Contrast Process Pan 4155 (ESTAR Thick Base)	Extremely high contrast. For copies of colored line originals.	1004	80	
Professional Copy 4125 (Estar Thick Base)	Retains highlight gradation in copies.	254	12	

**NOTICE:** Films listed herein will be replaced if defective in manufacture, labeling, or packaging, or if damaged or lost by us or any subsidiary company. Except for such replacement, the sale, processing, or other handling of these films for any purpose

is without warranty or liability even though defect, damage, or loss is caused by negligence or other fault. Since color dyes may in time change, color films will not be replaced for, or otherwise warranted against, any change in color.

Also available in long rolls, 35 mm perforated.
 Also available in long rolls, 3½ in. wide.

<sup>3</sup> See film instruction.

<sup>4</sup> Speed to white-flame arc.


## Still and Movie Films

Product		Manay lands at Diret Eller	
CAT. No.	List	KODAK Instant Print Film	
PR10 193 8000	\$7.65	KODAK Instant Print Film produces full-color pictures. The prints have a textured Satinluxe finish which not only gives an especially pleasing appearance but also helps protect from smudges and fingerprints. The image is a pleasing rectangular shape, 2% inches by 3% inches. Packs hold ten exposures each. While you watch, the print develops without peeling, litter, or timing.	brush (Sa)
PR10-2 129 8041	\$14.55	Carton for Convenient display on shelves, in dis-	Codak nstant Orint film
		KODAK Still Films for Color Prints and Color Enlargements	-430
CG110-12 <b>122 2603</b>	\$2.00	KODACOLOR 400 (Process C-41) A high-speed, color negative film for	
CG110-20 122 2629	\$2.50	snapshots which capture fast action and for picture-taking in less than ideal lighting. ASA 400—yields pleasing pictures in daylight, with flash, and under a variety of other illuminants without using filters over the camera lens. Developed and printed by Kodak	
CG135-20 <b>122 2660</b>	\$2.50	and other laboratories.	Kodacolor ( FILM FOR COLO
CG135-36	\$3.50	The COLARANTE / TO EXPENSE	CG13
122 2686			
	Service of the service of		

#### **KODAK Still Films for Color Prints and** Product List **Color Enlargements (continued)** CAT. No. KODACOLOR II C110-12 \$1.60 (Process C-41). For color snapshots in daylight or with blue flash. This film offers microfine grain for sharpness in the prints which also have high color saturation. ASA 100. Developed and printed by Kodak 159 4316 C110-20 \$2.00 and other laboratories. 159 4357 C116 \$2.40 165 2239 C120 \$1.75 165 2270 C126-12 \$1.60 165 2916 C126-20 \$2.00 165 3849 C127 \$1.75 165 2312 C135-20 \$2.00 165 3195 C135-36 \$2.80 165 3278 C616 \$2.40 165 2353 C620 \$1.75 165 2510 C828 \$1.20 165 3096

Product		Konsu Films for Onlan Olidas		
CAT. No.	List	KODAK Films for Color Slides		
KM135-20	\$2.65	KODACHROME 25—Daylight (Process K-14). For color slides in daylight or with blue flash. Has excellent color quality, high sharp-		
<i>KM135-36</i> <b>156 0309</b>	\$3.80	ness, and extremely fine grain, with moderate speed (ASA 25). Processed by Kodak and other laboratories.	Kodachrome 25 Kodachrome 25 RLM FOR COLOR SLIDES	
KM135-36 pro-pack (4 rolls) <b>122 7719</b>	\$15.20		FOR COLOR RLOSS / 28 EDIFORMES	
KR110-20 155 9038	\$2.65	KODACHROME 64—Daylight  (Process K-14). For color slides in daylight or with blue flash. Somewhat faster (ASA 64) than the slight of the slight slight of the slight sligh		
KR126-20 <b>155 9335</b>	\$2.65	KODACHROME 25. With excellent color quality, high sharpness, and extremely fine grain. Processed by Kodak and other laboratories.	Kodachrome 64 Kodachrome 64.	
KR135-20 <b>155 9954</b>	\$2.65		FOR COLOR SLUES / N EDPOSURES KR135-36	
KR135-36 <b>156 0028</b>	\$3.80			
KR135-36 pro-pack (4 rolls)	\$15.20			

Product	Venas Films for Color Clides (continued)
CAT. No.	KODAK Films for Color Slides (continued)
ER110-20 \$2.	EKTACHROME 64 (Daylight)  (Process E-6). For color slides in daylight (ASA 64) or with blue flashbulbs. Improved color reproduction,
ER126-20 \$2.	high sharpness and very fine grain. Processed by user, Kodak, or other laboratories.
ER127 \$2.	10 Kodak Eklachrome 64 September 1
ER135-20 \$2.	.85
ER135-36 \$4.	.10
ET135-20 \$3	EKTACHROME 160 (Tungsten) (Process E-6). Fast color slide film (ASA 160) bal-
ET135-36 160 3208	anced for 3200 K tungsten illumination, can also be used with available incandescent lighting. Can be exposed in daylight at ASA 100 with 85B Filter over the camera lens. Features improved color reproduction. Processed by user, Kodak, or other laboratories.
ED126-20 160 1863	.40 EKTACHROME 200 (Daylight) (Process E-6). Fast color slide film (ASA 200) for
ED135-20 \$3	action outdoors, interiors lighted by daylight or fluorescent lights, and blue flashbulbs. Features improved grain characteristics and color reproduction with cleaner color separation between subtle hues. Processed by user, Kodak, or other laboratories.
ED135-36 160 1608	.85



List	KODAK Still Films for Black-an	
	and Enlargements	
	VERICHROME Pan	
\$1.00	The all-purpose black-and-white film for snapshots outdoors in daylight or indoors by flash. ASA 125.	
04.00		110 Kon.
\$1.00		Verichtorne PAN WAS
\$1.00		The state of the s
_   07.00		
\$1.00		
_		
\$1.00		
\$1.40	PANATOMIC-X  Extremely fine grain black and white film for may	
	imum sharpness and detail. ASA 32.	Kodal
\$1.95		Panatomic-X Koda American
		FX 135-38
\$1.40	PLUS-X Pan	
- relation such	cameras, has extra speed (ASA 125) and very fine	
\$1.95	grain.	Kodak Plus-X pan Kodak Plus-X pan
		PX 105-20
\$1.20	TRI-X Pan	
	The high-speed (ASA 400) black-and-white film for fast action or poor light in fully adjustable cameras.	
\$1.20		10
		Andrew Trick Pale
\$1.40		120 TX 120
\$1.95		
	\$1.00 \$1.40 \$1.95 \$1.20 \$1.20 \$1.40	The all-purpose black-and-white film for snapshots outdoors in daylight or indoors by flash. ASA 125.  \$1.00  \$1.00  \$1.00  \$1.00  \$1.00  \$1.00  \$1.40  PANATOMIC-X Extremely fine grain black-and-white film for maximum sharpness and detail. ASA 32.  \$1.95  \$1.40  PLUS-X Pan The all-round black-and-white film for miniature cameras, has extra speed (ASA 125) and very fine grain.  \$1.95  TRI-X Pan The high-speed (ASA 400) black-and-white film for fast action or poor light in fully adjustable cameras.  \$1.20  \$1.40  \$1.40

# KODAK Carded Films, Still and Movie

1 roll on card for self-service retailing

Product	List	For Color Drints and Color Enlargements
CAT. No.	LIST	For Color Prints and Color Enlargements
CG135-20C (carded) 121 3180	\$2.50	KODACOLOR 400, Carded (Process C-41). A high-speed, color negative film for snapshots which capture fast action and for picture-taking in less than ideal lighting. ASA 400.
C110-12C (carded) 159 4332	\$1.60	KODACOLOR II, Carded (Process C-41). For color snapshots in daylight or with blue flashbulbs. Produces negatives for color
C110-20C (carded) 159 4373	\$2.00	prints and enlargements. ASA 100.
C126-12C (carded) 165 2890	\$1.60	Today and the second se
C126-20C (carded) 165 2932	\$2.00	
C135-20C (carded) 165 3179	\$2.00	
		For Color Slides
KR110-20C (carded) <b>155 9012</b>	\$2.65	KODACHROME 64, Carded (Process K-14). For color slides in daylight or with blue flashbulbs. Somewhat faster (ASA 64) than
KR126-20C (carded) 155 9111	\$2.65	KODACHROME 25, with high sharpness and extremely fine grain.
KR135-20C (carded) 124 4235	\$2.65	Total Control of the
		For Silent Color Movies
KMA464C (carded) (super 8, silent) 157 6263	\$4.15	KODACHROME 40 (Type A) in super 8 silent cartridge, Carded (Process K-14). For super 8 movie cameras. This KODACHROME Film with extremely fine grain for greater detail is for use indoors with a movie light (3400 K) (ASA 40) or outdoors with built-in Type A camera filter (ASA 25). Processed by Kodak and other laboratories.
EG464C (carded) (super 8, silent) 162 4139	\$5.15	KODAK Type G EKTACHROME 160 in super 8 silent cartridge, Carded (Process EM-25). ASA 160 in all types of lighting without filter. Eliminates need to set built-in camera filter according to lighting conditions. Film instructions indicate how to make one-time filter "out" setting. Processed by Kodak and other laboratories.

#### KODAK Films for Cilant Marios

Product	l int	Madisus speed aday films daylets 0	
CAT. No.	List	Medium-speed color films, double 8 mn	1
KM459 (Daylight) 25-ft on camera spool§ 157 5257  KMA459 (Type A) 25-ft on camera spool§ 157 6180	\$4.15 \$4.15	KODACHROME 25 (Daylight) KODACHROME 40 (Type A) (Process K-14). KODACHROME Film has extremely fine grain and extremely high sharpness. Daylight type has ASA 25 for use outdoors. Type A has ASA 40 for use indoors with movie lights (3400 K) or outdoors at ASA 25 with Type A filter. Both films processed by Kodak and other laboratories.	0.25
KM460 (Daylight) 25-ft magazine 157 5471  KMA460 (Type A) 25-ft magazine	\$7.25*	Kodach	Oliver
157 6305	\$7.25*		0.51
	3	Medium-speed color films in super 8 silent cartridge	
MA464 50-ft silent cartridge 157 6222	\$4.15	KODACHROME 40 Movie Film (Type A)  (Process K-14). This KODACHROME Film with extremely fine grain and extremely high sharpness is for use indoors with movie lights (ASA 40) or outdoors with the built-in Type A camera filter (ASA 25). Processed by Kodak and other laboratories.	rome 40
MA464 50-ft silent cartridge 175 3656	\$4.50	KODAK EKTACHROME 40 Movie Film (Type A) (Process EM-25). This EKTACHROME Film is a general- purpose movie film with somewhat different color rendition than KODACHROME 40 Movie Film. It is for use indoors with movie lights (ASA 40) or outdoors with built-in Type A camera filter (ASA 25). Processed by Kodak and other laboratories.	Refrance 40
		Fig. 1. Charles and the second	

§With integral leader and trailer for loading in subdued light. \*Price includes \$.50 magazine deposit.

G Barrate
Toom Attour B.
Ektachrome The Sound move lim  Months of the Sound move lim  Months of the Sound move limits  Month

Product CAT. No.		High-speed color films in super 8 silent cartridge  These high-speed films, when used in cameras such as KODAK XL models, make movies possible under a wide range of lighting conditions—from candelight to sunlight.		
EG464 (ASA 160) 50-ft silent cartridge <b>162 5920</b>	\$5.15	KODAK Type G EKTACHROME 160 Movie Film  (Process EM-25). ASA 160 in all types of lighting without filter. Eliminates need to set built-in camera filter according to lighting conditions. Film instructions indicate how to make one-time filter "out" setting. Processed by Kodak and other laboratories.		
ELA464 (ASA 160) 50-ft silent cartridge 175 3771	\$5.15	KODAK EKTACHROME 160 Movie Film (Type A) (Process EM-25). ASA 160 tungsten, ASA 100 day- light with filter. Requires setting built-in camera filter according to lighting conditions; filter "in" for day- light quality light, filter "out" for tungsten quality light. Processed by Kodak and other laboratories.		
		KODAK Films for Sound Movies Magnetic-striped movie films in super 8 sound cartridge		
ELA594 (ASA 160) 50-ft sound cartridge <b>165 5125</b>	\$7.25	KODAK EKTACHROME 160 Sound Movie Film (Type A)  (Process EM-25). This high-speed sound film, when used in cameras such as Kodak Ektasound models, makes sound movies possible under an extremely wide range of lighting conditions—from candlelight to sunlight. ASA 160 tungsten, ASA 100 daylight with filter. Processed by Kodak and other laboratories.		
KMA594 50-ft sound cartridge 157 5091	\$6.25	KODACHROME 40 Sound Movie Film (Type A)  (Process K-14). This sound film with extremely fine grain and extremely high sharpness is for use indoors with movie lights (ASA 40) or outdoors with the built-in camera filter (ASA 25). Processed by Kodak and other laboratories.		

#### Other KODAK Still Films

#### KODAK Black-and-White Roll Films

KODAK High Speed Infrared Film-Use recommended filter.

HIE135-20	164 9631	\$1.95
KODAK ROYAL-X Pan Film-UI	tra-fast panchromatic. Not	for general use.
RX120	171 2173	\$1.65
KODAK PLUS-X Pan Profession	onal Film-For all-round us	se
PXP120 pro-pack (5 rolls)	167 4456	\$6.50
PXP220 pro-pack (5 rolls)	167 4837	13.00

CAT. No.

List

KODAK Recording Film 2475 (ESTAR-AH Base), Thickness .004 in.—
Ultra-fast panchromatic. Especially useful under adverse light conditions.
RE135-36
163 2033
\$2.60

KODAK	TRI-X Pan Professional	Film-Fast	panchromatic,	same	emul-
sion as	TRI-X sheet film.				
TXP12	0 pro-pack (5 rolls)	167 4290			\$6.50

TXP120 pro-pack (5 rolls)	167 4290	\$6.50
TXP220 pro-pack (5 rolls)	167 4431	13.00

KODAK High Contrast	Copy Film, 5069-For copying of	only.
HC135-36	171 0060	\$2.15

KODAK PANATOMIC-X Professional Film—Extremely fine grain.			
FXP120	146 9998	\$1.30	

#### **KODAK Color Roll Films**

**KODAK EKTACHROME Infrared Film**—(Processes ME-4, E-4, or EA-5). Reversal film for slides. Produces false colors of which cyan is the infrared record. Deep yellow filter required for exposure. Refrigerated storage recommended. Processed by Kodak and other laboratories. IE135-20

160 7845

\$3.75

KODAK VERICOLOR II Professional Film, Type L—(Process C-41). Color negative film designed for the professional photographer. Balanced for exposure with 3200 K illuminants over an exposure range of 1/50 second to 60 seconds. The Type L film is designed to give higher contrast than the Type S film.

VPL120 pro-pack (5 rolls)	166 9647	\$9.75

KODAK VERICOLOR II Professional Film, Type S—(Process C-41). Color negative film especially designed for the professional photographer. Balanced for daylight, electronic flash, or blue flash. Processed and printed by user, Kodak, or other laboratories.

	CAT. No.	List
VPS620	166 8706	\$1.95
VPS120	166 8649	1.95
VPS135-20	171 2728	2.35
VPS135-36	166 8441	3.25
VPS120 pro-pack (5 rolls)	166 9084	9.75
VPS220 pro-pack (5 rolls)	166 8748	19.50
VPS135-20 pro-pack (4 rolls)	122 7776	9.40
VPS135-36 pro-pack (4 rolls)	122 7792	13.00

When ordering VPS120 and VPS135, specify if pro-pack is desired.

**KODAK EKTACHROME 50 Professional Film (Tungsten)**—(Process E-6). Professional color-reversal film for exposures with tungsten (3200 K) lamps. Processed by user, Kodak, and other laboratories. Store at 55°F (13°C) or lower.

EPY120	160 3984	\$2.30
EPY135-36	160 3646	4.50

KODAK EKTACHROME 64 Professional Film (Daylight)—(Process E-6). Professional color-reversal film for exposures with daylight, electronic flash, or blue flashbulbs. Processed by user, Kodak, and other laboratories. Store at 55°F (13°C) or lower.

1163. 01016 41 00 1 (10 0) 01 10	JVVCI.	
EPR120	160 3422	\$2.30
EPR135-36	160 2754	4.50
EPR120 pro-pack (5 rolls)	122 9137	11.50
EPR135-36 pro-pack (4 rolls)	123 2859	18.00

**KODAK EKTACHROME 160 Professional Film (Tungsten)**—(Process E-6). High-speed professional color-reversal film primarily for use under existing tungsten light conditions. Processed by user, Kodak, and other laboratories. Store at 55°F (13°C) or lower.

0) 0. 1011011	
160 3034	\$2.75
160 2945	5.35
122 9178	13.75
123 1281	21.40
	160 3034 160 2945 122 9178

**KODAK EKTACHROME 200 Professional Film (Daylight)**—(Process E-6). High-speed professional color-reversal film, intended primarily for use under dim daylight conditions, or when faster shutter speeds and small apertures are required. Processed by user, Kodak, and other laboratories. Store at 55°F (13°C) or lower.

EPD120	160 1350	\$2.75
EPD135-36	177 8471	5.35
EPD120 pro-pack (5 rolls)	122 9194	13.75
EPD135-36 pro-pack (4 rolls)	123 1224	21.40

KODAK EKTACHROME Slide Duplicating Film, 5071 (Process E-6)—Color-reversal film for making duplicate color slides from original KODACHROME and KODAK EKTACHROME Slides. Processed by user, Kodak, and other laboratories. Store at 55°F (13°C) or lower.

# **KODAK Still Film Numbers and Descriptions**

Roll Films Roll No.	Exposures	Neg Size In.
116	8	2½x4¼
120	16 12 10 8	1 % x2 ¼ 2 ¼ x2 ¼ 2 ¼ x2 ¾ 2 ¼ x3 ¾
127	16 12 8	13/16×19/16 15/8×15/8 15/8×21/2
220	24 20	2½x2½ 2½x2¾
616	16 8	21/8×21/2 21/2×41/4
620	16 12 8	1%x2¼ 2¼x2¼ 2¼x3¼
828	8	28x40 mm

Number		Ехр	osures	Neg Size
110-12			12	13x17 mm
110-20			20	13x17 mm
126 Cartridge Films Number		Exp	osures	Neg Size
126-12			12	28x28 mm
126-20		ļ	20	28x28 mm
135 Magazine Films				
		osures	Exposure	
Number	24>	(36 mm	18x24 mr	n 23x24 mm
135-20		20	40	15
135-36		36	72	28

Product Codes for KODAK 135 Films (found on edge print of processed film at 2-inch intervals and on bottom panel of film carton).

Film Type	Product Code	
KODACOLOR 400 (CG)	5075	
KODACOLOR II (C)	5035	
VERICOLOR II, Type S (VPS)	5025	
KODACHROME 25 (KM)	5073	
KODACHROME 64 (KR)	5032	
PANATOMIC-X (FX)	5060	
PLUS-X (PX)	5062	
TRI-X (TX)	5063	

KODAK EKTACHROME 135 Films for Process E-4 have the product name included as a part of the edgeprint at 7-inch intervals on processed film.

Film Type	Product Code
EKTACHROME 64 (ER)	5031
EKTACHROME 160 (ET)	5077
EKTACHROME 200 (ED)	5076
EKTACHROME 50 (Tungsten) (E	PY) 5018
EKTACHROME 64 (Daylight) (EP	R) 5017
EKTACHROME 160 (Tungsten) (	
EKTACHROME 200 (Daylight) (E	PD) 5036

There are four major features for identifying 135 processed E-6 film: the .050-inch punched hole (1) between every four perforations, the frame number (2) is preceded by a line arrow and followed by a solid square, "Kodak Safety Film" and the film code (3) is printed positively at 2-inch intervals, and a three-digit emulsion number (4) is printed once per film length.

#### **KODAK Film Packs**

**Film Pack Numbers and Descriptions** 

16 exposures per pack. Case-50 packs.

Pack No. 523

Negative Size 4x5 in. 10x12.5 cm TRI-X Pan Professional—Fast panchromatic

CAT. No. TXP523-16 . . . . . . . . . . . . . . . . . 140 3534

1 ist \$9.65

# Additional Kodak Still Film for Special Use

KODAK	Black-and-white Films in Rolls*	
—35 mm	Perforated	

#### PANATOMIC-X—Extremely fine grain

Per Roll
List
\$7.00
13.05
4.25
\$7.00
13.05
4.25
\$7.00
13.05
4.25

Direct Positive Panchromatic, 5246—Reversal transparency film **DP402** 100 ft 146 9204

KODALITH Ortho, 6556, Type 3-Very high contrast

Case Quantity-1 Sp 653

100 ft

168 6419

-35 mm Perforated

**KODAK Color Films in Rolls\*** 

KODAK EKTACHROME MS, 5256-Medium-speed color reversal film. Daylight type only. Processed by Kodak and other laboratories (Process E-4 or ME-4).

			1 01 1101
		CAT. No.	List
EMS404	100 ft	166 1594	+
EMS415	100 ft	143 4216	**************************************
EMS417	100 ft	143 4059	

\$10.80

#### **Additional Kodak Movie Films**

#### Super 8 Black and White

(For Cartridge Movie Cameras)

#### PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Processed by commercial laboratories. Package quantity 20.

Case	9
------	---

Quan CAT. No.

PXR464 50-ft silent cartridge

200 157 7394

#### TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories. Package quantity 20.

TXR464 50-ft silent cartridge

200 174 0877

#### **Double 8 mm Color**

(For Movie Cameras)

#### KODACHROME 25 (Daylight) KODACHROME 40 (Type A)

Color projection film for all-round use. Processed by Kodak and other laboratories (Process K-14).

		Case		Per Roll
Daylight		Quan	CAT. No.	List
KM461	100 ft on camera spool‡	50	157 5497	\$13.50
Type A				
KMA461	100 ft on camera spool‡	50	157 6388	13.50

#### KODACHROME 40 (Type A) (Magnetic Striped)

Color projection film for magnetic sound recording either before or after processing. Base side of film has magnetic stripe 30 mils wide along both edges. Processed by Kodak and other laboratories (Process K-14).

KMA558 50 ft on camera spool‡ 40 **157** 

157 6289 \$9.05

#### 16 mm Perforated Two Edges\*

(For Motion-Picture Cameras)

# KODACHROME 25 Movie (Daylight) KODACHROME 40 Movie (Type A)

Color projection film for all-round use. Processed by Kodak and other laboratories (Process K-14).

		Case		Per Roll
Daylight		Quan	CAT. No.	List
KM447	50-ft magazine	50	157 5513	\$13.00
	Magazine deposit			+ 2.00
	Price including deposit			15.00
KM449	100 ft on camera spool‡	50	157 5570	12.90
KM450	200 ft on camera spool‡	30	157 5778	24.70
Type A				
KMA447	50-ft magazine	50	157 6487	\$13.00
	Magazine deposit			+ 2.00
	Price including deposit			15.00
KMA449	100 ft on camera spool‡	50	157 6529	12.90

#### **EKTACHROME MS, 7256**

Medium-speed color projection film for use in limited light. Daylight type only. Processed by Kodak and other laboratories (Process ME-4). EMS449 100 ft on camera spool‡ 50 141 4846 ← EMS450 200 ft on camera spool‡ 30 141 4960 ←

#### PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Processed by commercial laboratories.

PXR447	50-ft magazine	50	153 4361	
	Magazine deposit			+
	Price including deposit			
PXR449	100 ft on camera spool‡	50	153 2803	
PXR450	200 ft on camera spool‡	30	153 2829	•

+Consult your dealer for selling price.

‡With integral leader and trailer for loading in subdued light.

When ordering specify roll length in addition to full product description and CAT. No.

### **KODAK Movie Films (continued)**

#### 16 mm Perforated Two Edges\* (continued)

#### TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories.

		Case		
		Quan	CAT. No.	
TXR447	50-ft magazine	50	153 4379	•
	Magazine deposit			<b>*</b>
	Price including deposit			•
<b>TXR449</b>	100 ft on camera spool‡	50	147 2133	
TXR450	200 ft on camera spool‡	30	147 2166	

#### 4-X Reversal, 7277

High-speed panchromatic black-and-white projection film having twice the speed of KODAK TRI-X Reversal Film. Processed by commercial

iabolato				
4XR449	100 ft on camera spool‡	50	154 3495	•
4XR450	200 ft on camera spool‡	30	174 1974	•

#### **EASTMAN Plus-X Negative, 7231**

Black-and-white panchromatic negative film for all-round use. Developed and printed by commercial laboratories. PXN449 100 ft on camera spool‡

#### **EASTMAN DOUBLE-X Negative, 7222**

High-speed black-and-white panchromatic negative film for use in limited light. Developed and printed by commercial laboratories. DXN449 100 ft on camera spool‡ 50 **197 1654** △\$4.86

#### 16 mm Perforated One Edge\*

(For Motion-Picture Cameras)

#### KODACHROME 25 (Daylight) KODACHROME 40 (Type A)

Color projection film for all-round use. Processed by Kodak and other laboratories (Process K-14). Kodak processing provides for dye image photographic sound track.

		Case		Per Roll
Daylight		Quan	CAT. No.	List
KM455	100 ft on camera spool‡	50	157 5638	\$12.90
Type A				
KMA455	100 ft on camera spool‡	50	157 6545	12.90
KMA456	200 ft on camera spool‡	30	157 6602	24.70

#### **EKTACHROME MS, 7256**

Medium-speed color projection film for use in limited light. Daylight type only. Processed by Kodak and other laboratories. Kodak processing provides for dye-image photographic sound track (Process ME-4). EMS455 100-ft on camera spool‡ 50 141 4861

#### PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Pro-

cessed b	y commercial laboratories.			
PXR455	100-ft on camera spool‡	50	153 2811	•
PXR456	200-ft on camera spool‡	30	153 2837	<b>*</b>

#### TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories.

		Case		
		Quan	CAT. No.	
TXR455	100 ft on camera spool‡	50	147 2141	
TXR456	200 ft on camera spool‡	30	147 2174	+

#### 4-X Reversal, 7277

High-speed panchromatic black-and-white projection film having twice the speed of KODAK TRI-X Reversal Film. Processed by commercial

4XR455	100 ft on camera spool‡	50	154 3479	
4XR456	200 ft on camera spool‡	30	174 2063	+

#### **EASTMAN PLUS-X Negative, 7231**

Black-and-white panchromatic negative film for all-round use. Developed and printed by commercial laboratories. PXN455 100 ft on camera spool± 50

#### **EASTMAN DOUBLE-X Negative, 7222**

High-speed black-and-white panchromatic negative film for use in limited light. Developed and printed by commercial laboratories. DXN455 100 ft on camera spool‡ 50 197 1662

#### **KODAK White Movie Leader 7985\***

CAT. No.	
163 5002	
191 0116	
157 1199	
157 1173	•
	163 5002 191 0116 157 1199

Kodak Sound Movie Leader	8985 Case	**	
		CAT. No.	
8 mm wide, super 8 perf with magnetic stripe			
SL576 50-ft roll	100	155 1613	•

Consult your dealer for selling price.


<sup>\*</sup>When ordering specify roll length in addition to full product description and CAT. No. ‡With integral leader and trailer for loading in subdued light.

# **KODAK Sheet Films**

Black-and	d-White Films				Contrast Prod	cess Pan, 4155	(ESTAR Thick Ba	se)	
EKTAPAN, 41	62 (ESTAR Thick	Base)							Per
				Da.,	No. Sheets		No. Pkg		Package
M - 011-		M- Di-		Per	in Pkg	Size	in Case	CAT. No.	List
No. Sheets		No. Pkg		Package	25	4x5	20	168 7656	\$6.00
in Pkg	Size	in Case	CAT. No.	List	100	4x5	10	168 7755	22.75
25	21/4x31/4	20	169 0049	\$4.25	On the set Due	anna Outha 115	4 (Fores Thick F	2000)	
25	31/4×41/4	20	168 9934	4.50		The second secon	4 (ESTAR Thick E		
25	4x5	20	168 9850	6.00	25	4x5	20	171 6026	\$6.00
100	4x5	10	168 9777	22.75	100	4x5	10	171 6042	22.75
25	9x12 cm	20	168 9363	5.20	Commercial,	6127			
PLUS-X Pan	Professional, 414	7 (ESTAR Thick	Base)		25	4x5	20	160 4081	\$7.45
25	21/4×31/4	20	144 4785	\$4.25	100	4x5	10	160 4529	28.30
25	31/4×41/4	20	144 4868	4.50					
25	4x5	20	144 3167	6.00	ROYAL-X Pan	, 4166 (ESTAR T	hick Base)		
100	4x5	10	144 3423	22.75	25	4x5	20	177 5360	\$7.50
		20							
25	9x12 cm	20	144 3910	5.20			TAR Thick Base)		
ROYAL Pan,	4141 (ESTAR Thic	k Base)			25	4x5	20	171 4062	\$7.85
25	21/4×31/4	20	149 1505	\$4.25	100	4x5	10	171 4104	29.85
25	31/4×41/4	20	149 1448	4.50	KODALITU Ort	ho, 2556, Type	3 (FETAR ROSA)		
25	4x5	20	149 1422	6.00				405 0005	\$7.20
100	4x5	10	149 1562	22.75	50	4x5	20	165 2965	\$7.20
			149 1302	22.13	Color Film	e			
	an, 4142 (Estar T	hick Base)							
25	31/4×41/4	20	147 1655	\$4.50	EKTACHROME	50 Professiona	I 6118 (Tungster	i), Process E-	5
25	4x5	20	147 1614	6.00					Per
100	4x5	10	147 1598	22.75	No. Sheets		No. Pkg		Package
T V O	4400 (Farry This	-I. Dana)			in Pkg	Size	in Case	CAT. No.	List
the state of the s	4163 (ESTAR Thic				10	31/4×41/4	20	122 5408	\$8.25
25	4x5	20	145 0055	\$6.00	10	4x5	20	122 5424	11.50
100	4x5	10	145 0295	22.75	10	9x12 cm	20	122 5549	9.75
TRI-X Pan P	rofessional, 4164	(ESTAR Thick B	ase)		F	64 Drofossions	I 6117 (Daylight)	Drococc E 6	
25	21/4×31/4	20	143 1535	\$4.25					044.50
25	31/4×41/4	20	143 1576	4.50	10	4x5	20	122 5283	\$11.50
25	4x5	20	143 0172	6.00	10	9x12	20	122 5382	9.75
100	4x5	10	143 0198	22.75	KODAK VEDIC	OLOP II Profess	ional, 4107, Type	S	
25	9x12 cm	20	143 1717	5.20		Base) (Process			
20	OXIL OIII	20	140 1717	0.20	10	21/4x31/4	20	163 1704	\$5.35
					10	4x5	20	163 1704	10.65
							10	163 0078	49.00
					50	4x5	10	103 0076	49.00
							ional, 4108, Type	e L	
						Base) (Process			
					10	21/4x31/4	20	199 4649	\$5.35
					10	2 /4 / 3 / 4			
					10	4x5	20	163 0615 163 0755	10.65

# **KODAK Color Processing Services**

#### **DEVELOPING AND PRINTING SERVICES**



3S and 3R prints from 110-, 126-, and 135 (full frame)-size negatives supplied in borderless silk finish. Bordered silk or bordered glossy finish supplied on request. 3S and 3R prints from all other negative sizes and 2R prints supplied in bordered silk finish. Bordered glossy finish available on request.

# KODACOLOR II and KODAK VERICOLOR II Professional, Types S and L, Films Developing Only

	LIST
Per roll, 110-12, 110-20, 126-12, 126-20, 135-20	\$1.50
Per roll, 127, 120, 620, 116, 616, 828	2.00
Per roll, 220	4.00
그래 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	
KODACOLOR 400 Film Developing	
Per roll, 110-12,110-20, 135-20	\$1.85 2.75
1011011, 100 00	
KODAK Color Prints—From color negatives	
(at time of developing Kodacolor and Kodak Vericolor II Professional, Type S, Films)	
2R, each wallet-size print	\$.27
3S, each square print	.31

.33




3S and 3R prints from 110-, 126-, and 135 (full frame)-size negatives supplied in borderless silk finish. Bordered silk or bordered glossy finish supplied on request. 3S and 3R prints from all other negative sizes and 2R prints supplied in bordered silk finish. Bordered glossy finish available on request.

#### **KODAK Color Reprints—From color negatives**

3R, each rectangular print

From KODACOLOR or KODAK VERICOLOR II Professional, Type S, Film negatives. See table of sizes. \$.38 .35 25 or more from same negative, each . . . . . . .32 .44 5 to 24 from same negative, each . . . . . . . . . .40 .37 3R, each rectangular reprint .46 5 to 24 from same negative, each . . .42 .39




3S and 3R prints from 110-, 126-, and 135 (full frame)-size color slides supplied in borderless silk finish. Bordered silk or bordered glossy finish supplied on request. 3S and 3R prints from all other color slide sizes and 2R and 2RM prints supplied in bordered silk finish. Bordered glossy finish available on request.

#### KODAK Color Prints-From color slides

See table of sizes. 2R, each wallet-size print . \$.64 .51 25 or more from same color slide, each . . . . . . .32 2RM, each wallet-size print . . . . . . . . . . . . 1.60 5 to 24 from same movie frame, each 1.30 25 or more from same movie frame, each .80 3S, each square print . . . .72 5 to 24 from same color slide, each . .57 25 or more from same color slide, each .37 3R, each rectangular print .75 5 to 24 from same color slide, each . .60 25 or more from same color slide, each

#### **DEVELOPING AND PRINTING SERVICES**



Supplied with bordered silk finish; bordered glossy or matte finish on request\*. Requests for matte finish should be indicated by writing "matte—not silk" in the special instructions of the color finishing envelope.

\*16x20, 16x16, 131/x20 supplied mounted with borderless silk finish unless otherwise specified. Unmounted enlargements and glossy or matte finish available on request.

#### **KODAK Color Enlargements**

From Kodacolor or Kodak Vericolor II Professional, Type S, Fil	m negatives; color slides. See table
of sizes.	List
5x7, 5x5, each	\$2.00
3 or more from same negative or color slide, each	1.70
8x10, 8x8, 7x10, each	4.10
3 or more from same negative or color slide, each	3.50
11x14, 11x11, 10x14, each	9.50
3 or more from same negative or color slide, each	
16x20, 16x16, 131/4x20, mounted each	29.95
3 or more from same negative or color slide, each	24.95
16x20, 16x16, 131/4x20, unmounted, each	25.95
3 or more from same negative or color slide, each	21.75




Requests for "Framed" enlargements should be indicated by writing "Framed" in the special instructions of the color finishing envelope. Supplied with bordered silk finish; bordered glossy or matte finish on request.


#### **KODAK Color Enlargements (Framed)**

From Kodacolor or Kodak Vericolor II Professional, Type S, Film negatives; color slides. Brown and tan frame can be used horizontally or vertically. Includes gift envelope and greeting tag. See table of sizes.


5x7, each	\$2.45
3 or more from same negative or color slide, each	2.10
8x10, each	4.75
3 or more from same negative or color slide, each	4.05



#### **KODACOLOR Slides**



#### KODAK Color Negatives—from color slides



#### **KODAK Color Copy Negatives—from color prints**

See table of sizes.

<sup>\*</sup>Prices for larger quantities available upon request

#### **DEVELOPING AND PRINTING SERVICES**






Supplied with bordered silk finish; bordered glossy on request. Only bordered silk finish available from Color Prints from Kodak Instant Film.

#### **KODAK Color Copyprints**

Additional Copy Slides, each

Color prints made from one or more color prints. See table of sizes.	
2R/2S KODAK Color Copyprints (Wallet-size)	List
First Copyprint	\$.85
Additional Copyprints, each	.55
3R/3S KODAK Color Copyprints (Regular-size)	
First Copyprint	1.00
Additional Copyprints, each	.65



#### KODAK Color Copy Slides—from color prints

See table of sizes.
24x36 mm or 24x24 mm in 2x2 READY-MOUNTS
First Copy Slide

\$1.00 .65



Supplied with bordered silk finish; bordered glossy on request. Only bordered silk finish available from Color Prints from Kodak Instant Film.

Cropping is not available. Only square enlargements can be made from square prints and only rectangular enlargements can be made from rectangular prints.

# KODAK Color Copy Enlargements—from color prints See table of sizes.

 5x7, 5x5, each
 \$2.25

 3 or more from same print, each
 1.80


 8x10, 8x8, each
 5.35

 3 or more from same print, each
 4.20

 11x14, 11x11, each
 10.75

 3 or more from same print, each
 8.65

#### **DEVELOPING AND PRINTING SERVICES**



#### **KODAK Color Business Cards**

(Available from Rochester Laboratory only.)

Approximately 3% in. wide and 2 in. high with color picture 1% in. wide and 1% in. high on left side of card. Right side of card carries text as specified, such as name, position, company, address, and phone number on silk-finish paper. From Kodak Color Negative or Color Slide 24x36 mm through 2%x2% in. with head image size % to % in., or from color print or enlargement with head size % to 1% in. (Additional copy negative charge if original is color print or enlargement.)

	List
100 or more from same original, each	\$.26
Plus setup charge for standard layout	13.00
Setup charge for special layout—Quotation on request.	

#### KODAK Slim-Line Thank-You and Birth Announcement Cards

(From Kodak Color Negatives—available from Rochester, Chicago, Palo Alto, and Honolulu Laboratories.)

(From color slides—available from Rochester, Chicago, and Palo Alto Laboratories.)

 $3\frac{1}{2}$ x7-in. cards with color pictures  $3x4\frac{1}{2}$  in. (horizontal or vertical), or 3x3 in., depending on the proportions of the negatives or color slides from which they are made. From standard-size Kodak Color Negatives and from color slides in standard 110, 126, 135 (full frame), 135 (stereo), 828, square 127, and square 120/620 sizes. Minimum-order quantity, 25 cards. Prices for quantities other than those shown below will be based on the unit price of the next smaller standard quantity. Signature imprint not available.

	Design	Sentiment
SL101	Flowers	Many Thanks for Your Gift
SL102	Gift and Orchid	Sincere Thanks for Your Lovely Gift
SL103	Flowers	Hi! I'm a New Arrival
SL104	Stork and Cradle	Just Arrived

25 cards from same original. With envelopes	 \$12.50
50 cards from same original. With envelopes	24.00
100 cards from same original. With envelopes	 46.00




#### **Overlay Printing**

(Available from Rochester, Palo Alto, Honolulu, and Dallas Laboratories.)

Customer's name or message printed on KODAK Color Prints 3R and 3S and KODAK Slim-Line and Trim-Line Cards. Specify in special instructions space of Color Finishing Envelope: "Overlay Printing," and include the name or message. The name or message, typed by our laboratory, is produced in white in the picture area in one or two lines near bottom of print.

Service charge, Overlay Printing	
Per Konak Color Negative or Color Slide	\$9.00



## **TABLES OF SIZES**

Specific laboratory locations and telephone numbers listed on Inside Back Cover.

Negativ	e and Slide Sizes		
110	13x17 mm	135 (half frame)	18x24 mm
120/620	21/4x21/4 in.	135 (square)	24x24 mm
126	28x28 mm	135 (stereo)	23x24 mm
127	1%x1% in.	828	28x40 mm
135	24x36 mm		

KODAK Color P from color neg	rints and Reprints atives			Labo	ratory		
Print Size	From Negative Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas
2R-2½x3½ in.	135, 828, 135 (half frame)	•	•	•	•	•	•
3S-3½x3½ in.	126, 127, 120/620		•	•	•	•	•
3R-3½x4½ in. 3½x5 in. 3½x5¼ in. 3½x5¾ in.	110 Standard-size rectangular negative 18x24 mm through 2½x4¼ in.	•	•	•	•	•	•

Length of print depends on proportion of negative. If full negative area is not to be printed, cropping must be to one of the following dimensions:  $1\%_6x1\%_6$  in., 1%x1% in., 1%x2% in., 1%x2% in., 2%x2% in., 2%x2% in., 2%x2% in.

CODAK Color Prints from color slides			Laboratory							
Print Size	From Slide Size	Rochester	Rochester		Honolulu	Atlanta	Dallas			
2R-2½x3½ in.	135, 828, 135 (half frame)	•	•	•	•	•	•			
Slides must be in stand	ard mounts.									
2RM-2½x3½ in.	From movie frames	- 2 5	•	100						
3S—3½x3½ in. 127-and 120-/620-size	126, 127, 120/620		•							
							•			
slides may be mounted or unmounted: 126, and 135 (stereo) slides must be in standard mounts.	135 (stereo)		•				•			
or unmounted: 126, and 135 (stereo) slides must be in	135 (stereo) 135, 828, 135 (half frame)	•	•	•		•	•			

KODAK Color Enlargements from color negatives									
Enlargement Size in inches	From Negative Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas		
5x7*, 5x5 8x10*, 8x8, 7x10 11x14, 11x11, 10x14	Standard-size roll film negatives	•	•	•	•	•	•		
6x20 6x16 3½x20	126, 135, 828, 127, 120/620	•							

If special cropping is desired, see KODAK Color Enlargement Masking Guide (A5-16). Only 5x7 enlargements are available from 135 (half frame) negatives. Only 5x7 and 8x10 enlargements are available from 110 negatives. \*Available 'Framed.'

	K Color Enlargements color slides			Labo	ratory		
Enlarge- ment Size in Inches	From Slide Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas
	135, 828, 126, 127, 120/620, 110	•	•	•	•		•
5x7*	135 (half frame)	•	•	•	•		
41.1	135 (stereo)	•	•	•			
	126, 127, 120/620	•	•	•	•	•	
5x5	135, 828	•	•	•			
	135 (half frame), 135 (stereo)	•	•	•			- 1
8x10*	135, 126, 127, 120/620, 828, 110	•		•	•	•	
8X 10*	135 (half frame), 135 (stereo)	•		•			
8x8	126, 127, 120/620	•	•	•	•	•	
888	135, 828, 135 (half frame), 135 (stereo)	•	•	•			
	135	•	•	•	•	•	
7x10	828, 126, 127, 120/620	•	•				
	135 (half frame), 135 (stereo)	•	•	•	THE STATE		
11x14 11x11	135, 828, 126, 127, 120/620 135 (half frame), 135 (stereo)	•	•	•	116		
1011	135, 126, 135 (half frame)	•	•	•			
10x14	127, 120/620, 135 (stereo)	•		•			
16x20 16x16 13¼x20	126, 135, 828 127, 120/620 See Masking Guide A5-17 for format and cropping	•			Æ.		

TABLES OF SIZES (cont)
Specific laboratory locations and telephone numbers listed on Inside Back Cover.

KODACOLOR SII	Laboratory							
Slide Size	From Negative Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas	
24x36 mm	135, 828	•		•				
28x28 mm	126	•		•				
31x31 mm	127, 120/620							

KODAK Color Negatives from color slides				Labo	ratory	ory							
Negative Size in inches	From Slide Size	Rochester Chicago Chicago		Palo Alto	Honolulu	Atlanta	Dallas						
21/4x31/4	135, 828, 135 (half frame)	•	•	•									
21/4x21/4	126, 127, 120/620	•	•	•									
21/4×21/2	135 (stereo)			•									

KODAK Color Copy Negatives from color prints				Labo	ratory								
Negative Size	Print Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas						
2¼ in. wide	From prints and enlargements up to and including 8x10	•		•									


Negative length depends on picture proportion. KODAK Color Prints 2R, 3S, and 3R and KODAK Color Enlargements are available from KODAK Color Copy Negatives; KODAK Color Slides are not available.

KODAK Color Copyprints from color prints			Laboratory						
Copyprint Size	*From Print Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas		
2S-(2½x2½ in.)	3½x3½ in., 2½x2½ in.	•							
2R-(2½x3½ in.)	3½x5 in., 3½x4½ in., 2½x3½ in.	•							
3S-(3½x3½ in.)	3½x3½ in.	•	•	•	4	•			
3R-(3½x5 in.)	3½x5 in.		•			•			
	2½x3½ in.	•		1					
3R-(3½x4½ in.)	3½x4½ in. Color Prints from KODAK Instant Film	•	•	•		•	•		
*Also available from	Polaroid color prints					100			

KODAK Color Copy Slides from color prints				Lab	orato	ry	у					
Slide Size	From Print Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas					
24x36 mm	2R-2½x3½ in. 3R-3½x5 in., 3½x4½ in. Color Prints from Kodak Instant Film Rectangular Polaroid color prints	•										
24x24 mm	3S-3½x3½ in. Square Polaroid color prints	•										

KODAK Color Copy Enlargements from color prints		Laboratory					
Enlargement Sizes In inches	From Print Size	Rochester	Chicago	Palo Alto	Honolulu	Atlanta	Dallas
5x7, 8x10, 11x14	2R-2½x3½ in. 3R—3½x5 in., 3½x4½ in. Color Prints from KODAK Instant Film Rectangular Polaroid color prints	•				•	
5x5, 8x8, 11x11	2S-2½x2½ in. 3S-3½x3½ in. Square Polaroid color prints	•	•	•		•	

#### SLIDE PROCESSING SERVICES



Kodak Processing of Kodachrome and Kodak Ektachrome Still Films	
(Available from all Kodak Laboratories)	Per Roll
110-20	List
<sup>1</sup> In 30x30 mm mounts—20 Slides, 13x17 mm	\$3.15
In 2x2-in. mounts—20 Slides, 13x17 mm	3.15
Unmounted	2.80
126-20	
In 2x2-in. mounts—20 Slides, 28x28 mm	3.15
Unmounted	2.80
135-20	
In 2x2-in. mounts—20 Slides, 24x36 mm	3.15
In 2x2-in. mounts—40 Slides, 18x24 mm	5.15
In stereo mounts—15 pairs, 23x24 mm	5.15
Unmounted	2.80
135-36	
In 2x2-in. mounts—36 Slides, 24x36 mm	5.15
In 2x2-in. mounts—72 Slides, 18x24 mm	8.70
In stereo mounts—28 pairs, 23x24 mm	8.70
Unmounted	4.55
620-12 (KODAK EKTACHROME Film only)	
In 2¾x2¾-in. mounts—12 Slides, 2¼x2¼ in.	4.50
Unmounted	3.95
120-12 (KODAK EKTACHROME Film only)	
In 2¾x2¾-in. mounts—12 Slides, 2¼x2¼ in.	4.50
Unmounted	3.95
127-12 (KODAK EKTACHROME Film only)	
In 2x2-in. mounts—12 Slides, 1%x1% in	4.50
Unmounted	3.95
828	
In 2x2-in. mounts—8 Slides, 28x40 mm	2.80
Unmounted	2.45

#### **KODAK Color Slide Duplicates**

(Available from all Kodak Laboratories unless otherwise noted. Prices apply to Duplicates from one or more same-size color slides.)

<sup>2</sup>110–13x17 mm in 30x30 mm mounts from 30x30 mm mounted 110 color slides.

2110—13x17 mm in 2x2-inch mounts from 2x2-inch mounted 110 color slides.

135 (half frame)-18x24 mm in 2x2 mounts from 135 (half frame) mounted color slides.

135—24x36 mm in 2x2-inch mounts from standard 135 mounted color slides.

 126—28x28 mm in 2x2-inch mounts from standard 126 mounted color slides.
 List

 1-39 Duplicates, each
 \$.47

 40-5,000³ Duplicates, each
 .40

127, 120, 620—31x31 mm in 2x2-inch mounts from 127, 120, and 620 mounted color slides (120 and 620 duplicates from Rochester only).

2110 from 135—13x17 mm in 30x30 mm mounts from standard 135 color slides.

<sup>2</sup>135 from 8x10 or smaller color transparency—24x36 mm in 2x2-inch mounts.

No duplicates from 4.5x10.7 cm or 6x13 cm transparency.

1-7 Duplicates, each

\$1.15




(Available from Rochester Laboratory only)

From one or more same-size mounted 23x24 mm color slide pairs in Kodak Stereo Ready-Mounts.

1 or more Duplicate pairs, per pair \$1.10

Same-size Duplicates are also available from one of a stereo color slide pair. Priced and billed same as 24x36 mm Kodak Color Slide Duplicates. Available from Atlanta, Findlay, and Rochester Laboratories.



<sup>&#</sup>x27;When this 30x30 mm mounting service is desired, clear instructions to this effect must accompany the 110 film cartridge being sent to Kodak for processing. Without such instructions, the film will be processed and returned in 2x2-inch mounts.

<sup>&</sup>lt;sup>2</sup>Available from Rochester Laboratory only. <sup>3</sup>Prices for larger quantities available upon request.

16.25

#### **MOVIE PROCESSING SERVICES**




Kodak Processing of Kodachrome and Kodak Ektachrome Movie Film	
	Per Roll List
KODACHROME and EKTACHROME Films, super 8 (Available from all Kodak Laboratories.) 50-ft cartridge	\$3.45
KODACHROME Film, double 8 mm (Available from all Kodak Laboratories.)	
25-ft roll	3.45
of 50¢ magazine deposit)	3.65
(KMA558)	6.65 16.45
KODACHROME Film, 16 mm (Available from all Kodak Laboratories.) 50-ft magazine (Before deducting refund	
of \$2 magazine deposit)	6.40
100-ft roll	11.80 23.60
200-ft roll	47.20
1200-ft roll	141.60
<b>EKTACHROME MS Film, 16 mm</b> (Available from Rochester, Los Angeles, Chicago, Fair Lawn, Findlay, and Rockville Lab	oratories.)
100-ft roll	13.00
200-ft roll	26.00
400-ft roll	52.00
1200-ft roll	156.00
<b>EKTACHROME MS Film (ESTAR Base), 16 mm</b> (Available from Rochester, Los Angeles, Chicago, Fair Lawn, Findlay, and Rockville Lab	oratories.)
125-ft roll	16.25
250-ft roll	32.50
450-ft roll	58.50
500-ft roll	65.00
EKTACHROME Infrared Film, 16 mm (Available from Rochester, Los Angeles, Chicago, Fair Lawn, Findlay, and Rockville Lab	oratories.)

#### **PLEASE NOTE:**

- All color processing orders may be sent to your nearest Kodak Processing Laboratory. When required, orders will then be forwarded to
  the appropriate laboratory for the service desired. For best service times, however, you may wish to send orders directly to the laboratory
  performing the desired service as indicated in the tables shown on pages 88 and 89. Your Laboratory Service Manager will help you
  determine the relative service times involved.
- The return of any film or print to us for processing or any other purpose will constitute an agreement by you that if any such film or print is damaged or lost by us or any subsidiary company it will be replaced with an equivalent amount of unexposed Kodak film and processing. Except for such replacement, the handling of such film or prints by us is without warranty or liability even though damage or loss is caused by negligence or other fault.
- Prices for Color Print, Duplicating, and Film Developing and Processing Services include return transportation within the United States by First-Class Mail or Parcel Post Special Handling, depending on weight.

#### **MOVIE PROCESSING SERVICES**



#### **KODAK Color Movie Film Duplicates**

(Available from Rochester Laboratory only)

Prices include lightweight return reel holding up to 50-ft super 8, 100-ft 8 mm, and 200-ft 16 mm. Longer lengths will be returned on appropriate Kodak Movie Reel supplied without extra charge. From Kodachrome or Ektachrome Film originals of same size.

Duplicates,	super	8	and	8	mm	(silent)

Silent, per ft	List \$.24 12.00
Duplicates, super 8 (sound)  Magnetic sound, per ft, including sound transfer	.33 16.50
Duplicates, 16 mm Silent, per ft Minimum charge per order Optical sound, per ft (negative sound track required) Minimum charge per order	.28 14.00 .38 19.00



#### KODAK SONOTRACK Coating Services for 8 mm, super 8, and 16 mm Films

(Available from Rochester Laboratory only)

KODAK SONOTRACK Coating is a magnetic stripe for processed 8 mm, super 8, or 16 mm film to permit sound recording. It is applied after film processing as follows:

8 mm-30-mil stripe between perforations and film edge.

super 8-30-mil stripe along unperforated film edge, balance stripe between perforations and other film edge.

16 mm—100-mil stripe along unperforated film edge (50-mil stripe if film has photographic sound track). If film is perforated both edges, 30-mil stripe between perforations and film edge.

KODAK SONOTRACK Coating for Processed 8 mm, super 8, or 16 mm film	List
Per ft	\$.090
Minimum charge per order	4.50

# KODAK Color Movie Duplicate Plus KODAK SONOTRACK Coating or KODAKHROME or KODAK EKTACHROME Film Processing Plus KODAK SONOTRACK Coating

Total price of the Kodak Sonotrack Coating is **\$.090** *List,* per foot, plus the price of regular Kodachrome or Kodak Ektachrome Film processing or movie duplicates. The minimum order is 50 feet, with Kodak Sonotrack Coating.

Note: Please refer to page 84 and table on page 88 (under "Kodak Color Prints—from color slides") for information concerning color prints made from movie frames.

14.38

#### KODAK MAILERS







#### KODAK Mailers (For Prepaid Processing)

Enable customer to mail exposed KODAK EKTACHROME, KODACHROME, and KODACOLOR Films direct to the nearest Kodak laboratory for processing (processing and printing in the case of KODACOLOR Film). Slides, movies, or negatives and prints are returned, postage paid, to the customer at the address indicated. In the case of KODACOLOR Films, a certificate redeemable for one KODAK Color Print is returned for each negative, not printed. (Case quan 100 units, pkg quan 10 units)

Mailers for KODACHROME and KODAK EKTACHRO (For color slides)	ME Still Film	
For Sizes: PK20 135-20 and 126-20 in 2x2-in. mounts;	CAT. No.	List
110-20 in 2x2-in. or 30x30 mm mounts <sup>1</sup>	155 1365	\$3.15
<b>PK36</b> 135-36 in 2x2-in. mounts		5.15
PK27 127 in 12 2x2-in. mounts;		
120 and 620 in 12 2¾x2¾-in. mounts	155 7107	4.50
Mailers for KODACHROME and KODAK EKTACHRO	ME Movie Film.	
(For 16 mm, 8 mm, super 8, and super 8 sound)		
For Sizes:		
PK47 447 (16 mm 50-ft mag) (KODACHROME Film only)		
(after refund of \$2 magazine deposit)	155 1399	\$4.40
<b>PK49</b> 449, 455, 430 (16 mm 100-ft roll)	455 4407	44.00
(KODACHROME 25 and 40)		11.80
(EKTACHROME EF and MS)	141 2311	13.00
<b>PK59</b> 459, 464, 594 (8 mm 25-ft roll, super 8 silent		10.00
and sound 50-ft cartridges) (KODACHROME 25 and	d	
40, EKTACHROME 40 [silent only],		
160 [Type A and Type G])	155 1415	3.45
PK60 460 (8 mm 25-ft mag)	455 4400	0.45
(after refund of 50¢ magazine deposit)	155 1423	3.15
Mailers for KODACOLOR; KODAK EKTACOLOR Prof		d
KODAK VERICOLOR II Professional, Type S, Film		
For borderless silk finish color prints; bordered silk or	bordered glossy finish or	n request.
For Sizes:		
<b>DP12</b> 110, 120, 126, 127, 620		
(12 exp; 3R or 3S prints)	157 1405	\$5.46
DP20 110, 126, 135 (20 exp; 3R or 3S prints)	148 0870	8.10
<b>DP20-2R</b> 135 (20 exp; 2R prints)		7.10
<b>DP36-2R</b> 135 (36 exp; 2R prints)	102 1005	12.22

102 0999

<sup>&</sup>lt;sup>1</sup> If 30x30 mm mounts are desired, note this under "special instructions" on the Kodak mailer; if no instructions are given, order will be completed in 2x2-inch mounts.

#### KODAK CERTIFICATES







#### **KODAK Color Print Certificates**

Enable customer to send Kodak Color Negatives to a Kodak laboratory for Kodak Color Prints for direct return to customer. Supplied only in pads of 100 with a quantity of mailing envelopes.

#### C2R KODAK Color Print Certificate 2R

C3	Pad of 100	143 9744	\$38.00
	Pad of 100	148 2215	45.00

#### **KODAK Color Enlargement Certificates**

Enable customer to send Kodak Color Negatives or color slides to a Kodak laboratory for Kodak Color Enlargements for direct return to customer. Supplied only in pads of 50 for 5x7 in. or 25 for 8x10 in. with a quantity of mailing envelopes.

CE5	KODA	K	(	c	ole	or	E	n	la	rç	ge	n	ne	n	t (	Ce	er	tif	ic	a	te	(	5)	(7	)					
Pad	of 50			ē	r	v		v	×																				145 9940	)

 CE8 Kodak Color Enlargement Certificate (8x10)

 Pad of 25
 145 9965
 102.50

\$100.00

#### **KODAK Special Processing Envelope, ESP-1**

Enables ordering from a U.S. Kodak Laboratory special processing which raises the speed of the following films:

- KODAK High Speed EKTACHROME Films (Process E-4) EHB135-20,36; EHB120—ASA 125 to ASA 320 EH135-20,36; EH120—ASA 160 to ASA 400
- KODAK EKTACHROME Films (Process E-6) ET135-20,36—ASA 160 to ASA 320 ED135-20,36—ASA 200 to ASA 400
- KODAK EKTACHROME Professional Films (Process E-6) EPT135-36, EPT120—ASA 160 to ASA 320 EPD135-36, EPD120—ASA 200 to ASA 400

Prepays the extra charge for this service on an enclosed roll either mailed in the appropriate Kodak Mailer, or sent by a dealer who is billed the regular Kodak Ektachrome Film processing charge. Supplied only in packages of 10.

	CAT. No.	List Per Env
KODAK Special Processing Envelope, ESP-1		
(for Kodak Ektachrome Films)	109 4994	\$1.80

# **Publications**

Product  CAT. No.	List	Full-Length Editions	
AC-6 Photography Is 179 0138	\$10.95	A "how-to" book covering all aspects of photography on a fairly elementary level. 272 pages.	PHOTOGRAPHY IS
AC-31 Indoor Picture-Taking 105 6308	\$4.95	A complete guide to taking pictures indoors. Flash pictures and existing-light photography at home and in public places are explained in great detail.	
AC-38 How to Photograph Cats, Dogs, and Other Animals 140 5109	\$7.50	Walter Chandoha, one of America's top photographers of animals, tells about his working methods and techniques. 154 pages.	How to Photograph Cats, Dogs, and Other Animals  By Waley Churbola
AC-81 Photographing America 100 7210	\$15.95	This deluxe 9½x12½-inch book is both a guide to taking better pictures and a family album of our nation. Divided into three major sections—home and family, roaming the land, revisiting the past. 600 photographs—500 of them in color.	Photographin (medical
AC-86 Better Instant Pictures with KODAK Instant Cameras 100 5800	\$2.95	100 pages of photo ideas and color illustrations to help instant-camera owners improve their picture-taking skills. The book covers tips on photographing family fun, travel, crafts, hobbies, and special effects with Кор	BETTER Instant Pictures With KODAK Instant Cameras

Product  CAT. No.	List	Full-Length Editions (cont.)	
AC-96 Photographing Baby and Child* 110 9776	\$9.95	Divided into seven major sections—baby and child, photographing children naturally, child and family, the picture series, candid opportunities, special occasions, and pictures on display. Its 128 pages include 300 photographs, most of them in color. In addition, there is a section of photo album pages in the back of the book for displaying snapshots.	Baby and Child
AC-97 Photographing America Desk Calendar—1978* 110 9818	\$6.95	Unique publication that combines photo tips and outstanding pictures with a practical calendar/appointment book for 1978. More than 95 of the best pictures from Photographing America.	
AD-2 How to Make Good Sound Movies 179 0047	\$2.95	Gives the information necessary to succeed in making sound movies. Covers equipment, films, sound-recording techniques, and editing and splicing sound movies. 100 pages.	ENOURS AND THE SAME OF THE SAM
AD-5 Home Movies Made Easy <b>147 9526</b>	\$3.25	This popular book has more than 300 color and black-and-white illustrations. Includes a chapter on making sound movies and information on existing-light movies. Also information on cameras, films, and many techniques.	home ess made ess
AE-8 Adventures in Color- Slide Photography <b>179 8339</b>	\$10.95	An inspiring idea book to help the color-slide fan explore new areas in outdoor and indoor color photography. 336 pages.	Advertures in Constitution of the Constitution
4			

<sup>\*</sup>In 8½x11-inch format.

Product		Cull Longth Editions (cont.)	
CAT. No.	List	Full-Length Editions (cont.)	
AE-23 The Traveller's Book of Colour Photography 179 9915	\$9.98	This 256-page book contains more than 400 exceptional color illustrations showing the scenic treasures of 15 countries. Valuable information and tips to improve travel pictures.	COLOURAPHY
AW-1 How to Make Good Pictures 151 3464	\$2.95 <sub>_</sub>	A complete handbook on the fundamentals of "still" photography for the amateur.	How to make good pictures  The state of the
		Guides	
AR-21 KODAK Master Photoguide 152 7761	\$4.75	Complete information for taking still pictures in black-and-white and color on miniature, roll, pack, and sheet films. Each photoguide is mounted in a display package that measures 5%x8% inches to fit book merchandiser pockets and minimize pilferage.	Company of the Compan
R-28 KODAK Professional Photoguide 104 2282	\$8.95	Contains technical information, much of it in easy-to-use dial (8) and table (20) form, that the professional needs to have available when engaging in location photography. In DATAGUIDE size, its 42 pages are crammed with data on films, exposure, filters, flash, lenses, and perspective.	Frofessional Photoguide
S-16 KODAK Projection alculator and Seating Guide 107 8989	\$3.50	A guide for projection situations involving distance, screen size, lens focal length, and film formats both movie and still, plus seating arrangement for various-sized rooms.	gi <u>odelic</u> Prijection Gardator S≈aling Guide

Product		Kanay Photo Pooks Poot College	
CAT. No.	List	KODAK Photo Books—Best Sellers	10 m
AB-1 Filters and Lens Attachments for Black-and-White and Color Pictures 147 7108	\$1.95	Explains how filters work and how they can be used to correct color rendition and create special effects. A major section discusses the creative uses of lens attachments.	to change
AC-44 Adventures in Existing-Light Photography 144 9461	\$1.50	Thoroughly covers the techniques for taking pictures by existing light. Comprehensive exposure tables provide camera settings for many picture subjects. Loaded with picture ideas.	EXISTING-LIGH
AC-56 Advanced Camera Techniques for 126 and 35 mm Cameras 104 1243	\$.95	Tells how to make the most of the versatility of an advanced 126 or 35 mm camera to get the best possible pictures.	Province     Committee     Committee
D-4 Better Movies in Minutes 147 5656	\$1.95	Covers super 8 and 8 mm cameras and films. Includes a chapter on making sound movies and another on taking movies outdoors at night and indoors without movie lights. Tells how to make movies interesting, colorful, and sharp, and includes suggestions on editing, titling, and projection.	Better Movies in Minutes
AE-84 The Third Here's How 141 8672	\$1.00	Articles on photographing children, wild flowers; technique articles on Kodak High Speed Ektachrome Film, flash, color-slide manipulation; the Kodak Colorama.	

Product							
CAT. No.	List	KODAK Photo Books—Best Sellers (cont.)					
AE-104 The 3rd and 4th Here's How <b>131 2081</b>	\$3.50	The 12 articles in this 128-page combined edition cover such diverse topics as photographing children, wild flowers, and antique cars. Slide manipulation, print finishing, color printing, movie lenses, and several other photo subjects are also discussed. Articles are basically the same as in "The Third Here's How" and "The Fourth Here's How," but have been updated to provide the latest information on products and procedures.					
AE-87 The Fifth Here's How 109 8268	\$1.50	Articles on pictorial lighting, underwater photography, photography from the air; photographing cats and dogs, flowers, glassware.					
AE-88 The Sixth Here's How 101 4547	\$1.00	Articles on photography of insects, the dance; also candid photography, the art of seeing, movie editing, new pictures from old negatives.					
AE-90 The Seventh Here's How 146 5137	\$1.50	Articles on color infrared photography, top-quality slide projection, photographing motion as color, decorating your home with photographs, creating moods in pictures, and time-lapse movies.					
AE-94 The 8th Here's How 150 3747	\$1.40	Articles on photographing girls, making successful pictures, creative camera techniques, action pictures, brilliant pictures through ultraviolet photography, and uses of photography to improve the environment.					

Product CAT. No.	List	KODAK Photo Books—Best Sel	lers (cont.)
AE-95 The 9th Here's How 106 2538	\$3.50	Travel photography, slide shows, pet photography, the Sabattier effect in black-and-white and color, better pictures of people, photography of minerals, and making pictures at the zoo.	The 9 th Here's How
AE-110 The 10th Here's How 110 1732	\$3.75	Articles on photographing wild birds, using a home studio, photographing wildflowers, pictorial interpretations of sports, nature-trail photography, and colorful patterns from chemical crystals using polarized light.	The JO in Heros How
AE-100 The Here's How Book of Photography 104 2134	\$10.95	A compilation of the first six books in the popular "Here's How" publication series. 39 articles, more than 400 color pictures. Hard-cover edition, 394 pages.	BOX "HOTOGRAPH"  ATEM SOR NOW, NEW,
AF-1 KODAK Films for the Amateur 102 6061	\$1.95	Includes both color and black-and-white KODAK Films. Text portion tells how to choose the right film and how to use it properly for best results. A Data Sheet section gives all the details for each film. Tables summarize the information for convenient reference.	THE PARTY OF THE P
AJ-2 Basic Developing, Printing, Enlarging in Black-and-White <b>140 8996</b>	\$1.75	This 72-page book contains updated information on the basics of processing black-and-white film and making prints and enlargements, and it is filled with step-by-step instructions fully illustrated in color. Includes chapters on setting up a darkroom, chemicals and papers, as well as special things to do such as making a photo jigsaw puzzle.	PASIC DEVELOPING IN BLACK-ON-MARING IN BLACK-ON-MAR

Product		KODAK Professional and Technical	
CAT. No.	List	Publications	en tal
E-75 Color Photography Outdoors, 2nd Ed. <b>152 7944</b>	\$1.00	Making high-quality color pictures in daylight.	
E-77 KODAK Color Films, 6th Ed.* 152 7928	\$2.50	Covers handling, processing, and technical data on Kodak still color materials.	KODAK Color Films
E-99 Picturing People 131 7924	\$12.95	A creative new approach to better pictures of people. First half deals with useful tips on establishing rapport with subject; proper use of lighting; composition; lens selection; films and exposure; and shooting techniques. Second half shows how top-notch professionals deal with a variety of subjects; the reader "listens" to taped comments on how these photographers deal with typical people-picture situations, and sees their results. 256 pages with more than 450 illustrations—all in color.	Picturing People  By Anthone
ED11-1 Classroom Projects Using Photography Part I: For the Elementary School Level* 130 4658  ED12-1 Part II: For the Secondary School Level* 130 4674	\$6.95 \$6.95	These two books recently published by Kodak have been produced for elementary and secondary school teachers by experts in the learning process. They are designed to be a creative teaching tool for the teacher. Each book contains more than thirty classroom projects for teaching academic subjects with photography added to stimulate learning. Part I covers kindergarten through sixth grade; Part II deals with projects ranging from the seventh grade through the twelfth grade. A handy Tools and Tips section is included with each book. Each book contains more than 100 pages, fully illustrated.	
F-5 KODAK Professional Black-and-White Films, 2nd Ed.* 152 8298	\$3.00	Tells the advanced photographer how to choose the best film for each photographic purpose, and then to expose and process the film in such a way as to achieve high-quality negatives. Covers both roll and sheet films.	KODAK PROFESSIONAL     BLACK-AND-WHITE FILMS

Product CAT. No.	List	KODAK Professional and Technical Publications (cont.)
M-1 Copying, 8th Ed.* 152 7969	\$1.50	Discusses lighting, exposure, processing; gives data on KODAK Films for copying.
M-5 Photography from Lightplanes and Helicopters* <b>147 5144</b>	\$1.50	Techniques for low-level, oblique aerial photographs. Covers still photography and motion pictures for both professional photographers and interested amateurs.
M-28 Applied Infrared Photography, 1st Ed.* <b>101 8365</b>	\$3.00	Describes the uses of outdoor and indoor still and motion-picture infrared photography in more than 40 fields.
N-9 Basic Scientific Photography* <b>147 2364</b>	\$2.95	Introduces the student and advanced amateur to the applications of photography for illustrating and documenting the natural sciences, archaeology, and biomedicine.
n 8½x11-inch format.		

Product CAT. No.	List	KODAK Professional and Technical Publications (cont.)
N-17 KODAK Infrared Films* 103 6508	\$1.25	Discusses the photographic properties and discriminating effects of infrared radiation in terms easily understood by practicing photographers. Includes complete description of films for infrared photography.
O-1 Photographic Studio Management 111 1897	\$4.00	This title represents an extensive revision of the earlier book entitled, Basic Principles of Business Management for the Small Photographic Studio. Business consultants have worked with Kodak editors to produce an up-to-date view of the challenges of operating an independent business. Primary emphasis is placed on basic business principles for the portrait or commercial studio and on requirements for starting a studio. Included are chapters on the new business, marketing, finances, operations, and people management.  48 pages, 30 illustrations.
O-4 Professional Portrait Techniques, 1st Ed.* 157 3955	\$2.50	Emphasizes modern approaches and includes many examples by contemporary professional photographers.
XO-4S Professional Portrait Techniques†	\$7.95	Hard-cover Spanish edition of O-4.
O-18 Photography with Large-Format Cameras, 1st Ed.* 152 7894	\$2.00	Covers view-camera lenses, view-camera adjustments, perspective, and general technique.
O-18H Photography with Large-Format Cameras, 1st Ed.* 179 6481	\$6.95	Hard-cover edition of O-18.
P-2 Photography through the Microscope, 6th Ed.* <b>152 8371</b>	\$3.25	Describes photomicrographic equipment and techniques for the student and the professional.  Photograph Microscope
P-18 Basic Production Tech- niques for Motion Pictures* 153 8065	\$2.00	"How-to" information for business, education, government, industry, medicine, television on the making of films, primarily 16 mm.

<sup>\*</sup>In 8½x11-inch format.
†Available from Advertising Distribution, Department 454, Eastman Kodak Company, Rochester, New York 14650.

Product	List	KODAK Professional and Technical
CAT. No.		Publications (cont.)
S-21 Basic Titling and Animation for Motion Pictures, 2nd Ed.* <b>157 2247</b>	\$2.50	Information on the production of titles and/or animated films, generally 16 mm. Directed to teachers, trainers, in-plant photographers. Sources of equipment needed; bibliography; glossary.
S-27 Basic Magnetic Sound Recording for Motion Pictures* 108 3872	\$1.25	Describes basic techniques of sound recording—primarily pertaining to 16 mm film. Includes information on use of equipment, script preparation, shooting for sound, recording sound, and editing.
S-30 Planning and Producing Slide Programs* <b>179 9063</b>	\$3.25	Covers fully the preparation of slide programs for use in business, education, government, industry, medicine, television, and other fields.
S-62 How to Make Sports- Analysis Films*	\$2.65	This audiovisual data book is intended to acquaint the nonprofessional motion-picture photographer with the basic techniques of making sports-analysis films.
100 0876		

Product	Liet	Binders	
CAT. No.	List	Biliders	
W-22 KODAK Photographic Notebook 152 7548	\$3.25	Designed to hold 5\%x8\%2-inch publications, this binder makes possible a photographic handbook tailored to individual interests and needs. Includes backbone title strips and tabbed separator pages. Most of the Customer Service Pamphlets and some Photo Books are punched to fit this notebook.	
W-4 Binder for Kodak Technical Information 107 9342	\$3.95	This deluxe binder is designed to hold 8½x11-inch technical publications. It contains pocketed blank separators, printed index strips to classify Kodak technical information, and 12 sheets of note paper.	
		m the state of the second state of the state	

# **Customer Service Pamphlets**

Customer Service Pamphlets are informational pamphlets which provide answers to a multitude of picture-taking questions. They are

available from Advertising Distribution, Department 454, Rochester, New York 14650. Minimum order \$3.

# **Equipment, Picture-taking Tips, Close-ups**

Code	Title	Price Each 1-9 Copies
AA-1	Maintaining Your Still and Movie Camera and Projector	\$.15
AA-2	Accurate Exposure with All Types of Meters	.15
	Some Questions and Answers About Camera Lenses	
AA-5	How to Make and Use a Pinhole Camera	.15
	Slide Showmanship with a KODAK CAROUSEL Projector	.10
AA-9	A Glossary of Photographic Terms	.15
AA-23	How to Use an Eye-Level Viewfinder	.05
AA-26	Optical Formulas and Their Application	.10
AB-20	Close-Up Pictures Using KODAK INSTAMATIC Cameras and 35 mm Cameras	.30
AC-4	Successful Flash Operation with Battery-Powered Flash	.05
AC-5	Pictures with Photolamps	
AC-10	Photographing Television Images	.15
AC-11	Composition	
AC-13	Picture-Taking in 5 Minutes	.10
AC-17	Tips for Photographing Your Trip Abroad	
AC-18	Ideas for Photo Greeting Cards	.20
AC-19	Tips for Improving Your Flash Pictures	.25
AC-20	Astrophotography with Your Camera	.15
AC-25	Underwater Photography	.10
AC-27	How to Set Your Adjustable Camera	.05
AC-28	Picture-Taking Through Binoculars	
AC-29	Taking Pictures During an Airplane Trip	.05
AC-34	Tips for Good Pictures of Commencement Day	.10
AC-37	Exposure with Portable Electronic Flash Units	.10
AC-39°	Kodak Tips on Taking Flower Pictures	
AC-41B	Photography—How It Works (Wall Chart)	.35
AC-42	Photographing Fireworks Displays with Still and Movie Cameras	.15
AC-60°	Easy Ways to Make Still and Movie Titles	.15
AC-61	Pictures by Existing Light	.25
AC-65	Winter Photography—Better Pictures in the Snow	.20
AC-93	Instant Photography in Real Estate	.30

°Lots of 100 or more can be imprinted on order for a flat charge of \$1, regardless of quantity; no imprint is available on lots of 10.

# AND A STA

.05

.15

.20

.10

.30

.15

# Customer Service Pamphlets (cont.)

AE-31

AE-36

AE-41

AE-46

AE-91

AE-92

Mov	ies	Price Each 1-9 Copies
AD-1 AD-6° AD-7 AD-10 AD-12 AD-13 AD-14 AD-15 AD-17 AD-19 AD-20 AD-21 AD-22 AD-26 AD-28 AD-28 AD-30	Questions and Answers About Kodak Super 8 Film Cartridges What Happened to My Movies? Lubricating Your Processed Movies Making a Movie Movies of Babies & Children Movies on the Move—Your Vacation Sound Movies Underwater Movies Movies by Existing Light Indoor Movies with Auxiliary Lights Sources of Motion-Picture Services and Equipment—16 mm, 8 mm, and super 8 Getting the Most Out of Your 8 mm Film KODAK 16 mm Movie Films Editing Your Movies Tips on Using KODAK Super 8 Movie Film Care of Your Processed KODAK Movie Films Close-up Movies	\$.05 .05 .05 .30 .15 .30 .25 .30 .30 .10 .15 .10
AD-40 AD-43	Adding Sound to Your Silent Movies Showmanship in Home-Movie Projection	.30
Colo	r Photography	esta (h)
AE-2 AE-3 AE-5° AE-12 AE-21 AE-22	Getting the Most Out of KODAK High Speed EKTACHROME Films Color Photography Under Fluorescent Lighting Kodak Pocket Guide to Good Pictures Introduction to Processing and Printing KODAK Color Films Black-and-White Prints from KODAK Color Films Prevention and Removal of Fungus on Prints and Films	\$.20 .05 .15 .30 .15

Lots of 100 or more can be imprinted on order for a flat charge of \$1, regardless of quantity; no imprint is available on lots of 10.

# Customer Service Pamphlets (cont.)

Films	s, Miscellaneous	Price Each 1-9 Copies
AF-3	KODAK Black-and-White Films for General Picture-Taking	\$.10
AF-7	Storage and Care of KODAK Films in Rolls	.10
AF-8	How to Check Your Exposure Meter and Camera	.05
4F-18	Equivalent Exposure Meter Settings	.05
AM-2	Basic Copying	.10
4M-4°	Photos Help You When Disaster Strikes	.15
AM-6	Basic Infrared and Ultraviolet-Fluorescence Photography	.45
AM-10	Solar-Eclipse Photography for the Amateur	.10
4M-14°	How to Decorate with Photographs	.25
4M-18	Lunar-Eclipse Photography	.05
4N-6	Photomicrography with Simple Cameras	.10
AT-5	Photo Reports Make It Happen	
1000		25
4T-13	Student Pictures for School Publications	.25 .20
4 <i>T-13</i> 4 <i>T-15</i>	Student Pictures for School Publications	
	Student Pictures for School Publications	.20
AT-15 AT-45	Student Pictures for School Publications	.20 .20
AT-15 AT-45 AT-50	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club	.20 .20 .05
AT-15 AT-45 AT-50 AT-51	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club	.20 .20 .05 .20
AT-15 AT-45 AT-50 AT-51 AT-53 AT-56	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club Designing a Photo Course	.20 .20 .05 .20
AT-15 AT-45 AT-50 AT-51 AT-53 AT-56 AT-62	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club Designing a Photo Course A Camera Club Merit-Award System	.20 .20 .05 .20 .20
AT-15 AT-45 AT-50 AT-51 AT-53 AT-56 AT-62	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club Designing a Photo Course	.20 .20 .05 .20 .20 .50
AT-15 AT-45 AT-50 AT-51 AT-53 AT-56 AT-62 AT-104	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club Designing a Photo Course A Camera Club Merit-Award System	.20 .20 .05 .20 .20 .50 .10
AT-15 AT-45 AT-50 AT-51 AT-53 AT-56 AT-62 AT-104	Student Pictures for School Publications Photography in Your Future Photographic Equipment for Group Instruction and Activities Managing the High-School Camera Club How to Start a Camera Club How to Run a Live Camera Club Designing a Photo Course A Camera Club Merit-Award System How to Start a Photo Center	.20 .20 .05 .20 .20 .50 .10

A7-1010 Boy Scout Photography Merit Badge Manual Official publication of the Boy Scouts of America.

<sup>°</sup>Lots of 100 or more can be imprinted on order for a flat charge of \$1, regardless of quantity; no imprint is available on lots of 10. 
\*Available from Advertising Distribution, Dept. 454, Eastman Kodak Company, Rochester, N.Y. 14650. Transportation prepaid.

# **Marketing and Distribution Centers**

Marketing and Distribution Centers open Monday through Friday.

**Shipping and Service Points**—Unless otherwise indicated, the products listed herein are supplied and serviced from the Eastman Kodak Company Distribution Centers listed below:

Distribution Center—Special Products 2400 Mt. Read Blvd., Rochester, N.Y. 14650. Area Code 716: 458-7780

Eastern Region, 1187 Ridge Rd, W., Rochester, N.Y. 14650. Area Code 716: 254-1300. Telex 978429

Hawaii, 1122 Mapunapuna St, Honolulu, Hawaii 96817. Area Code 808: 833-1661. Telex 723354 Mail address—P.O. Box 17007, Honolulu, Hawaii 96817

Midwestern Region, 1901 West 22nd St, Oak Brook, III. 60521. Area Code 312: 654-5300. Telex 255156

#### **New York City Region**

Marketing Center, 1133 Avenue of the Americas, New York, N.Y. 10036. Area Code 212: 262-6000. Telex 125210 Distribution Center, 1334 York Ave, New York, N.Y. 10021. Area Code 212: 879-1500

#### **Pacific Northern Region**

Marketing Center, 3250 Van Ness Ave, San Francisco, Calif. 94109. Area Code 415: 776-6055. Telex 340892 Mail address—P.O. Box 3145 (Rincon Annex), San Francisco, Calif. 94119 Distribution Center, 9100 Alcosta Blvd, San Ramon, Calif. 94583. Area Code 415: 828-7000. Telex 336309

Pacific Southern Region, 12100 Rivera Rd, Whittier, Calif. 90606. Area Code 213: 945-1255. Telex 657434

#### Southeastern Region

Marketing Center, 1775 Commerce Dr, N.W., Atlanta, Ga. 30318. Area Code 404: 351-6510

Mail address—P.O. Box 4778 (Federal Annex), Atlanta, Ga. 30302

Distribution Center, 5315 Peachtree Industrial Blvd, Chamblee, Ga. 30341. Area Code 404: 455-0123. Telex 542106

Mail address—P.O. Box 1938, Atlanta, Ga. 30301

#### Southwestern Region

Marketing Center, 6300 Cedar Springs Rd, Dallas, Texas 75235. Area Code 214: 351-3221. Telex 730214 Distribution Center, 2800 Forest Lane, Dallas, Texas 75234. Area Code 214: 241-1611. Telex 730313

Parts for apparatus equipment are obtainable only from Eastman Kodak Company, Parts Services, 800 Lee Rd, Rochester, N.Y. 14650. Area Code 716: 458-6143. Telex 978270.

Please address items to be serviced to Eastman Kodak Company, Central Equipment Service Center, 800 Lee Rd, Rochester, N.Y. 14650.

#### **Processing Laboratories**

Atlanta, Ga. 30341 4729 Miller Dr, Area Code 404: 455-0123

cago, III. 60616 1712 South Prairie Ave, Area Code 312: 922-9691

Dallas, Texas 75235 3131 Manor Way, Area Code 214: 357-4654

Fair Lawn, N.J. 07410 16-31 Route 208, Area Code 201: 797-0600

Findlay, Ohio 45840 1100 East Main Cross St, Area Code 419: 422-7654 Honolulu, Hawaii 96814 1065 Kapiolani Blvd, Area Code 808: 531-6565 Los Angeles, Calif. 90038 1017 North Las Palmas Ave, Area Code 213: 465-7151 Palo Alto, Calif. 94304 925 Page Mill Rd, Area Code 415: 493-7200

925 Page Mill Rd, Area Code 415: 493-720 Rochester, N.Y. 14650 Kodak Park, Area Code 716: 458-1000


Rockville, Md. 20850 1 Choke Cherry Rd, Area Code 301: 948-2800

# Introducing

# KOdacolor 400 KOdacolor NEGATIVE FILM FAST

# From daylight to low light to fast action.

New Kodacolor 400 film is one of the most versatile films you can carry. It has the speed and quality to give you beautiful pictures, with excellent color reproduction, under a



24 mm lens, f/22, 1/500 sec.

variety of conditions. With an f/2 or faster lens, Kodacolor 400 film lets you make hand-held exposures in subtle candlelight, or in high-noon sun. And just about any light in between.


It allows you to use a high shutter speed to freeze action when the light is less than ideal. It also delivers excellent results in bright sunlight. And the grain is much finer than you'd expect from a film of such high speed.

Kodacolor 400 film is a great allaround film. It can take you through a whole day of varying light and



300 mm lens, f/8, 1/500 sec. Hand-held (taken from small dinghy).

situations. When you're not sure about what subjects you'll be



300 mm lens, f/16, 1/1000 sec. No panning.

shooting, or what kind of light you'll be facing, this is the film to have.

Kodacolor 400 film is available now in 135 and 110 sizes. Try it soon, and see how much it can handle.

# **New Kodacolor 400 film**