

# ZEISS IKON CAMERAS AND ACCESSORIES



PRICE LIST No. 63 — *EFFECTIVE MARCH 15, 1957*

ALL ZEISS IKON equipment available only through authorized  
ZEISS IKON dealers

*All prices, specifications and technical data subject to change without notice*

see separate price schedule (Price List No. 62)

## For CONTAX CAMERAS, LENSES and ACCESSORIES

### IKOFLEX TWIN LENS REFLEX (2¼x2¼ in.)

Using #120 roll film. Lenses factory coated. All shutters with built-in flash synchronization (MX). Ic and Favorit models with built-in photo-electric exposure meters complying with ASA specifications.

|                                                                                                                                                                                                                                                                                                                   | catalog<br>number   | Price including<br>F.E. tax |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------|
| IKOFLEX Ib, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra.....                                                                                                                                                                                                                                     | 856/16 Fpms         | 99.00                       |
| IKOFLEX Ic, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....                                                                                                                                                                                                       | 886/16 Fpms         | 126.00                      |
| IKOFLEX Ic, TESSAR f/3.5, 75mm. lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....                                                                                                                                                                                                      | 886/16 Lpms         | 146.00                      |
| IKOFLEX FAVORIT (automatic), TESSAR f/3.5, 75mm. lens, Synchro-Compur, MXV, (light values), built-in photo-electric exposure meter, self-timer, case extra.....                                                                                                                                                   | 887/16 Lems         | 209.00                      |
| CASE, eveready, for Ikoflex Ib.....                                                                                                                                                                                                                                                                               | 1245/16             | 14.00                       |
| eveready, for Ikoflex Ic.....                                                                                                                                                                                                                                                                                     | 1249/16             | 14.00                       |
| eveready, for Ikoflex Favorit.....                                                                                                                                                                                                                                                                                | 1250/16             | 15.00                       |
| eveready, for Ikoflex Ia } discontinued                                                                                                                                                                                                                                                                           | 1224/16             | 14.00                       |
| eveready, for Ikoflex Ila } camera models                                                                                                                                                                                                                                                                         | 1238/16             | 16.00                       |
| SYNCHRO CORD, PC.....                                                                                                                                                                                                                                                                                             | PC                  | 1.95                        |
| CABLE RELEASE, locking.....                                                                                                                                                                                                                                                                                       | 1312/24             | 1.25                        |
| LENS CAP, twin, for Ikoflex Ia, Ila, Ib, Ic and Favorit.....                                                                                                                                                                                                                                                      | —                   | .75                         |
| LENS SHADE, special screw-on mount, 35.5mm.....                                                                                                                                                                                                                                                                   | 1121                | 1.95                        |
| LEATHER CASE for lens shade, 35.5mm.....                                                                                                                                                                                                                                                                          | 780                 | 1.75                        |
| FILTERS, screw-on mount, 35.5mm.:                                                                                                                                                                                                                                                                                 |                     |                             |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                              | 371-UV              | 6.00                        |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                    | 371-G               | 6.00                        |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                              | 371-GR              | 6.00                        |
| Orange 5x.....                                                                                                                                                                                                                                                                                                    | 371-O               | 6.00                        |
| Red 8x.....                                                                                                                                                                                                                                                                                                       | 371-R               | 6.00                        |
| POLARIZING FILTER, IKOPOL, dual, slip-on mount, with calibrations, complete in leather case.....                                                                                                                                                                                                                  | 337                 | 29.00                       |
| CLOSE-UP LENSES, IKOPROX, dual, parallax-corrected, slip-on mount, complete in leather case:                                                                                                                                                                                                                      |                     |                             |
| 1x, f = 1m (for distances 40 to 20 in.).....                                                                                                                                                                                                                                                                      | 937/1               | 12.50                       |
| 2x, f = 0.5m (for distances 20 to 13 in.).....                                                                                                                                                                                                                                                                    | 937/05              | 15.00                       |
| PRISMATIC VIEW-FINDER, for focusing and viewing at eye-level (for Ikoflex Ia and Ila only).....                                                                                                                                                                                                                   | 400/16              | 14.00                       |
| NECK STRAP for Ikoflex Ia and Ila only.....                                                                                                                                                                                                                                                                       | TR 499              | 1.80                        |
| NECK STRAP with lock, for Ikoflex Ib, Ic and Favorit.....                                                                                                                                                                                                                                                         | TR 500 S            | 2.50                        |
| IKOBLITZ III, BC flash unit, with cord, for 22½-volt (battery not included).....                                                                                                                                                                                                                                  | 1369 }<br>1356/02 } | 12.50                       |
| ADAPTER, for bayonet base flash bulbs, with ejector.....                                                                                                                                                                                                                                                          | 1356/01             | 2.95                        |
| IKOPHOT RAPID photoelectric exposure meter complying with ASA specifications and calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small, compact design for instant one-hand operation, complete with metal safety chain and leather case..... | 1329                | 25.00                       |





### CONTINA I, II and III (35mm)

Using standard 35mm. color and black-and-white film cartridges. Lenses factory coated. Shutters fully synchronized for flash (MXV). Contina II and III have built-in direct-reading photo-electric exposure meters complying with ASA specifications.

|                                                                                                               | catalog number | Price including F.E. tax |
|---------------------------------------------------------------------------------------------------------------|----------------|--------------------------|
| CONTINA I, Novar f/3.5, 45mm., Prontor SVS, self-timer, case extra                                            | 526/24 Fpms    | 49.00                    |
| CONTINA II, Novar f/3.5, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra   | 527/24 Fpms    | 75.00                    |
| CONTINA II, Novicar f/2.8, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra | 527/24 Vpms    | 86.00                    |
| CASE, Eveready, for Contina I, II and III                                                                     | 1284/24        | 10.00                    |

#### CONTINA II, Camera and Flash Outfits (special package price)

##### CONTINA II, Package Kit, consisting of:

Contina II, Novar f/3.5, 45mm.

Leather Eveready Case

Fold-Fan Ikoblitz

89.50

##### CONTINA II, Package Kit, consisting of:

Contina II, Novicar f/2.8, 45mm.

Leather Eveready Case

Fold-Fan Ikoblitz

99.50

|                                                                                                                          |             |       |
|--------------------------------------------------------------------------------------------------------------------------|-------------|-------|
| CONTINA III, convertible Pantar f/2.8, 45mm. Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra | 529/24 Gpms | 99.00 |
| CASE, Eveready, for Contina I, II, III                                                                                   | 1284/24     | 10.00 |

### ACCESSORIES for Contina III System

|                                                                                                                       |              |       |
|-----------------------------------------------------------------------------------------------------------------------|--------------|-------|
| PANTAR, f/4, 30mm. Wide Angle Component Lens in plastic case                                                          | 1001         | 69.00 |
| PANTAR, f/4, 75mm. Tele Component Lens in plastic case                                                                | 1002         | 71.00 |
| STEREO ATTACHMENT, Steritar D with view-finder—mask and separator                                                     | 814          | 68.00 |
| WIDE ANGLE VIEW-FINDER for 30mm Pantar in leather case                                                                | 422          | 9.00  |
| TELE VIEW-FINDER for 75mm. Pantar in leather case                                                                     | 423          | 7.00  |
| TELE RANGE & VIEW-FINDER for 75mm. Pantar in leather case                                                             | 425          | 17.00 |
| UNIVERSAL VIEW-FINDER for 30, 45, 75mm. and stereo in leather case                                                    | 426          | 20.00 |
| CLOSE-UP VIEW-FINDER with measuring chain and Proxar lens 2x (for distances 12" and 20"), parallax corrected, in case | 421          | 19.00 |
| STEREO HAND-VIEWER for Contina slides (without battery housing)                                                       | 1427         | 12.50 |
| BATTERY HOUSING for stereo hand-viewer (without battery)                                                              | 1427/01      | 12.50 |
| TRANSFORMER with cord, for battery housing of Stereo Hand Viewer, for 110 volt A.C. house current with U.S. adapter   | 1317         | 7.00  |
| 1 SET OF 50 STEREO MASKS for Contina stereo slides                                                                    | 1503 per set | 3.50  |
| FILTERS, screw-on mount, 60mm. for Pantar Tele and Wide Angle component lenses:                                       |              |       |
| Ultra Violet 1x                                                                                                       | 357-UV       | 12.50 |
| Yellow 2x                                                                                                             | 357-G        | 12.50 |
| Yellow Green 2x                                                                                                       | 357-GR       | 12.50 |
| Orange 5x                                                                                                             | 357-O        | 12.50 |
| Red 8x                                                                                                                | 357-R        | 12.50 |
| Skylight for Kodachrome, Anscochrome & Ektachrome Daylight                                                            | —            | 13.50 |
| 85C for Kodachrome, Anscochrome & Ektachrome Type F                                                                   | —            | 13.50 |
| CASE, leather, for 2 Pantars, 2 view-finders and 2 filters                                                            | 798          | 15.00 |
| LENS SHADE, screw-on mount, 60mm. for Pantar Tele lens component                                                      | 1132         | 3.95  |
| LEATHER CASE for lens shade, 60mm.                                                                                    | 739          | 3.50  |
| CASE, leather, for Steritar D Stereo Attachment                                                                       | 1291         | 7.00  |



# CONTINA—continued

## ACCESSORIES for Contina I, II, and III

|                                                                                                                                                                                                                                                                                                                  | catalog<br>number | Price including<br>F.E. tax |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------|
| CASE, Eveready, for Contina I, II and III.....                                                                                                                                                                                                                                                                   | 1284/24           | 10.00                       |
| Eveready, for Contina I } Previous type.....                                                                                                                                                                                                                                                                     | 1213/24           | 11.00                       |
| Eveready, for Contina II }                                                                                                                                                                                                                                                                                       | 1216/24           | 11.00                       |
| SYNCHRO CORD PC.....                                                                                                                                                                                                                                                                                             | PC                | 1.95                        |
| CABLE RELEASE, locking.....                                                                                                                                                                                                                                                                                      | 1312/24           | 1.25                        |
| NECK STRAP, for Contina I } discontinued                                                                                                                                                                                                                                                                         | TR 499            | 1.80                        |
| NECK STRAP, for Contina II and Contessa } camera models                                                                                                                                                                                                                                                          | TR 500S           | 2.50                        |
| LENS SHADE, slip-on mount, 28.5mm., for Contina and Contessa....                                                                                                                                                                                                                                                 | 1110              | 1.95                        |
| LEATHER CASE for lens shade, 28.5mm.....                                                                                                                                                                                                                                                                         | 778               | 1.75                        |
| LEATHER CASE, for 1 lens shade, 28.5mm., and 3 filters, 27mm.....                                                                                                                                                                                                                                                | 742               | 2.75                        |
| FILTERS, screw-on mount, 27mm., for Contina, Contessa and Steritar D:                                                                                                                                                                                                                                            |                   |                             |
| Ultra Violet 1x } Zeiss Ikon manufacture.....                                                                                                                                                                                                                                                                    | 382-UV            | 5.00                        |
| Yellow 2x }                                                                                                                                                                                                                                                                                                      | 382-G             | 5.00                        |
| Yellow Green 2x }                                                                                                                                                                                                                                                                                                | 382-GR            | 5.00                        |
| Orange 5x }                                                                                                                                                                                                                                                                                                      | 382-O             | 5.00                        |
| Red 8x }                                                                                                                                                                                                                                                                                                         | 382-R             | 5.00                        |
| Skylight for Kodachrome, Anscochrome & Ektachrome Daylight                                                                                                                                                                                                                                                       | —                 | 6.00                        |
| 85C for Kodachrome, Anscochrome & Ektachrome Type F                                                                                                                                                                                                                                                              | —                 | 6.00                        |
| POLARIZING FILTER, CONTAPOL, slip-on mount, 28.5mm.....                                                                                                                                                                                                                                                          | 329               | 9.75                        |
| EYE-CORRECTION LENS MOUNT (without lens) for Contessa.....                                                                                                                                                                                                                                                       | —                 | 1.80                        |
| EYE-CORRECTION LENSES (spherical only) in screw-on mount from $\pm 0.5$ to $\pm 5$ diopters in steps of 0.5 diopters each, for Contina II, III, Contessa and Contameter (special order only together with prescription for eye used).....                                                                        | 901               | 5.00                        |
| PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contina and Contessa:                                                                                                                                                                                                                                        |                   |                             |
| 1x, f = 1m (for distances 40 to 18 in.) } (Complete set of 4                                                                                                                                                                                                                                                     | 909/1             | 5.00                        |
| 2x, f = 0.5m (for distances 20 to 12 in.) } Proxars comes in plas-                                                                                                                                                                                                                                               | 909/05            | 5.00                        |
| 3x, f = 0.3m (for distances 12 to 8 in.) } tic case, #729, at no                                                                                                                                                                                                                                                 | 909/03            | 5.00                        |
| 4x, f = 0.2m (for distances 8 to 6 in.) } extra charge)                                                                                                                                                                                                                                                          | 909/02            | 5.00                        |
| LENS CAP for front of Contina Lens.....                                                                                                                                                                                                                                                                          | 1053              | 1.00                        |
| CONTAMETER, close-up focusing and viewing device for Contessa only, parallax compensation, three lenses (for distances 8, 12, and 20 in.) in case.....                                                                                                                                                           | 441               | 81.00                       |
| IKOBLITZ fold-fan flash unit with test bulb, ejector, cord, for 22½-volt (battery not included) in plastic case.....                                                                                                                                                                                             | 1318              | 9.95                        |
| IKOPHOT RAPID photo-electric exposure meter complying with ASA Specifications and calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case..... | 1329              | 25.00                       |
| BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....                                                                                                                                                                                                                                                  | —                 | 1.95                        |
| The Contina Guide by W. D. Emanuel, 72 pages.....                                                                                                                                                                                                                                                                | —                 | 1.25                        |





## CONTAFLEX I, II, III and IV (35mm)

Single lens reflex. Penta roof prism incorporating both ground glass and split-image range-finder focusing, automatic pre-set lens diaphragm and automatic frame counter. Using standard 35mm. film cartridge or bulk, 36-exposure loads. Negative size 1x1 1/2". Lenses factory coated. Shutter with built-in, full flash synchronization (MXV). Prismatic, eye level single-lens reflex type. II and IV with built-in, direct-reading photo-electric exposure meter complying with ASA specifications.

|                                                                                                                                                         | catalog number | PRICE including F.E. tax |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------|
| CONTAFLEX I, Tessar f/2.8, 45mm., Synchro-Compur with self-timer, case extra.....                                                                       | 861/24 Pcms    | 153.00                   |
| CONTAFLEX II, Tessar f/2.8, 45mm., Synchro-Compur with self-timer, built-in photo-electric exposure meter, case extra.....                              | 862/24 Pcms    | 176.00                   |
| CONTAFLEX III, convertible Tessar f/2.8, 50mm., Synchro-Compur with self-timer, light values, case extra.....                                           | 863/24 Ucms    | 176.00                   |
| CONTAFLEX IV, convertible Tessar f/2.8, 50mm., Synchro-Compur with self-timer and light values, built-in photo-electric exposure meter, case extra..... | 864/24 Ucms    | 199.00                   |
| CASE, Eveready, for Contaflex I, II, III and IV.....                                                                                                    | 1209/24        | 14.00                    |
| ACCESSORY SHOE for flash attachment on top of Contaflex.....                                                                                            | 861/02         | 1.95                     |

## LENSES and STEREO EQUIPMENT

|                                                                                                                        |                   |       |
|------------------------------------------------------------------------------------------------------------------------|-------------------|-------|
| TELE ATTACHMENT LENS, "TELESKOP 1.7x," for Contaflex I and II, f/5.6, 77mm. (Carrier Bracket #861/07 essential).....   | 861/03            | 99.00 |
| STEREO PRISM ATTACHMENT STERITAR "A", with separator, for Contaflex I and II. (Carrier Bracket #861/07 essential)..... | 812               | 59.00 |
| CARRIER BRACKET for tele attachment lens and stereo attachment of Contaflex I and II.....                              | 861/07            | 11.00 |
| PRO-TESSAR, f/4, 35mm. component lens for Contaflex III and IV, in case.....                                           | 1003              | 89.00 |
| PRO-TESSAR, f/4, 85mm. component lens for Contaflex III and IV, in case.....                                           | 1004              | 99.00 |
| STERITAR B, stereo attachment, with separator, for Contaflex III and IV.....                                           | 813               | 68.00 |
| STEREO HAND VIEWER for Contaflex slides (without battery housing).....                                                 | 1427              | 12.50 |
| BATTERY HOUSING for Stereo Hand Viewer (without battery).....                                                          | 1427/01           | 12.50 |
| TRANSFORMER with cord, for battery housing of Stereo Hand Viewer for 110 volt A.C. house current.....                  | 1317              | 7.00  |
| 1 SET of 50 STEREO MASKS for Contaflex stereo slides.....                                                              | 1503 per set      | 3.50  |
| CASE, leather for 2 Pro-Tessars, front element, 1 Proxar lens and lens shade #1110.....                                | 798 }<br>798/01 } | 16.00 |
| CASE, leather, for Steritar B.....                                                                                     | 1291              | 7.50  |

## FILTERS AND LENS SHADES

|                                                                                                   |        |       |
|---------------------------------------------------------------------------------------------------|--------|-------|
| FILTERS, screw-on mount, 27mm., for Contaflex and Steritar B:                                     |        |       |
| Ultra Violet 1x                                                                                   | 382-UV | 5.00  |
| Yellow 2x                                                                                         | 382-G  | 5.00  |
| Yellow Green 2x } Zeiss Ikon manufacture.....                                                     | 382-GR | 5.00  |
| Orange 5x                                                                                         | 382-O  | 5.00  |
| Red 8x                                                                                            | 382-R  | 5.00  |
| Skylight for Kodachrome, Anscochrome & Ektachrome Daylight                                        | —      | 6.00  |
| 85C for Kodachrome, Anscochrome & Ektachrome Type F                                               | —      | 6.00  |
| screw-on mount, 55mm., for Contaflex I and II tele lens:                                          |        |       |
| Ultra Violet 1x                                                                                   | 355-UV | 12.00 |
| Yellow 2x                                                                                         | 355-G  | 12.00 |
| Yellow Green 2x } Zeiss Ikon manufacture.....                                                     | 355-GR | 12.00 |
| Orange 5x                                                                                         | 355-O  | 12.00 |
| Red 8x                                                                                            | 355-R  | 12.00 |
| slip-on mount, 30mm., for Steritar "A" stereo attachment for Contaflex:                           |        |       |
| Ultra Violet 1x } Zeiss Ikon manufacture.....                                                     | 313-UV | 6.00  |
| Yellow 2x                                                                                         | 313-G  | 6.00  |
| screw-on mount, 60mm. for Pro Tessar 35mm. (adapter ring #1527 required) and Pro-Tessar 85mm:     |        |       |
| Ultra Violet 1x                                                                                   | 357-UV | 12.50 |
| Yellow 2x                                                                                         | 357-G  | 12.50 |
| Yellow Green 2x } Zeiss Ikon manufacture.....                                                     | 357-GR | 12.50 |
| Orange 5x                                                                                         | 357-O  | 12.50 |
| Red 8x                                                                                            | 357-R  | 12.50 |
| Skylight for Kodachrome, Anscochrome & Ektachrome Daylight                                        | —      | 13.50 |
| 85C for Kodachrome, Anscochrome & Ektachrome Type F                                               | —      | 13.50 |
| ADAPTER RING for 35mm. Pro-Tessar, (49mm. outside diameter) for using standard 60mm. filters..... | 1527   | 3.00  |





# **CONTAFLEX—continued**

|                                                                                                                                                                                                                                                                                                                                       | catalog<br>number | PRICE including<br>F.E. tax |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------|
| screw-on mount, 49mm., for 35mm. Pro-Tessar only:                                                                                                                                                                                                                                                                                     |                   |                             |
| Ultra Violet 1x                                                                                                                                                                                                                                                                                                                       | 383-UV            | 7.00                        |
| Yellow 2x                                                                                                                                                                                                                                                                                                                             | 383-G             | 7.00                        |
| Yellow Green 2x                                                                                                                                                                                                                                                                                                                       | 383-GR            | 7.00                        |
| Orange 5x                                                                                                                                                                                                                                                                                                                             | 383-O             | 7.00                        |
| Red 8x                                                                                                                                                                                                                                                                                                                                | 383-R             | 7.00                        |
| Zeiss Ikon manufacture.....                                                                                                                                                                                                                                                                                                           |                   |                             |
| POLARIZING FILTER, CONTAPOL, for Contaflex, I, II, III and IV                                                                                                                                                                                                                                                                         | 342               | 11.00                       |
| LENS CAP for front of Tessar, f/2.8, 45 and 50mm.....                                                                                                                                                                                                                                                                                 | 1053              | 1.00                        |
| LENS SHADE, slip-on mount, 28.5mm., for Contaflex I, II, III, IV....                                                                                                                                                                                                                                                                  | 1110              | 1.95                        |
| LENS SHADE, screw-on mount, 55mm., for Teleskop 1.7x.....                                                                                                                                                                                                                                                                             | 1126              | 2.50                        |
| LENS SHADE, screw-on mount, 60mm., for 85mm. Pro-Tessar.....                                                                                                                                                                                                                                                                          | 1132              | 3.95                        |
| LEATHER CASE for lens shade, 28.5mm.....                                                                                                                                                                                                                                                                                              | 778               | 1.75                        |
| LEATHER CASE for one lens shade, 28.5mm., and 3 filters, 27mm.                                                                                                                                                                                                                                                                        | 742               | 2.75                        |
| LEATHER CASE for lens shade, 60mm.....                                                                                                                                                                                                                                                                                                | 739               | 3.50                        |
| <b>ACCESSORIES FOR CONTAFLEX CLOSE UP PHOTOGRAPHY</b>                                                                                                                                                                                                                                                                                 |                   |                             |
| PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contaflex:                                                                                                                                                                                                                                                                        |                   |                             |
| 1x, f= 1m (for distances 40 to 18 in.)                                                                                                                                                                                                                                                                                                | 909/1             | 5.00                        |
| 2x, f=0.5m (for distances 20 to 12 in.)                                                                                                                                                                                                                                                                                               | 909/05            | 5.00                        |
| 3x, f=0.3m (for distances 12 to 8 in.)                                                                                                                                                                                                                                                                                                | 909/03            | 5.00                        |
| 4x, f=0.2m (for distances 8 to 6 in.)                                                                                                                                                                                                                                                                                                 | 909/02            | 5.00                        |
| *(Complete set of 4 Proxars comes in plastic case, #729, at no extra charge)                                                                                                                                                                                                                                                          |                   |                             |
| MICRO ATTACHMENT for Contaflex I and II, for 25mm. Eye-Piece Sleeve, consisting of:                                                                                                                                                                                                                                                   |                   |                             |
| 1 Adapter ring.....                                                                                                                                                                                                                                                                                                                   | 1525              | 9.00                        |
| 1 Connecting ring.....                                                                                                                                                                                                                                                                                                                | 1526              |                             |
| (Carrier bracket 861/07 ESSENTIAL; Ocular with high eyepoint RECOMMENDED)                                                                                                                                                                                                                                                             |                   |                             |
| MICRO ATTACHMENT for Contaflex III and IV, for 25mm. Eye-Piece Sleeve, consisting of:                                                                                                                                                                                                                                                 |                   |                             |
| 1 Adapter ring.....                                                                                                                                                                                                                                                                                                                   | 1528              | 10.00                       |
| 1 Connecting ring.....                                                                                                                                                                                                                                                                                                                | 1526              |                             |
| (Ocular with high eyepoint RECOMMENDED)                                                                                                                                                                                                                                                                                               |                   |                             |
| TABLE REPRODUCTION STAND (#1412) for Contaflex, consisting of:                                                                                                                                                                                                                                                                        |                   |                             |
| Table Clamp with Pillar.....                                                                                                                                                                                                                                                                                                          | 1405/030          | 22.00                       |
| T-Shaped Clamp.....                                                                                                                                                                                                                                                                                                                   | 1405/031          |                             |
| Adapter with Tripod Screw for Contaflex.....                                                                                                                                                                                                                                                                                          | 1408/02           | 11.00                       |
|                                                                                                                                                                                                                                                                                                                                       | 861/01            | 14.00                       |
| <b>SUNDRY ACCESSORIES</b>                                                                                                                                                                                                                                                                                                             |                   |                             |
| RIGHT-ANGLE VIEWFINDER for viewing and focusing the Contaflex at waist-level and for copying work, photomicrography, etc.                                                                                                                                                                                                             | 1253              | 17.00                       |
| FLASH CORD (4-inch) with angular plug.....                                                                                                                                                                                                                                                                                            | 1340              | 1.40                        |
| CASSETTE for Contaflex, complete.....                                                                                                                                                                                                                                                                                                 | 540/1             | 5.30                        |
| TAKE-UP SPOOL for Contaflex.....                                                                                                                                                                                                                                                                                                      | 563/01            | .45                         |
| CORE for Contaflex Cassette.....                                                                                                                                                                                                                                                                                                      | 540/5             | .45                         |
| CABLE RELEASE, locking.....                                                                                                                                                                                                                                                                                                           | 1312/24           | 1.25                        |
| NECK STRAP for camera (with lock).....                                                                                                                                                                                                                                                                                                | TR 500-S          | 2.50                        |
| EYE-CORRECTION LENSES (spherical only) from $\pm 1$ to $\pm 5$ diopters in steps of 0.5 diopters each (on special order only together with prescription for eye used).....                                                                                                                                                            | 902               | 3.00                        |
| IKOBLITZ fold-fan flash unit with test bulb, ejector, cord, for 22½-volt (battery not included) in plastic case.....                                                                                                                                                                                                                  | 1318              | 9.95                        |
| IKOPHOT RAPID photo-electric exposure meter complying with ASA and DIN specifications, for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation, complete with metal safety chain and leather case (for Contaflex I and III)..... | 1329              | 25.00                       |
| BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....                                                                                                                                                                                                                                                                       | —                 | 1.95                        |
| The Contaflex Way by H. Freytag.....                                                                                                                                                                                                                                                                                                  | —                 | 4.50                        |
| The Contaflex Guide by W. D. Emanuel, 94 pages.....                                                                                                                                                                                                                                                                                   | —                 | 1.75                        |



# **SUPER IKONTA III and IV (2¼x2¼)**

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (MX). Built-in coupled range-finders. IV has built-in photo-electric exposure meter complying with ASA specifications.

|                                                                                                                                                                                                                                                                                                                      | catalog number | PRICE including F.E. tax |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------|
| SUPER IKONTA III, NOVAR f/3.5, 75mm., Prontor SVS, self-timer, case extra.....                                                                                                                                                                                                                                       | 531/16 Fpms    | 89.00                    |
| SUPER IKONTA IV, TESSAR f/3.5, 75mm., Synchro-Compur, MXV (light values), built-in photo-electric exposure meter, self-timer, case extra.....                                                                                                                                                                        | 534/16 Lcms    | 135.00                   |
| CASE, Eveready, for III and IV.....                                                                                                                                                                                                                                                                                  | 1237/16        | 10.50                    |
| Eveready, for A.....                                                                                                                                                                                                                                                                                                 | 1208           | 10.00                    |
| Eveready, for C.....                                                                                                                                                                                                                                                                                                 | 1206/2         | 10.00                    |
| Eveready, for B.....                                                                                                                                                                                                                                                                                                 | 1204/16        | 12.00                    |
| Eveready, for BX.....                                                                                                                                                                                                                                                                                                | 1203/16        | 12.00                    |
| SYNCHRO CORD, PC.....                                                                                                                                                                                                                                                                                                | PC             | 1.95                     |
| CABLE RELEASE, locking.....                                                                                                                                                                                                                                                                                          | 1312/24        | 1.25                     |
| LENS SHADE, slip-on mount, 32mm., for A, III and IV.....                                                                                                                                                                                                                                                             | 1111           | 1.95                     |
| slip-on mount, 37mm., for B, BX and C.....                                                                                                                                                                                                                                                                           | 1112           | 1.95                     |
| LEATHER CASE for lens shade, 32mm.....                                                                                                                                                                                                                                                                               | 779            | 1.75                     |
| for lens shade, 37mm.....                                                                                                                                                                                                                                                                                            | 780            | 1.75                     |
| FILTERS, screw-on mount, 35.5mm., for A, III and IV:                                                                                                                                                                                                                                                                 |                |                          |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                                 | 353-UV         | 6.00                     |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                       | 353-G          | 6.00                     |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                                 | 353-GR         | 6.00                     |
| Orange 5x.....                                                                                                                                                                                                                                                                                                       | 353-O          | 6.00                     |
| Red 8x.....                                                                                                                                                                                                                                                                                                          | 353-R          | 6.00                     |
| slip-on mount, 37mm., for B and BX:                                                                                                                                                                                                                                                                                  |                |                          |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                                 | 322-UV         | 6.00                     |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                       | 322-G          | 6.00                     |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                                 | 322-GR         | 6.00                     |
| Orange 5x.....                                                                                                                                                                                                                                                                                                       | 322-O          | 6.00                     |
| Red 8x.....                                                                                                                                                                                                                                                                                                          | 322-R          | 6.00                     |
| screw-on mount, 40.5mm., for C:                                                                                                                                                                                                                                                                                      |                |                          |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                                 | 354-UV         | 6.00                     |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                       | 354-G          | 6.00                     |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                                 | 354-GR         | 6.00                     |
| Orange 5x.....                                                                                                                                                                                                                                                                                                       | 354-O          | 6.00                     |
| Red 8x.....                                                                                                                                                                                                                                                                                                          | 354-R          | 6.00                     |
| POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for A, III and IV.....                                                                                                                                                                                                                                            | 330            | 15.00                    |
| slip-on mount, 37mm., for B, BX and C.....                                                                                                                                                                                                                                                                           | 331            | 16.00                    |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for A, III and IV:                                                                                                                                                                                                                                                     |                |                          |
| 1x, f = 1m (for distances 40 to 21 in.).....                                                                                                                                                                                                                                                                         | 910/1          | 5.00                     |
| 2x, f = 0.5m (for distances 20 to 14 in.).....                                                                                                                                                                                                                                                                       | 910/05         | 5.00                     |
| slip-on mount, 37mm., for B, BX and C:                                                                                                                                                                                                                                                                               |                |                          |
| 0.5x, f = 2m (for distances 79 to 39 in.).....                                                                                                                                                                                                                                                                       | 911/2          | 5.00                     |
| 1x, f = 1m (for distances 40 to 26 in.).....                                                                                                                                                                                                                                                                         | 911/1          | 5.00                     |
| 2x, f = 0.5m (for distances 20 to 15 in.).....                                                                                                                                                                                                                                                                       | 911/05         | 5.00                     |
| CONTAMETER close-up focusing device for B and BX, parallax-compensation adjustment, complete with three lenses (for distances 12, 20, and 28 in.), slip-on mounts, 37mm., complete in case                                                                                                                           | 442            | 81.00                    |
| EYE-CORRECTION EYE-PIECE lens mount, for B, BX, III, IV, and Contameter, without lens.....                                                                                                                                                                                                                           | —              | 1.80                     |
| EYE-CORRECTION LENSES, in screw-on mount (spherical only), from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Super Ikonta B, BX, III, IV, and Contameter (on special order only together with prescription for eye used).....                                                                            | 901            | 5.00                     |
| NECK STRAP for B and BX models (with lock).....                                                                                                                                                                                                                                                                      | TR 500 S       | 2.50                     |
| MASK, 16 exposure, for C.....                                                                                                                                                                                                                                                                                        | —              | 1.50                     |
| IKOBLITZ fold-fan flash unit with test bulb, ejector, cord, for 22½-volt (battery not included) in plastic case.....                                                                                                                                                                                                 | 1318           | 9.95                     |
| IKOPHOT RAPID photo-electric exposure meter complying with ASA and DIN specifications calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case..... | 1329           | 25.00                    |
| BOOK: The Super Ikonta Guide by W. D. Emanuel, 83 pages.....                                                                                                                                                                                                                                                         | —              | 1.25                     |



**NETTAR IIB (2¼x2¼ in.), NETTAX (2¼x2¼ in.)**

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (X) at 1/25th sec.

|                                                                                                                                                                                                                                                                                                                       | catalog number | PRICE including F.E. tax |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------|
| NETTAR IIB, NOVAR f/4.5, 75mm., Pronto, self-timer, case extra....                                                                                                                                                                                                                                                    | 518/16 Its     | 33.00                    |
| NETTAX, NOVAR f/4.5, 75mm., Pronto, self-timer, built-in photo-electric exposure meter, case extra.....                                                                                                                                                                                                               | 513/16 Its     | 58.00                    |
| CASE, leather carrying, for IIB and Nettax.....                                                                                                                                                                                                                                                                       | 1231/16        | 6.00                     |
| leather carrying, for IIC (discontinued).....                                                                                                                                                                                                                                                                         | 1234/2         | 7.70                     |
| CABLE RELEASE, locking.....                                                                                                                                                                                                                                                                                           | 1312/24        | 1.25                     |
| LENS SHADE, slip-on mount, 32mm., for either camera.....                                                                                                                                                                                                                                                              | 1111           | 1.95                     |
| LEATHER CASE for lens shade, 32mm.....                                                                                                                                                                                                                                                                                | 779            | 1.75                     |
| SYNCHRO CORD, PC.....                                                                                                                                                                                                                                                                                                 | PC             | 1.95                     |
| FILTERS, slip-on mount, 32mm., for Nettar IIC:                                                                                                                                                                                                                                                                        |                |                          |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                                  | 349-UV         | 6.00                     |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                        | 349-G          | 6.00                     |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                                  | 349-GR         | 6.00                     |
| Orange 5x.....                                                                                                                                                                                                                                                                                                        | 349-O          | 6.00                     |
| Red 8x.....                                                                                                                                                                                                                                                                                                           | 349-R          | 6.00                     |
| FILTERS, screw-on mount, 35.5mm., for Nettar IIB and Nettax:                                                                                                                                                                                                                                                          |                |                          |
| Ultra Violet 1x.....                                                                                                                                                                                                                                                                                                  | 353-UV         | 6.00                     |
| Yellow 2x.....                                                                                                                                                                                                                                                                                                        | 353-G          | 6.00                     |
| Yellow Green 2x.....                                                                                                                                                                                                                                                                                                  | 353-GR         | 6.00                     |
| Orange 5x.....                                                                                                                                                                                                                                                                                                        | 353-O          | 6.00                     |
| Red 8x.....                                                                                                                                                                                                                                                                                                           | 353-R          | 6.00                     |
| POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for IIB, IIC and Nettax.....                                                                                                                                                                                                                                       | 330            | 15.00                    |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIB and Nettax:                                                                                                                                                                                                                                                     |                |                          |
| 1x, f = 1m (for distances 40 to 21 in.).....                                                                                                                                                                                                                                                                          | 910/1          | 5.00                     |
| 2x, f = 0.5m (for distances 20 to 14 in.).....                                                                                                                                                                                                                                                                        | 910/05         | 5.00                     |
| PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIC:                                                                                                                                                                                                                                                                |                |                          |
| 0.5x, f = 2m (for distances 79 to 39 in.).....                                                                                                                                                                                                                                                                        | 910/2          | 5.00                     |
| 1x, f = 1m (for distances 40 to 26 in.).....                                                                                                                                                                                                                                                                          | 910/1          | 5.00                     |
| 2x, f = 0.5m (for distances 20 to 15 in.).....                                                                                                                                                                                                                                                                        | 910/05         | 5.00                     |
| IKOBLITZ fold-fan flash unit with test bulb, ejector, cord, for 22½-volt (battery not included) in plastic case.....                                                                                                                                                                                                  | 1318           | 9.95                     |
| IKOPHOT RAPID photo-electric exposure meter complying with ASA and DIN specifications, calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case..... | 1329           | 25.00                    |
| <b>PHOTOGRAPHIC GUIDE BOOKS</b>                                                                                                                                                                                                                                                                                       |                |                          |
| The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....                                                                                                                                                                                                                                                              | —              | 1.95                     |
| The Contina Guide by W. D. Emanuel, 72 pages.....                                                                                                                                                                                                                                                                     | —              | 1.25                     |
| The Contaflex Guide by W. D. Emanuel, 94 pages.....                                                                                                                                                                                                                                                                   | —              | 1.75                     |
| The Contaflex Way by H. Freytag.....                                                                                                                                                                                                                                                                                  | —              | 4.50                     |
| The Ikoflex Guide by K. Tydings, 128 pages (for Ikoflex Ia and IIa).....                                                                                                                                                                                                                                              | —              | 1.95                     |
| The Super Ikonta Guide by W. D. Emanuel, 83 pages.....                                                                                                                                                                                                                                                                | —              | 1.25                     |
| The Movikon Guide by G. R. Sharp, 126 pages.....                                                                                                                                                                                                                                                                      | —              | 1.95                     |





## ZEISS IKON PROJECTION EQUIPMENT FOR FLAT AND STEREO PROJECTION

**IKOLUX 500 PROJECTOR**, 500-watt, 110-volt, for 2x2 in. slides, complete with blower, slide carrier, connecting cord, bulb, ORIKAR f/2.5, 100mm. lens (for flat projection) including field lens for 100mm. Orikar lens (#1478/06).....

**SLIDE CHUTE** 2x2 in. instead of slide carrier.....

**CARRYING CASE** for IKOLUX 500 (for flat projection).....  
(Equipment for flat projection.)

**STERIKON 10**, with pre-polarizer for stereo projection with Ikolux 500 (home projection of Contax and Contaflex stereo slides).....  
(Accessory item to convert the Ikolux 500 into a stereo projector.)

**IKOLUX 500 STEREO PROJECTOR**, 500-watt, as above but equipped for double lens projection (for lectures and professional use) with stereo head, with slide chute, without lenses.....

Two ORIKAR f/2.5, 100mm. lenses, with tubes and polarizing filters.....

Field lens with wedges.....

### TOTAL PRICE.....

Extra for equipment of Ikolux Stereo Projector with f/3.2, 150mm. lenses.....

Conversion parts for converting IKOLUX 500 Stereo Projector with 100mm. lenses to flat projection of 2x2-in slides:

Field lens for 100mm. projection lens.....

Picture gate 2x2-in. with quick change tube for 100mm. without lens.....

## MOVIKON 8a (8mm Motion Picture)

A unique double-eight spool film movie camera of the same sterling quality workmanship and materials that characterize all Zeiss Ikon still cameras. Four speeds: 16, 24, 32 and 48 f.p.s.

**MOVIKON 8a**, for 25 ft. double-8 film, with Movitar f/1.9, 10mm. lens, case extra.....

**CASE**, Eveready, stiff leather, for Movikon 8a.....

**ZIPPER POUCH CASE**, Eveready, soft leather, for Movikon 8a.....

**MOVIGONAR** wide-angle lens, 0.5x, with view-finder, lens shade, and case.....

**MOVITELAR** telephoto lens, 2x, with view-finder, lens shade, and case.....

**FILTERS**, screw-on mount, 22.5mm., for Movitar f/1.9 lens:

Ultra Violet 1x.....

Yellow 2x.....

Yellow Green 2x.....

Orange 5x.....

Red 8x.....

Neutral Gray 4x.....

**FILTERS**, screw-on mount, 35.5mm., for Movigonar and Movitelar lenses:

Ultra Violet 1x.....

Yellow 2x.....

Yellow Green 2x.....

Orange 5x.....

Red 8x.....

Neutral Gray 4x.....

**IKOPHOT RAPID EXPOSURE METER**.....

**SPECIAL IKOPHOT RAPID SCALE** for speeds 16, 24, 32 and 48.....

**BOOK: The Movikon Guide** by G. R. Sharp, 126 pages.....

## MOVISCOP EDITORS

**MOVISCOP VIEWER and EDITOR** for 8mm. film, with rewinders (on special order only).....

**MOVISCOP VIEWER and EDITOR** for 16mm. film, with rewinders (on special order only).....

**SPARE LAMP** for Moviscop.....

number  
catalog

Price including  
F.E. tax

1349 }  
1479/1 } 199.00  
1479/025 }

1478/032 5.25

1479/045 26.00

1478/01 79.00

1479

1349

1479/01

1479/025

1479/02

1479/07

499.00

1479/03 10.00

1478/06 5.50

1478/015 11.50

5532/288 119.00

1280/28 16.00

775 13.00

5532/07 69.00

5532/06 69.00

361-UV 4.50

361-G 4.50

361-GR 4.50

361-O 4.50

361-R 4.50

361-N 4.50

371-UV 6.00

371-G 6.00

371-GR 6.00

371-O 6.00

371-R 6.00

371-N 6.00

1329 25.00

75530 1.00

1.95

1431/28 110.00

1431/30 114.00

1357 2.25



Made in West Germany