

ILFITT lenses and optical products are distinguished by their custom quality and have, therefore, found ready acceptance by well-known professional photographers, picture magazines, and motion picture studios.

Kilfitt lenses can be readily adapted to practically all miniature cameras or 16 and 35mm motion picture cameras with interchangeable lenses.

PHOTO

KILFITT and KILAR are Trade Marks registered with the U.S. Patent Office, and with U.S. Customs at all ports of entry to prevent un-authorized importation.

## KILFITT LENS AND ADAPTER GUIDE

Kilfitt lenses can be used with all the cameras listed below, or with cameras having similar lens mounts. To find correct adapter for any camera-and-lens combination, locate camera in left vertical column; locate Kilfitt lens in top horizontal lines. The Catalog Number and Code Word of the correct adapter will be found at the intersection of the two columns. Write to us for adaptations to cameras not listed here.

	40mm Makro Kilar E D	90mm Makro Kilar	135-150m 300mm T		400 Fern 300 Fan-Tele 400mm-600mm Sport-Fern
	(see Note I)	(Note 2)	(Note 3)	(Note 4)	(Note 5)
Alpa		12639 tumal	12609 kilal	12629 tulal	12619 anal
Canonflex	vimca vidca	12631 tumca	12601 kilca	12621 tulca	12611 anca
Contax D, S	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Contarex	vimco vidco	12632 tumco	12602 kilco	12622 tulco	12612 anco
Edixa Reflex	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Exa	vimex videx	12633 tumex	12603 kilex	12623 tulex	12613 anex
Exakta	vimex videx	12633 tumex	12603 kilex	12623 tulex	12613 anex
Hexacon	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Leica I—IIIg		12213 rexop#	12210 repor#		12509 anspi with
Leica M2-M3		12212 repem#	12214 repmo#		12213 rexop# 12509 anspi
					with 12212 repem
Leica with Visoflex I			12507 cozwi		12513 anso
Leica with Visoflex II/IIa		12510 revis	12511 kivis		12514 anvis
Minolta	vimol vidol	12634 tumol	12604 kilol	12624 tulol	12614 anol
Miranda	vimmi vidmi	12635 tummi	12605 kilmi	12625 tulmi	12615 anmi
Nikon Reflex		12636 tumni	12606 kilni	12626 tulni	12616 anni
Novoflex			12507 cozwi		12513 anso
Pentacon	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Pentax	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Praktica	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Praktiflex	vimed vided	12637 tumpa	12607 kilpa	12627 tulpa	12617 anpa
Praktina		12542 retin	12543 kitin		12561 antis
Topcon	vimex videx	12633 tumex	12603 kilex	12623 tulex	12613 anex
Hasselblad 1000F		Order lens: 12125			Pan Tele: 12565 anhas
Arriflex	* _		*	*	*
CineKodak Special		12556 rekod	12554 kikod		12512 ansic 12554 kikod
C-mount cameras (reflex type)	vimci vidci	12638 tumci	12608 kilci	12628 tulci	12618 anci

# Kilarscope Prism Reflex Housing

\* Sold only by Arriflex Corporation

- Note 1: 40mm Makro-Kilar lenses are supplied only complete with mounts for cameras listed. Specify camera and code word when ordering.
- Note 2: 'tum-' adapters have Variable Extension with an auxiliary helical mount for focusing from infinity to 1:1 ratio; built-in tripod socket; click stops for turning camera horizontal or vertical while on tripod. 're-' adapters do not have variable extension, nor tripod socket.
- Note 3: DeLuxe Adapters for general photography; lens can be focused from infinity to its nearest engraved distance. Special Features: 'kil-' adapters (and kitin) have slot with holder for 2x2'' gelatine filters; built-in tripod socket; click stops for turning camera horizontal or vertical while on tripod.
- Note 4: Variable Extension 'Macro' adapters with an auxiliary helical focusing mount for all around photography. Lenses can be focused from infinity to closer distances than engraved on lens distance scales, extending the near focusing range of the 135mm f/3.8 Kilar to 24/2" (Reproduction Ratio 1:2.6) 150mm f/3.5 Kilar to 27/2" (Reproduction Ratio 1:2.7) 300mm f/5.6 Tele-Kilar to 72" (Reproduction Ratio 1:4) 'tul-' adapters have the same Special Features as listed under Note 3.
- Note 5: Flange Adapters, locked to the lens with overlapping locking ring; lens can be focused from infinity to nearest engraved distance. Except for Hasselblad 1000F (anhas), and Visoflex I (anso), all Flange Adapters have slot with holder for 2x2" gelatine filters and click stops for turning camera vertical or horizontal while the lens is mounted on tripod.

# TELEPHOTO AND LONG-FOCUS LENSES











Kilar lenses are distinguished not only by their fine optical performance, but also by their light weight and superb mechanical quality and finish. F-stop pre-selectors facilitate convenient focusing and fast shooting; focusing and aperture controls with large rings assure positive operation even with gloved hands. All Kilars have 'short barrels,' thus permit adapters, variable extension mounts, or reflex housings to be inserted between lens and camera without affecting the full focusing range from infinity to near distance. Any one Kilar may be used with many different cameras by simply using proper adapter—therefore, owners of several still and/or motion picture cameras enjoy the economy of using just one lens for all cameras! See the complete camera and adapter guide on the opposite page.

#### 135mm (51/4") f/3.8 KILAR.

Fine quality long focus lens for portraits and medium distance shots, at a moderate price. Helical focusing mount. Threaded for use with 'kil' or 'tul' adapters, or reflex housings. Supplied complete with deep, screw-in lens shade, front and rear lens caps.

Cat. No. 12101 [1786-33] [3M2777-70] ..... (without adapter) 129.50

#### 150mm (6") f/3.5 KILAR.

The large aperture of this popular long focus lens provides ample speed for color photography under all conditions in sports, press, and feature photography. Helical focusing mount. Threaded for use with 'kil' or 'tul' adapters, or reflex housings. Supplied complete with deep, screw-in lens shade, front and rear lens caps.

Cat. No. 12102 [21109-67]	
[3M6998-70] (without adapter)	164.50
<b>Cat. No. 12583</b> Series 7 filter adapter for 150mm Kilar [763-17]	4.75
Cat. No. 12402 Leather Case for 150mm Kilar [178-00]	12.00

#### 300mm (12") f/5.6 TELE-KILAR.

Compact telephoto construction and light weight make this lens ideal for hand-held "long shots" in every field of tele-photography. Helical focusing mount. Threaded for use with 'kil' or 'tul' adapters, or reflex housings. Supplied complete with deep, screw-in lens shade, front and rear lens caps.

Cat. No. 12103 [31131-67] [3M71118-50] without adapter	197.50
Cat. No. 12581 Series 8 filter adapter for 300mm Tele-Kilar [863-17]	4.75
<b>Cat. No. 12403</b> Leather Case for 300mm Tele-Kilar [2710-00]	15.00

#### 300mm (12") f/4 PAN-TELE-KILAR.

Duo-Range, high speed telephoto lens of unique design with an extreme focusing range from infinity to 51/2 feet, giving full coverage even to  $21/4 \times 21/4$  format. Parallel focus with left and right focusing knobs and detachable fast-focus lever. Helical extension sets closeup focusing range (10 to  $5\frac{1}{2}$  ft.) of lens. Built-in tripod socket in rotatable mount with set screw. Overlapping locking ring for use with 'an' flange adapters and reflex housings.

Supplied with deep, screw-in lens shade and front lens cover.

Cat. No. 12107 Complete with DeLuxe Carrying Case [21296-33] [3M82266-70] ...... (without adapter) 444.50 Cat. No. 12240 Lens Cradle for using

300mm Pan-Tele-Kilar with Bolex H16 RX camera. Available on special order [8331-65] . ..... **47.50** 

#### 400mm (16") f/5.6 FERN-KILAR.

Popular medium speed long focus lens at a moderate price, for nature and expedition photography and for special press and feature assignments. Helical focusing mount. Built-in tripod socket, and slot with holder for 2x2" gelatine filters. Overlapping locking ring for use with 'an' flange adapters and reflex housings. Supplied complete with deep, screw-in lens shade and front lens cover.

Cat. No. 12106 [82169-67] [3M72152-70] (without adapter) 2 Cat. No. 12410 Travel Case with	254.50
hinged cover and carrying handle, for 400mm Fern-Kilar [0713-33] Cat. No. 12241 Lens Cradle for using 400mm Fern-Kilar with Bolex H16 RX	20.00
camera. Available on special order [9331-65]	





#### 400mm (16") f/4 SPORT-FERN-KILAR.

Large lens elements incorporating rare earth glass give this outstanding long focus lens extra 'speed' and superior correction over the entire film area to make it especially useful for color photography under difficult light conditions. Parallel focus with left and right focusing knobs and detachable fast-focus lever. Built-in tripod socket. Slot with holder for 2x2" gelatine filters. Overlapping locking ring for use with 'an' flange adapters and

reflex housings. Supplied with deep, screw-in lens shade and front lens cover.

Cat. No. 12108 Complete with DeLuxe Carrying Case [74323-00] [3M73290-70] ....... without adapter)..484.50

#### 600mm (24") f.5.6 SPORT-FERN-KILAR

Despite its extremely long focal length, this lens boasts a relatively large aperture making it the perfect choice for wildlife and other long-distance photography. Parallel focus with left and right focusing knobs and detachable fast-focus lever. Two built-in tripod sockets for perfect balance of lens and camera even for longer exposure times. Slot with holder for 2x2" gelatine filters. Overlapping locking ring for use with 'an' flange adapters and reflex housings. Supplied with deep, screw-in lens shade and front lens cover.

#### MAKRO-KILAR LENSES.

This exclusive Kilfitt design permits continuous focusing, with perfect lens-to-film plane parallel, from infinity to extreme close-ups down to as close as 2 inches, thus eliminating the need for bellows focusing attachments or other close-up focusing devices.

In addition to f-stop and distance scales, Makro-Kilar lens mounts have separate scales indicating the reproduction ratio and, for extreme close-ups, the exposure correction factors. F-stop pre-selectors facilitate convenient focusing and fast shooting. Deep lens shades incorporate holders for regular Series 5 (40mm Makro-Kilar) or Series 6 (90mm Makro-Kilar) filters. To order Makro-Kilar lens for specific camera, see complete camera and adapter guide.



#### 40mm f/2.8 MAKRO-KILAR

Besides offering an extreme focusing range, this critically corrected lens also provides the advantages of a medium wide angle for photography at normal distances, yielding "wide view" negatives and color transparencies. Lenses are supplied only complete with attached adapter for specific cameras. Please specify camera and Code Word listed in the adapter guide when ordering lens.

 Cat. No. 12407
 Leather Case for 40mm Makro 

 Kilar [124-00]
 6.00

User



#### 90mm(31/2") f/2.8 MAKRO-KILAR

Superb optical design including one bispherical element gives this remarkable lens outstanding correction up to the full  $2!/_4 \times 2!/_4$  format. Its 90mm focal length makes it useful as a medium "telephoto" lens, while its unique double helix in combination with the 'tum' Variable Extension Adapters extend its focusing range from infinity to 5-1/8 inches for a reproduction ratio of 1:1 with 35mm cameras. (The 90mm Makro Kilar for Hasselblad 1000F focuses from infinity to 8 inches; reproduction ratio 1:1.7)

Cat. No. 12122 90mm f/2.8 Makro-Kilar with threaded mount for use with 'tum' variable extension adapters and reflex housings. [07133-00] [3M37119-70] (without adapter)	99.50
Cat. No. 12125 90mm f/2.8 Makro-Kilar for	
Hasselblad 1000F; complete with attached	
mount [29153-00] [3M67137-70]2	29.50
Cat. No. 12408 Leather Case for 90mm Makro-	
Kilar [116-00]	9.00
Cat. No. 12540 Hasselblad 1000F mount to con-	
vert 90mm Makro Kilar (12122) for use with	
Hasselblad 1000F camera [4320-00]	30.00
Cat. No. 12541 Threaded mount to convert Has-	
selblad 90mm Makro-Kilar for use with 'tum'	
adapters and reflex housings [5320-00]	30.00

### KILFITT LENS ADAPTERS (In numerical sequence).

To find adapter required for a specific camera-and-lens combination, refer to the complete Lens Adapter Guide shown elsewhere in this Section.

Cat. No.	Code			Net Price
12507	cozwi	Visoflex 1/Novoflex shim for threaded lenses	741-07	1.60
12509	anspi	Flange adapter for Kilfitt Reflex Housings	2111-67	17.50
12510	revis	Visoflex II/IIa adapter for 90mm Makro-Kilar	428-00	12.00
12511	kivis	Visoflex II/IIa adapter for threaded lenses	3210-00	15.00
12512	ansic	Flange for using 'kil' adapters with locking ring lenses	115-33	8.00
12513	anso	Visoflex I/Novoflex adapter for locking ring lenses .	215-33	8.00
12514	anvis	Visoflex II/IIa adapter for locking ring lenses	8716-66	25.00
12542	retin	Praktina adapter for 90mm Makro Kilar	978-00	12.00
12543	kitin	Praktina adapter for threaded lenses	9716-66	25.00
12554	kikod	Cine Kodak Special adapter for threaded lenses	3711-67	17.50
12556	rekod	Cine Kodak Special adapter for 90mm Makro Kilar .	4311-67	17.50
12561	antis	Praktina flange for locking ring lenses	7716-66	25.00
12565	anhas	Hasselblad 1000F flange for 300mm Pan-Tele-Kilar	6716-66	25.00

DeLuxe Adapters for threaded lenses: 135mm and 150mm Kilar, 300mm Tele-Kilar. (See complete description under Note 3— Lens Adapter Guide)

			Price
12601	kilca	0116-66	25.00
12602	kilco	0216-66	25.00
12603	kilex	0316-66	25.00
12604	kilol	0416-66	25.00
12605	kilmi	0516-66	25.00
12606	kilni	0616-66	25.00
12607	kilpa	0716-66	25.00
12608	kilci	0816-66	25.00
12609	kilal	0916-66	25.00

Flange Adapters for locking ring lenses: 300mm Pan-Tele-Kilar, 400mm and 600mm

lenses. (See complete description under Note 5— Lens Adapter Guide) Variable Extension "Macro" Adapters for threaded lenses: 135mm and 150mm Kilar, 300mm Tele Kilar. (See complete description under Note 4—Lens Adapter Guide)

		The second secon		
е				Price
0	12621	tulca	2130-00	45.00
0	12622	tulco	2230-00	45.00
0	12623	tulex	2330-00	45.00
0	12624	tulol	2430-00	45.00
0	12625	tulmi	2530-00	45.00
0	12626	tulni	2630-00	45.00
0	12627	tulpa	2730-00	45.00
0	12628	tulci	2830-00	45.00
0	12629	tulal	2930-00	45.00

Variable Extension Adapters for 90mm Makro Kilar. (See complete description under Note 2—

Lens Adapter Guide)

12611	anca	1116-66	25.00	12631	tumca	3123-33	35.00
12612	anco	1216-66	25.00	12632	tumco	3223-33	35.00
12613	anex	1316-66	25.00	12633	tumex	3323-33	35.00
12614	anol	1416-66	25.00	12634	tumol	3423-33	35.00
12615	anmi	1516-66	25.00	12635	tummi	3523-33	35.00
12616	anni	1616-66	25.00	12636	tumni	3623-33	35.00
12617	anpa	1716-66	25.00	12637	tumpa	3723-33	35.00
12618	anci	1816-66	25.00	12638	tumci	3823-33	35.00
12619	anal	1916-66	25.00	12639	tumal	3923-33	35.00

Note: While 'an' flange adapters, with their extra large "throats" are especially designed for the larger lenses, owners of Kilar lenses with threaded mounts may use their 'kil' adapters also for the larger lenses by adding the flange adapter 'ansic' (12512).



#### SEPARATE, INTERCHANGEABLE. ADAPTER PARTS.

CAMERA CONNECTING RINGS FOR KILFITT ADAPTERS

Kilfitt adapters, except the '2500' series, consist of two parts locked together by three screws which wedge into a v-shaped circular groove for accurate fitting:

- I. The rigid or variable extension unit which holds the Kilfitt lens;
- 2. The threaded or bayonet connecting ring which fits on the camera.

Both are easily interchangeable (requiring only a small screwdriver) so that the owner of several different cameras usually needs to buy only one complete adapter for any Kilfitt lens, adding merely the inexpensive connecting rings to use the same lens with other cameras!

	CAMERA	A CONNECTING RINGS FOR KILFITT ADAPTERS			
12641	Connection	ng Ring "-ca" for Canonflex		412-40	3.60
12642		ng Ring "-co" for Contarex		422-40	3.60
12643		ng Ring "-ex" for Exa, Exakta, Topcon		432-40	3.60
12644		ng Ring "-ol" for Minolta		442-40	3.60
12645		ng Ring "-mi" for Miranda		452-40	3.60
12646		ng Ring "-ni" for Nikon Reflex		462-40	3.60
12647		ng Ring "-pa" for Contax D, S, Edixa Reflex, Hexacon, Pentacon, Pentax, Praktic		472-40	3.60
12648		ng Ring "-ci" for C mount motion picture cameras		482-40	3.60
12649		ng Ring '-al' for Alpa		492-40	3.60
12047	Connecti	ing Kiling -all 1017 Alpa			
	FYTENS	ION UNITS FOR KILFITT ADAPTERS, without camera connec	ting rings		
				(014.0/	21.40
12600		extension "kil-" for 135 and 150mm Kilar, 300mm Tele-Kilar		6014-26	21.40
12610		tension "an-" for 300mm Pan-Tele-Kilar, 400 and 600mm Fern and Sport-Fern Kila		6114-26	41.40
12620	Variable	Extension "tul-" for 135 and 150mm Kilar, 300mm Tele-Kilar		6227-60	41.40
	KILARS	COPE PRISM REFLEX HOUSING AND ACCESSORIES			
		vith Leicas I-IIIg, M2-M3, or similar cameras.  • with 5x adjustable magnifying eyepiece and release cable.			
12213	rexop	Kilarscope I-IIIg for 90mm Makro-Kilar	1262-33	· 3M1956-10	93.50
12220	rezwi	Spacer to use Kilarscope 12212 or 12213 with 135-150mm Kilar or			
	102W1	300mm Tele-Kilar	693-17		4.75
12210	герог	Kilarscope I-IIIg complete with 'rezwi'	1665-50	3M1559-27	98.25
12212	repem	Kilarscope M2/3 for 90mm Makro-Kilar	2666-53	3M2660-30	99.80
12214	repmo	Kilarscope M2/3 complete with 'rezwi'	3669-70	3M3663-47	104.55
12509	anspi	Flange Adapter to use Kilarscopes 12212 or 12213 with 300-600mm			
		Pan-Tele, Fern- and Sport-Fern-Kilar lenses	2111-67	_	17.50
12508	zidem	Bayonet Adapter to use Kilarscopes 12210 or 12213 with Leica M2-M3	974-20		6.30
12503	eisre	Helical mount adapter to use front assembly of 90mm f/4 Elmar with			
		Kilarscopes 12212 or 12213 (focus infinity to 6 ft.)	738-40		12.60
12504	rezle	Adapter to use short mount Leica lenses: 135mm f/4 Elmar or f/4.5			
		Hektor, 200mm and 400mm Telyt, with Kilarscope 12212 or	123-67		5.50
12221		12213 (focus up to infinity)	112-10		3.15
12221	remus kulei	Soft rubber eye cup for Kilarscope	804-20		6.30
12225	kulem	Housing-and-shutter release for Leica M-2-M3 (replacement)	714-20		6.30
			664-20		6.30
12224	kucon	Housing-and-shutter release for Contax (replacement)	00120		
	EVTENS	ION TUBES (threaded with standard Leica thread)			
	EVIENS			489-67	14.50
12571	sagro	Set of 3 long extension tubes (45-60-90mm)		407-07	14.50

311-30

462-00

572-50

823-17

123-30

935-17

1.95

3.00

3.75

4.75

4.95

7.75

# Kiepitt FILTER HOLDERS - LENS CAPS

Front cap for 135mm Kilar

Front cap for 150mm Kilar

Front cap for 300mm Tele-Kilar

Front cap for 300mm Pan-Tele-Kilar

Front cap for 400mm Fern- or Sport-Fern-Kilar

Front cap for 600mm Sport Fern-Kilar .

12431

12432

12433

12438

12434

12435

deond

defu

dede

depa

devir

desec

	FILTER I	HOLDERS AND ADAPTERS		
12583	kifis	Series 7 filter adapter for 150mm Kilar	673-17	4.75
12581	kifip	Series 8 filter adapter for 300mm Tele-Kilar	923-17	4.75
12582	kifix	Small Metal Frame holder for 2x2" gelatine filters; fits slot of adapters	235-30	7.95
12585	spefi	Large Metal Frame holder for 2x2" gelatine filters; fits slot of lenses .	335-97	8.95
			333-11	0.75
	NO	OTE: No filter adapters are needed for Makro-Kilars: 40mm Makro-Kilars accept Series 5; 90mm Makro-Kilar accepts Series 6 filters at base of lens shade.		
		70mm Wakio-Kilai accepis Jenes o miers ar base or lens snade.		
	LENS C	ASES		
12407	lekma	Leather Case for 40mm Makro-Kilar	324-00	6.00
12408	nemle	Leather Case for 90mm Makro-Kilar	536-00	9.00
12402	lefur	Leather Case for 150mm Kilar	218-00	12.00
12403	leder	Leather Case for 300mm Tele-Kilar	1610-00	15.00
12410	travi	Travel Case for 400mm Fern-Kilar (hinged cover)	8713-33	20.00
	ii d	There are the result for the find and activity.	0/13-33	20.00
	LENS C	APS		
12439	rudle	Rear dust cap for threaded lenses	12-50	.75
12436	visde	Front cap for 40mm Makro-Kilar	14-67	1.00
12437	nemde	Front cap for 90mm Makro-Kilar	211-00	1.50
			211-00	1.00

	BASIC KILFITT LENS DATA					
LENS	SMALLEST APERTURE	ANGLE OF	FOCUSES FROM INFINITY TO	WEIGHT LESS LENS SHADE	FILTER DATA	
40mm f/2.8 MAKRO-KILAR E	f/22	54°	4''	51/ <sub>4</sub> oz	Built-in adapter for Series V	
40mm f/2.8 MAKRO-KILAR D	f/22	54°	2''	51/ <sub>2</sub> oz	Built-in adapter for Series V	
90mm f/2.8 MAKRO-KILAR	f/32	28°(35mm) 48°(21/ <sub>4</sub> x21/ <sub>4</sub> )	8''	17 oz	Built-in adapter for Series VI	
135mm f/3.8 KILAR	f/32	18°	5 ft	9 oz	Filter holder for 2x2' gelatine filters in adapters	
150mm f/3.5 KILAR	f/22	16°	5 ft	14 oz	Accepts Series VII in front with kifis 2583 adapter	
300mm f/5.6 TELE-KILAR	f/32	8°	10 ft	35 oz	Accepts Series VIII in front with kifip adapter	
300mm f/4 PAN-TELE-KILAR	f/32	8°	51/ <sub>2</sub> ft	68 oz	Filter slot with holder for 2x2 gelatine filter in adapters	
400mm f/4 FERN-KILAR	f/45	6°	30 ft	62 oz	Filter slot with holder for 2x2 gelatine filter	
400mm f/4 SPORT-FERN-KILAR	f/45	6°	16 ft	6 lbs	Filter slot with holder for 2x2 gelatine filter	
600mm f/5.6 SPORT-FERN-KILAR	f/45	4°	35 ft	9 lbs	Filter slot with holder for 2x2 gelatine filter	



# KILFITT GUN-STOCKS (Folding Camera Grips)

19.95	2713-30 3M3711-97	MINI-GRIP with adjustable shoulder brace stored in handle; trigger shutter release. Size, closed only 51/4×13/4"; weight 7 ounces.  Complete with adjustable cable release	hakli	12231
19.95		MINI-GRIP, as above, for Bolex H cameras	hakbo	12232
		GRIP-POD heavy duty gunstock; adjustable sectional shoulder brace, trigger release, heavy duty cable.	hapri	12230
29.95	4219-97 3M6417-97	Complete with sturdy leather shoulder strap		
4.95	983-30	Leather Zip Case $2x2x5\frac{1}{2}$ " for Mini-Grip	hak <b>ui</b>	12405
6.95	124-63	Leather Zip Case 31/2x71/2x21/4" for Grip-Pod	hagle	12406
3.10	912-07	Spacer to permit vertical turning of cameras with rotating adapters or housings, while mounted on gunstocks	hazwi	12228
5.20	973-47		rime	12227
5.20	7/3-4/	Leather Shoulder Strap for Grip-Pod (replacement)	TIIIIO	12227
3.45	712-30	Standard Release for Mini-Grip (replacement)	rekko	12233
3.45	812-30	Bolex Release for Mini-Grip (replacement)	rekbo	12234
3.95	482-63	Heavy Duty Release for Grip-Pod (replacement)	repan	12229