

OSAKA CHIYODA KOGAKU SEIKO K. K. JAPAN

Uses 120 Film 12 pictures — 6×6 cm. (21/4×21/4 in)

MINOLTAFLEX MODEL II

Minoltaflex offers new thrills in photography.

A precision reflex camera of attractive modern design, simple in operation, yet exacting enough to meet any standards of the most discriminating photographers.

Camera lens: Rokkor Coated 1:3.5 75mm.



Try a Minoltaflex to-day.

> you be the judge of this superior camera.



Minolta Close-Up Lenses

Optically designed to achieve full capacity of the Rokkor lens.

Constructed of highest quality optical glass to correct parallax,

Set # 1 For 40-65 cm close-ups.

Set # 2 For 35-45 cm close-ups.











MINOLTA - 35

Expert or beginner—see and compare its value before you buy a 35 mm, camera. Observe these unique features:

Built-in Self-Timing Device. Built-in Flash Synchronization. The superb "Rokkor" lens. Compactness and smooth operation. Automatic film advance control. Double exposure preventive control.

The exacting Super Rokkor Coated lens and precise focal plane shutter combine to make this a camera outstanding in its field, versatile and dependable. Accepts standard interchangeable lenses.

lens . Super Rokkor Coated 1:2.8 45mm. Shutter: Focal Plane Shutter operates at T. B.

1 1/2 1/4 1/8 1/25 1/35 1/50 1 100 1/200

Viewer: Combination of View & Range Finder coupled to lens. Body; Attractive, sturdy die-cast light metal alloy, leather

Size: Compact 31 x 75 x 135mm. - 800 grm. weight.

"Try it - you'll buy it."

Interchangeable Lenses




Available for Leica Camera

For better portraits and those far away scenes. Fit all standard 35mm. cameras, Super Rokkor Coated 1:2.8 85mm.

Especially adaptable for close-up portraits, Excellent for distant scenes. Capacity of angle range is 26°. Image taken is 1.9 times that of standard

Tele Rokkor Coated 1:5.6 110mm.

Relatively small size and light weight of this lens (270 grms) make it a special favorite. In universal demand. Capacity of angle range is 20°. Image taken is 2.4 times that of standard lens.





Tele Rokkor Coated 1:4 135mm.

Most suitable for distant subjects and scenes. Virtually takes your camera into the action for sport shots. Capacity of angle range is 17°. Image taken is 3 times that of standard lens.
















16 pictures (4.5 × 6cm.) on

Minolta-Semi Model P

1 20 Film.

Long a Popular Favorite.





Simple compact, efficient flash unit that doubles the working hours of your Minolta camera all of which have built - in flash synchronization for this unit.

A "must" in every photographer's gadget bag!

Unit has pilot light to test flash bulbs, save wasted film; chromed reflector surface.

Lens: Promar S II Coated 1:3.5 75mm. Super quality, amazing sharpness. Shutter: Konan Flicker Shutter operates at B. 1/2 1/5 1/10 1/25 1/50

1/100 1/200 sec. Viewer: Eye-level View Finder. Built-in Flash Synchronization :

Focusing: Front Lens Focusing Type. Scaled Depth of Field Indicator.

Body: Sturdy die- cast light metal alloy, attractive leather covering.





Konan-16 Automat

25 pictures of 10×14 mm on 16 mm. Cine Film 50 cm.

A Superb Precision

This unique efficient, compactly designed camera may be carried as easily as a cigarette case.

Magazine film loads may be changed any time to permit taking color or black and white intermittently.

See it at your dealer.

It's a camera you will want to own.

Lens: Rokkor 1:3.5 25 mm.

The finest lens ever used in this type of camera.

Shutter: Konan Slide Shutter operates at

BT. 1/25 1/50 1/100 1/200 sec.

Viewer: View finder optically designed to assure easy and reliable sighting.

Film Advance Mechanism: Film advance and register is automatic.

Built-in Flash Synchronization:

Size: Compact $72 \times 64 \times 23 \text{ mm} - 280 \text{ grm weight.}$

Accessories: Filter and close-up attachment.

Don't "wish you had your camera" — own an automat and carry it always!

