


CAMBO

The new multipurpose Cambo TWR 54 reflex camera







CAMBO TOUR 54

A versatile camera for the professional photographer

When designing the Cambo TWR54 our objectives were to make a camera that provides the professional photographer with a practical and precise tool, which would enable him to control all possible faults incurred by a moving subject, inside or outside his studio, right at the moment of picture taking. The new TWR54 combines all the features of a reflex-system with optimal parallax correction plus the technical advantages of a 4x5" studio unit with interchangeable lenses from 150 mm - 270 mm, at an economical price.

Though the camera has been engineered to take three sets of standard lenses: 150 mm, 210 mm and 270 mm, it is possible to adjust the TWR54 to take any lens in between that range. When a special lens is needed it is necessary to contact your Cambo dealer to supply you with the correct viewing lens and a special parallax correction cam produced by Cambo to guarantee a precise high quality product.



Special attention has been given to the development of a camera back that would take all 4x5" filmholders including the Polaroid 4x5" filmholder, the Grafmatic holder, rollfilm holders and the Polaroid back for type 107/108 film.



Because of its lightweight (the unit weight is 3 kgs. excl. lens) and a rather unique grip on both sides of the camera body an extra dimension has been given to portable photography: a 4x5" reflex camera without the necessity of a tripod. All these features together with easy focussing at vertical and horizontal positioning of the camera make it a useful device for press- fashion- and architectural photographers who

require a result which cannot be achieved with conventional units. The TWR54 TWIn-Reflex camera meets the high standards set out by Cambo's Quality Control Department, which inspects every camera coming off the assembly line and maintains the superb Cambo Quality known by photographers throughout the world.

How to order your TWR54 Twin reflex camera:

Camerabody	T1	Camerabody with built-in fresnel-lens, bellows and $\frac{3}{8}$ " WW thread for tripod mounting or grips
Masks	T10	Metal mask $2\frac{1}{4} \times 2\frac{1}{4}$ "
	T11	Metal mask $2\frac{1}{4} \times 2\frac{3}{4}$ "
	T12	Metal mask $2\frac{1}{4} \times 3\frac{1}{16}$ "
	T13	Metal mask for 107/108 Polaroid packfilm
	T15	Metal mask for 3 exposures on 9 x 21 cm film*)
View finders and spare glasses	T20	Reflex view finder for horizontal and vertical use
	T21	View finder*)
	T22	Ground glass, not ruled
	T23	Ground glass, ruled
	T24	Fresnel-screen
Backs	T30	Universal back for: Double holders 4 x 5" and 9 x 12 cm Graflex Roll Film holders Nos. 1294 RH/8 Wider Format 8 exp. $2\frac{1}{4} \times 3\frac{1}{16}$ " on 120 film 1295 RH/10 Ideal Format 10 exp. $2\frac{1}{4} \times 2\frac{3}{4}$ " on 120 film 1296 RH/12 Square Format 12 exp. $2\frac{1}{4} \times 2\frac{1}{4}$ " on 120 film 1297 RH/20 Ideal Format 20 exp. $2\frac{1}{4} \times 2\frac{3}{4}$ " on 220 film Grafmatic holder Polaroid 545 holder
	T31	Back for: Graflex Roll Film holder No. 1240 RH/50 Ideal Format 50 exp. $2\frac{1}{4} \times 2\frac{3}{4}$ " on 70 mm film Linhof Super Rollex Roll Film holder
	T32	Back to take cutfilm 9 x 21 cm for 3 exposures (for police purposes)*)
Filmholders	T40	Polaroid back for 107/108 packfilm
	T41	Filmholder 9 x 21 cm (for police purposes)*)
Grips and tripod mounting accessories	T50	Grip and brace with carrying strap
	T51	Cable release
	T52	U-shaped brace
	CBH 3	Ball and socket head
	USK	Universal heavy duty tripod head movable in all directions
Lensboards	T60	Lensboard for viewing lens
	T61	Lensboard for taking lens in 0-shutter
	T62	Lensboard for taking lens in I-shutter
Filters	T70	Soft filter for Symmar 150 mm*)
	T71	Soft filter for Xenar 150 mm*)
	T72	Soft filter for Symmar 210 mm*)
	T73	Soft filter for Tele-Arton 270 mm
Cams	T80	Cam for 150 mm lenses
	T81	Cam for 210 mm lenses
	T82	Cam for 270 mm lenses
Carrying cases	T90	Carrying case*)
Lenses**)	T150	Schneider Xenar 4,5/150 mm Normal Schneider Xenar 4,5/150 mm Copal I Press
	T151	Schneider Xenar 4,5/150 mm Normal Schneider Xenar 4,5/150 mm Copal I
	T152	Schneider Xenar 4,5/150 mm Normal Schneider Symmar-S 5,6/150 mm Copal 0
	T210	Schneider Symmar-S 5,6/210 mm Normal Schneider Symmar-S 5,6/210 mm Copal I Press
	T211	Schneider Symmar-S 5,6/210 mm Normal Schneider Symmar-S 5,6/210 mm Copal I
	T270	Schneider Tele-Arton 5,5/270 mm Normal Schneider Tele-Arton 5,5/270 mm Copal I Press
	T271	Schneider Tele-Arton 5,5/270 mm Normal Schneider Tele-Arton 5,5/270 mm Copal I

*) In preparation

**) Lenses are supplied in pairs, mounted on lensboards, with cam. Each matched set of lenses of exactly the same focal distance has been adjusted to Cambo lensboards.

Cambo B.V.

Manufacturers of
photographic equipment
Kampen / Holland

Exclusive U.S. Distributor

BROOKS®

Burleigh Brooks Optics, Inc.
44 Burlews Court, Hackensack, New Jersey 07601