

Calumet has


CAMBO

Respected by professional photographers around the world, Cambo comes to you the no-nonsense Calumet way...value prices with personal service.

- SC SYSTEM VIEW CAMERAS • WIDEFIELD CAMERAS
- PASSPORT CAMERAS • PHOTO-IDENT SECURITY SYSTEM
- STUDIO STANDS • REPRO COPY STAND

The CAMBO SC System. View cameras designed for long dependable service and maximum interchangeability of parts, in four formats.

CAMBO SCI CAMERA (2¼x3¼) complete: \$775.00




- Wgt. 6 lbs Max. bellows ext. 10.4"
- SC366 (2) Standards with 2 SC56 spirit levels
 - SC210 Roll film adapter back, with removable ground glass panel
 - SC62 Normal bellows
 - SC64 Square monorail track, 30cms / 11½" long
 - SC63 Lensboard, flat, for 00-shutter
 - SC209 Tripod mounting head, fixed

SCI ACCESSORIES

- SC60 Spring back for double holders, 6x9cm / 2¼x3¼" \$ 65.00
- SC69 Wide angle bellows, leather 136.00
- SC323 Wide angle bellows, imitation leather 95.00
- SC70 Aluminum carrying case, inner sizes 42x22x32cm 170.00
- SC67 Compendium lens hood 275.00
- SC68 Compendium lens hood with frame for filter holders, incl. 2 SC79 389.00
- SC79 Filter holder for SC68 55.00
- SC74 Ground glass, ruled 10.00
- SC73 Bracket for cloth viewing hood 10.00
- SC63 Lensboard, flat 15.00
- SC72 Lensboard, recessed 20.00
- SC110 Lensboard, recessed, for use with 47mm Super Angulon 150.00
- SC84 Extenders, upright, for SC366 14.00
- SC55 Tilting tripod head 85.00
- SC95 Panorama and tilting head 169.00

CAMBO SCII CAMERA (4x5) complete: \$519.00




- Wgt. 8.5 lbs. Max. bellows ext. 19.7"
- SC313 (2) Standards with 2 SC56 spirit levels
 - SC168 International back
 - SC6 Normal bellows
 - SC16 Square monorail track, 54cms / 21¼" long
 - SC7 Lensboard, flat, for 00-shutter
 - SC209 Tripod mounting head, fixed

SCII ACCESSORIES

- SC40 Roll film adapter back, with sliding ground glass panel, accepting ST20 or ST21 \$425.00
 - SC17 Wide angle bellows, leather 155.00
 - SC324 Wide angle bellows, imitation leather 109.00
 - SC19 Bellows support 29.00
 - SC20 Aluminum carrying case, inner sizes 56x26x39cm 199.00
 - SC8 Compendium lens hood 109.00
 - SC100 Compendium lens hood with frame for filter holders; swing-up system includes 2 SC89 (not suitable for use with 360mm lens) 279.00
 - SC89 Filter holders for SC100 17.00
 - SC43 Ground glass, ruled 12.00
 - SC165 Ground glass with lines for roll film 6½x9cm, 6x7cm and 6x9cm 12.00
 - SC158 Fresnel lens 29.00
 - SC4 Bracket for cloth viewing hood 10.00
 - *ST20 Reflex viewing hood for horizontal and vertical use 115.00
 - *ST21 In line viewing hood 89.00
 - SC7 Flat lensboard 15.00
 - SC223 Lensboard, flat, for 0-shutter (Hole ø 34.7mm) 15.00
 - SC224 Lensboard, flat, for 1-shutter (Hole ø 41.7mm) 15.00
 - SC225 Lensboard, flat, for 3-shutter (Hole ø 65.1mm) 15.00
 - SC42 Lensboard, recessed, for 00-shutter (Hole ø 26.7mm) 20.00
 - SC228 Lensboard, recessed, for 0-shutter (Hole ø 34.7mm) 20.00
 - **SC93 Lensboard adapter, accepting Linhof lensboard 59.00
 - **SC94 Lensboard adapter, accepting Graflex lensboard 99.00
 - **SC103 Lensboard adapter, accepting Sinar lensboard 99.00
 - SC10 Square monorail track, 44cm / 17½" long 22.00
 - + SC202 Reducing frame from 9x12cm / 4x5" to 6x9cm / 2¼x3¼", accepts SC60 / SC210 135.00
 - SC144 Coupling unit for bellows, 9x12cm / 4x5" 165.00
 - SC55 Tilting tripod head 85.00
 - SC95 Panorama and tilting head 169.00
- *Must be used with SC158 Fresnel lens.
 **Specify exact measurements of lensboard when ordering.
 + To calculate price of complete reducing back, combine prices of reducing frame and back desired.

CAMBO SCIII CAMERA (5x7) complete: \$775.00



- Wgt. 8.8 lbs. Max. bellows ext. 20"
- SC313 Front standard
 - SC314 Rear standard 13x18cm / 5x7", with 2 SC56
 - SC11 Spring back for double holders, 13x18cm / 5x7"
 - SC15 Normal bellows
 - SC16 Square monorail track, 54cms / 21¼" long
 - SC7 Lensboard, flat, for 00-shutter
 - SC209 Tripod mounting head, fixed

SCIII ACCESSORIES

SC12	Spring back for metal single plate holders 13x18cm	\$145.00
SC106	Dividing back for taking 2 exposures on 13x18cm/5x7" film	459.00
SC18	Wide angle bellows, leather	159.00
SC325	Wide angle bellows, imitation leather	125.00
SC19	Bellows support	29.00
SC8	Compendium lens hood	109.00
SC100	Compendium lens hood with frame for filter holders; swing-up system includes 2 SC89 (not suitable for use with 360mm lens)	279.00
SC89	Filter holder for SC100	17.00
SC44	Ground glass, ruled	15.00
SC4	Bracket for cloth viewing hood	10.00
SC223	Lensboard, flat, for 0-shutter (Hole ϕ 34.7mm)	15.00
SC224	Lensboard, flat, for 1-shutter (Hole ϕ 41.7mm)	15.00
SC21	Aluminum carrying case, inner size 58.5x31.5x41.5cm	249.00
SC225	Lensboard, flat, for 3-shutter (Hole ϕ 65.1mm)	15.00
SC42	Lensboard, recessed, for 00-shutter (Hole ϕ 26.7mm)	20.00
SC228	Lensboard, recessed, for 0-shutter (Hole ϕ 34.7mm)	20.00
*SC93	Lensboard adapter, accepting Linhof lensboard	59.00
*SC94	Lensboard adapter, accepting Graflex lensboard	99.00
*SC103	Lensboard adapter, accepting Sinar lensboard	99.00
**SC203	Reducing frame from 13x18cm/5x7" to 6x9cm/2 1/4x3 1/4" accepting SC60/SC210	199.00
**SC205	Reducing frame from 13x18cm/5x7" to 9x12cm/4x5" accepting SC168/SC40	179.00
SC144	Coupling unit for bellows, 9x12cm/4x5"	165.00
SC55	Tilting tripod head	85.00
SC95	Panorama and tilting head	169.00

*Specify exact measurements of the lensboard when ordering.


**To calculate price of complete reducing back, combine prices of reducing frame and back desired.

CAMBO SCIV CAMERA (8x10) complete: \$1,479.00

Wgt. 18 lbs. Max. bellows ext. 25.6"

SC313 Front standard 9x12cm/4x5", with 2 SC56

SC335 Rear standard 18x24cm/8x10", with 2 SC56



SC333 Spring back for double holders 18x24cm/8x10" and the Polaroid 8x10 holder

SC336 Normal bellows

SC19 Bellows support

SC37 Square monorail track, 75cm/30" long

SC7 Lensboard, flat, for 00-shutter

SC338 Tripod mounting head, fixed

SCIV ACCESSORIES

SC380	Wide angle bellows, leather	\$299.00
SC326	Wide angle bellows, imitation leather	209.00
SC39	Aluminum carrying case, inner sizes 79.6x43x50.5cm	389.00
SC8	Compendium lens hood	109.00
SC100	Compendium lens hood with frame for filter holders; swing-up system includes 2 SC89 (not suitable for use with 360mm lens)	279.00
SC89	Filter holder for SC100	17.00
SC339	Compendium, for use with 360mm lens	235.00
SC54	Ground glass, ruled	30.00
SC34	Bracket for cloth viewing hood	10.00
SC223	Lensboard, flat, for 0-shutter (Hole ϕ 34.7mm)	15.00
SC224	Lensboard, flat, for 1-shutter (Hole ϕ 41.7mm)	15.00
SC225	Lensboard, flat, for 3-shutter (Hole 0/ 65.1mm)	\$ 15.00
SC42	Lensboard, recessed, for 00-shutter (Hole 0/ 26.7mm)	20.00
SC228	Lensboard, recessed, for 0-shutter (Hole 0/ 34.7mm)	20.00
*SC93	Lensboard adapter, accepting Linhof lensboard	59.00
*SC94	Lensboard adapter, accepting Graflex lensboard	99.00
*SC103	Lensboard adapter, accepting Sinar lensboard	99.00
**SC204	Reducing frame from 18x24cm/8x10" to 6x9cm/2 1/4x3 1/4", accepts SC60/SC210	219.00
**SC206	Reducing frame from 18x24cm/8x10" to 9x12cm/4x5", accepts SC168/SC40	199.00
**SC207	Reducing frame from 18x24cm/8x10" to 13x18cm/5x7", accepts SC11/SC12/SC106	235.00
SC144	Coupling unit for bellows 9x12cm/4x5"	165.00

STANDARD ACCESSORIES FOR ALL CAMBO SC SYSTEM VIEW CAMERAS


SC169	Focusing magnifier, 5X	\$ 45.00
SC45	Monorail, special lengths available, from 10 to 100cm/4 to 40" in multiples of 10cm/4". Specify length when ordering per 10cm/4"	17.00
SC378	Connection clamp for monorails	85.00
SC56	Spirit level	7.50
SCVGH	VGH Holder for all types of masks and devices in front of the lens to obtain special effects. Consists of: 1 SC209 Tripod mounting head 1 SC10 Square monorail 44cm/17 1/2" long 1 SC144 Coupling unit for bellows, 9x12cm/4x5" 1 SC171 Flat plate 4" (10cm) with springs 1 SC172 Mounting assembly for camera	299.00

*Specify exact measurements of the lensboard when ordering.

**To calculate price of complete reducing back, combine prices of reducing frame and back desired.

The CAMBO WIDE, 4x5 wide angle camera.

A strong, fast shooting camera with Schneider lenses, for all wide angle requirements.



CAMBO WIDE — WIDE ANGLE CAMERA 9x12cm/4x5"

W470	Consists of W10/W20/W101	\$1,199.00
W650	Consists of W10/W20/W102	1,399.00
W1000	Consists of W10/W20/W103	1,129.00


W10	Camerabody with grip, incl. cable release (T51); 3/8" WW tripod-connection; finder shoe; shoe for spirit level; removable spirit level (W70); international back 9x12cm/4x5" with built-in Fresnel lens, accepting viewing hoods (T20/T21) as well as metal ground glass masks for roll film and Polaroid film, for cut film holders 9x12cm/4x5", roll film holders with 4x5" adapter plate and Polaroid holders 405 and 545	299.00
W20	Optical finder	109.00
W30	Front panel 470, including focusing mount, for Super-Angulon f/5.6 47mm lens. Lateral movement: 24mm	299.00
W31	Front panel 650, including focusing mount, for Super-Angulon f/5.6 65mm lens. Lateral movement: 30mm	319.00
W32	Front panel 1000, including focusing mount, for Symmar-S f/5.6 100mm lens. Lateral movement: 11mm	419.00

W101	Like front panel W30, but complete with Super-Angulon f/5.6 47mm lens in Compur 00 shutter	\$ 799.00
W102	Like front panel W31, but complete with Super-Angulon f/5.6 65mm lens in Copal 0 shutter	999.00
W103	Like front panel W32, but complete with Symmar-S f/5.6 100mm lens in Copal 0 shutter	729.00

CAMBO WIDE ACCESSORIES

W70	Removable spirit level	\$ 30.00
W80	Center filter for Super-Angulon f/5.6 47mm lens	219.00
W81	Center filter for Super-Angulon f/5.6 65mm lens	289.00
W82	Center filter for Symmar-S f/5.6 100mm lens	449.00

The CAMBO EST, MST and UST studio stands. A rugged line of proven studio stands and accessories.



EST

MST

UST

MST Studio stand with gear-driven center column, accepting interchangeable camera platforms and accessories. Min. height 89cm (36") — max. height 128cm (4' 2"); can be raised or lowered at choice, by means of the different accessories available **Attention:** without camera platform no camera can be mounted. \$ 619.00

UST
 U1 Black column 12cm (5") ϕ with base, sliding collar, counterweight for U3 and top cover. Total height: 2.10m (7') 1,075.00
 U2 Black column 12cm (5") ϕ with base, sliding collar, counterweight for U3 and top cover. Total height: 2.70m (9') 1,150.00
 U3 Arm for 1 camera, fitting sliding collar of U1 and U2. Length center column — end of arm: 360mm / 14.5" 129.00
 U4 Gear-driven cross arm for 2 cameras, fitting sliding collar of U1 and U2. Horizontal movement from center column — end of arm: min. 280mm / 11", max. 720mm / 29", both to the left and to the right. U4 will be supplied with an additional counterweight, U15, which is to be mounted on the spot 425.00
 U5 Accessory tray, complete, for U3 and U4 85.00

ACCESSORIES FOR UST AND MST

U6 Extension tube, length 390mm / 15.5" fitting U3, U4, U11 and MST \$ 149.00
 U7 Camera platform, fixed, with $\frac{3}{8}$ " WW-thread fitting U3, U4, U6, U11 and MST 29.00
 U8 Camera platform, fixed, with $\frac{1}{4}$ " WW-thread fitting U3, U4, U6, U11 and MST 29.00
 U9 Camera platform, fixed, with $\frac{3}{8}$ " WW-thread fitting U3, U4, U6, U11 and MST 65.00
 U10 Camera platform with two screws ($\frac{3}{8}$ " thread) fitting U3, U4, U6, U11 and MST. Movability: 180° in either direction 179.00
 U11 Gear-driven tube for find adjustment fitting U3, U4, U6 and MST. Movability: 265mm / 10.5" 359.00
 U12 Camera platform, fixed, with $\frac{1}{4}$ " WW-thread fitting U3, U4, U6, U11 and MST 65.00
 U13 Coupling unit 69.00
 U14 Coupling unit 139.00
 U15 Extra counterweight, only for UST 50.00
 U16 Camera platform for use with TWR54 camera with T35 back, for horizontal and vertical exposures 239.00
 U17 Adapter for U-parts, for use on stands with $\frac{3}{8}$ " WW-thread 85.00
 U20 Socket spanner 13.00
 EST1 EST Junior — consists of E6/E7 (+ E10) 489.00
 EST2 EST Single — consists of E1/E3 (+ E10) 595.00
 EST3 EST Double — consists of E1/E4 (+ 2 E10) 675.00
 E1 Square column 70mm, black, with slider, counterweight, and base with 3 swivel casters and 3 blocking devices. Total height: 2.10m 510.00
 E3 Single arm for 1 camera of max. 5kg, incl. of 1 camera support E10. Movability: 340mm from column to end of arm 95.00


ACCESSORIES FOR UST AND MST (continued)

E4 Cross arm for 2 cameras of max. 5kg each, incl. of 2 camera supports E10. Horizontal movement: 340mm to one side and 120mm to the other side \$ 145.00
 E6 Round column 50mm ϕ , black, with sliding collar capable of turning 360° around the column, and base with 3 swivel casters and 3 blocking devices. Total height: 2.10m 405.00
 E7 Cross arm for 1 camera of max. 3kg, incl. of 1 camera support E10. Horizontal movement: 340mm to one side and 120mm to the other side 85.00
 E5 Accessory tray fitting E1 79.00
 E10 Camera support, with $\frac{1}{4}$ " WW-thread 50.00
 E12 Extra heavy counterweight for E1 (to be exchanged) 35.00
 E13 Set of 3 replacement casters 25.00
 E20 Camera support, with $\frac{3}{8}$ " WW-thread 50.00

The CAMBO PHOTO-IDENT SECURITY SYSTEM.

A complete, simple and economical photo ID card security system for wherever positive photo ID card identification is desired:

Industry, Schools and Universities, Museums, Hospitals, Government Agencies and Departments, Club Memberships, etc.



CAMBO PHOTO-IDENT SECURITY SYSTEM


PP42 Photo-Ident System, consists of four-lens camera, fixed focus at 1.25m, for two images 46x72mm on Polaroid pack film Series 100 and 600, with optical view finder, and interchangeable Polaroid pack film holder, two flash units, three timers and three development trays, cardholder, cutter and laminator, all packed in a convenient carrying case with set up stand \$1,695.00

SECURITY SYSTEM ACCESSORIES


P50 Pouches, one box containing 500 pcs. \$ 175.00
 P52 Hand slot punch for use with detachable strap clips 99.00
 P53 Detachable strap clips for affixing ID card to clothing, one box containing 50 pcs. 35.00
 P60 Laminator 350.00
 P62 Extra set of 3 timers and 3 development trays 59.00
 P82 Replacement flash unit 59.00

The CAMBO PASSPORT cameras.


A complete line of multiple image passport cameras designed to give years of dependable, trouble free service.



PP20




PP40



PP25



PP44



PP45

PP20	Two-lens camera, fixed focus at 1.25m, for two images 46x72mm on Polaroid pack films Series 100 and 600 with optical view finder, and interchangeable Polaroid pack film holder	\$ 575.00
PP40	Four-lens camera, fixed focus at 1.25m, for four images 36x46mm on Polaroid pack films Series 100 and 600 with optical view finder, and interchangeable Polaroid pack film holder	595.00
PP25	Two-lens camera, fixed focus at 1.12m, for two images 56x88mm on Polaroid 4x5" film packets Series 50 with optical view finder, and international back 4x5"	575.00
PP44	Four-lens camera, fixed focus at 0.96m, for four images 44x56mm on Polaroid 4x5" film packets Series 50, with optical view finder, and international back 4x5"	595.00
PP45	Four-lens camera, focusing range 1.25-4m, for four images 44x56mm on Polaroid film packets Series 50, with combined view finder-range finder, and international back 4x5"	875.00

PASSPORT CAMERA ACCESSORIES

CUTTERS

P11	For four-image pictures made with PP40	\$ 129.00
P21	For two-image pictures made with PP20	129.00
P31	For four-image pictures made with PP44/PP45	129.00
P41	For two-image pictures made with PP25	129.00

DUST COVER

C246	Dust cover, dimensions 27x27x27cm, for all models	\$ 12.00
------	---	----------

FILM HOLDERS

P10	Polaroid pack film holder for PP20/PP40	135.00
-----	---	--------

FILTERS

P12	Neutral density filters, set of 2 pcs.	18.00
P13	Neutral density filters, set of 4 pcs.	33.00
P18	Color correction filters; type Kodak CC10C, set of 2 pcs.	25.00
P19	Color correction filters; type Kodak CC10C, set of 4 pcs.	50.00
P22	Color correction filters; type B 1,5, set of 2 pcs.	18.00
P23	Color correction filters; type B 1,5, set of 4 pcs.	33.00

LENS SHADES

P14	Set of 2 pcs., for use on PP20/PP25	12.00
P15	Set of 4 pcs., for use on PP40/PP44/PP45	24.00

SUPPLEMENTARY LENSES — 0,25

P16	Set of 2 pcs., for use on PP20 (focus fixed at 1.70m) and PP25 (focus fixed at 1.72m)	18.00
P17	Set of 4 pcs., for use on PP40 (focus fixed at 1.70m)	33.00

TIMER

P8	Timer, adjustable from 0-120 seconds	17.00
----	--------------------------------------	-------


For value, service and convenience, call Calumet. We've got it all!

- CALUMET CAMERAS . . . the best view camera values available anywhere.
- CAMBO CAMERAS AND STANDS . . . respected for excellence around the world.
- HORSEMAN CAMERAS . . . precision, versatility and performance beyond price.
- CALTAR II AND SCHNEIDER LENSES . . . the finest optics you can buy.
- COMPLETE CAMERA ACCESSORIES . . . tripods, cases, roll film backs, bellows, lens shades, etc.
- CALUMET MULTI-POWER ELECTRONIC FLASH SYSTEM . . . proven to be a rugged and dependable performer.
- QUARTZ LIGHTING . . . for all your continuous light requirements.
- FILM AND PRINT PROCESSORS . . . the best and most economical batch processors available, with gas burst agitation.
- STAINLESS STEEL SINKS, TEMP CONTROL TANKS, TRAYS, ETC. . . a full line of styles, dimensions and features at the lowest prices.
- PROCESSING AND TEMPERATURE CONTROL ACCESSORIES . . . everything necessary for optimum quality control.

Calumet also provides custom services . . . A total darkroom design package or just a special sink or processor.

We would be happy to give a quote per your specifications.

NOTE: Calumet maintains in-stock availability for most standard sinks and processors.



1590 Touhy Avenue • Elk Grove Village, Illinois 60007

WRITE OR CALL TOLL-FREE FOR SERVICE

800-323-6602

Illinois residents call 312-439-9330

All orders with full payment will receive free, prepaid shipping. Certified check or money order will receive fastest handling. Personal check orders may experience some delay. C.O.D. orders (\$300 limit) accepted with 10% deposit. Visa and Master Charge cards accepted. Prices subject to change without notice. If not completely satisfied with any Calumet purchase, return it unmarked and undamaged within 10 days for refund. See detailed ordering, shipping and return goods policies and instructions on page 2 of the Calumet Buying Guide.

Serving the professional photographer in industry, commerce and government.