


Fully automatic slide projector with automatic focusing.

Rollei P350AF

It's got everything: slide previewer, automatic focusing and built-in timer, remote control operation. Accepts standard straight trays for 36 or 50 slides. Add Rollei precision engineering and elegant, modern styling and you've got the finest slide projectors on the market.

Rollei's P350AF autofocus system automatically and instantly focuses slides in 2 x 2" mounts for exact sharpness, even when ready-mounts or plastic mounts are mixed. The Rollei P350AF offers the ultimate in precision projection performance!



Technical Data


- **Projector Type:**
P350AF: Automatic Remote Control Autofocus 2 x 2" slide projector with built-in timer.
- **Lens:**
85mm Rollei Projar f/2.8 supplied. 90mm Rollei S-Projar f/2.5 (highly corrected), 70-120mm Rollei Vario-Projar f/3.5 (continuous zoom adjustment), 150mm Rollei Projar f/3.5 (for long projection distances), 50mm Rollei Projar f/2.8 (for 12 x 17mm subminiature (110) through 18 x 24mm half-frame formats).
- **Focusing:**
P350AF: Fully automatic system maintains accurate focus after first slide is focused manually.
- **Slide Changing:**
P 350AF:
Built-in timer for automatic slide change forward, adjustable for intervals from 3 to 30 sec. Remote control for forward and reverse slide transport. Manual operation by button on projector control panel for forward and reverse change.
- **Slide Preview Screen:**
Illuminated panel for editing and identifying slides; light goes out during projection.
- **Accessible Magazine Track:**
Permits reorienting and rearranging slides during projection, and projecting slides without a magazine. Open-top straight trays hold 36 or 50 slides.
- **Lamp:**
24-volt tungsten-halogen lamp for extra-bright projected image, brilliant color. Heat filter protects slides from heat.
- **Cooling System:**
Powerful, quiet radial fan for efficient cooling.
- **Size:**
8.9 x 4.7 x 10.6 inches (22.7 x 12 x 27cm).
- **Weight:**
10 pounds (4.8 kg).

Rollei P350A

Automatic slide projector with remote focusing.

Remote focus and forward/reverse slide changing for fingertip projection convenience. The Rollei P350A offers economical top-quality 35mm slide projection with convenient fingertip remote control of focusing and forward and reverse slide changing. Transparencies in 2" x 2" mounts are fed gently and smoothly from open-top trays by a quiet, efficient changing mechanism. A lighted preview panel on the top

deck of the projector makes editing and orienting slides quick and easy. And the open-top trays, with a capacity of 50 or 36 slides, allow instant access to transparencies before or after a tray is loaded into the projector. A powerful tungsten-halogen lamp assures brilliant projection as large as you like, and the standard 85mm f/2.8 Projar lens covers all film formats from 110 subminiature to full-frame 35mm.



Technical Data

- **Projector Type:**
P350A: Remote Control, forward reverse and focusing 2" x 2" slide projector.
- **Lens:**
85mm Rollei Projar f/2.8 supplied. 90 mm Rollei S-Projar f/2.5 (highly corrected), 70-120mm Rollei Vario-Projar f/3.5 (continuous zoom adjustment), 150mm Rollei Projar f/3.5 (for long projection distances), 50mm Rollei Projar f/2.8 (for 12 x 17mm subminiature (110) through 18 x 24 mm half-frame formats).
- **Focusing:**
P350A: Remote control provides fingertip focusing by rocker switch.
- **Slide Changing:**
P350A: Remote control for forward and reverse slide transport. Manual operation by button on projector control panel for forward and reverse change.
- **Slide Preview Screen:**
Illuminated panel for editing and identifying slides; light goes out during projection.
- **Accessible Magazine Track:**
Permits reorienting and rearranging slides during projection, and projecting slides without a magazine. Open-top straight trays hold 36 or 50 slides.
- **Lamp:**
24-volt tungsten-halogen lamp for extra-bright projected image, brilliant color. Heat filter protects slides from heat.
- **Cooling System:**
Powerful, quiet radial fan for efficient cooling.
- **Size:**
8.9 x 4.7 x 10.6 inches (22.7 x 12 x 27cm).
- **Weight:**
10 pounds (4.8 kg).


This unique projector is all you need for smooth dissolve slide shows.

Rollei P3800

A single, self-contained slide projector that provides full dissolve projection capability, blending image into image for maximum visual appeal. And the P3800 does this by itself, with no costly, complex additional equipment.


Dissolve times are continually variable from

0.5 to 6 seconds, and a built-in electronic timer automatically triggers dissolve slide changes at preset intervals from 4 to 60 seconds. Precise focus is maintained throughout by the P3800's autofocus system. It all adds up to professionally smooth, high-impact dissolve effects with simple hands-off operation.



Technical Data

- **Projector Type:** Self-contained, twin-lens, autofocus dissolve projector for 2 x 2" slides.
- **Dissolve Time:** Continuously variable from 0.5 to 6 sec. Green indicator lamp lights during dissolve cycle.
- **Slide Changing:** Fully automatic advance by electronic timer, continuously variable intervals from 4 to 60 sec.; manual advance and reverse by push button on remote control or projector control panel.
- **Focusing:** Fully automatic system maintains accurate focus after first two slides are focused manually.
- **Lenses:** Two 85mm Rollei Heidosmat f/2.8's supplied. Other lenses available (must be used in pairs): 90mm Rollei S-Projar f/2.5 (highly corrected), 150mm Rollei Projar f/3.5 (for long projection distances), 70-120mm Rollei Vario-Projar f/3.5 (continuous zoom adjustment), 50mm Rollei Projar f/2.8 (for 12 x 17mm subminiature through 18 x 24mm half-frame formats).
- **Slide Feed:** From single straight tray, open-top type, holding 36 or 50 2 x 2" slides. Double-travel slide claw system feeds two slide stages for dissolve projection. Single-slide projection possible using tray.
- **Tape-Synchronized Projection:** Receptacle on projector accepts accessory cable for connecting pulse generator linked with tape recorder for sound-synch dissolve shows.
- **Lamps:** Two 24-volt, 150-watt tungsten-halogen lamps for extra-bright projected images, brilliant color.
- **Cooling System:** Powerful, quiet radial fan for efficient cooling.
- **Voltage Selector:** May be set for operation with 50/60 Hz. AC from 110 to 240 volts.
- **Size:** 11.2 x 10.7 x 4.7 inches (28.5 x 27.2 x 11.9 cm).
- **Weight:** 15 pounds, 6 ounces (7 kg).



LENSES

SLIDE TRAYS

For P3800

CARRYING CASE (replacement)
 REMOTE CONTROL CORD (replacement)
 REMOTE CONTROL EXTENSION CORD
 (33 feet long)
 AC LINE CORD (replacement)
 AC LINE CORD (11 1/2 feet long)
 COUPLING CORD FOR SYNCH PULSE
 GENERATOR

For P350AF, P350A

CARRYING CASE P350AF, P350A (replacement)
 REMOTE CONTROL CORD P350AF (replacement)
 REMOTE CONTROL CORD P350A (replacement)
 AC LINE CORD P350AF, P350A (replacement)

For P3800, P350AF, P350A, P37AF, P35AF

50mm ROLLEI PROJAR f/2.8 (for 12 x 17mm
 subminiature through 18 x 24mm half-frame
 formats)
 85mm ROLLEI PROJAR f/2.8 (replacement,
 standard lens)
 90mm ROLLEI S-PROJAR f/2.5 (highly corrected)
 70-120mm ROLLEI VARIO-PROJAR f/3.5
 (continuous zoom adjustment)

150mm ROLLEI PROJAR f/3.5 (for long pro-
 jection distances)

24-VOLT, 150-WATT TUNGSTEN-HALOGEN
 PROJECTION LAMP, TYPE FCS (replacement)
 GLASS SLIDE MOUNTS FOR 24 x 36mm
 FORMAT (Box of 50)

GLASS SLIDE MOUNTS WITH ANTI-NEWTON
 RING GLASS FOR 24 x 36mm FORMAT (box
 of 50)

HINGED SLIDE MOUNTS FOR 24 x 36mm
 FORMAT (Box of 50)

2 SLIDE TRAYS 55-50 WITH CASE (each tray
 holds 50 slides; not for P37AF)

2 SLIDE TRAYS 55-36 WITH CASE (each tray
 holds 36 slides; not for P37AF)

For P37AF

CARRYING CASE (replacement)
 REMOTE CONTROL CORD (replacement)
 AC LINE CORD (replacement)
 CIRCULAR 80-SLIDE TRAY WITH CASE

For P35AF

CARRYING CASE (replacement)
 REMOTE CONTROL CORD (replacement)