


DREMO AMERAS 1918

CANADIAN KODAK CO., Limited TORONTO, CANADA



KODAK HEIGHTS

CANADIAN KODAK Co., LIMITED, TORONTO, CANADA.

There can hardly be a more interesting frontispiece to a catalogue than a picture of the plant that produces the goods which the catalogue offers. Our home occupies a site of 25 acres, the floor space of the buildings amounting to eleven acres.

PREMO CAMERAS

Have been manufactured and have given continuous good service to the public for over thirty years. They not only have these long years of keen manufacturing experience behind them, but are also backed by the policy of the Kodak Companies of allowing nothing to be placed on the market which will not do all that is claimed for it. Anyone interested in amateur photography will find listed in this catalogue a line of plate, film pack, and roll film cameras from which a most satisfactory choice can be made, no matter what the requirements may be, and each model is efficient and dependable in the fullest sense of those terms.



THE simplicity of operation and practical advantages afforded by Premo Cameras and the Premo Film Pack, should not be overlooked by anyone about to take up the enjoyable recreation of photography, or those who wish to add

another practical camera to their equipment.

Light and compact beyond all cameras for the same size picture, Premos are made upon such a simple principle that every operation, from loading to changing the film, can be performed more easily and quickly than with any other type of camera. To load, merely open the hinged back of the camera; drop in the Premo Film Pack, close the back and draw the safety cover, protecting the first exposure. The films are changed for successive exposures by drawing out the consecutively numbered tabs. To unload, open the back and remove the Film Pack, which is automatically rendered light tight when the last tab is drawn.



With the Premo Film Pack Adapter, plate Cameras may readily be converted into daylight loading instruments, providing all the convenience afforded by the use of film, and the advantage of accurately focusing and composing every picture before exposure.

For the benefit of Premo customers who wish to use roll film, several models of Premos that take the regular Eastman N. C. Film Car-

tridges, have been provided.

CANADIAN KODAK CO., LIMITED,

Toronto, Canada.

Kodak Ball Bearing Shutter

T HIS shutter is automatic in its action, and does not require setting. Its leaves work on ball bearings, giving it smooth

and reliable action, and as they open and close in a star-shaped aperture, the maximum of light is admitted. It is operated by cable release or finger release, and has Iris Diaphragm. The illustration shows the shutter as fitted to cameras equipped with Kodak Anastigmat lens, f.7.7, but all models work upon the same general system. The model regularly fitted to Premoette Jr. No. 1 and Folding Cartridge Premo No. 2 has



time and bulb actions and indicated speeds of 1/25 and 1/50

second. It has no cable release.

The models supplied with Folding Cartridge Premos Nos. 2A, 2C, 3A, Premoette Jr. No. 1A, Premoette Senior, Premo Nos. 8, 9 and 10 have the same speeds as the No. 0 and in addition the higher speed of 1/100 second. These are supplied with cable releases in all cases excepting as fitted to 2A Folding Cartridge Premo, where it has finger release only. An illustration of the particular model supplied will be found on the page with each camera.

Optimo Shutter

This shutter is recommended only where anastigmat lenses are to be used as it is constructed to attain the highest possible speed for a between-the-lens hand camera shutter. It is a

shutter of the setting type, leaves opening in star shape and besides time and bulb exposure actions, has variable indicated speeds of 1, 1/2, 1/5, 1/25, 1/50, 1/100, 1/200, and 1/300 seconds. It is very accurate on all speeds, and is handsomely finished and works with cable or finger release.

This shutter is regularly supplied on the Premo No. 12 and as a special equipment with the Premos Nos.

9 and 10.

Cartridge Premos Nos. 2 and 2A



THESE cameras require no focusing or estimating of distances. They take regular Eastman N. C. film cartridges, which may be loaded, unloaded and developed in full daylight, and will appeal especially to those who wish to make pictures on roll film in the easiest way and at the minimum of expense.

The cameras are equipped with automatic shutters, working for time or "snap shot" exposures, and will make negatives of a quality that yield good enlargements up to any reasonable size.

Specifications: For rectangular pictures, No. 2, 2½ x 3¼ in. No. 2A, 2½ x 4¼ in. Capacity: No. 2, 6 exposures without reloading; No. 2A, 12 exposures without reloading. Size of camera: No. 2, 55% x 4 x 3¼ in.; No. 2A, 3% x 5½ x 6½ in. Weight: No. 2, 13 ozs.; No. 2A, 21 ozs. Lens: No. 2, Meniscus; No. 2A, Meniscus Achromatic. Shutter: Eastman Rotary, with three stops. Two finders.

Cartridge Premo, as per specifications	No. 2 \$ 2.75	No. 2A \$ 3.50
Carrying Case, with shoulder strap	1.10	1.10
N. C. Film Cartridge, 12 exposures (No. 116).		.50
Ditto, 6 ex. (No. 120 for No. 2; No. 116 for No. 2A)	.20	.25
Kodak Portrait Attachment (See page 41)	.50	.50

No. 2C Cartridge Premo



THE 27/8 x 47/8 size is a new proportion for amateur pictures which was recently introduced. Its shape is so pleasing, and it lends itself to such artistic composition, that we have added to the simple, inexpensive Cartridge Premos, a camera for this desirable size.

In design it follows closely that of the 2 and 2A models, and loads with Eastman N. C. Film offering all the advantages

of daylight-all-the-way photography.


The 2C is a reliable camera, one with which it is really difficult to go wrong, as it requires no focusing or estimating of distances. It is always ready for action, is supplied with automatic shutter for time and snap shot exposures, tested meniscus achromatic lens, two finders and two tripod sockets.

Specifications: For rectangular pictures 27% x 47% in. Capacity: 10 exposures without reloading. Size of camera: 37% x 6 x 7½ in. Weight: 25 ozs. Lens: Meniscus Achromatic. 5½-inch focus. Shutter: Eastman Rotary, with three stops. Two finders. Two tripod sockets.

PRICES

No. 2C Cartridge Premo, Meniscus Achromatic Lens, Eastma	an	
Rotary Shutter	. \$4.50	
Carrying Case with shoulder strap	. 1.35	5
N. C. Film Cartridge, 10 exposures (No. 130)		
Ditto, 6 exposures	35	5
Kodak Portrait Attachment (See page 41)	50)

Folding Cartridge Premos Nos. 2 and 2A



THE practical simplicity of operation, compactness and attractive appearance of the Folding Cartridge Premo, will appeal to those desiring a properly equipped,

inexpensive camera that meets the requirements of amateur picture making.

These Premos are constructed on a very simple principle for loading and unloading in daylight, with the Eastman N. C. Film Cartridge.

The excellent quality of the pictures produced by the Folding Cartridge Premos, combined with the

Folding Cartridge Premos Nos. 2 and 2A

ease of operation, have resulted in its being established as a

most popular model.

Alike in general appearance and operation, the 2 and 2A models differ in the size of the pictures they make and slightly in lens and shutter equipment. The No. 2 is regularly fitted with a meniscus lens and the No. 0 Kodak Ball Bearing shutter. This shutter has time and bulb exposure actions and instantaneous speeds of 1/25 and 1/50 second. The No. 2A is regularly fitted with a meniscus achromatic lens and the No. 1 Kodak Ball Bearing shutter without cable release. This shutter has the same actions and speeds as the No. 0 and in addition, the faster speed of 1/100 second. Both cameras are offered also with R. R. lens.

The Eastman N. C. Film Cartridge may be developed in the Kodak Film Tank, no dark room is necessary for any step. The cameras are neatly finished and covered with a serviceable, attractive grade of imitation leather. Either size will slip easily into an ordinary pocket.


Specifications: No. 2: For rectangular pictures, 2½ x 3½ in. Capacity, 6 exposures without reloading. Size of camera: ½ x 3½ x 6½ in. Weight: 19 oz. Lens: Meniscus Achromatic, 3½-inch focus. Also supplied with Rapid Rectilinear Lens, if desired. Shutter: Kodak Ball Bearing. Reversible finder, two tripod sockets, automatic focusing lock, black leather bellows.

No. 2A: For rectangular pictures $2\frac{1}{2} \times 4\frac{1}{4}$ in. Capacity: 12 exposures without reloading. Size of camera: $1\frac{1}{16} \times 3\frac{3}{8} \times 7\frac{7}{8}$ in. Weight: 25 ozs. Lens: Meniscus Achromatic, $4\frac{1}{4}$ -inch focus. Also supplied with Rapid Rectilinear Lens, if desired. Shutter: Kodak Ball Bearing (See page 25). Reversible finder, two tripod sockets,

automatic focusing lock, black leather bellows.

	No. 2	No. 2A
Folding Cartridge Premo with single lens and Kodak		
Ball Bearing Shutter	\$ 7.00	\$ 8.00
Ditto, with R. R. Lens		10.00
Cartridge Premo Carrying Case	1.10	1.25
N. C. Film Cartridge, 12 exposures (No. 116)		.50
Ditto, 6 exposures (No. 120 for No. 2, No. 116 for		
No. 2A)	.20	.25
Kodak Portrait Attachment (See page 41)	.50	.50

Folding Cartridge Premos Nos. 2C and 3A



THE success of the 2 and 2A Folding Cartridge Premos led to the introduction of two other larger models, of the

same type. The No. 2C illustrated on this page, makes 27/8 x 47/8 pictures. The No. 3A, similar to the 2C in every respect, excepting size, is for the popular $3\frac{1}{4} \times 5\frac{1}{2}$ (post card) pictures.

Made of first quality material, by high-class workmen, these cameras receive the same rigid tests for reliability as are applied to all Eastman products. It is only through a long perfected factory organization and production in large quan-



Folding Cartridge Premos Nos. 2C and 3A

tities, that cameras of such exceptional quality may be offered

at such moderate prices.

The box is made of aluminum, which means strength and light weight, the standard is so formed as to be unusually rigid and metal parts are finished in nickel and black enamel. The covering is of a substantial grade of imitation leather, the finder is reversible, two tripod sockets are provided and an automatic focusing lock so that the lens can be set positively for any distance in an instant.

The cameras load with standard Eastman N. C. film. This is not only an assurance of the quality of the results to be obtained, but means that every process—loading, unloading, developing—can be performed in daylight, eliminating the dark-room entirely.

The shape of the negatives made by these cameras is very appropriate for portraiture. The Kodak Portrait Attachment adapts either of these cameras to home portraiture.

Specifications: No. 2C: For rectangular pictures, 27% x 47% in. Capacity: 10 exposures without reloading. Size of camera: 134 x 336 x 85% in. Weight: 28 ozs. Lens: Meniscus Achromatic, 5-inch focus. Also supplied with Rapid Rectilinear Lens, if desired. Shutter: Kodak Ball Bearing (See page 25). Reversible finder, two tripod sockets, automatic focusing lock, black leather bellows.

No. 3A: For rectangular pictures, $3\frac{1}{4} \times 5\frac{1}{2}$ in. Capacity: 10 exposures without reloading. Size of camera, $13\frac{1}{4} \times 4\frac{1}{16} \times 9\frac{1}{16}$ in. Weight: 28 ozs. Lens: Meniscus Achromatic, $5\frac{1}{2}$ -inch focus. Also supplied with Rapid Rectilinear Lens, if desired. Shutter: Kodak Ball Bearing (See page 25). Reversible finder, two tripod sockets, automatic focusing lock, black leather bellows.

	No. 2C	No. 3A
Folding Cartridge Premo with single lens and Kodak		
Ball Bearing Shutter	\$10.50	\$11.50
Ditto, with R. R. Lens	12.50	14.00
Cartridge Premo Carrying Case	1.25	1.40
N. C. Film Cartridge, 10 exposures (No. 130 for No.		
2C, No. 122 for 3A)	.60	.70
Ditto, 6 exposures	.35	.40
Kodak Portrait Attachment (See page 41)	.50	.50

Premo Junior



THIS camera requires no focus or estimating of distances, and the shutter is always ready for immediate action. Open the back, drop in the pack, draw the safety cover, and the

camera is ready for the first exposure.

This simplicity of operation, combined with the low price, makes the Premo Junior especially suitable for boys and girls, but the care taken in its construction, and in the selection of lenses, recommend it to anyone desiring a reliable camera of the fixed focus type.

Specifications: Capacity: 12 exposures without reloading. Size of Camera: No. 1, 31/8 x 41/2 x 53/4 in.; No. 1A, 31/2 x 51/2 x 53/8 in.; No. 3, 4 x 51/2 x 53/4 in. Weight: No. 1, 11 ozs.; No. 1A, 14 ozs.; No. 3, 20 ozs. Shutters: Rotary Automatic, with diaphragm stops. Lens: No. 1, Meniscus; Nos. 1A and 3, Meniscus Achromatic. Finders: two. Tripod Sockets: two.

P	RICE	S		No. 1	No. 1A	No. 3
				21/4 x 31/4	2½x4¼	3 1/4 x 4 1/4
Premo Junior, as per specification	ns .			\$ 2.75	\$ 3.50	\$ 4.50
Carrying Case				1.00	1.00	1.25
Premo Film Pack (12 exposures	s) .		. 1	No. 320.40 No.	316.50No.	318 .70
Kodak Portrait Attachment (See	page	41)	.50	.50	.50

Premoette Junior




THE Premoette Junior folds into such compact form that it may be conveniently carried in the pocket, and clearly defined pictures of excellent quality may be made upon Premo Film Packs, which provide the utmost simplicity of loading, unloading and changing the exposed film.

The camera is furnished in two sizes, with a choice of three different lens equipments, which are thoroughly tested before they are fitted to the cameras. Both models are covered with genuine grain leather, and are carefully finished in every detail.

Specifications: Premoette Jr. No. 1. Dimensions: 1½ x 3 x 4¾ in. Weight: 12 ozs. Finder: collapsible, reversible, brilliant. Tripod Sockets: two. Premoette Jr. No. 1A. Dimensions: 1¾ x 3¼ x 5¾ in. Weight: 18 ozs.

PRICES	No. 1 2 ½ x3 ½	No. 1A
Premoette Jr. with Meniscus Achromatic Lens and	2/410/4	2/211/4
Kodak Ball Bearing Shutter	\$ 6.50	\$ 8.00
Ditto, with Planatograph Lens		10.00
Ditto, with Kodak Anastigmat Lens, f.7.7	14.50	16.00
Carrying Case (sole leather)	1.60	2.40
Premoette Jr. Special with Bausch & Lomb Kodak		
Anastigmat Lens, f.6.3, and Compound Shutter.	39.50	44.50
Grain Leather Carrying Case	2.40	2.75

Premoette Senior



DESIGNED to provide for the most popular amateur sizes of pictures, the Premoette Senior also embodies the advantages of compactness, simplicity of operation, and standard lens equipments. It is supplied with either R. R. Lens or the Kodak Anastigmat, f.7.7, and is especially recommended with the Anastigmat. The definition and covering power of this lens

is equal to any anastigmat made, and has a higher speed than any R. R. Lens. Thus in getting this camera, the amateur assures himself not only of the microscopic definition of the finest anastigmat, but also of a greater speed than is possible with the ordinarily equipped camera. When it is considered that a perfectly reliable $2\frac{1}{2} \times 4\frac{1}{4}$ or $3\frac{1}{4} \times 4\frac{1}{4}$

camera, possessing these advantages, can be purchased for \$18.50 and a $3\frac{1}{4} \times 5\frac{1}{2}$ (post card) camera for \$22.00, the desirability of this model for amateur photography is apparent.

Carefully made in every particular, the Premoette Senior is offered at as low a price as is consistent with quality and reliability.

Premoette Senior

All adjustments and special features which are not essential in making excellent pictures under average conditions of amateur photography, have been avoided in its construction, and the camera will give the best of satisfaction to those who wish to make clear, sharp, everyday pictures of the persons, things and events in which they are interested.

The Premoette Senior can be loaded very quickly in any light, just open the back of the camera, drop in the Premo Film Pack, close the back, draw the safety cover, and the first film is in position for exposure. The exposed film is changed by draw-

ing the successively numbered tabs.

The lens support, or standard, is exceptionally rigid, and is operated along the runways by means of an automatic clamp, making it an easy matter to draw the lens out to the focusing scale, where an automatic focusing lock provides for the instant focusing of objects at any distance.

The shutter is the Kodak Ball Bearing with time and bulb actions and retarded speeds of 1/25, 1/50 and 1/100 seconds. It works with either cable or finger release and is unusually


accurate and reliable.

Premoette Srs. are covered with genuine leather of selected grain, metal parts are finished in nickel and black lacquer, and they are cameras which the merest beginner can successfully use. When fitted with Kodak Portrait Attachment the pleasing proportions of the pictures make these cameras excellent for home portraiture.

Specifications: Capacity: 12 exposures. Box: seasoned wood. Bed and Back: aluminum. Dimensions: 2½x4½, 1½x3½x5½ in.; 3½x4½, 1½ x 4½ x 5½ in.; 3A, 3¼ x 5½, 2½ x 4½ x 7½ in. Weight: 2½ x 4¼, 21 ozs.; 3¼ x 4¼, 22 ozs.; 3A, 3¼ x 5½, 35 ozs. Lens: Rapid Rectilinear. Shutter, Kodak Ball Bearing, with cable release (see page 25). Tripod sockets: two. Finder: reversible, brilliant, collapsible. Automatic standard clamp. Automatic focusing lock.

PRICES	2½x4¼	31/4 x 41/4	3A 31/4×51/2
Premoette Sr. with R. R. Lens and Kodak	-/2/4	74174	- / 4 / 2
Ball Bearing Shutter	\$12.50	\$12.50	\$16.00
Ditto, with Kodak Anastigmat Lens, f.7.7	18.50	18.50	22.00
Sole Leather Carrying Case	2.75	2.75	3.50
Premo Film Pack (12 exposures) N	o. 316.50 No.	318.70 No.	322 .80
Kodak Portrait Attachment (See page 41)	.50	.50	.50

Pocket Premo



THIS attractive little camera is entirely new in construction and embodies extreme compactness and simplicity of loading and operating.

No focusing or estimating of distances is required. The front standard, bearing the lens and shutter, automatically unfolds and is extended and locked rigidly in focusing position when the bed of the camera is drawn down.

The Pocket Premo may be brought into action very quickly, and for that reason unusual and interesting pictures may be secured that would be lost if adjustment of focus were necessary. The camera is closed by pressing the two side arms and raising the bed, which causes the bellows and entire front to compactly refold within the camera body.

This little camera makes $2\frac{1}{4} \times 3\frac{1}{4}$ pictures upon Premo Film Packs, and when closed, it has about the same dimensions

as two 21/4 x 31/4 Film Packs.

Maximum compactness in the construction of this model is obtained by means of the Collapsible Back, which may be quickly extended to receive the Premo Film Pack, containing 12 exposures. After the Pack has been placed in position in the camera, the safety cover protecting the first exposure, is drawn.

2001 (NOIONO) (NOIONO)

Pocket Premo




The Meniscus Achromatic Lens fitted to the camera, is carefully tested and adjusted, and will produce negatives of excellent quality, from which enlargements many times the size of the contact print may easily be made.

The smooth working Kodak Ball Bearing Shutter, supplied, provides for speeds of 1/25 and 1/50 of a second, as well as time and bulb exposures.

The Pocket Premo is covered with a fine quality of grain leather, and all metal parts are finished in nickel.

Specifications: Capacity: 12 exposures without reloading. Size of picture: 2½ x 3½. Dimensions: 1½ x 3½ x 4½. Weight: 18 ozs. Shutter: Kodak Ball Bearing. Lens: Meniscus Achromatic. Finder: Collapsible. Tripod Sockets: two.

	21/4 x 31/4
Pocket Premo with Meniscus Achromatic Lens and Kodak Ball	33 21
Bearing Shutter	\$8.50
Carrying Case to hold camera and Premo Film Pack	1.20
Premo Film Pack (12 exposures), No. 320	.40
Kodak Portrait Attachment (See page 41)	.50



THE special feature of the Premo No. 12 is the provision for accurate focusing and arrangement of the composition of every picture made. The 2½ x 3½ pictures, shown full size on the focusing screen, may be made upon film, or the brand of plates best suited to the subject. This construction is decidedly helpful in attaining the required pictorial effect. If direct

focusing and composition of the full size picture is not essential, the lens is set on the Focusing Scale at a point indicating the estimated distance of the subject.

With the high speed Anastigmat Lens and Optimo Shutter equipment, permitting variation in exposures ranging from "time" to

1/300 of a second, it is easily possible to obtain successful pictures of unusual and interesting subjects, difficult to procure with other types of cameras.

The Premo No. 12 is regularly fitted with the B. & L. Kodak Anastigmat f.6.3 Lens and Optimo Shutter. It is also supplied

with other types of f.6.3 lenses, as listed, and where a lens of extreme rapidity is required, the B. & L. Tessar, Series Ic, f.4.5 Lens, will be found most effective.

With such an anastigmat equipment and shutter efficiency, an almost unlimited variety of photographic work is possible—from interesting pictures of rapidly moving objects, to successful pictures made under adverse conditions of lighting, which would be difficult to procure with the average camera.


For those who do not require the high speed equipments, we offer the camera equipped with Ball Bearing Shutter and Kodak Anastigmat, f.7.7, or Rapid Rectilinear Lens.

The greatest facility for loading and unloading the camera in daylight, and changing the exposed film, is provided in the Premo Film Pack.

The Premo No. 12 is so small and compact, that it may be conveniently carried in the pocket. It is covered with the finest quality of grain leather, handsomely embossed, and all metal parts are finished in nickel and black enamel.

Specifications: Size of picture, $2\frac{1}{4} \times 3\frac{1}{4}$. Capacity: 12 film or one plate exposure. Box: aluminum. Bed: aluminum, with special lever focusing device. Finder: reversible, with revolving mask. Tripod sockets: two. Lens: Bausch & Lomb Kodak Anastigmat, f.6.3, or other lenses as per price list. Shutter: Optimo or Kodak Ball Bearing as per price list. Dimensions: $1\frac{1}{6} \times 3\frac{1}{4} \times 4\frac{1}{6}$ in. Weight: 24 ozs.

	21/4 x 31/4
Premo No. 12 with Optimo Shutter and Bausch & Lomb Kodak	
Anastigmat Lens, f.6.3, 45%-inch focus, including Film	
Pack Adapter and one Plate Holder	\$51.50
Ditto, with Kodak Anastigmat Lens, f.6.3, 43%-inch focus	43.00
Ditto, with B. & L. Special Anastigmat Lens, f.6.3, 416-inch focus	41.00
Ditto, with B. & L. Tessar, Ser. IIb Lens, f.6.3, 45%-inch focus.	62.00
Ditto, with B. & L. Tessar, Ser. Ic Lens, f.4.5, 3½-inch focus.	64.00
Ditto, with B. & L. Tessar, Ser. IIb Lens, f.6.3, 33%-inch focus,	
and Compound Shutter	41.50
Ditto, with Kodak Ball Bearing Shutter and R. R. Lens	18.50
Ditto, with Kodak Anastigmat Lens, f.7.7	24.50
Carrying Case, grain leather, velvet lined	3.25
Single Plate Holder, each	.50
Premo Film Pack, 12 exposures, No. 320	.40
Graflex Roll Holder, interchangeable with Plate Holder	9.00



HERE is a camera for the amateur who wishes to undertake more serious photographic work. Every picture made may be accurately focused and composed upon the focusing screen. The rising and falling front permits correct centering of the composition. While direct focusing is desirable, it is not always convenient or possible, and the lens in such cases may be focused with the graduated scale, the picture

being centered with the view finder, which is of the collapsible type.

Plates or film, whichever is most convenient or best suited to the character of the subject, can be used interchangeably. Plates are loaded into a regular Plate Holder, and by means of the Premo Adapter and Premo Film

Packs, the camera is converted into a daylight loading instru-

ment with all the advantages of film convenience.

The Premo No. 8 is regularly supplied with the Standard Planatograph R. R. Lens. At a slight additional charge, the

 $3\frac{1}{4} \times 5\frac{1}{2}$ (post card) size camera is furnished with the Kodak Anastigmat Lens f.7.7, providing greater speed and excellent definition.

The shutter furnished with all models of the Premo No. 8, is a modified form of the Kodak Ball Bearing, having all the precision and smooth action of that shutter. It is graduated for speeds of 1/25, 1/50 and 1/100 seconds, as well as for bulb and time exposures.


The body of the camera is made of seasoned wood, with front bed of aluminum and metal runways. The bed and body are covered with black grain leather; the bellows is black and the metal parts are finished in nickel, giving the camera a neat,

attractive appearance.

The Premo No. 8 is made for the three larger popular sizes of pictures—the $3\frac{1}{4} \times 5\frac{1}{2}$, the 4×5 and the 5×7 . Contact prints of these sizes are as large pictures as the amateur ordinarily desires, but enlargements of practically any size may be made from the negatives. The proportions of these sizes are exceptionally well suited for figure work. When the camera is fitted with the Kodak Portrait Attachment, and the composition is focused and adjusted upon the ground glass for focusing, the Premo No. 8 is unusually effective for home portraiture.

Specifications: Capacity: 12 film or 2 plate exposures. Box: kiln-dried wood, covered with leather. Standard: made of metal, with rising and falling front. Carrying Case: imitation leather, with compartments for holders. Finder: reversible, brilliant, collapsible. Tripod Sockets: two. Lens: Planatograph. Shutter: Kodak Ball Bearing with cable release (See page 25). Dimensions: 3½ x 5½, 2 x 5 x 7½ in.; 4 x 5, 2 x 5½ x 6½ in.; 5 x 7, 2½ x 6½ x 8½ in. Weight: 3½ x 5½, 34 ozs; 4 x 5, 30 ozs.; 5 x 7, 42 ozs.

PRICES	4x5	3A 3½x5½	5x7
Premo No. 8, with Planatograph Lens, Kodak Ball Bearing Shutter, Carry- ing Case and Plate Holder	\$18.50	\$19.50	\$26.00
Ditto, with Kodak Anastigmat Lens, f.7.7 Premo Film Pack Adapter	1.50	25.50 1.50	2.50
Premo Film Pack (12 exposures) Kodak Portrait Attachment (See page 41)	No. 323 .90 No. .50	322 .80No50	3151.60



THIS camera is provided with the mechanical adjustments and bellows capacity essential to a wider application of photography than is possible with any of the preceding models of Premo Cameras.

The swing bed permits the operator to make pictures of tall buildings, and the like, without tilting the camera, thereby

permitting true alignment of the subject.

A further aid to correct photographic reproductions of architectural subjects or general views, is provided with the rising and falling front, whereby the picture is properly centered upon the focusing screen.

Vertical or horizontal pictures, whichever is most suitable to the composition, may be made by means of the Premo reversible back, which accepts Plate Holders or the Premo Film Pack

Adapter.

The bellows is of black leather, and has sufficient draw to permit the use of the whole lens for making very nearly full size copies, and accommodates as well the long focus single combination when a larger picture of distant objects is required. A rack and pinion actuates the bed plate, which is locked in any position by a simple device.

The front standard of the Premo No. 9 is constructed of metal and is very rigid. The lens board is removable.

The instrument is of the most substantial construction, all working parts operate with mechanical precision and it is finished in the most careful manner. The covering is of specially selected black leather of fine grain, the bed is finished in black and the metal parts are heavily nickeled. The new Premo collapsible, brilliant finder is fitted to all models.

The regular lens and shutter equipment comprises the Kodak Ball Bearing shutter and the Planatograph lens—a perfectly satisfactory equipment for everyday amateur photography.

In the 3A and 4×5 sizes the camera is offered at a slight increase in price, fitted with the new Kodak Anastigmat lens, f.7.7. For those who wish an anastigmat of even greater speed, it is supplied with the new Kodak Anastigmat lens working at f.6.3 and the Optimo shutter with cable release. There is also a choice of several other high speed anastigmat fittings.

Specifications: Capacity: 12 film or 2 plate exposures. Box: kiln-dried wood, covered with fine grain leather. Bed: hand polished wood, finished in black, and supplied with rack and pinion for fine focusing, and swing arrangement. Back: spring catch, reversible. Standard: made of metal, with rising and falling front. Finder: brilliant, reversible, collapsible. Tripod Socket: one. Lens: Planatograph. Shutter: Kodak Ball Bearing (See page 25). Bellows: black leather; draw, 3½ x 5½, 13 in.; 4 x 5, 13 in.; 5 x 7, 15½ in. Dimensions: 3½ x 5½, 3 x 7 x 7 in.; 4 x 5, 3 x 7 x 7 in.; 5 x 7, 2½ x 8½ x 8¼ in. Weight: 3¼ x 5½, 63 ozs.; 4 x 5, 63 ozs.; 5 x 7, 76 ozs.

		3 A	
Premo No. 9, with Planatograph Lens,	4x5	31/4 x51/2	5x7
Kodak Ball Bearing Shutter, Case			
and Holder	\$36.00	\$36.00	\$43.50
Ditto, with Kodak Anastigmat Lens, f.7.7	42.00	42.00	
Ditto, with Kodak Anastigmat Lens, f.6.3			
and Optimo Shutter	63.00	63.00	
Ditto, with Bausch & Lomb Kodak Anas-			
tigmat Lens, f.6.3, and Optimo			
Shutter	70.75	73.25	95.50
Premo Film Pack Adapter	1.50	1.50	2.50
Premo Film Pack (12 exposures) No	o. 323.90 No	. 322 .80 No	. 3151.60
Kodak Portrait Attachment (See page 41)	.50	.50	.50



DESIGNED to meet the requirements of technical photographic work, the Premo No. 10 is equipped with every mechanical adjustment required in a camera for making pictures under all conditions.


The long bellows draw will accommodate the single combinations of any lens system. Wide angle lenses may be used by dropping the bed and substituting the short supplementary bed furnished with the camera. The swing back and rising and falling front permit the correct composition of architectural subjects.

The camera takes films or plates with equal facility.

Specifications: Capacity: 12 film or 2 plate exposures. Box: mahogany, leather covered. Bed: mahogany, with highly polished black finish. Back: spring catch, reversible. Swing: vertical; rack and pinion actuated with locking device. Front: rising and falling rack and pinion actuated with locking device. Lens Board: removable, size $3\frac{1}{2} \times 3\frac{1}{2}$ in. Finder: brilliant, reversible. Tripod Sockets: two. Carrying Case: sole leather, plush lined, with compartments for holders. Bellows: black leather; draw, 19 in. Dimensions: $4 \times 8\frac{1}{2} \times 8\frac{1}{2}$. Weight, $5\frac{1}{2}$ lbs.

	5x7
Premo No. 10, with Planatograph Lens and Ball Bearing Shutter, Carrying Case and Plate Holder	\$ 95.00
Ditto, with Bausch & Lomb Kodak Anastigmat Lens, f.6.3 and Optimo Shutter	140.00
Ditto, with B. & L. Protar VIIa Lens, f.7, and Optimo Shutter	175.00
Premo Film Pack Adapter	2.50
Premo Film Pack, No. 315	1.60

The R.O.C. View



A N inexpensive, reliable view camera for those who do not require extra long bellows capacity. It is especially adapted for interior work as it focuses from the rear only, and the back may be moved as close to the front as desired so that extreme wide angle lenses may be used.

The front board is so wide that stereoscopic lenses may be used, and the standard is strong and rigid, affording a safe support for the heaviest lenses. Vertical and horizontal swings, rising and falling front and reversible back are provided. The camera is strongly built for service and will last indefinitely.

The price includes case and plate holder.

	PR	ICE:	S	5x7	6½x8½	8x10
R. O. C. View with Case and	Hold	er		\$22.50	\$25.00	\$27.50
Extra Carrying Case, Regular R. O. C. Plate Holders				2.50	2.75 1.35	3.00 1.50



B UILT for practical service, the Eastman View Camera No. 1 will meet the requirements of anyone desiring a substantial, reliable View Camera at small cost.

The camera is made of the best quality cherry with mahogany finish. Metal parts are of polished brass, and corners are dovetailed and reinforced by metal angle pieces.

It has double extensions, and both front and back are actuated by rack and pinion, so that the camera may be focused from either end, and the back can be racked up as close to the front as desired. This provides for the use of lenses of the widest angle. The camera has rising and falling front, actuated by rack and pinion, and this can be locked solidly at any point by merely pushing in the pinion. The front board is removable and is large enough to accommodate any lens.

Both horizontal and vertical swings are provided, and the back is reversible and furnished with a vertical cut-off board, so that two negatives may be made on one plate, if desired.

A strap handle and plumb level are supplied and an automatic bellows support which prevents sagging of the bellows at all times.

The price includes one double plate holder and canvas carrying case. This case is of the combination style, with three compartments in the bottom; one for the camera, one for plate


holders and the other for focusing cloth, lenses and other accessories. On top of these is an extra compartment for carrying the tripod.

The case is strongly made, with corners reinforced, and full length straps of the best leather.

For those who want larger size view cameras we will furnish the regular Empire State model in the 11 \times 14 size at \$70.00.

Specifications: Bellows: draw, 5 x 7, 22½ in.; 6½ x 8½, 26 in.; 8 x 10, 29 in. Weight: 5 x 7, 6 lbs.; 6½ x 8½, 8 lbs.; 8 x 10, 9½ lbs. Size of Lens Board: 5 x 7, 4¼ x 4¼ in.; 6½ x 8½, 4¾ x 4¾ in.; 8 x 10, 4¾ x 4¾ in. Carrying Case: long style canvas, combination style, with compartment for camera, holders and tripod.

	PRICES	5x7	6½x8½	8x10
Eastman View No. 1 with	Case and	JA	0/280/2	OAIO
Holder		\$35.00	\$38.00	\$41.00
Extra Carrying Case		4.50	4.75	5.00
Extra Lens Board			.40	.50
Eastman View Plate Holder		1.50	1.60	1.75
Empire State Camera, furnish	ed only in th	e 11 x 14 si	ze	70.00



A LL our experience in view camera making, all the information that we have been able to collect of the needs of the view camera worker, have been put into the proposition of providing in this model a view camera as near to perfection as human ingenuity can devise.

It is constructed with the idea of providing the greatest possible solidity and strength throughout. The extensions are extra thick, the standard is very large and will furnish an absolutely rigid support for the heaviest lenses. Corners are dovetailed and reinforced by brass angle pieces, and the metal parts are all made of the best quality of brass, fully lacquered.

The front board is removable and very large. The rising and falling front is actuated by rack and pinion. The camera has both vertical and horizontal swing and can be focused from either front or rear by rack and pinion, so that the back can be racked up as close to the front as desired. Thus lenses of the widest angle can be used. A sliding tripod block is provided so that the camera can always be supported directly above the tripod or the weight distributed, as the operator may wish.

The back is reversible, a plumb level and strap handle are supplied and both horizontal and vertical cut-off boards are furnished so that four different negatives can be made on one plate if desired. The bellows of this camera is made of genuine leather and a spring arrangement working automatically pre-

vents it from sagging at any time.

The method of locking extensions is very convenient, not by means of the old-fashioned, long threaded screw, but by a specially constructed device which locks firmly by merely being pushed in and given a quarter turn. The back extension, which is detachable, in addition to this device, is further strengthened by two clamp catches which hold it absolutely rigid.

Especial attention is called to the 7×11 size—a proportion which will prove very attractive to many workers. This camera has an especially wide front board with sliding arrangement which permits the centering of the lens on either half of the 7×11 plate when it is desired to make two exposures on one plate. The swing of this model is of unusual latitude to obtain its fullest value for architectural work.

The camera is made of mahogany and hand polished, with the exception of the extensions, which are of cherry on account of its greater strength.

Specifications: Bellows: draw, 5×7 , 23 in.; $6\frac{1}{2} \times 8\frac{1}{2}$, $26\frac{1}{2}$ in.; 8×10 , $29\frac{1}{2}$ in.; 7×11 , 31 in. Weight: 5×7 , 7 lbs.; $6\frac{1}{2} \times 8\frac{1}{2}$, $10\frac{1}{2}$ lbs.; 8×10 , $11\frac{1}{4}$ lbs.; 7×11 , $15\frac{1}{2}$ lbs. Size of Lens Board: 5×7 , $4\frac{1}{4} \times 4\frac{1}{2}$ in.; $6\frac{1}{2} \times 8\frac{1}{2}$, 6×6 in.; 8×10 , 6×6 in.; 7×11 , $6\frac{1}{6} \times 3\frac{1}{16}$ in. Carrying Case, canvas, combination style, with compartments for camera, holders and tripod. All operating nuts on the right side, binding nuts on the left hand side.

Eastman View No. 2	wit	h Ca	ase	5x7	$6\frac{1}{2} \times 8\frac{1}{2}$	8x10	7x11
and Holder .				\$48.00	\$50.00	\$55.00	\$60.00
Extra Carrying Case				5.00	5.50	6.00	7.00
Extra Lens Board				.60	.75	.75	1.25

Plate Holders

PREMO PLATE HOLDER

Premo holders are made absolutely light tight by a fully patented light-lock. This device is shown in cut and is constructed of finely tempered, non-corrosive metal with independently operating spring fingers overlaid with a closely woven, specially prepared fabric. A slide can be inserted cornerwise without admitting light to the plate. Fitted



with lacquered pressboard slides that will not electrify, collect dust, crack or split.

$3\frac{1}{4} \times 4\frac{1}{4}$ $3\frac{1}{4} \times 5\frac{1}{2}$	\$1.25	4×5		\$1.25	$6\frac{1}{2} \times 8\frac{1}{2}$	\$1.75
31/4 x 51/2	1.25	5×7		1.50		

EASTMAN VIEW HOLDER

These holders are made with bottom flap, avoiding all danger of plates falling out. They are strongly constructed, have patented spring finger light-lock, and made to fit both models of the Eastman View Camera. Slides are of lacquered pressboard.

5 x 7	\$1.50	8 x 10		\$1.75	7 x 11 .	\$1.75
6½ x 8½	1.60					

UNIVERSAL PLATE HOLDER

Made in the same style as the Eastman View Holder but to fit Empire State and Premo View Cameras.

5 x 7	\$1.50	8×10		\$1.75	14 x 17 .	\$5.00
$6\frac{1}{2} \times 8\frac{1}{2}$	1.60	11×14		4.00		

R. O. C. PLATE HOLDER

This holder is of good construction, it has the patented light trap feature of the Premo holders, and is adapted for use in the R. O. C. View Camera.

5	x7		\$1.25	6½ x 8½		\$1.35	8 x 10	\$1.	5	0
---	----	--	--------	---------	--	--------	--------	------	---	---

PLATE HOLDER AND ADAPTER SLIDES

LACQUERED PRESSBOARD

3 ½ x 4 ½ 3 ¼ x 5 ½ 4 x 5	:	\$.20 .20 .20	5 x 7 6½ x 8½	.25 .30	8 x 10 11 x 14	:	\$.40 .60
			** 455	 -			

HARD RUBBER

 5×7 . \$.35 $6\frac{1}{2} \times 8\frac{1}{2}$. \$.50 8×10 . . \$.65

Film, Plates and Paper

PREMO FILM PACKS



Premo Film Packs contain 12 exposures of Eastman N. C. Speed Film, which is non-curling, non-halation, and orthochromatic to a considerable degree. The gradation and fineness of grain is of the highest quality.

Size.									Pe	r Pack.
No. 300. 13/4 x 23/8										\$.25
No. 320. 214 x 314	*									.40
No. 316. 2½ X 4¼									*	.50
No. 318. 3 ¹ / ₄ x 4 ¹ / ₄		•								.70
No. 342. 3 x 5 1/4	•		7	*	•					
No. 322. 3 ¹ / ₄ x 5 ¹ / ₂ No. 323. 4 x 5										.80 .90
No. 315. 5 x 7	1.0		100	•		•				1.60
1101 O101 D A7										1.00

GLASS DRY PLATES

Seed, Royal or Stanley.

Size.	Pı	ice per Dozen.	Ş	Size.	Pr	ice per Dozen.	Ş	Size.	Pr	ice per Dozen.
21/4 x 31/4		\$.35	4	x 5		\$.65	5	x 8		\$1.25
31/4 x 41/4		.45	41/4	x 61/2		.90	61/2	x 8 1/2		1.65
$3\frac{1}{4} \times 5\frac{1}{2}$.65	5	x 7		1.10	8	x 10		2.40

VELOX PAPER AND SUNDRIES

				S	ingle Weig	ht.			Do	uble We	eight.
Size.				Doz.	1/2 Gross.	Gross	5.	Doz		1/2 Gross	Gross.
$2\frac{1}{4} \times 3\frac{1}{4}$				\$.10	\$.60	\$1.00		\$.1	5	\$.75	\$1.25
21/2 x 41/4				.12	.70	1.25		.1	8	.90	1.55
31/4 x 41/4	ž.			.15	.80	1.50		.2	0	1.00	1.90
$2\frac{7}{8} \times 4\frac{7}{8}$		100		.15	.80	1.50		.2	0	1.00	1.90
$3\frac{1}{4} \times 5\frac{1}{2}$.15	.80	1.50		.2	0	1.00	1.90
4 x 5				.20	1.10	2.00		.2	5	1.40	2.50
5 x 7		1.00		.35		3.50		.4	5	2.50	4.40
Velox Post	Card	ls .						.2		1.10	2.00
N. A. (No	n-Ab	rasio	n) V	Velox L	iquid Deve	loper,	4-ound	e bott	le	(makes	
					or Regular						.38
Ditto, 16-01	unce	bott.	le								1.15
Nepera Sol											.30
Ditto, per	16-ou	ınce	bott:	e .							.90
Velox Re-L	evelo	per	for	Sepia T	ones, per 4	-ounce	bottle				.50
Ditto, 2 ou	nces	(suf	ficier	it for 1	$50 4 \times 5 pr$	ints)					.30
Kodak N.	A. M	. Q.	Dev	eloper,	per packag	e 3 tul	oes .				.38

Premo Film Pack Tank



POR the amateur who wishes to do his own work, the difficulties and uncertainties of development are entirely removed by the Premo Film Pack Tank. Absolutely no experience or technical skill is required to get perfectly developed negatives. The tank method of development is automatic and scientifically exact. If instructions are followed, with the tank, one with no photographic knowledge whatever can get as perfectly developed negatives from every film as could an expert by any method.

The Premo Film Pack Tank consists of two pieces—a metal receiver or cage for the films, and a tank with cover for the developing fluid. The entire outfit is self-contained and can be easily carried in a corner of a suitcase.

The cage is divided into twelve compartments—in the 5 x 7 size, six—each accommodating one film. As the film is taken from the pack, it is held between the thumb and fingers, slightly bent from top to bottom, and slipped into its respective compartment. When all the compartments are filled, the cage is placed in the tank, which has been previously filled with developer, the top replaced and the films left to develop for a certain specified time. No further attention is necessary except to turn the tank end for end several times during the progress of development.

Premo Film Pack Tank

At the expiration of the full time, open the tank, take out the cage, remove films, place them in a tray of water for a moment, then transfer to the fixing bath. Development is completed.

Rinse out cage and tank and set them aside.

The operation of removing films from the pack and loading the cage is done, of course, in a darkened room by the light of a ruby lamp. During the day any darkened closet will suffice; at night any dark room in which the shades are drawn will answer. To load the films in cage will take only two or three minutes, and as soon as the top is placed on tank it may be brought out into any light and left until development is completed. Night is really an ideal time to develop films as they can be fixed and washed in a short time and will dry over night, being all ready to print from in the morning.

If it is desired to develop less than a dozen films, one merely removes from his pack as many films as have been exposed, places them in the cage, and proceeds in the same manner as

described above.

The cage of the No. 1 Tank is slightly different from that shown in the illustration, but the method of loading is the same and, of course, the results are just as dependable in every respect.

Particular attention is called to the necessity of using Premo Tank developing powders for normal development in Premo Film Pack Tanks. If Kodak Tank powders are used a longer time for development must be given. Follow closely the instructions which come with every film pack.

Premo Film Pack Tank No. 1 for 12 13/4 x 23/8 or 21/4 x 31/4 films	\$1.50
Ditto, No. 2 for 12 $2\frac{1}{2} \times 4\frac{1}{4}$, $3\frac{1}{4} \times 4\frac{1}{4}$, $3 \times 5\frac{1}{4}$, $3\frac{1}{4} \times 5\frac{1}{2}$ or	
4 x 5 films	4.00
Ditto, No. 3 for 6 5 x 7 films	4.50
Premo Tank Developing Powders, in packages of 6, No. 1.	.20
Premo Tank Developing Powders, in packages of 6, No. 2.	.25
Premo Tank Developing Powders, in packages of 6, No. 3.	.35
Kodak Acid Fixing Powder, per 1 pound package	.25
Ditto, per ½ pound package	.15
Ditto, per ¼ pound package	.10

Kodak Film Tank



THE Kodak Film Tank not only develops roll film automatically but it does it in broad daylight, eliminating the necessity for a dark room during any part of the photographic process.

This tank consists of a winding box, a light-proof apron, and a heavily nickeled brass solution cup with cover. In the Brownie Film Tank, however, no cover is necessary as the film roll itself is turned.

The film to be developed is placed upon a reel in the winding box, the cover is placed on the box and the film is wound into the apron, which protects it from light, permitting safe removal from the box. It is then lowered into the cup of developer, the cover attached and the film left to be developed for twenty minutes. After development the film is removed for fixing.

PRICES


Brownie Kodak Film Tank, for use with No. 2 and No. 2 Folding Cartridge Premo cartridges, complete	\$2.75
Cover for same	.25
21/2-inch Kodak Film Tank, for use with all cartridges having a	-
film width of 2½ inches or less, complete	4.00
31/2-inch Kodak Film Tank, for use with all Kodak and	
Brownie cartridges having a film width of 3½ inches or	
less, complete	5.50
Kodak Tank Developer Powders for Brownie Kodak Film	
Tank, per package, ½ dozen	.15
Ditto, for 2½-inch tank, per package, ½ dozen	.20
Ditto, for $3\frac{1}{2}$ -inch tank, per package, $\frac{1}{2}$ dozen	.20
zero, zer e/z men eum, per puenage, /z dezen	

Eastman Plate Tank

I N the Eastman Plate Tank, plates may be developed in the same manner and with the same assurance of excellent results obtained with films developed in the Premo Film Pack Tank. The theory of construction is precisely the same, with

of course such differences as are necessary because of the physical differences between films and plates.

It consists of a metal solution cup, a cage for holding twelve (or less) plates and a simple device for loading plates into the cage. In the 3½ x 4½, 3½ x 5½ and 4 x 5 sizes, the cage of plates may be developed in a Premo Film Pack Tank, so that one using a Premo that takes films or plates and having a Premo Film Pack Tank needs only to purchase the cage of the plate tank for the development of his plates.




It is thus apparent that the owner of a Premo plate camera can not only use films or plates in his camera with equal facility, but he can also avail himself of the advantages of tank development with either medium.

PRICES

Eastman Plate Tank for 4 x 5, 3½ x 5½, or smaller plates, includes Solution Cup, Plate Cage, Loading Fixture and Ad-	
	4.00
Ditto, 5 x 7, without Kit	5.00
	12.00
Adjustable Kit for 4x5 or 3½x5½ Tank, to take smaller plates	.60
Kits for 5×7 Tank, to take $3\frac{1}{4} \times 5\frac{1}{2}$, $4\frac{1}{4} \times 6\frac{1}{2}$ or $4\frac{3}{4} \times 6\frac{1}{2}$	
plates, each	1.00
Extra Adjustable Kit for 8 x 10 Plate Tank	1.25
Plate Cage and Loading Fixture for 4×5 and $3\frac{1}{4} \times 5\frac{1}{2}$ plates	
(can be used in a 4 x 5 Premo Film Pack Tank)	1.50
Eastman Plate Tank Powders, for 4 x 5 Tank, per pkge. ½ doz.	.20
Ditto, for 5 x 7 Tank, per package, ½ dozen	.40
Ditto, for 8 x 10 Tank, per package, ½ dozen	.75
Kodak Acid Fixing Powder, per 1-pound package	.25
Ditto, per ½-pound package	.15
Ditto, per ¼-pound package	.10

The Kodak Enlarging Outfit



THE Kodak Enlarging Outfit is a thoroughly practical apparatus for the amateur who wishes to make his own enlargements. The Negative Carrier will accommodate film or plate negatives of any size up to 4 x 6, and enlargements up to the size of the easel (14 x 17) may easily be made.

The Outfit includes Enlarging Camera, Lens and Diaphragm (largest stop U. S. 4), Lamp House, Cord and Socket, but does not include the 60 Watt Mazda Electric Light Bulb.

Kodak Enlarging Outfit \$18.00

Brownie Enlarging Camera

THE Improved Brownie Enlarging Camera consists of a light-tight cone with attachments to hold a negative at the small end, and a sheet of Bromide or Velox paper at the other. Exposures may be made to the sky or with the Brownie Illuminator specially designed for electric illumination of the negative.

No. 2 Brownie Post Card Enlarging Camera post card (3½ x 5½) enlargements fr		
2¼ x 3¼ negatives	. \$	2.50
No. 2 Brownie Enlarging Camera, for 5 x 7		
largements from 21/4 x 31/4 negatives .		3.00
No. 3 Ditto, for 61/2 x 81/2 enlargements fr		
$3\frac{1}{4} \times 4\frac{1}{4}$ negatives		4.00
No. 4 Ditto, for 8 x 10 enlargements from 4 x	x 5	
negatives or 61/8 x 93/4 enlargements fr	om	
3 1/4 x 5 1/2 negatives		4.50
Brownie Illuminator		4.00



KODAK AMATEUR PRINTER

A CONVENIENT and practical printer for making prints upon developing out paper. Prints may be made with white margins in any size from $15\% \times 2\frac{1}{2}$ to $4 \times 5\frac{1}{2}$ inches, by means of the adjustable masking device, which also holds the negative firmly until released.

Within the box, a small red electric lamp enables the opera-



plug.

tor to properly place the negative and paper. When ready for exposure, the hinged pressure board is closed and locked, and a 60 Watt Mazda Lamp for which provision is made, is automatically lighted. The window on the side provides a safe dark-room light for developing out and bromide papers.

It is supplied complete, without lamp, but including $5\frac{1}{2}$ feet of electric light cord and

VELOX TRANSPARENT WATER COLOR STAMPS

A NYONE can make beautifully colored prints by the use of Velox Transparent Water Color Stamps.

No special artistic skill, no knowledge of painting whatever is necessary. Just a brush or two and the book of stamps, which includes simple directions for coloring both prints and lantern slides.

Each book includes twelve sheets of colors and each sheet is divided by perforations into twenty-two stamps. To use any color merely tear off a stamp, place in a small saucer or palette supplied with the outfit, and cover with about a teaspoonful of water.

Velox Transparent Water Color Stamps, complete booklet, 12 colors			\$ 0.25
Separate Color Leaves, two sheets			.05
Set of 3 Special Brushes, per set			.50
Mixing Palette	J. 2		.25
Velox Transparent Water Color Stamp Outfit, including book, three	brus	hes	
and palette			.75

KODAK METAL TRIPOD



The Kodak Metal Tripods have telescoping legs of brass tubing, the upper sections in black enamel—the lower ones nickel. They are light, compact and exceptionally rigid. No 1 has revolving head, while No. 1C has solid head. No. 400 folds up flat and is supplied in neat case.

No.	0 —Three	sections,	length	closed	151/2	inches				\$3.75
No.	1C —Four	sections,	length	closed	151/4	inches				5.00
No.	1 —Four	sections,	length	closed	15	inches				5.50
No.	400—Seven	sections.	length	closed	12	inches				6 25

FLEXO TRIPOD



For cameras up to and including the $5\,\mathrm{x}\,7$ size this is a very satisfactory tripod at small expense. Only clear, straight grained spruce is used in its construction.

Price, \$1.15

BULL'S-EYE TRIPOD



Two sections. Aluminum revolving head. Made of maple with brass fittings. For 4×5 cameras, or smaller. Length, extended $42\frac{1}{2}$ inches; folded, 24 inches. The only two-section tripod that will go into a suitcase.

Price, \$1.75

STANDARD TRIPOD



The feature of this tripod is the automatic locking of the sections when they are extended. Light, compact and rigid. Fixed, non-detachable head. Length, folded, 21 inches; extended, 53½ inches. Weight, 18 ounces. Cherry finish, brass trimmings.

Price, \$2.50

COMBINATION TRIPOD



This tripod is made on the sliding and folding principle. The wood parts are of ash and the finish is of the very best.

Style.	Size of Camera.	Weight.	Price.
No. 21/2	61/2 x 81/2 and smaller	3 lbs.	\$4.50
No. 3	8 x 10 and 10 x 12	4 lbs.	5.00
No. 4	11 x 14 and 14 x 17	5 lbs.	6.00
No. 5	16 x 20 and 20 x 24	8 lbs.	9.00

SLIDING TRIPOD



A perfectly rigid tripod for the heaviest cameras. The No. 1 and No. 2 are made of spruce, the No. 3 and No. 4 of ash.

Style.	Size of Camera	Weight.	Price.		
No. 1	5 x 7 and smaller	2 lbs.	\$2.25		
No. 2	5 x 8 and 6 1/2 x 8 1/2	2 lbs. 8 ozs.	2.75		
No. 3	8 x 10 and 10 x 12	4 lbs. 8 ozs.	3.50		
No. 4	11 x 14 and 14 x 17	6 lbs. 8 ozs.	4.50		

EASTMAN TRIPOD BRACE

An exceedingly simple device for holding the tripod legs in position when extended. Cannot collapse.

Eastman Tripod Brace Price, \$1.25

R. O. C. TRIPOD TRUCK

An excellent device for those who use a tripod indoors. Perfectly solid when extended, supplied with casters and folds compactly when not in use.

R. O. C. Tripod Truck No. 1 for average tripods . . . \$1.25 No. 2 for very heavy tripods . . . 1.50



THE UNIVERSAL CLAMP

The Universal Clamp is a small, convenient substitute for a tripod which may be attached to any camera. It can be carried readily in the pocket, is very light, and may be attached to a chair, fence, automobile or motorcycle handle bar. The clamp jaws are padded with felt.

The Universal Clamp . . . \$.75

UNIVERSAL TRIPOD HEAD

This is made upon the same principle as the Universal Clamp described above, but in place of the clamp jaws, is provided with a solid head with socket which will accommodate any regular tripod screw. With this

device the camera can be used on a tripod and tilted to any angle up to 90 degrees.

THE KODAPOD

This little device serves the purpose of a tripod, and may readily be carried in the pocket. Its jaws are actuated by a strong spring, and when attached to a tree, fence or similar object, it provides a firm support for a camera. The adjustable head permits using the camera in horizontal, vertical, or any desirable position.

The Kodapod \$2.00



KODAK SELF TIMER



The Kodak Self Timer may be adjusted to automatically release the shutter at the required time, permitting the operator of the camera to be included in the picture.

The Timer is made in one size, and will only operate shutters fitted with Cable Release.

KODAK PORTRAIT ATTACHMENT

This is simply an extra lens which fits on in front of the regular lens and in no way affects the operation of the camera, excepting to so change the focus as to permit working close to the subject, thereby giving good sized head and shoulder portraits. Order by number.



			Premo					
No.	3.	For	Premos Premoe	tte Jr.	No.	1A,	both	\$ 0.50
	single	and	double	lens:	Pren	nette	Trs.	

	Nos. 1 and 1A, f.7.7; 21/2 x 41/4 and	
	3½ x 4½ Premoette Sr., both R. R. and f.7.7 lens; Premos Irs. Nos.	
	3 and 4, No. 2A Folding Cartridge Premo with single or R. R. lens,	
	Premo No. 12, f.7.7	\$ 0.50
No.	4. For No. 2C Cartridge Premo (Box Style)	.50
No.	5. For all 4 x 5, 3A and 5 x 7 Premos Nos. 8, 9 and 10; 3A Premo-	
	ette Sr., R. R. lens; Nos. 2C and 3A Folding Cartridge Premos, both	
	single and double lenses	.50
No.	6. For Premoette Jr. No. 1A Special and Premo No. 12, f.6.3, Premo	
	No. 12 with Kodak Anastigmat lens, f.6.3, and all B. & L. Anastigmats	.50
No.	7. For 31/4 x 51/2 Premoette Sr. f.7.7 and 3A and 4 x 5 Premos No. 9	
	when fitted with $f.7.7$ lens	.50
No.	8. For Premoette Jr. No. 1, both single and double lens, No. 1	
	Special, No. 2 Folding Cartridge Premo with single or R. R. lens and	
	Premo No. 12, with R. R. lens	.50

KODAK SKY AND COLOR FILTERS

The Kodak Sky Filter is designed to equalize the great difference in light between sky and foreground in landscape photography. Therefore only the upper half of the sky filter is stained yellow, the lower half being colorless. The Kodak Color Filter is stained throughout and is for use for all subjects, such as flowers, for instance, embracing colors which act weakly on the sensitive films. Specify which is wanted.

	1 2		
	0. For Premo Jrs. Nos. 1 and 1A and Cartridge Premos No. 2 and 2A 3. For Premoette Jr. No. 1A, both single and double lens; Premoette Jrs. Nos. 1 and 1A, f.7.7; 2½ x 4¼ and 3¼ x 4¼ Premoette Sr., both	\$ 0.50)
	R. R. and f.7.7 lens; Premos Jrs. Nos. 3 and 4, No. 2A Folding Car-		
	tridge Premo with Single or R. R. lens, Premo No. 12, f.7.7	.75	
No.	4. For No. 2C Cartridge Premo (Box Style)	.75	5
No.	5. For all 4 x 5, 3A and 5 x 7 Premos Nos. 8, 9 and 10; 3A Premoette		
	Sr., R. R. lens; Nos. 2C and 3A Folding Cartridge Premos, both single		
	and double lenses 6. For Premoette Jr. No. 1A Special and Premo No. 12, f.6.3, Premo	1.00)
No.	6. For Premoette Jr. No. 1A Special and Premo No. 12, f.6.3, Premo		
	No. 12 with Kodak Anastigmat lens, f.6.3, and all B. & L. Anastigmats	.75	,
No.	7. For 31/4 x 51/2 Premoette Sr. f.7.7 and 3A and 4 x 5 Premos No. 9		
	when fitted with $f.7.7$ lens	1.00)
No.	8. For Premoette Jr. No. 1, both single and double lens, No. 1		
	Special, No. 2 Folding Cartridge Premo with single or R. R. lens,		
	Premo No. 12 with R. R. lens and Pocket Premo	.50)

MASKIT PRINTING FRAME



This frame is furnished with a series of paper masks, and a patented simple-working device on the inside of the frame holds mask, paper and negative firmly together, assuring uniform white margins and preventing all chance of slipping.

Kodak	Maskit	Printing	Frame,	31/4	x	41/4,	ope	ens	
	o-thirds				•				\$.40
		1/2, opens							.45
Ditto.	5 x 7.	opens two	-thirds						.50

AUTO-MASK PRINTING FRAME

An adaptation to a printing frame of the masking principle of the highly successful Kodak Amateur Printer. Will accommodate negatives of any size up to and including 4×5 and $3 \frac{1}{4} \times 5 \frac{1}{2}$. It is a very simple matter to adjust the mask for uniform masking of any negative you care to use, a graduated scale attached to the stationary guide aiding in sizing and holding exact dimensions of the mask openings.



Kodak Auto-Mask Printing Frame . . . \$1.25

EASTMAN PRINTING FRAME

Standard Printing Frames, strongly constructed of suitable material.

Eastman, 31/4 x 41/4 or 4 x 5, opens two-thirds				\$.30
Eastman, 3½ x 5½, for films, opens two-thirds Ditto, for plates .			•	.30
				.00
Eastman, 5 x 7, opens two-thirds				.40

PLATE HOLDER KITS

Size	Outside.	Siz	ze of	Opening fo	or Plate.			Price.
	x 5	3 1/4 x 4, 3 1/4	x 4 1/4					. \$.20
	x 7	$3\frac{1}{4} \times 4$, $3\frac{1}{4}$						
61/2	x 8½	$3\frac{1}{4} \times 4\frac{1}{4}$, 4	x 5, 3	1/4 x 5 1/2,	$4\frac{1}{4} \times 6\frac{1}{2}$	43/4 x 6 1/2,	5 x 7 .	30
8	x 10	41/4 x 61/2, 4	13/4 x 6	$\frac{1}{2}$, 5 x 7,	61/2 x 81/2			40
7	x 11	5 x 7 .						40
11	x 14	6½ x 8½, 8	8×10 ,	10×12				50
14	x 17	10 x 12, 11	1 x 14					80

KODAK CANDLE LAMP

This lamp is collapsible, well made, of special tested ruby fabric, bound in metal frames.



Kodak Candle Lamp Kodak Candle Lamp Extra Candles for same, per doz.

KODAK DARK ROOM LAMP



BROWNIE SAFELIGHT LAMP


An inexpensive but reliable safelight lamp for the amateur. The complete lamp screws into any electric socket. It takes a 15-watt Mazda bulb and has removable circular safelight in the bottom and square one on the side.

A very convenient, clean lamp for the average amateur and easily carried in the bag of the traveller or vacationist for use as required.

Brownie Safelight Lamp
Extra Safelights No. 1B Circular, \$.25; Side, ...



KODAK SAFELIGHT LAMP



Price includes safelight and four feet of electric cord with socket.





KODAK TRIMMING BOARD

A thoroughly reliable trimming board at a moderate price, constructed of hard wood with natural finish. The blade is of the best steel and a rule is fitted to the board

10 11	ccc	u			CIIC D	Our	cr.						THE REAL PROPERTY.	Section 1	
No.	1,	5	X	5	inches									.\$.50
No.	2.	7	x	7	inches										.70
Tra	nst	221	er	1 t	Trimm	ing	Gar	ge f	or ei	ther	size	-			.35



DEVELOPING TRAYS

Bull's-Eye Composition, Bull's-Eye Composition,				\$.30	Maple Leaf Enameled, 5 x 7 . \$ Maple Leaf Enameled, No. 3A	.80
Maple Leaf Enameled,	4	X	6		.55	shallow	.35

MOULDED GRADUATE

An inexpensive graduate especially suited to amateur use.

4	ounce					1.	100		\$0.20
	ounce				140				.30
16	ounce	•	*						.40

THERMOMETER STIRRING ROD



Two articles of great use to the amateur, combined in one. The rod is 1/4-inch in diameter and 9 inches long. One end is flattened for crushing purposes. The thermometer is carefully tested and is unusually accurate. Price, \$1.00

EASTMAN THERMOMETER



Especially suitable for determining the temperature in tank development. Made with curved back to fit inside of tank.

Price, \$.75

DEVELOPING AND PRINTING OUTFITS

Eastman 3A Outfit includes every requisite for developing by the dark room method, printing and finishing twenty-four 31/4 x 51/2 or smaller pictures.

1 Kodak Candle Lamp, 25c; 1 Printing Frame, 30c; 1 Glass for Frame, 5c; 1 4-ounce Graduate, 20c; 1 Stirring Rod, 5c; 4 Developing Trays, 40c; 5 Tubes Eastman's Special Developer, 25c; ½ pound Kodak Acid Fixing Powder, 15c; 1 package Bromide Potassium, 10c; 2 dozen 3¼ x 5½ Velox Paper, 30c; 3 M. Q. Developer Powders, 19c; Instruction Book. These articles if purchased separately would cost \$2.24. Price complete, neatly packed, \$1.75.

tives, \$1.75.

PREMO NEGATIVE RACK

This rack accommodates negatives of all sizes. It folds flat when not in use.

No. 1, for 12 negatives No. 2, for 24 negatives



KODALOID PRINTING MASKS

Transparent orange color masks for use with Maskit Printing Frames in sets of three each with different openings.

For	31/4	\mathbf{x}	41/4	fran	e, per	r set	of	three			\$.25
For	31/4	\mathbf{x}	51/2	fran	ie, per	rset	of	three				.30
					er set							.40
					sam							
Pric	e, p	er	set	of t	hree,	any	Size	е.			\$.12

FLEXO PRINT ROLLER



B

EASTMAN 1010 PASI An inexpensive but very satisfactory roller for amateur use; has black enameled frame and a 4-inch rubber roller.

Price, \$.25

KODAK PRINT ROLLER

The best roller ever made for general amateur use; has double rubber rollers, 2 x 6 inches, and nickeled frame.

Price, \$.75

EASTMAN PHOTO PASTE

A solid, first quality white paste. Will not cockle nor discolor print or mount.

"HOW TO MAKE GOOD PICTURES"

A text-book for the amateur photographer which gives in plain, downright language, that anyone can understand, detailed directions, the observance of which will ensure good pictures.

Home portraiture and the making of indoor pictures generally are treated extensively, particular attention being paid to the use of the Portrait Attachment.

A clear and concise introduction to photography is given, with a brief explanation of the primary underlying principles. The volume comprises 160 pages, in every one of which there's valuable information for the photographer.

The price, paper covers \$0.30

THE KODAK ALBUM

One piece black narrow grained cowhide—leather lined. Leaves held in place by black silk cord through cover and metal tubes. Very flexible —Oxford Bible style edges.

No.		Size of leaf	Price eac	h No.			D		leaves, ge of 12
A		$4\frac{3}{4} \times 7$. \$3.7	5 A					\$.15
В		7 x 11	. 5.5	0 B	-				.18

THE HERCULES ALBUM

This is one of the most attractive albums ever offered. The covers are flexible leather of a new blended grey and black shade. Has a flap and clasps, holding the album flat when filled; fitted with large pocket for loose prints; 50 black leaves, bound inside of covers by silk cord.

No.		Size of leaf	Pri	ce each	No.			p		leaves, ge of 12
GA		5 x 8		\$3.75	GA					\$.18
GB		7 x 11		4.75	GB					.25
GC		10×12		6.50	GC		- 3	- 2	- 1	.50
GD		9 x 14		7.25	GD					.60

THE TIBER ALBUM

A very flexible loose-leaf album, with imitation leather covering; 50 black leaves.

No.		Size of leaf	Pri	ce each	No.			р		leaves, ge of 12
A		5 x 8		\$1.25	A	v				\$.18
\mathbf{B}		7 x 11		1.75	B					.25
C		10 x 12		2,40	C					.35
D		9 x 14		2.75	D					.50

THE FORUM ALBUM

Flexible, black leather embossed cloth cover.

No.		Size of leaf		Price Each	No.		Size		Price Each
	Black leaves	5½ x 7		\$.70	G 50 Black	leaves	10 x	7	\$1.30
	Black leaves	7 x 10		.90	H 50 Black	leaves	11 x	14	2.55
C 25	Black leaves	10 x 7		.90	N 25 Sepia	leaves	51/2 X	7	.70
D 25	Black leaves	11 x 14		2.15	O 25 Sepia	leaves	7 x	10	.90
E 50	Black leaves	5½ x 7		.90	P 25 Sepia	leaves	10 x	7	.90
F 50	Black leaves	7×10	*	1.30	R 25 Sepia	leaves	11 x	14	2.15

KODAK FILM NEGATIVE ALBUMS

These albums afford a safe, convenient and efficient way of keeping film



negatives. Each leaf is, itself, an envelope, and the negatives do not come in contact with each other. The index furnishes a ready reference.

PRICE

For 100 negatives, 21/2 x

					-0		12000 3000
71 400			41/4,	or	smalle:		\$1.00
For 100 negatives,	31/4 x 51/2, or smaller						1.25
For 100 negatives,	31/4 x 41/4, 27/8 x 47/8, or	4 x 5					1.25
For 100 negatives,	5 x 7, or smaller						1 75

CARD MOUNTS

LAGOON

Jet Black, Ash Grey and White

For Prints	Size Outside	Per 50	Per doz.	For Prints	Size Outside	Per 50	Per doz.
2½ ×2¼ 2¼ ×3¼ 2½ ×4¼ 3½ ×3½ 3½ ×3½ 3¼ ×4¼	$3\frac{5}{8} \times 3\frac{5}{8}$ 4×5 $4\frac{1}{4} \times 6$ 5×5 5×6	\$0.55 .65 .80 .80	\$0.20 .20 .25 .25 .30	27/8 × 47/8 31/4 × 51/2 4 × 5 41/4 × 61/2 5 × 7	5 ×7 5½ ×7½ 5¾ ×6¾ 6¼ ×8½ 7 ×9	\$1.05 1.10 1.05 1.60 1.70	\$0.35 .35 .30 .45 .50

RIVERVIEW

A Slip-in Mount, no paste needed. Grey and Brown-Oval and Square

For Prints	Size Outside	Per 50	Per doz.	For Prints	Size Outside	Per 50	Per doz.
$\begin{array}{c} 2\frac{1}{4} \times 3\frac{1}{4} \\ 2\frac{1}{2} \times 4\frac{1}{4} \\ 3\frac{1}{2} \times 3\frac{1}{2} \end{array}$	$\begin{array}{c} 4 & \times 5 \\ 4 \frac{1}{8} \times 5 \frac{7}{8} \\ 5 & \times 5 \end{array}$	\$1.10 1.25 1.30	\$0.30 .35 .40	3½ ×4¼ 3¼ ×5½ 4 ×5	5 ×6 5 ×7 5¾×6¾	\$1.35 1.45 1.50	\$0.40 .45 .45

INSLIP ENLARGEMENT MOUNT COLOR, ENGLISH GREY OR SEPIA-BUFF

	No.	For Prints	Size Outside	Price Per Doz.	No.	For Prints	Size Outside	Price Per Doz.
	A B C D	3½ ×5½ 4¼ ×6½ 5 ×7 6½ ×8½	7½ × 9½ 8¼ ×10½ 9½ ×11½ 11½ ×13½	\$0.80 .80 .80 1.00	E F K M	6 ×10 8 ×10 5 × 8½ 7 ×11	103/8 ×143/8 123/8 ×143/8 9 ×121/2 11 ×15	\$1.00 1.25 .85 1.10
-			1	Drice per U	olf Do	700	- 12	10000000

			Price per Ha	alf Do	zen				
G	10×12	15×17	\$1.25	J	11	$\times 14$	17	×20	\$1.60
LI	0 V 11	14 V 20	1 25	Ť	77	1/10	111	/1/161/	1 25

WOODMAT

A new medium for mounting prints on the "slip in" principle, giving the effect of a rich brown wood frame.

	For Print	Outside		Each
No. 1	$2\frac{1}{4} \times 3\frac{1}{4}$	43/8 x 53/8		\$0.06
No. 1A	$2\frac{1}{2} \times 4\frac{1}{4}$	45/8 x 63/8		.07
No. 3	$3\frac{1}{4} \times 4\frac{1}{4}$	5½ x 6½		.08
No. 3A	$3\frac{1}{4} \times 5\frac{1}{2}$	61/4 x 83/8		.09
No. 4	4 x 5	$63/4 \times 73/4$.09

SUNDRIES

	\$.25	Focus Cloth, Rubber, per sq. yard \$1	.10
Bulbs and Tubes, No. 2	.30		
Bulbs and Tubes, No. 3	.40	Ground Glass:	
Film Clips, Kodak Junior No. 1.	.16	4 x 5	.25
Film Clips, Kodak Junior No. 2.	.30	5 x 7	.30
Film Clips, Eastman, 31/2-inch,		$6\frac{1}{2} \times 8\frac{1}{2}$.45
per pair	.30	8 x 10	.55

SUNDRIES—Continued Shoulder Straps, Black: ½ x 52 inch with Snaps and Reversible Backs: For View Cameras, 5 x 7 . \$10.00 For View Cameras, 6½ x 8½ . 11.00 For View Cameras, 8 x 10 . 12.00 \$.60 Premo View Finder . . . Screws for Tripod Head: Nos. 1, 2 and 3 . . . Nos. 4 and 5 Buckles

½ x 66 inch, with Buckle

5% x 74 inch, with Buckle


Tan Straps for View Cases with

Buckle. Specify style and
size of camera when order-Buckles . .30 Nos. 4 and 5 . . . Screws for Tripod Leg: Nos. 1, 2 and 3 . . .20 ing: 34, 40 and 44 inches . .20 52, 60 and 66 inches . $\frac{1}{2}$ inch and smaller20 Larger than $\frac{1}{2}$ inch . . .30 Tubing, per foot . . .10 TESTED CHEMICALS Kodak Chemical Outfit . \$.40 Eastman Special Developer Powders, per package, 5 powders in sealed glass tubes25 Eastman Hydrochinon Developer Powders, per package 5 powders, in sealed glass tubes75 Eastman M. Q. Developer Powders, per dozen . . . Ditto, per ½ dozen38 Eastman Pyro Developer Powders, per package 5 powders, in .25 1.10 .43 Eastman Permanent Crystal Pyro, per 1-ounce bottle . . . Velox, Re-Developer Tubes, package of 12 tubes10 Hypo Sulphite of Soda, granular, per pound30 .15 Ditto, per ½-pound package Ditto, per 1/4-pound package10 Eastman Intensifier, glass tube, per tube Eastman Reducer, per box of 5 tubes15 .50 Citric Acid, 4-ounce bottle Kodak Tested Carbonate of Soda (desiccated, per 1-pound bottle Kodak Tested Sulphite of Soda (desiccated), per 1-pound bottle. These prices subject to change without notice.

TERMS

The prices in this catalogue are strictly net, except to regular dealers who carry our goods in stock. These prices owing to unsettled conditions are however subject to change without notice. For the convenience of our customers we recommend that they make their purchases from a dealer in photographic goods, as by so doing they can save both time and transportation charges.

CANADIAN KODAK CO., Limited, Toronto, Canada.



CONRAD L. RIVEST, 76 St. Viateur St., Joliette, Que