



35mm CAMERA PRICE LIST

535 CAMERA SYSTEM

| | |
|---|---|
| 535 CAMERA BODIES | 1 |
| 535 FILM GATES | 2 |
| 535 FIBER SCREENS, GROUND GLASSES AND MASKS | 2 |
| 535 MAGAZINES | 3 |
| 535 HANDGRIP SET | 3 |
| 535 OPTICAL ACCESSORIES | 3 |
| 535 VIDEO ASSIST | 4 |
| 535 ELECTRICAL ACCESSORIES | 4 |
| 535 TIME CODE | 4 |
| 535 MISCELLANEOUS | 5 |
| 535 POWER SUPPLIES | 5 |

35-3 CAMERA SYSTEM

| | |
|-----------------------------|---|
| 35-3 CAMERA BODIES | 6 |
| 35-3 CAMERA DOORS | 6 |
| 35-3 FILM GATES | 6 |
| 35-3 GROUND GLASSES | 6 |
| 35-3 MAGAZINES | 7 |
| 35-3 HANDGRIP SET | 7 |
| 35-3 OPTICAL ACCESSORIES | 7 |
| 35-3 VIDEO ASSIST | 7 |
| 35-3 ELECTRICAL ACCESSORIES | 7 |
| 35-3 MISCELLANEOUS | 7 |
| 35-3 POWER SUPPLIES | 8 |

35mm FORMAT LENSES

| | |
|-------------|---|
| 35mm LENSES | 8 |
|-------------|---|

Effective May 8, 1995

All prices subject to change without notice



35mm CAMERA SYSTEMS

Order Code Description US Dollars

302082 **535 CAMERA BODIES**
ARRIFLEX 535 \$196,000.00

Features:

- patented 270° swingover viewfinder
- viewfinder beam splitter ratios: 80:20, 50:50, 10:90
- switchable contrast viewing filter: ND3, ND6
- built-in deanamorphoser
- ArriGlow™ illuminated frame line viewfinder
- 180° programmable variable shutter
- film loop adjustment inside camera
- behind-the-lens gel holder
- dual digital LCD feet/meter, frame speed and shutter angle display
- SMPTE RP 135/136 80 bit Time Code generator
- multi-link, variable-pitch film movement
- PL lens mount with relocatable optical center for Super 35 format
- 24V DC crystal control motor for 3-50 fps forward and 24/25 fps reverse
- electronic inching and phase-shift buttons

Includes:

- Super wide angle eyepiece (339101)
- SCU-1 shutter control unit (339570)
- VSU-1 variable speed unit (339572)
- TV-ISO ground glass (303054)
- field lens (339803)
- film gate (339561) with format mask set (339562)
- throat cover (339053) and cavity cap (339051)

Requires:

- handgrip
- magazine
- power supply
- lens
- support system
- matte box
- follow focus
- time code module (writer)

302084 **ARRIFLEX 535B** 147,300.00

Features:

- lightweight, silent portable 35mm studio camera system, with quick-release finder system
- swingover viewfinder
- manually variable shutter, 11° - 180°
- time code capability
- ArriGlow™
- PL lens mount with relocatable optical center for Super 35
- 24V DC crystal control motor for 3 - 60 fps, programmable
- carrying system

Includes:

- Super wide angle eyepiece (339101)
- TV-ISO ground glass (303054)
- field lens (339803)
- film gate (339561) with format mask set (339562)
- throat cover (339051) and cavity cap (339053)

Requires:

- Same options as the Arriflex 535A



35mm CAMERA SYSTEMS

| Order Code | Description | US Dollars |
|---|--|------------|
| 303066 | Super 35 TV/1.85 combined format | 650.00 |
| 303079 | ArriGlow Mask, 535B, Super 35 TV/1.85 | 200.00 |
| 303065 | Super 35 1.85/2.35 combined format | 650.00 |
| 303037 | ArriGlow Mask, 535B, Super 35 1.85/2.35 | 200.00 |
| 303073 | Ground Glass HDTV | 650.00 |
| 303089 | ArriGlow Mask, 535B, HDTV | 200.00 |
| 303074 | Ground Glass Super 35 HDTV | 650.00 |
| 303082 | ArriGlow Mask, 535B, Super 35 HDTV | 200.00 |
| 300999 | Ground Glass Super 35 2.35 centered | * |
| 303081 | ArriGlow Mask, 535B, Super 35 2.35 centered | 200.00 |
| 303070 | † Custom mask module, ArriGlow™ | 966.00 |
| 303069 | † Custom mask insert, blank, ArriGlow™ | * |
| 339803 | Field Lens, for use with ground glasses only <i>Note: Special format ground glasses are available via special order.</i> <i>Note: Fiber Screens are available via special order.</i> | 480.00 |
| 535 MAGAZINES | | |
| <i>Note: the following items can be used on both the 535 and the 535B</i> | | |
| 339251 | 400' coaxial magazine, quick-threading, free-form loop with collapsible take-up core, loop protector, electronic torque motors and digital LCD feet/meter display | 12,000.00 |
| 339260 | 400' lightweight magazine | 11,960.00 |
| 339250 | 1000' coaxial magazine, quick-threading, free-form loop with collapsible take-up core, loop protector, electronic torque motors and digital LCD feet/meter display | 13,770.00 |
| 339227 | Magazine tension test gauge, for 16mm & 35mm magazines | 260.00 |
| 339255 | 535 loop protector, replacement | 700.00 |
| 321530 | Plastic rain cover, for 535 with 400' magazine, MB-14 and prime lens | 650.00 |
| 321532 | Plastic rain cover, for 535 with 400' magazine, MB-14 and zoom lens | 815.00 |
| 321534 | Plastic rain cover, for 535 with 1000' magazine, MB-14 and prime lens | 648.00 |
| 321536 | Plastic rain cover, for 535 with 1000' magazine, MB-14 and zoom lens | 815.00 |
| 321538 | Heated barney, for 535 with 1000' magazine, also includes interior pockets for use with chemical hot packs | 770.00 |
| 321540 | Heated barney, for 535 with 400' magazine, also includes interior pockets for use with chemical hot packs | 750.00 |
| 535 HANDGRIP SET | | |
| <i>Note: the following item can be used on both the 535 and the 535B</i> | | |
| 341350 | Shoulder set, with right and left handgrips, with on/off switch | 2,510.00 |
| 535 OPTICAL ACCESSORIES | | |
| † <i>Note: items marked with † can only be used on the 535</i> | | |
| 339101 | Super Wide Angle eyepiece, 10x replacement | 3,755.00 |
| 339127 | Wide angle eyepiece, 8x | 3,560.00 |
| 339126 | Heated eyecup with cable | 1,265.00 |
| 339567 | Cable for heated eyecup, replacement | 195.00 |
| 341400 | Oval chamois/foam eyecup cover | 3.60 |
| 341401 | Concentric chamois/foam eyecup cover | 3.60 |
| 339116 | Variable finder extender, 9"-12" | 4,600.00 |
| 339108 | Finder extender, with 2x magnification | 5,725.00 |
| 339114 | Anamorphic finder, 535B only | 10,700.00 |
| 339056 | Cap for 535 finder or finder extender without eyepiece | 15.00 |



35mm CAMERA SYSTEMS

| Order Code | Description | US Dollars |
|---|--|------------|
| 339057 | Cap for 535 eyepiece or finder extender while detached from finder | 8.00 |
| 303108 | Finder leveling rod | 640.00 |
| 303101 | Director's finder PL mount | 3,240.00 |
| 303071 | † Viewfinder for shoulder operation | 10,400.00 |
| 535 VIDEO ASSIST | | |
| Video Assist for 535 | | |
| 339805 | Video optics module, VOM-1 required when using 339808 & 339806 | 5,810.00 |
| 339812 | Video optics module, VOM-2, required when using 339814 | 6,880.00 |
| 339808 | B&W video tap, CCD-1, requires 339805 | 4,140.00 |
| 339806 | Color video tap, CCD-2, requires 339805 | 5,540.00 |
| 339814 | Color video tap, CCD-2FR, requires 339812 | 4,060.00 |
| Video Assist for 535B | | |
| 339819 | Video adapter for 1/2" video assist camera | 4,520.00 |
| 339820 | Video system, for remote operating without viewfinder (jib arm, SteadiCam, etc.) | 5,080.00 |
| 339821 | Black & White CCD video camera, XC-75 with cable for use with 339820 | * |
| 339265 | Low Mode support bracket for SteadiCam use | * |
| 339816 | Anti-flicker processor (AFP-2 NTSC) with frame storage | 2,480.00 |
| 339814 | Color video camera CCD-2FR | 4,060.00 |
| 339760 | Beamsplitter, 50/50, (Arri shop installation only) | 730.00 |
| 535 ELECTRICAL ACCESSORIES | | |
| † <i>Note: items marked with † can only be used on the 535</i> | | |
| 339550 | Camera Control Unit (CCU-1) | 6,030.00 |
| 339560 | Extension cable (CCU-1), 65' | 312.00 |
| 339555 | External Sync Unit (ESU-1) | 4,194.00 |
| 339551 | Remote Switch (RS-4) | 650.00 |
| 339549 | Extension cable, (RS-4), 10' | 160.00 |
| 339553 | Remote Unit (RU-1) | 2,970.00 |
| 339563 | Extension cable, (RU-1), 65' | 328.00 |
| 339540 | Remote control, Universal RCU-1 | 3,160.00 |
| 339570 | † Shutter Control Unit (SCU-1), replacement | 522.00 |
| 339572 | Variable Speed Unit (VSU-1), replacement | 520.00 |
| 339506 | Multi-Accessory connector, 24 volt, (ZV-3 for 2 connectors) | 630.00 |
| 339804 | † Gooseneck worklamp | 300.00 |
| 339852 | Worklamp for 535B | 290.00 |
| 339564 | Microforce adapter cable (MFA-1) | 600.00 |
| 535 TIME CODE | | |
| <i>Note: the following items can be used on both the 535 and the 535B</i> | | |
| 339554 | SMPTE Time Code Module | 1,580.00 |
| 339635 | ARRI FIS SMPTE TC and Keycode reader head (35mm) | 2,600.00 |
| 339637 | ARRI FIS converter box for SMPTE Time Code and Kodak Keycode™ | 4,940.00 |
| 339638 | ARRI FIS reader head mount for Bosch Scanner | 425.00 |
| 339639 | ARRI FIS reader head mount for Rank Scanner | 555.00 |
| 339640 | Time Code cable set, 535 to Nagra IV-TC | 135.00 |
| 339641 | Time Code cable set, Nagra IV-TC to 535 | 135.00 |
| 339644 | Time Code Amplifier/Adapter Box | 740.00 |
| 535 MISCELLANEOUS | | |
| <i>Note: the following items can be used on both the 535 and the 535B</i> | | |
| 339051 | Replacement PL camera cavity cap | 28.00 |
| 339053 | 535 throat cover, replacement | 69.00 |



35mm CAMERA SYSTEMS

Order Code Description US Dollars

535 POWER SUPPLIES

† *Note: items marked with † can only be used on the 535*

Note: The 535 is powered by a 24V power source.

12V/24V External Batteries

| | | |
|--------|--|----------|
| 331130 | Battery pack, 12V 14Ah, 3-pin, switchable to 24V 7Ah, 4-pin (NC 24/7R/4) | 1,063.00 |
| 339492 | Power cable, 6' straight, 24V 7Ah/12V 14Ah, 3-pin (KC 20) | 140.00 |
| 331403 | Power cable, 6' coiled, 24V 7Ah/12V 14Ah, 3-pin (KC 29) | 165.00 |
| 331401 | † Battery pack, on-board, 24V 2Ah, 3-Pin (NC24/2) | 1,143.00 |
| 331402 | Power cable, 24V 2Ah, for 311401 (KC 21) | 110.00 |
| 331121 | Single battery charger (NCL 24R) for 24V 2Ah and 24V 7Ah batteries | 855.00 |

External Power Supply

| | | |
|--------|--|----------|
| 331395 | NG 12/24R power supply, 12/24V switchable, operates on 115-120V or 220-240V, 50/60Hz operation | 1,840.00 |
|--------|--|----------|



35mm CAMERA SYSTEMS

| Order Code | Description | US Dollars |
|------------|---|------------|
| | 35-3 CAMERA BODY | |
| 302068 | ARRIFLEX 35-3 <i>Includes:</i> <ul style="list-style-type: none">• pivoting finder door (339194)• Super Wide Angle eyepiece (339103)• 12V DC forward/reverse motor capable of operating camera at 5-130 fps with quartz control at 24/25 fps• manually variable shutter, 144°, 172.8°, 180°, and 15° to 135° in 15° increments• electronic feet/meter counter with long-life memory battery• PL lens mount• carry handle• throat cover and cavity cap• door and door opening covers <i>Requires:</i> <ul style="list-style-type: none">• film gate• ground glass• handgrip• magazine• power supply• lens• support system• matte box• follow focus | 54,900.00 |
| 339177 | 3-perforation conversion kit (35-3), <i>requires Service Department installation</i> | 21,900.00 |
| | 35-3 CAMERA DOORS | |
| 339191 | Camera door with offset viewfinder, used when handholding the 35-3 | 3,730.00 |
| 339194 | Camera door, replacement, pivoting viewfinder with fully corrected image, requires optical mounting adapter & video camera for video assist | 7,860.00 |
| 339182 | Door cover, replacement (35-3) | 17.00 |
| 321520 | Camera door opening cover, replacement (35-3) | 21.00 |
| | 35-3 FILM GATES | |
| 335200 | 1:1.33 full aperture (18 × 24mm) | 2,080.00 |
| 335201 | 1:1.375 Academy aperture (16 × 22mm) | 2,080.00 |
| 335203 | 1:1.66 European wide screen aperture (12.8 × 22mm) | 2,080.00 |
| 335204 | 1:1.85 U.S. wide screen aperture (11.9 × 22mm) | 2,080.00 |
| 335202 | 1:2.35 Cinemascope aperture (18.6 × 22mm) | 2,080.00 |
| 335205 | 1:1.78 HDTV aperture | 2,080.00 |
| 339154 | 3-perforation aperture (14 × 24mm) | 2,100.00 |
| | 35-3 GROUND GLASSES | |
| | <i>Note: the following items can be used on the Arriflex 35-3C & 35-2C</i> | |
| | <i>Note: Special format ground glasses are available on request.</i> | |
| 339139 | TV-ISO format | 356.00 |
| 339135 | 1:1.37 Academy format | 356.00 |
| 339134 | 1:1.66 European wide screen format | 356.00 |
| 339136 | 1:1.85 U.S. wide screen format | 356.00 |
| 339137 | 1:2.35 Cinemascope format | 356.00 |
| 339142 | TV/1.66 combined format | 356.00 |
| 339140 | TV/1.85 combined format | 356.00 |
| 303140 | 1.37/1.66 combined format | 356.00 |



35mm CAMERA SYSTEMS

| Order Code | Description | US Dollars |
|------------------------------------|---|------------|
| 339141 | Special ground glass with provision for installing mask insert | 547.00 |
| 339199 | Punch for special ground glass mask inserts | 1,386.00 |
| 35-3 MAGAZINES | | |
| 339223 | 400' magazine, forward and reverse operation, with loop protector | 3,230.00 |
| 339224 | 1000' magazine, forward operation, with loop protector | 6,990.00 |
| 339225 | 35-3 loop protector, replacement | 44.00 |
| 339227 | Magazine tension test gauge, can be used on 16mm and 35mm magazines | 260.00 |
| 35-3 HANDGRIP SET | | |
| 339096 | Camera handgrip, right side, with on/off switch | 770.00 |
| 339093 | Extension for handgrip | 250.00 |
| 339091 | Auxiliary handgrip, left side | 576.00 |
| 339095 | Carry Handle for 35-3 | 340.00 |
| 35-3 OPTICAL ACCESSORIES | | |
| 339103 | Super Wide Angle eyepiece (35-3, 35BL), replacement | 3,555.00 |
| 339120 | Heated eyecup (35-3, 35BL-4, 35BL-4s) | 1,265.00 |
| 341400 | Oval chamois/foam eyecup cover | 3.60 |
| 341401 | Concentric chamois/foam eyecup cover | 3.60 |
| 303101 | Director's finder, PL mount | 3,240.00 |
| 339107 | Finder extender (35-3), long (320mm) | 4,520.00 |
| 339112 | Finder extender (35-3), short (227mm) | 4,040.00 |
| 303109 | Finder leveling rod (35-3, 35-BL) | 417.00 |
| 339109 | Finder extender (227mm), with swing-in anamorphic element, | 5,535.00 |
| 35-3 VIDEO ASSIST | | |
| 339818 | Video adaptor for 1/2" video assist camera | 4,680.00 |
| 339816 | Anti-flicker processor (AFP-2 NTSC) | 2,480.00 |
| 339814 | Color video camera CCD-2FR | 4,060.00 |
| K5.41307.0 | Cap, video elbow, camera end | 38.87 |
| K5.41039.0 | Cap, video elbow, video camera end | 31.64 |
| 35-3 ELECTRICAL ACCESSORIES | | |
| 339486 | EXS-II External Sync Unit (RCSR2), for phase shifting, required when filming video monitors | 1,700.00 |
| 339483 | Remote camera on/off switch with 4' cable | 420.00 |
| 339502 | Multi-accessory connector (ZV) accommodates three inputs | 355.00 |
| 339394 | Variable speed unit (VSU), with remote on/off switch | 1,790.00 |
| 339392 | High speed cable HSU/130 (24V DC), for 35-3 130 fps camera above serial No. 41010, includes reverse-running adapter | 2,800.00 |
| 35-3 MISCELLANEOUS | | |
| 339051 | Replacement PL camera cavity cap | 28.00 |
| 339202 | 35-3/3C/2C throat cover, replacement | 67.00 |
| 339098 | Accessory holder slides into carrying handle on 35BL and 35-3 | 142.00 |



35mm CAMERA SYSTEMS

| Order Code | Description | US Dollars |
|---|---|------------|
| 35-3 POWER SUPPLIES | | |
| <i>Note: The 35-3 is powered by a 12V power source.</i> | | |
| 12V/24V External Batteries | | |
| 331130 | Battery pack, 12V 14Ah, 4-pin, switchable to 24V 7Ah, 3-pins (NC 24/7R/4) | 1,063.00 |
| 339498 | Power cable, 10' straight, 12V 7Ah | 71.00 |
| 339493 | Power cable, 6' straight, 12V 7Ah, 4-pin (KCU) | 150.00 |
| 339494 | Power cable, 6' coiled, 12V 7Ah, 4-pin (KCUsp) | 163.00 |
| 339496 | Power cable, 12V, 11-pin Fisher to 4-pin | 88.00 |
| 331121 | Single battery charger (NCL 24R) for 24V 2Ah and 24V 7Ah batteries | 855.00 |
| External Power Supply | | |
| 331395 | NG 12/24R power supply, 12/24V switchable, 115-120V or 220-240, 50/60Hz | 1,840.00 |
| 35mm LENSES | | |
| Zeiss Super Speed Primes | | |
| 311234 | 18mm Distagon T1.3 | 8,400.00 |
| 311236 | 25mm Distagon T1.3 | 7,850.00 |
| 311237 | 35mm Distagon T1.3 | 7,390.00 |
| 311238 | 50mm Planar T1.3 | 6,950.00 |
| 311260 | 65mm Planar T1.3 | 7,150.00 |
| 311239 | 85mm Planar T1.3 | 7,610.00 |
| Zeiss Standard Primes | | |
| 311247 | 10mm Distagon T2.1 | 16,500.00 |
| 311246 | 12mm Distagon T2.1 (limited availability) | 11,100.00 |
| 311255 | 14mm Distagon T2.1 (limited availability) | 12,644.00 |
| 311432 | Sunshade for 12mm and 14mm T2.1, replacement | 421.00 |
| 311435 | Filter ring for 14mm T2.1, replacement | 152.00 |
| 311249 | 16mm Distagon T2.1 | 6,100.00 |
| 311250 | 24mm Distagon T2.1 | 6,040.00 |
| 311241 | 28mm Distagon T2.1 | 6,100.00 |
| 311243 | 50mm Planar T2.1 | 6,040.00 |
| 311251 | 85mm Planar T2.1 | 6,040.00 |
| 311252 | 100mm Planar T2.1 | 6,040.00 |
| 311253 | 135mm Planar T2.1 | 6,100.00 |
| Miscellaneous | | |
| 339035 | Front lens cap, 80mm diam., replacement | 16.00 |
| 339052 | Rear PL lens cap, PL, replacement | 11.00 |
| 311500 | PL adapter, universal quick-release | 1,500.00 |
| 311510 | PL adapter, screw-on with 4 screws | 880.00 |
| 311520 | PL adapter, zoom lenses | 650.00 |



ARRIFLEX CORPORATION

617 ROUTE 303, BLAUVELT, NY 10913-1123

TEL. (914) 353-1400

FAX: (914) 425-1250

600 NORTH VICTORY BLVD., BURBANK, CA 91502

TEL. (818) 841-7070

FAX: (818) 848-4028

SALES INFORMATION

ALL SALES SUBJECT TO TERMS AND CONDITIONS OUTLINED BELOW

PRICES: Prices contained in this catalog are domestic U.S. prices, F.O.B. Blauvelt, NY or Burbank, CA. All accepted orders will be shipped at the prices prevailing at the time of shipment. All prices are subject to change without notice. Payment must be made prior to delivery of equipment.

STATE AND LOCAL TAXES: There are no federal excise taxes applicable for items in this price list. State and Local taxes imposed by certain state, county, or municipal governments are not included in prices shown in this price list. Where applicable, such taxes are payable to the proper authority.

ORDER MINIMUM: Order minimum is \$25.00.

LOSS OR DAMAGE CLAIMS: Any claims for loss, pilferage, or damage in transit must be filed with the carrier from which the shipment is received; Arriflex Corporation assumes no responsibility for such loss, pilferage or damage. Claims for shortages in shipment must be made within three days after receipt of shipment.

RETURNS: Returns for credit or exchange must be made within ten days of receipt of shipment, and will not be accepted unless prior authorization has been obtained. A copy of our packing slip or invoice with a description of the reason for return must accompany the return. We reserve the right to apply a 20% handling charge.

TRADEMARKS: The trademarks "ARRI" and "Arriflex" have been registered in the U.S. Patent Office. Unauthorized use of these registered trademarks is strictly prohibited. These trade marks have been recorded with U.S. Customs at all ports of entry to prevent unauthorized importation.

GUARANTEE: We guarantee our products against defective material or workmanship as stated on the guarantee certificate accompanying each major article. Except for repair, replacement, or credit for such material and workmanship, no other warranty or other liability is given or implied, and we are not responsible for any expenses, loss, inconvenience or consequential damages caused by the use of such equipment.

These terms and conditions are subject to change without notice.
