


ROBOT STAR

35mm AUTOMATIC INDUSTRIAL CAMERAS AND ACCESSORIES



ROBOT STAR II Installation
Camera w/remote release, camera
holder, battery case, push button, bracket



CAMERAS**

CODE WORD

- fados **ROBOT STAR II w/double motor in black finish, without viewfinder, rewind knob, film indicator**
- fedef **ROBOT STAR II Installation camera w/bayonet ring and support for camera holder(below)**
- felof **SAME w/double motor**
- felos **SAME w/double motor in black finish, without viewfinder, rewind knob, film indicator**

NUMBER PRICE

- C110085/50RI **114.00***
- C112096/75RI **129.00***
- C114108/00RI **144.00***
- C116096/75RI **129.00***



CAMERA HOLDER, REMOTE RELEASES

- febat **Camera holder for ROBOT STAR II Installation camera with 2 X-contacts**
- femag 6, 12 or 24 **Electro-magnetic Remote release 6, 12 or 24 Volt DC**
- femum 12 or 24 **Electro-magnetic Reverse Remote release 12 or 24 Volt DC**
- feser **Electro-magnetic Sequence Remote release 12 Volt DC w/synchronization and connecting cords**
- sapim **Bracket for ROBOT STAR II and remote release**
- ragar **Battery case for 12 1.5 Volt cells (18 Volt)**
- vadru **3-ft. release cable w/push-button**
- uktyp **Complete Electro-magnetic Remote Release for 12 Volt DC, incl. bracket, battery case, release cable w/push button**
- uktyr **Complete Electro-magnetic Sequence Release for 12 Volt DC, incl. bracket, battery case, synchr. cord, release cable w/push-button**

- AC12051/75RI **69.00**
- AC12222/45RI **29.90**
- AC12424/70RI **32.90**
- AC12634/50RI **45.90**
- AC12807/50RI **9.95**
- AC12115/00RI **19.95**
- AC12307/50RI **9.95**
- AC12552/35RI **69.75**
- AC12762/05RI **82.70**



BURGLAR TRAPS

ROBOT STAR II Installation camera (felos) with 38mm f/2.8 Xenar in sound-proof wall safe, with swing-out bracket, camera holder, remote release 12 Volt DC, sequence release and detachable viewfinder

Special Transformer-Rectifier 110 Volt AC . . .
Same, but in portable case
Rechargeable slip-in battery 12 Volt.
Slip-in Transformer-Rectifier 110 Volt.
Push-button Remote Release w/frame counter and control lights for either unit.

- C130369/35RI **499.00***
- AC132044/25RI **59.00**
- C134369/35RI **499.00***
- AC136044/25RI **59.00**
- AC138044/25RI **59.00**
- AC134036/75RI **49.00**



MICROSCOPIC ATTACHMENT, BOOKLET

- ukmik **Microscopic attachment with reflex finder**
- ROBOT STAR II 4-color booklet**

- AC1 0149/25RI **199.00**
- BO160000/00RI **no charge**

**For lenses, filter etc. see ROBOT STAR II 35mm automatic cameras.

*Federal excise tax included


ROBOT: THE TRADEMARK OF PHOTOGRAPHIC AUTOMATION



480 LEXINGTON AVENUE, NEW YORK 17 N. Y YUkon 6-4920

ALPA • TESSINA • ROBOT • SINAR • CAMEX • KINOPTIK • PRIMOS • REALT • LINDIA • KERN • OMAG • FI-CORD

NUMBER PRICE




SPECIAL REMOTE RELEASES

CODE WORD

- romag Electro-magnetic remote release for use without KULI (with cable release) for 6, 12 or 24 Volt DC
- sapin Bracket for ROBOT ROYAL or RECORDER and remote release
- rogac Battery case for 12 1.5 Volt dry cells (18 Volts)
- rogyp Complete electro-magnetic remote release set-up for 12 Volt DC incl. bracket, battery case, release cable w/push-button
- rocam Same for CAMEX 8mm single-lens reflex movie camera
- robot Rechargeable battery 6 Volt D.C.
- vafuk Wireless remote release with sender and receiver
- px-259 3 volt Duplex batteries for receiver pair
- vaqua Electro-mechanical Timer for 1/4 second intervals only, 110 Volt AC
- vasec 1 Electronic Timer 1/4-60 sec. 110 Volt AC
- vatra Electronic Timer 1/2-60 Sec. 24 Volt DC
- vamin Electro-mechanical Timer 1-100 min. 110 Volt AC
- vastu Electro-mechanical Timer 6 min.-24 hours, 110 Volt AC
- vazal Automatic Exposure Counter
- vanei Transformer-Rectifier 110 Volt AC for remote release 12 Volt DC
- vanag 2. Transformer-Rectifier 110 Volt AC for simultaneous operation of remote release 24 Volt DC and electric motor
Spare fuse 0.5 Ampere for Timer
Spare fuse 1.0 Ampere for Transformer-Rectifier

AC8024/70RI	32.90
AC8207/50RI	9.95
AC8415/00RI	19.95
AC8652/35RI	69.75
AC8852/35RI	69.75
AC8152/35RI	69.75
AC83224/25RI	299.00
SP85001/02RI	1.50
AC90066/75RI	89.00
AC92194/25RI	259.00
AC94224/25RI	299.00
AC96119/25RI	159.00
AC98134/25RI	179.00
AC91036/75RI	49.00
AC93044/25RI	59.00
AC95074/25RI	99.00
SP97000/25RI	0.30
SP99000/25RI	0.30
	on request



TIMERS, EXPOSURE COUNTER, TRANSFORMER-RECTIFIERS

- vakim Carry-all case for complete electro-automatic recording unit, lenses (without timer and transformer-rectifier)

AC10074/25RI	99.00
C104742/50RI	999.65

CARRY-ALL CASE

COMPLETE UNIT



- vatur Oscilloscopic attachment w/Kuli-f, remote release 12 or 24 Volt D.C., release cable w/push button
Oscilloscope camera: Same w/Recorder 24, Xenon 40mm f/1.9, Macro extension ring 9mm
- Same w/Recorder 24-e and Kuli-f w/reflex mirror
- vatub Spare bulb 24 Volt DC
- romik Microscopic attachment with Reflex viewfinder
The fully Automatic ROBOT, 32-pages Photographic Automation in Science and Industry, 24 pages

AC110186/75RI	249.00
AC112389/70RI	533.90
AC114524/70RI	713.90
AC116000/75RI	0.95
AC114149/25RI	199.00
BO120000/00RI	no charge
BO122000/00RI	no charge

OSCILLOSCOPIC AND MICROSCOPIC ATTACHMENTS, BOOKLETS



ROBOT ROYAL 35mm AUTO-SEQUENCE CAMERAS



ROYAL 36S w/ Sonnar 50mm f/2

Complete freedom from stop-wind-shoot delays, ideally suited for candid pictures, catching highlights and rapid action photography—always ready for instant use.

DURABILITY: Built-in motor with anti-magnetic, tropic proof, untiring and unbreakable Swiss SUPER-FLEX spring of stainless steel withstands the most rugged use.

EVERREADY: Pressing the button automatically takes picture, counts exposure, transports film and cocks shutter for the next shot.

KINOGRAPHY: Automatic One-by-One shots or Kinographic sequences with bursts of 5 to 6 pictures per second, up to 20 exposures **without rewinding.** (36 with spring booster motor.)

SAFETY LOCK: Prevents accidental exposures.

DOUBLE FRAMES OR SQUARE: Royal 36 S gives 36 24x36mm double frames, Royal 24 S gives 55 economical and practical 24x24mm square frames on 35mm film roll (for other formats, see ROBOT Industrial).

AUTOMATIC ROTARY SHUTTER: Speeds from 1/4 to 1/500 seconds and B; M and X-synchronization at any speed.

CHOICE OF LENSES: Interchangeable SCHNEIDER and ZEISS lenses from 30mm up to 400mm, unconditionally guaranteed for highest optical performance.

FAST DISTANCE SETTING: Single-window Range/Viewfinder couples to all lenses.

DEPTH-OF-FIELD INDICATOR: Color-Dot system on lens mounts automatically shows depth-of-field at any aperture.

CARTRIDGE-TO-CARTRIDGE: Lip-opening bulk-loading and take-up cassettes eliminate friction and scratches, reduce film cost, permit rapid removal of completely or partly exposed film and fast reloading.

25 YEAR REFERENCE: The ROBOT ROYAL represents the culmination of over 25 years experience in the manufacturing of Automatic 35mm Cameras.

EUROPEAN PRECISION: Built to the most rigid precision standards, scrupulously quality controlled, fully guaranteed.



**ROBOT ROYAL
36S**
(24x36mm)

**ROBOT ROYAL
24S**
(24x24mm)

CODE WORD

debar	w/Schneider Xenar 45mm f/2.8
debas	w/Zeiss Sonnar 50mm f/2
debaa	without lens
rodac	w/Schneider Xenar 38mm f/2.8
rodad	w/Schneider Xenon 40mm f/1.9
rodaf	w/Schneider Xenar 45mm f/2.8
rodaa	without lens

NUMBER	PRICE
C10172/70R	259.00*
C12199/35R	299.00*
C14119/35R	179.00*
C16172/70R	259.00*
C18199/35R	299.00*
C13172/70R	259.00*
C11119/35R	179.00*

LENSES AND VIEWFINDERS WITH PARALLAX CORRECTION



FOR ROYAL 36S
(also for ROYAL 36Sa
and Recorder 36, see
ROBOT Industrial)

defas	Schneider Xenar 45mm f/2.8	L20059/35R	89.00*
desaf	Zeiss Sonnar 50mm f/2	L22086/00R	129.00*
degat	1. Schneider Xenogon 35mm f/2.8 (no lens-hood)	L24086/00R	129.00*
dehav	2. Schneider Tele-Xenar 75mm f/3.8	L26079/35R	119.00*
dehaz	3. Lumiframe Viewfinder for 75mm lens	V21013/30R	19.95
degab	Universal Viewfinder for 30-75mm lenses	V23026/60R	39.90



FOR ROYAL 24S
(also for ROYAL 24Sa,
18Sa, Recorder 24,
18 and 6, see ROBOT
Industrial)

rodam	1. Schneider Xenagon 30mm f/3.5	L30066/00R	99.00*
rodak	Schneider Xenar 38mm f/2.8	L32059/35R	89.00*
rodal	Schneider Xenon 40mm f/1.9	L34086/00R	129.00*
dehav	Schneider Tele-Xenar 75mm f/3.8	L26079/35R	119.00*
rodap	2. Schneider Tele-Arton 90mm f/4	L36092/70R	139.00*
rodar	3. Schneider Tele-Xenar 135mm f/4 with lenshood	L38119/35R	179.00
rodao	4. Schneider Tele-Xenar 200mm f/5 w/lens-hood	L31132/70R	199.00
rodas	5. Schneider Tele-Xenar 300mm f/5.5 fixed focus w/lenshood	L33152/70R	229.00
rodaf	Kilfitt Tele-Kilar 400mm f/5.6 fixed focus w/lenshood	L35199/35R	299.00
belaa	Wide angle Viewfinder for 30mm lens	V40010/60R	15.90
dehac	Lumiframe Viewfinder for 75mm lens	V42013/30R	19.95
rofoy	Lumiframe Viewfinder for 90mm lens	V44013/30R	19.95
rofaz	Lumiframe Viewfinder for 135mm lens	V46013/30R	19.95
ukgmu	6. Universal Viewfinder for 30-150mm lenses	V48026/60R	39.90
rofaw	Telescopic Viewfinder for 200mm lens (3x magnification)	V41046/00R	69.00
rofax	Telescopic Viewfinder for 300mm lens (3x magnification)	V43066/00R	99.00

ROBOT ROYAL ACCESSORIES



CAMERA CASE

LENS CASES

ACCESSORY CASES



LENSHOOD AND FILTERS

(give tints below)

FILTER TINTS:

haze, light yellow, medium yellow, light green, medium green, orange, red, blue, 85 C.



CLOSE-UP ACCESSORIES



CASSETTES, MISCELLANEOUS ACCESSORIES

CODE WORD		NUMBER	PRICE
defaa	Everready case for ROBOT ROYAL 36S or 24S	CA5013/30R	19.95
rofaq	for Xenagon, Xenar, Sonnar, Xenon or universal viewfinder	CA5203/30R	4.95
rofah	for Xenagon 30mm and viewfinder	CA5405/30R	7.95
depad	for Xenagon 35mm and viewfinder	CA5605/30R	7.95
rofai	for Tele-Xenar 75mm and viewfinder	CA5805/30R	7.95
rogav	for Tele-Arton 90mm and viewfinder	CA5105/30R	7.95
rogaz	for Tele-Xenar 135mm and viewfinder	CA5306/60R	9.90
rofab	for Tele-Xenar 200mm and viewfinder	CA5508/60R	12.90
rofal	for Tele-Xenar 300mm and viewfinder	CA5713/30R	19.95
rotel	for Tele-Kilar 400mm	CA5916/60R	24.90
rofak	for 2 filters or supplementary lenses	CA6002/00R	2.95
rogau	for Macro extension rings (see below)	CA6202/60R	3.90
rodau	Collapsible lenshood for lenses 30-90mm (except 35mm)	H7008/00R	11.90
	Glass filters for lenses 30-135mm (except 35mm)—each	F7204/60R	6.90
	Glass filters for Xenagon 35mm—each	F7406/60R	9.90
	Glass filters for Tele-Xenar 200mm—each	F7606/60R	9.90
	Glass filters for Tele-Xenar 300mm—each	F7816/60R	24.90
	Glass filters for Tele-Kilar 400mm—each	F7120/00R	29.95
rofas	Polarizing filter for lenses 30-135mm (except 35mm)	F7313/30R	19.95
dewam	1 Supplementary lens No. 1 (33 to 20"), (for ROBOT 36 only)	F8006/60R	9.90
befor	Supplementary lens No. 2 (23 to 15"), (for ROBOT 24 to 12")	F8206/60R	9.90
bevo1	Supplementary lens No. 4 (12 to 10"), (for ROBOT 24 to 9")	F8406/60R	9.90
proxi I	Proximeter I 38-20"	AC8626/60R	39.90
proxi II	Proximeter II 20-12"	AC8826/60R	39.90
delaa	Macro extension ring 6mm	AC8104/60R	6.90
demab	Macro extension ring 9mm	AC8304/60R	6.90
dekaw	2. Macro extension rings 6 and 9mm, with leather case	AC8511/80R	17.70
rofat	1. TR Lip-opening Bulk-loading cassettes	AC9003/30R	4.95
ukras	Spool for TR cassette	AC9200/65R	.95
denac	2. NR Lip-opening Take-up cassette with spool	AC9403/30R	4.95
	Spool for NR cassette (spare part)	SP9600/75R	.95
beras	Take-up spool with cradle (spare part)	SP9802/40R	2.95
ukjoc	Lightmetal Slide mounts with glass for 24x24mm Box of 25	AC9103/30R	4.95
rodag	Dustcap for Robot without lenses	AC9302/60R	3.90
rodap	Lenscap (spare part, please specify lens)	SP9501/30R	1.95
	ROBOT ROYAL 2-color brochure	B09700/00R	no charge

ROBOT: THE TRADEMARK OF PHOTOGRAPHIC AUTOMATION




karl heitz 480 LEXINGTON AVENUE, NEW YORK 17, N. Y • YUkon 6-4920

ROBOT

"CONSTRUCTION-UNIT"

COMPONENTS FOR ELECTRO-AUTOMATIC RECORDING SYSTEM




MAGAZINES
(Interchangeable camera backs)

CODE WORD

- satin 1. 30-ft. magazine for ROYAL Sa or RECORDER 36, 24 or 18 (260, 400 and 520 frames)
- safau Take-up spool for 30-ft. magazine (spare part)
- safab Feeding spool for 30-ft. magazine (spare part)
- vacas 2. 200-ft. magazine for ROYAL Sa or RECORDER 36, 24 or 18 (1600, 2400 and 3200 frames)

NUMBER	PRICE
AC40186/75RI	249.00
SP42004/00RI	4.95
SP44004/00RI	4.95
AC46224/25RI	299.00



BOOSTER MOTORS

- sawir 1. Spring Booster Motor for entire 5 1/2-ft. film length
- savip 2. Electric Booster Motor 24 Volt DC Spare Fuse 0.8 Ampere for electric booster motor

AC41066/75RI	89.00
AC43111/75RI	149.00
SP45000/25RI	0.30



CAMERA HOLDERS


- vakuz 1. ROBOT KULI Camera Holder w/X- and Mot-contacts, exposure speed dial, 2 flat plugs, standard adapter ring
- sayis ROBOT KULI-e, Same w/X- and Mot-contacts, plus reflex mirror, for ROBOT RECORDER 24e
- vases 2. KULI adapter ring for Macro extension ring 6mm
- vaneu KULI adapter ring for Macro extension ring 9mm
- vatel KULI adapter ring for 35mm, 135mm, 200mm, 300mm or combination of Macro extension rings 6 and 9mm
- vamar Intermediate ring for combination of Macro extension rings (with vatel above)
- vaheb 3. Lens lock extension lever

AC5066/75RI	89.00
AC5289/25RI	119.00
AC5405/20RI	6.90
AC5605/20RI	6.90
AC5805/20RI	6.90
AC5105/20RI	6.90
AC5305/20RI	6.90

REMOTE RELEASES

- sagib 4. Electro-magnetic remote release for use with KULI (without cable release) for 6, 12, or 24 Volt DC
- vacum 12 or 24 Electro-magnetic Reverse remote release for 12 or 24 Volt DC
- vadru 5. 3 ft. Release cable w/push button
- vamif 16.5 ft. extension cord for remote release
- vanig 33 ft. extension cord for remote release
- vaste Pair of flat plugs for KULI-to-camera contact (spare part)

AC6022/50RI	29.90
AC6224/70RI	32.90
AC6407/50RI	9.95
AC6605/20RI	6.90
AC6806/00RI	7.95
SP6101/50RI	1.95



GROUND-GLASSES

- vamat 6. Ground glass for determination of exact frame
- valup 7. Ground glass w/magnifying lens attachable to lens mounted in KULI (instead of camera)

AC7011/25RI	14.95
AC7266/75RI	89.00

ANGLE BRACKETS

- vamon Angle bracket I for mounting complete recording unit
- vamut Angle bracket II w/KULI camera holder, electro-magnetic remote release, diaphragm scale and lever, distance setting lever, tripod socket

AC7422/45RI	29.90
AC76111/75RI	149.00

ROBOT: THE TRADEMARK OF PHOTOGRAPHIC AUTOMATION



480 LEXINGTON AVENUE, NEW YORK 17, N. Y. • YUkon 6-4920

ROBOT



3

Industrial

ELECTRO-AUTOMATIC PHOTO-RECORDING SYSTEMS

ROBOT REGISTERS RAPIDLY—RATIONALLY—RELIABLY

CONSTRUCTION UNIT: Built around the basic ROBOT 35mm Automatic cameras and lenses, the ROBOT photo-recording system can be easily adapted to any specific problem of photographic registration.

DURABILITY: Built-in motor with anti-magnetic, tropic proof, untiring and unbreakable Swiss SUPER-FLEX spring of stainless steel withstands the most rugged use.

CHOICE OF SIZE: 24x36mm double frame, 24x24mm economical and practical square format, 18x24mm single frame, 6x24mm or special sizes on standard 35mm film.

CHOICE OF RELEASE: Push-button, remote release, reverse release, subject activation, radio, timers, control units, etc.

CONTINUAL OPERATION: Spring and electric booster motors.

UNLIMITED NUMBER OF PICTURES: 30 and 200 ft. magazines, give up to 3200 uninterrupted exposures.

RIGID STABILITY: KULI Camera holder and Angle brackets eliminate vibration, offer perfect focusing position.

AUTOMATIC OPERATION: Timers and control units offer preset release at periodic intervals from 1/4 second up to 24 hours.

SPECIAL MODELS: ROBOT Recorders for double exposures, with built-in reticles, for continual film advance, etc. (see below).

25 YEAR REFERENCE: The ROBOT system is the culmination of over 25 years of experience in the manufacture of Automatic Photo-Recording Systems.


EUROPEAN PRECISION: Built to the most rigid precision standards, scrupulously quality controlled, fully guaranteed.

THE ULTIMATE IN PHOTOGRAPHIC AUTOMATION: The ROBOT records tens of thousands, hundreds of thousands, even millions of pictures — RAPIDLY — RATIONALLY — RELIABLY




ROBOT ROYAL Sa**
Industrial Cameras with MOT-contact and interchangeable back

RECORDER 18 w/Tele- Xenar 75mm f/3.8



RECORDER 24e with KULI-e



ROBOT RECORDERS**
without range- and viewfinder, Kinographic sequence mechanism, rewind knob.

SPECIAL ROBOT RECORDERS**

CODE WORD

sarem ROBOT ROYAL 36Sa (24x36mm)
sarel ROBOT ROYAL 24Sa (24x24mm)
sarac ROBOT ROYAL 18Sa (18x24mm)

sarec ROBOT RECORDER 36 (24x36mm) ..
saneg ROBOT RECORDER 24 (24x24mm)
sanac ROBOT RECORDER 18 (18x24mm)
sanel ROBOT RECORDER 6 (6x24mm)

vares ROBOT RECORDER—w/sequence release—add
varer ROBOT RECORDER—w/rewind knob—add.
vasap ROBOT RECORDER—w/reticle: crosshair—add ..
vamas ROBOT RECORDER—w/reticle: crosshair and concentric circles—add
vakis ROBOT RECORDER—w/reticle: quadrilled—add
ROBOT RECORDER—w/reticle made according to sketch
salos ROBOT RECORDER 24d w/film advance like RECORDER 36 and rewind knob
samop ROBOT RECORDER 24e w/reflex system for double exposure of second 8x8mm image in corner of picture (see also ROBOT KULI-e below)
vazen ROBOT RECORDER f 24x24—24x1mm strip camera for continual film advance w/KULI-f electro-magnetic remote release 24 Volt DC, angle bracket I, electric motor f/I 24 Volt DC for speeds of 3-150mm/sec., electric motor f/II 24 Volt DC for 150-500mm/sec., 30-ft. magazine, Control unit with Transformer-Rectifier 110 Volt AC, without lens
vasas Same, but w/200-ft. magazine
vazor Oscilloscopic strip camera: Same, without angle bracket, w/Schneider Xenon 40mm f/1.9, Macro-ring 9mm, KULI-adapter ring, tubus for screens up to 5" diameter.

NUMBER	PRICE
C10149/25RI	199.00*
C12149/25RI	199.00*
C14171/75RI	229.00*
C20111/75RI	149.00*
C22111/75RI	149.00*
C24134/25RI	179.00*
C26134/25RI	179.00*
C28022/50RI	30.00*
C21011/25RI	15.00*
C23022/50RI	30.00*
C25026/25RI	35.00*
C27030/00RI	40.00*
price on request	
C29141/75RI	189.00*
C30224/25RI	299.00*
C321012/50RI	1,350.00*
C341050/00RI	1,400.00*
C361200/00RI	1,600.00*

**For lenses, filters, etc. see ROBOT ROYAL 35mm Auto-Sequence cameras.

ROBOT STAR COMPACT 35mm AUTOMATIC CAMERAS

Complete freedom from stop-wind-shoot delays, ideally suited for candid pictures, catching highlights and rapid action photography—always ready for instant use.

DURABILITY: Built-in motor with anti-magnetic, tropic proof, untiring and unbreakable Swiss SUPER-FLEX spring of stainless steel withstands the most rugged use.

EVERREADY: Pressing the button automatically takes picture, counts exposure, transports film and cocks shutter for the next shot.

SINGLE OR DOUBLE MOTOR: ROBOT STAR with single motor gives 20, with double motor 50 exposures of economical and practical 24x24mm square format, without rewinding.

SAFETY LOCK: Prevents accidental exposures.

AUTOMATIC ROTARY SHUTTER: Speeds from 1/4 to 1/500 seconds and B; M and X synchronization at any speed.

CHOICE OF LENSES: Interchangeable SCHNEIDER lenses from 30mm up to 150mm, unconditionally guaranteed for highest optical performance.



ROBOT STAR II w/Xenon 40mm f/1.9

3

FAST FRAMING: Multifocal Lumiframe Viewfinder in square format eliminates problems of vertical pictures.

DEPTH-OF-FIELD INDICATOR: Color-Dot system on lens mounts automatically shows depth-of-field at any aperture.

CARTRIDGE-TO-CARTRIDGE: Lip-opening bulk-loading and take-up cassettes eliminate friction and scratches, reduce film cost, permit rapid removal of completely or partly exposed film and fast reloading.

VERY COMPACT: 4 1/4 x 3 x 1 1/4", Pocket size.

25 YEAR REFERENCE: The ROBOT STAR represents the culmination of over 25 years experience in the manufacturing of Automatic 35mm Cameras.

EUROPEAN PRECISION: Built to the most rigid precision standards, scrupulously quality controlled, fully guaranteed.



ROBOT STAR II
w/single motor

← w/double motor

CODE WORD

fanar	w/Schneider Xenar 38mm f/2.8
fanon	w/Schneider Xenon 40mm f/1.9
fabab	without lens
fadof/bedad	w/Schneider Xenar 38mm f/2.8
fadof/bedaf	w/Schneider Xenon 40mm f/1.9
fadof	without lens

NUMBER PRICE


C100112/70RS	169.00*
C102122/70RS	184.00*
C104076/00RS	114.00*
C106119/35RS	184.00*
C108132/70RS	199.00*
C101086/00RS	129.00*



LENSES AND VIEWFINDERS**

w/parallax
correction

bedaw	1. Schneider Xenagon 30mm f/3.5	L11059/35RS	89.00*
bedad	2. Schneider Xenar 38mm f/2.8	L11242/70RS	64.00*
bedaf	3. Schneider Xenon 40mm f/1.9	L11452/70RS	79.00*
bedal	4. Schneider Tele-Xenar 75mm f/3.8	L11666/00RS	99.00*
bedam	5. Schneider Tele-Xenar 150mm f/4.5	L11899/35RS	149.00
belaa	Wide angle viewfinder for 30mm lens	V11110/60RS	15.90
dehac	Lumiframe viewfinder for 75mm lens	V11313/30RS	19.95
bedax	Lumiframe viewfinder for 150mm lens	V11513/30RS	19.95
ukgmu	6. Universal viewfinder for 30-150mm lenses	V11726/60RS	39.90



CASES**

betaz	1 Everready case for ROBOT STAR II	CA12010/00RS	14.95
besap	Everready case for ROBOT STAR II with double motor	CA12213/30RS	19.95
ukgaw	2. for Xenagon, Xenar, Xenon or universal viewfinder	CA12403/30RS	4.95
ukgiv	for Tele-Xenar 75mm and viewfinder	CA12605/30RS	7.95
ukgiz	3. for Tele-Xenar 150mm and viewfinder	CA12806/60RS	9.90
rofak	for 2 filters or supplementary lenses	CA12102/00RS	2.95
bedau	for Macro extension rings (see next page)	CA12304/60RS	6.90

**Most accessories also fit earlier ROBOT cameras LW, II, IIa, JUNIOR or STAR I



**LENSHOOD,
FILTERS****
(give tints below)

FILTER TINTS:

**CODE
WORD**

- bedea Collapsible lenshood for all lenses 30-150mm
- rofaf Glass filters for all lenses—each
- rofaf Polarizing filter for all lenses

Haze, light yellow, medium yellow, light green, medium green, orange, red, blue 85 C.

NUMBER PRICE


- H13006/60RS 9.90
- F06204/60RS 6.90
- F06313/30RS 19.95



**CLOSE-UP
EQUIPMENT****

- befor 1. Supplementary lens No. 2 (23-12")
- bevat Supplementary lens No. 4 (14-9")
- ukmak Macro extension ring 5mm
- ukmal Macro extension ring 7.5mm
- ukmam Macro extension ring 10mm
- ukman Macro extension ring 20mm
- ukkaa 2. Complete set of Macro extension rings with leather case

- F14006/60RS 9.90
- F14206/60RS 9.90
- AC14402/60RS 3.90
- AC14603/30RS 4.95
- AC14804/00RS 5.95
- AC14104/60RS 6.90
- AC14319/10RS 28.60



CASSETTES**

- rofat 1. TR Lip-opening Bulk-loading cassette (also fits ROBOT JUNIOR, STAR I)
- beras 2. Take-up spool with cradle (spare part)
- ukwre 3. T Lip-opening Bulk-loading cassette (for ROBOT LW, II, IIa only)
- ukwur Cradle for use of T cassette in ROBOT IIa
- ukras Spool for TR or T cassette
- denac 4. NR Lip-opening Take-up cassette w/spool
- ukwou 5. N Lip-opening Take-up cassette w/spool (for ROBOT LW, II, IIa, JUNIOR, STAR I, ROYAL 24/III only)
- ukwub Spool for NR or N cassette (spare part)
- ukyad Daylight Rewinder for N cassettes

- AC9003/30RS 4.95
- SP9802/60RS 3.90
- AC15003/30RS 4.95
- AC15202/60RS 3.90
- AC9200/65RS 0.95
- AC9403/30RS 4.95
- AC15403/30RS 4.95
- SP9600/75RS 0.95
- AC15604/60RS 6.90



**MISCEL-
LANEOUS
ACCESSORIES****

- ukswa Converter for use of PC cord (for ROBOT LW, II only)
- ukuhc Adapter ring fitting lenshood and filters to early ROBOT lenses with clip-on mount
- ukgoa Viewfinder shoe (for ROBOT II only)
- ukuhe Stereo-attachment w/twin cable release for 2 ROBOT JUNIOR or STAR cameras
- ukjoc Light-metal slide-mounts with glass for 24x24mm Box of 25
- bedaq Dustcap for ROBOT STAR without lens
- bedaq Lenscap (spare part)
- undro Underwater housing for ROBOT STAR II w/single or double motor, 30mm or standard lens
- undro ROBOT STAR II 4-color booklet

- AC16001/30RS 1.95
- AC16202/60RS 3.90
- AC16402/60RS 3.90
- AC16626/60RS 39.90
- AC91003/30RS 4.95
- AC16802/60RS 3.90
- SP16101/30RS 1.95
- AC17086/00RS 129.00
- B017200/00RS no charge

**Most accessories also fit earlier ROBOT cameras LW, II, IIa, JUNIOR or STAR I

ROBOT: THE TRADEMARK OF PHOTOGRAPHIC AUTOMATION



karl heitz 480 LEXINGTON AVENUE, NEW YORK 17, N. Y., YUKON 6-4920
Inc.