


# Vivitar


Wide Angle, Telephoto, and Zoom Lenses for 35mm SLR Cameras



# Vivitar Wide Angle, Telephoto, and Zoom Lenses for 35mm SLR Cameras

Vivitar lenses, manufactured to the highest optical standards, are among the world's finest. Their excellent resolving power precise construction and mechanical reliability all serve to reinforce the Vivitar theory that the true value of a lens is measured in terms of performance rather than cost. The superb optical quality of Vivitar Prime Lenses make them equal or superior to the finest lenses available. Vivitar offers the photographer a selection of lenses which meets the requirements of most photographic situations:

- Automatic Vivitar Lenses with mounts to fit Mamiya/Sekor—Pentax, Exakta, Nikon, Canon, Minolta and Topcon.
- Automatic Vivitar Lenses with interchangeable T-4 adapter system to fit Mamiya/Sekor—Pentax, Exakta, Nikon, Canon, Minolta, and Miranda.
- Preset Vivitar Lenses with compatible "T" system to fit most 35mm SLR cameras.



May, 1968 D-2

### **Vivitar Automatic Lenses**

#### **Features**

- · Smooth operating controls.
- · Color coated and corrected optics.
- · Automatic aperture control.
- · Automatic meter coupling mechanisms.
- Full and 1/2 stop settings.
- · Large selection of camera mounts.
- 5 year guarantee.



May, 1968

### **Vivitar Automatic Lenses**



50mm (Normal Lens)



28mm




35mm




135mm



200mm






| Vivitar Automatic Wide Angle   | Pen<br>Mamiya<br>Mou<br>Stock No | /Sekor | Canon<br>FX, FP,<br>and TL I<br>Stock No | FT, QL<br>Mounts | Niko<br>Nikko<br>and Nik<br>FT Mo<br>Stock No | rex F,<br>kormat<br>ounts | Exakta I<br>Stock No |       |
|--|----------------------------------|--------|--|------------------|---|---------------------------|----------------------|-------|
| 28mm f2.5  | 21-4205                          | 94.50  | 21-5028                                  | 94.50            | 21-6069                                       | 94.50                     | 21-2108              | 94.50 |
| Leather Case   | 68-6044                          | 6.50   | 68-6044                                  | 6.50             | 68-6044                                       | 6.50                      | 68-6044              | 6.50  |
| Lens Hood (62mm Super Wide)<br>8 elements in 7 groups. 74° angle of<br>view f2.8 to f22. Minimum focus:<br>12 in. Accessory size. 62mm.  | 24-4235<br>f                     | 5.60   | 24-4235                                  | 5.60             | 24-4235                                       | 5.60                      | 24-4235              | 5.60  |
| 35mm f2.8  | 21-4261                          | 69.50  | 21-5187                                  | 69.50            | 21-6140                                       | 69.50                     | 21-2120              | 69.50 |
| Leather Case   | 68-6044                          | 6.50   | 68-6044                                  | 6.50             | 68-6044                                       | 6.50                      | 68-6044              | 6.50  |
| Lens Hood (52mm Super Wide)<br>6 elements in 5 groups. 63° angle of<br>view. f2.8 to f22. Minimum focus.<br>18 in. Accessory size. 52mm. | 24-4143                          | 5.20   | 24-4143                                  | 5.20             | 24-4143                                       | 5.20                      | 24-4143              | 5.20  |

May, 1968 D-4

## **Vivitar Automatic Lenses**







| Vivitar Automatic Telephoto   | Pen<br>Mamiya<br>Mo | /Sekor | FX, FP, | Pellix<br>FT, QL<br>Mounts | and Nik | rex F,<br>kormat<br>ounts | Exakta   |       |
|---|---------------------|--------|---------|----------------------------|---------|---------------------------|----------|-------|
| Lenses  | Stock N             | 0.     | Stock N | 0.                         | Stock N | 0.                        | Stock No | 0.    |
| 135mm f2.8 with Retractable<br>Lens Hood  | 21-4308             | 79.50  | 21-5291 | 79.50                      | 21-6232 | 79.50                     | 21-2304  | 79.50 |
| Leather Case 4 elements in 4 groups. 18° angle of view. f2.8 to f32. Minimum focus. 5 ft. Accessory size. 55mm. | 68-6088             | 7.50   | 68-6088 | 7.50                       | 68-6088 | 7.50                      | 68-6088  | 7.50  |
| 135mm f3.5 with Retractable<br>Lens Hood  | 21-4319             | 64.50  | 21-5305 | 64.50                      | 21-6243 | 64.50                     | 21-2326  | 64.50 |
| Leather Case 4 elements in 3 groups. 18° angle of view. f3.5 to f32. Minimum focus. 5 ft. Accessory size. 52mm. | 68-6088             | 7.50   | 68-6088 | 7.50                       | 68-6088 | 7.50                      | 68-6088  | 7.50  |
| 200mm f3.5 with Retractable   | 21-4412             | 114 50 | 21-5338 | 114 50                     | 21-6324 | 114.50                    |          |       |
| Lens Hood<br>Leather Case   | 68-6169             | 9.50   | 68-6169 |                            | 68-6169 | 9.50                      |          |       |
| 4 elements in 4 groups. 12° angle of view. f3.5 to f22. Minimum focus. 7½ ft. Accessory size. 62mm.             |                     | 0.00   | 00 0.00 | 0.00                       |         |                           |          |       |

May 1968 D-5

#### **Vivitar Automatic Zoom Lens**



50mm (Normal Lens)










**Vivitar Automatic Zoom** 

85mm to 205mm f3.8 Zoom with Lens Hood

Leather Case
13 elements/9 groups: 28° angle of view at 85mm. 12° angle of view at 205mm f3.8 to f22. Minimum focus: 6 ft. 4 in. Accessory size: 58mm.

85mm to 205mm f3.8 Zoom with Lens Hood **Leather Case** 





| Pentax<br>Mamiya/Sekor<br>Mount                       | Exakta<br>Mount            | Canon Pellix<br>FX, FP, FT, QL<br>and TL Mounts |  |  |
|---|----------------------------|---|--|--|
| Stock No.   | Stock No.                  | Stock No.                                       |  |  |
| 21-3080 195.00  | 21-3231 195.00             | 21-3150 195.00                                  |  |  |
| 68-6169 <b>9.50</b>                                   | <i>68-6169</i> <b>9.50</b> | <i>68-6169</i> <b>9.50</b>                      |  |  |
| Nikon F,<br>Nikkorex F,<br>and Nikkormat<br>FT Mounts | Minolta<br>SRT/SR<br>Mount | Topcon<br>Mount                                 |  |  |
| Stock No.   | Stock No.                  | Stock No.                                       |  |  |
| 21-3127 195.00  | 21-3208 195.00             | 21-3253 195.00                                  |  |  |
| 68-6169 <b>9.50</b>                                   | <i>68-6169</i> <b>9.50</b> | <i>68-6169</i> <b>9.50</b>                      |  |  |

May, 1968



#### **Vivitar Automatic T-4 Lens System** for 35mm SLR Cameras

The Vivitar Automatic T-4 Lens System offers the photographer complete interchangeability between two or more 35mm SLR cameras with differing lens mounts. The T-4 lens and adapter feature an automatic diaphragm control mechanism, which couples to the behind-the-lens exposure control mechanism of the camera.

All T-4 lenses and adapters may be installed by the user without tools, special couplings, or bands. In 10 seconds, or less, you can couple a T-4 lens to Vivitar T-4 lens adapters are available for the

following 35mm SLR camera mounts:
Mamiya/Sekor-Pentax
Nikon

Canon

Minolta Miranda



## **Vivitar Automatic T-4 Lens Adapters**

#### Features:

Diaphragm Coupling: Automatic diaphragm

control and meter coupling between camera and lens.


· Fast Coupling:


Only 10 seconds required for switching an adapter from one lens to another, or for interchanging a lens between two different adapters. Requires no tools or special accessories for • Positive Locking:


Breech-locking bayonet. Provides secure, positive locking of lens to adapter.

· Sealed Components:

Dust and dirt are completely sealed out by cinch-type locking of adapter to precision-finished facing on rear of lens component.







# Vivitar Automatic T-4 Adapters are available for the following camera lens mounts:

|  | Stock No |       |                                  | Stock No. |       |
|--|----------|-------|----------------------------------|-----------|-------|
| Mamiya/Sekor-Pentax                      | 19-6026  | 9.95* | Minolta "SRT" Series             | 19-6082   | 9.95* |
| Exakta                                   | 19-6129  | 9.95* | Miranda Sensorex Series          | 19-6107   | 9.95* |
| Nikon "F" Series                         | 19-6048  | 9.95* | *Supplied at no charge with lens |           |       |
| Canon "FT," "TL," "QL" and Pellix Series | 19-6060  | 9.95* |                                  |           |       |

P&B

35mm f2.8

#### **Vivitar Automatic T-4 Lenses**

28mm f2.8




50mm (Normal Lens)



28mm



35mm





| STOCK NO | Stock N | 0 |
|----------|---------|---|
|----------|---------|---|

28mm f2.8
Leather Case
Lens Hood (58mm Super Wide)
7 elements in 6 groups. 74° angle of
view. f2.8 to f16. Minimum focus:
12 in. Accessory size. 58mm.

19-1043 119.50 68-6044 6.50 24-4202 5.60 35mm f2.8 Leather Case Lens Hood (49mm Super Wide) 6 elements in 5 groups. 63° angle of view. f2.8 to f16. Minimum focus: 18 in. Accessory size. 49mm.

Stock No.

19-1087 94.50 68-6044 6.50 24-4110 5.20

#### **Vivitar Automatic T-4 Lenses**




50mm (Normal Lens)







300mm





| Sto | ck  | No  |
|-----|-----|-----|
| 000 | CIL | 140 |

84.50 7.50 2.50 135mm f3.5 Leather Case Lens Hood (49mm) 4 elements in 4 groups. 18° angle of view. f3.5 to f22. Minimum focus. 19-2121 68-6088 24-4419

6 ft. Accessory size. 49mm.

135mm f2.8 Leather Case Lens Hood (55mm)

4 elements in 4 groups. 18° angle of view. f2.8 to f22. Minimum focus: 6 ft. Accessory size. 55mm.


#### Stock No.

99.50 7.50 2.80 19-2143 68-6088 24-4475

D-10 August, 1968

#### **Vivitar Automatic T-4 Lenses**





#### Stock No.

200mm f3.5 **Leather Case** Lens Hood (67mm)

4 elements in 4 groups. 12° angle of view. f3.5 to f22. Minimum focus. 10 ft. Accessory size. 67mm. Tripod Socket.

19-2165 68-6169 24-4567 124.50 9.50 4.50 300mm f5.5

Leather Case
Lens Hood (62mm)
5 elements in 5 groups: 8° angle of view. f5.5 to f22. Minimum focus: 20 ft. Accessory size. 62mm. Tripod Socket.

Stock No.

19-2187 68-6169 139.50 9.50 3.90 24-4534

D-11 May, 1968

## **Vivitar Automatic T-4 Zoom Lens**



50mm (Normal Lens)



90mm



135mm




200mm



90mm to 230mm f4.5 Zoom w/Retractable Lens Hood


230mm



Stock No.

19-3162 **219.00** 68-6169 **9.50** 

Leather Case
11 elements in 7 groups. 11° angle
of view at 230mm, 28° angle of view
at 90mm. f4.5 to f22. Minimum
focus: 8 ft. Accessory size. 58mm.
Tripod Socket.






# Vivitar Preset Wide Angle, Telephoto, and Zoom Lenses with Compatible "T" Mount System

The compatible "T" Mount system makes it possible to use Vivitar preset lenses on a variety of SLR cameras simply by changing adapters. The photographer who owns two or more SLR cameras with different lens mounts, or who wishes to change from one camera to another, has no need

to purchase a whole new assortment of lenses to maintain his versatility. If he is using the Vivitar "T" mount lens system, he simply purchases the adapter needed for his new camera and continues to use his present lens.



Vivitar "T" Adapters are available for the following camera lens mounts.

|                                  | Model<br>No. | Stock<br>No. |       |                   |
|----------------------------------|--------------|--------------|-------|-------------------|
| Mamiya/Sekor—Pentax              | TA-1         | 20-9016      | 4.50* | Konica A          |
| Exakta—Topcon "C" and "D" Series | TA-2         | 20-9027      | 4.50* | Konica ' Retrifle |
| Nikon "F" Series                 | TA-3         | 20-9038      | 4.50* | FT Serie          |
| Canon "FT," "TL," "QL"           |              |              |       | Leicafle          |
| and Pellix Series                | TA-4         | 20-9049      | 4.50* | Leica Th          |
| Minolta "SR" Series              | TA-5         | 20-9050      | 4.50* | Olympus           |
| Miranda                          | TA-6         | 20-9061      | 4.50* | Alpa Ret          |

\*Supplied at no charge with lens.

|                                  | Model<br>No. | Stock<br>No. |       |
|----------------------------------|--------------|--------------|-------|
| Konica Auto Reflex Series        | TA-7         | 20-9072      | 7.50  |
| Konica "F" Series                | TA-8         | 20-9083      | 7.50  |
| Retriflex V, 6, 7, and FT Series | TA-9         | 20-9094      | 7.50  |
| Leicaflex                        | TA-10        | 20-9108      | 7.50  |
| Leica Thread Mount               | TA-11        | 20-9119      | 7.50  |
| Olympus Pen F Series             | TA-12        | 20-9120      | 7.50  |
| Alpa Reflex                      | TA-13        | 20-9131      | 7.50  |
| 16mm "C" Mount                   | TA-14        | 20-9142      | 7.50  |
| Zeiss Contarex                   | TA-16        | 20-9164      | 11.50 |

# Vivitar Preset Lenses with Compatible "T" Mount System



50mm (Normal Lens)



28mm




35mm



85mm



135mm



35mm f3.5



| 28mm f2.5                         |
|-----------------------------------|
| Leather Case                      |
| Lens Hood (62mm Super Wide)       |
| 8 elements in 7 groups: 74° angle |
| view. f2.8 to f22. Minimum focus: |
| 12 in. Accessory size. 62mm.      |
| 12 in. Accessory size. 62mm.      |

| Stock No |       |
|----------|-------|
| 20-0998  | 64.50 |
| 68-6044  | 6.50  |
| 24-4143  | 5.70  |
| f        |       |

| 35mm f3.5                            |
|--------------------------------------|
| Leather Case                         |
| Lens Hood (46mm Super Wide)          |
| 5 elements in 5 groups: 63° angle of |
| view. f3.5 to f22. Minimum focus:    |
| 3 ft. Accessory size. 46mm.          |
|                                      |

| Stock No. |       |
|-----------|-------|
| 20-1009   | 31.50 |
| 68-6044   | 6.50  |
| 24-4084   | 4.80  |
| of        |       |

May, 1968 D-14

### **Vivitar Preset Lenses** with Compatible "T" Mount System

35mm f2.8 Retro









| 35mm f2.8 Retro   | 20-1032            | 42.50         |
|---|--------------------|---------------|
| Leather Case  | 68-6044            | 6.50          |
| Lens Hood (52mm Super Wide)<br>6 elements in 5 groups: 63° angle of<br>view. f2.8 to f16. Minimum focus:<br>3 ft. Accessory size. 52mm. | 24-4143<br>of      | 5.20          |
| 85mm f1.8<br>Leather Case   | 20-1043<br>68-6088 | 63.50<br>7.50 |
| Lens Hood (55mm)  | 24-4475            | 2.80          |

Stock No.

D-15

Stock No. 20-1054 68-6088 24-4419 31.50 7.50 2.50 135mm f3.5 Leather Case
Lens Hood (49mm)

4 elements in 4 groups. 18° angle of view. f3.5 to f22. Minimum focus. 6 ft. Accessory size. 49mm.

Leather Case
Lens Hood (55mm)
6 elements in 4 groups: 28° angle of view. f1.8 to f16. Minimum focus. 3 ft. Accessory size. 55mm.

135mm f1.5

### **Vivitar Preset Lenses** with Compatible "T" Mount System



50mm (Normal Lens)









135mm f2.8 **Leather Case** 

Lens Hood (55mm)
5 elements in 5 groups. 18° angle of view. f2.8 to f22. Minimum focus. 6 ft. Accessory size. 55mm.



Stock No. 20-1087 68-6088 24-4475

41.50 7.50 2.80

135mm f1.5 W/Lens Hood (97mm)
Leather Case
6 elements in 4 groups. 18° angle of view. f1.5 to f22. Minimum focus.
6 ft. Accessory size. 52mm (inserted in rear mount).


TELEPHO Vivitar

Stock No.

20-1098 390.00

20-2556 13.50

### **Vivitar Preset Lenses** with Compatible "T" Mount System







| St | nok | N | 0 |
|----|-----|---|---|

24-4567

180mm f3.5 Leather Case Lens Hood (58mm) 5 elements in 5 groups: 14° angle of view. f3.5 to f32. Minimum focus:

12 ft. Accessory size. 58mm. 20-1157 200mm f3.5 68-6169

Leather Case
Lens Hood (67mm)
5 elements in 4 groups. 12° angle of view. f3.5 to f22. Minimum focus. 12 ft. Accessory size. 67mm.

May, 1968

20-1113 51.50 300mm f5.6 8.50 2.80 68-6125 **Leather Case** 24-4501

D-17

66.50

9.50

4.50

Least Hood (62mm)
5 elements in 4 groups: 8° angle of view. f5.6 to f22. Minimum focus: 15 ft. Accessory size. 62mm.

Stock No.

76.50 9.50 20-1191 68-6169 24-4534 3.90

### **Vivitar Preset Lenses** with Compatible "T" Mount System



50mm (Normal Lens)









400mm f5.6

Leather Case
Lens Hood (82mm)
5 elements in 4 groups: 6° angle of view. f5.6 to f22. Minimum focus. 20 ft. Accessory size. 82mm.



20-1238 20-2176 106.50 8.50 24-4604 5.00



500mm f6.3 with Case & Hood 3 elements in 2 groups: 5° angle of view. f6.3 to f32. Minimum focus. 3 ft. Accessory size. 92mm.




Stock No.

20-1261 136.00

D-18 May, 1968

### **Vivitar Preset Lenses** with Compatible "T" Mount System





Stock No.

600mm f8 with Case & Hood 2 elements in 1 group. 4° angle of view. f8 to f32. Minimum focus. 36 ft. Accessory size. 87mm.

20-1294 179.00

800mm f8 with Case & Hood 2 elements in 1 group. 3° angle of view. f8 to f32. Minimum focus. 75 ft. Accessory size.107mm.

Stock No.

20-1353 272.00

### **Vivitar Preset Zoom Lens** with Compatible "T" Mount System













85mm to 205mm f3.8 Zoom with Retractable Lens Hood Leather Case 13 elements in 9 groups: 28° angle of view at 85mm, 12° angle of view at 205mm f3.8 to f22. Minimum focus: 6-1/3 ft. Accessory size: 58mm.







20-1526 152.00 68-6169

D-20 May, 1968

### **Vivitar Universal Lens Cases**

Vivitar Universal Lens Cases offer the photographer a series of top quality rigid lens cases which will accommodate automatic or preset lenses

with focal lengths of 28mm through 300mm, plus zoom lenses.

#### Features:

- · Reinforced black leather construction
- Modular interior design with removable dense foam sleeves, enabling each case to securely hold a range of lenses of differing focal lengths

· Tight fitting lid with positive snap lock

Adjustable Shoulder Strap

Snap Lock





| Inside Dimensions | Size | Stock No. |      |
|-------------------|------|-----------|------|
| 3½" x 3¼"         | Α    | 68-6044   | 6.50 |
| 3" x 43/4"        | В    | 68-6088   | 7.50 |
| 31/8" x 61/2"     | C    | 68-6125   | 8.50 |
| 31/8" x 83/4"     | D    | 68-6169   | 9.50 |

May, 1968 D-21