

















Kowa Cameras are sold only to authorized dealers who maintain a dealership by fulfilling minimum opening order and annual sales volume requirements. The mailing of this price list is not to be considered an offer to sell Kowa Cameras to non-authorized dealers.

List prices shown are suggested prices only. All prices are F.O.B., Woodside, N.Y and Dealer may add freight charges to List Prices at his option. Minimum order, \$20.00 at Dealer Net, which can be assorted with other BMC products.


Cat. No.	Description	Dealer Net Price 1-2	3/up	List Price	Cat. No.	Description	Dealer Net Price 1-2	3/up	List Price
<b>KOWA SUPER 66 CAMERAS</b>									
660-101	<b>KOWA SUPER 66 CAMERA COMPLETE</b> Consists of Kowa Super 66 Camera in professional black finish, 12/24 magazine, 85mm f/2.8 Kowa automatic lens, folding finder hood, focusing screen with clear spot and neck strap	559.30	532.69	799.00 ▲					
									
660-202	<b>KOWA SUPER 66 CAMERA BODY</b> Complete as above, but supplied less lens.	399.00	380.02	570.00 ▲					
<b>MAGAZINES FOR KOWA SUPER 66 CAMERAS</b>									
662-301	<b>KOWA 12/24 MAGAZINE</b> Standard 12/24 roll film magazine with built-in automatic light shield and self-resetting counter. Provides full 2 1/4" x 2 1/4" (56mm x 56mm) format, with 12 exposures on 120 film, or 24 exposures on 220 film. Supplied with protective cover	168.00	160.01	240.00 ▲					
									
662-302	<b>KOWA 16/32 MAGAZINE</b> Similar to above, but with 1-5/8" x 2-1/4" (42mm x 56mm) rectangular format. Provides 16 exposures on 120 film or 32 exposures on 220 film.	192.50	183.34	275.00 ▲					
662-303	<b>KOWA POLAROID MAGAZINE</b> Accepts standard Polaroid-type 105, 107 and 108 film packs providing 8 - 2 1/4" x 2 1/4" exposures in color or black and white print/negative film	262.50	250.01	375.00 ▲					
<b>KOWA AUTOMATIC LENSES IN SHUTTERS</b>									
<p><i>All lenses for the Kowa Super 66 are supplied with Seiko SL V Shutters in professional black finish. Carrying cases are included with each lens (except 85mm, which must be ordered separately). Each Lens incorporates screw-lock PC outlet.</i></p>									
									
		661-250	661-254	661-264	661-268				
						661-250	1995.00	1900.00	2850.00
						661-252	766.50	730.03	1095.00 ▲
						661-254	661.50	630.03	945.00 ▲
						661-256	385.00	366.69	550.00 ▲
						661-258	160.30	152.67	229.00 ▲
						661-260	406.00	386.69	580.00 ▲
						661-262	385.00	366.69	550.00 ▲
						661-264	392.00	373.35	560.00 ▲
						661-266	416.50	396.69	595.00 ▲
						661-268	1046.50	996.72	1495.00 ▲
						<b>OPTICAL IMAGE MAGNIFIER</b>			
					661-285	<b>KOWA AUTOMATIC OPTICAL IMAGE MAGNIFIER</b> Provides 2:1 magnification with 500mm lens. (May also be used with 150, 200, 250mm lenses). 6-element optical construction.	416.50	396.69	595.00 ▲



Cat. No.	Description	Dealer Net Price	List Price	Cat. No.	Description	Dealer Net Price	List Price
<b>KOWA VIEWFINDERS AND ACCESSORIES</b>							
							
663-310	663-311	663-314	663-315	663-316	663-318	663-312	
663-310	<b>FOLDING VIEWFINDER HOOD</b> (replacement) opens and closes with convenient one hand touch. Built-in flip up magnifier accepts interchangeable diopter lenses . . . . .			53.34	80.00	▲	
663-311	<b>CRITICAL MAGNIFIER HOOD</b> Provides shield against extraneous light, includes folding rubber eyecup. Continuous diopter selection from -4 to +3.. . . . .			130.01	195.00	▲	
663-314	<b>PRISM VIEWFINDER 45°</b> Offers unreversed, laterally correct eye level image . . . . .			116.67	175.00	▲	
663-315	<b>PRISM VIEWFINDER 90°</b> Eye level viewfinder offers unreversed laterally correct image . . . . .			116.67	175.00	▲	
663-316	<b>"TTL" METER/FINDER</b> Critical Focusing Magnifier incorporating through-the-lens manual transfer exposure meter. Integrated meter reading either at open or stopped down aperture. Film speed range ASA 10-3200, metering range (at ASA 100) EV 2-17 Includes battery check and on/off switch. Supplied with 1.35V mercury battery . . . . .			196.68	295.00	▲	
663-318	<b>45° PRISM "TTL" METER/FINDER</b> Similar to Cat. No. 663-316, but with 45° prism for eye level viewing with unreversed, laterally correct image. . . . .			297.68	445.00	▲	
663-312	<b>SPORTS FINDER FOR 55/85/150mm LENSES</b> Permits both-eyes-open eye level viewing, folds down for storage . . . . .			33.34	50.00	▲	
<b>DIOPTRER CORRECTION LENSES FOR 45° PRISM "TTL" METER/FINDER 663-318</b>							
663-344	0 Diopter Lens . . . . .		14.67	22.00	▲		
663-345	+1 Diopter Lens . . . . .		14.67	22.00	▲		
663-346	+2 Diopter Lens . . . . .		14.67	22.00	▲		
663-347	+3 Diopter Lens . . . . .		14.67	22.00	▲		
663-343	-1 Diopter Lens . . . . .		14.67	22.00	▲		
663-342	-2 Diopter Lens (replacement) . . . . .		14.67	22.00	▲		
663-341	-3 Diopter Lens . . . . .		14.67	22.00	▲		
663-340	-4 Diopter Lens . . . . .		14.67	22.00	▲		
<b>DIOPTRER CORRECTION LENSES FOR TTL METER/FINDER 663-318</b>							
663-330	+3 Diopter lens . . . . .		20.00	30.00	▲		
663-331	+2 Diopter lens . . . . .		20.00	30.00	▲		
663-332	+1 Diopter lens . . . . .		20.00	30.00	▲		
663-333	0 Diopter lens . . . . .		20.00	30.00	▲		
663-335	-2 Diopter lens . . . . .		20.00	30.00	▲		
663-336	-3 Diopter lens . . . . .		20.00	30.00	▲		
663-337	-4 Diopter lens . . . . .		20.00	30.00	▲		
				<b>KOWA LENS ACCESSORIES</b>			
							
	663-320	663-326	663-321				
							
	663-325	663-322	663-323				
				<b>FOCUSING SCREENS</b>			
663-320	<b>PLAIN MATTE SCREEN</b> (replacement) With clear center spot, provides brilliant, accurate focusing with standard and telephoto lenses . . . . .			29.33	44.00	▲	
663-326	<b>MICROPRISM SCREEN</b> Valuable with medium and long focal length lenses. Delineates point of optimum sharpness more decisively than matte screens . . . . .			29.33	44.00	▲	
663-373	Same as above with engraved lines for 1-5/8"x2-1/4" . . . . .			29.33	44.00	▲	
663-321	<b>HORIZONTAL SPLIT-IMAGE SCREEN</b> Simplifies focusing with wide-angle lenses and other lenses in dim light. . . . .			29.33	44.00	▲	
663-370	Same as above with engraved lines for 1-5/8"x2-1/4" . . . . .			29.33	44.00	▲	
663-325	<b>DIAGONAL SPLIT-IMAGE SCREEN</b> Similar to above, but preferred when subject does not include pronounced vertical material . . . . .						
663-372	Same as above with engraved lines for 1-5/8"x2-1/4" . . . . .			29.33	44.00	▲	
663-322	<b>MATTE SCREEN WITH REFERENCE LINES</b> Engraved reference line at 11mm intervals for architectural, copy, and creative multiple exposures. Includes clear center spot. . . . .			29.33	44.00	▲	
663-323	<b>HORIZONTAL SPLIT-IMAGE SCREEN WITH REFERENCE LINES</b> Similar to above, but with split image. . . . .			29.33	44.00	▲	
663-371	Same as above with engraved lines for 1-5/8"x2-1/4" . . . . .			29.33	44.00	▲	
				<b>KOWA LENS ACCESSORIES</b>			
663-353	<b>RAPID FOCUSING HANDLE</b> Attaches to all Kowa Lenses, allows extremely fast focusing, even when wearing gloves. Particularly valuable for news, sports and wildlife photography . . . . .			14.00	21.00	▲	
663-360	<b>LENS HOLDER FOR 200mm/250mm LENS</b> Offers extra stability and support. Includes threaded tripod socket . . . . .			43.34	65.00	▲	
663-405	<b>METAL LENS HOOD, screw-in, for 55mm lens . . . . .</b>			26.00	39.00	▲	
663-402	<b>FOLDING RUBBER LENS HOOD, screw-in, for 85mm lens. . . . .</b>			12.67	19.00	▲	
663-406	<b>METAL LENS HOOD, screw-in, for 110, 150, 200mm lenses . . . . .</b>			24.67	37.00	▲	
663-403	<b>METAL LENS HOOD, screw-in, for 250mm Lenses . . . . .</b>			26.00	39.00		
663-412	<b>REAR LENS CAP for Kowa lenses . . . . .</b>			1.33	2.00		
663-411	<b>FRONT LENS CAP for 67mm diameter lenses. . . . .</b>			3.33	5.00	▲	

NOTE: Cameras, Lenses and Magazines may be assorted for maximum discount.




Cat. No.	Description	Dealer Net Price	List Price	Cat. No.	Description	Dealer Net Price	List Price		
663-431	Case for 35mm Kowa Lens . . . . .	16.00	24.00 ▲	663-354	<b>DIRECT-COUPLED PISTOL GRIP</b> Molded pistol grip trips shutter directly; no cable release required. Attaches to camera base. With auxiliary Tripod socket. . . . .	40.00	60.00 ▲		
663-432	Case for 40mm Kowa Lens . . . . .	16.00	24.00 ▲						
663-433	Case for 55mm Kowa Lens . . . . .	16.00	24.00 ▲						
663-430	Case for 85mm Kowa Lens . . . . .	13.33	20.00 ▲						
663-434	Case for 110mm Kowa Lens . . . . .	16.00	24.00 ▲						
663-435	Case for 150mm Kowa Lens . . . . .	16.00	24.00 ▲						
663-436	Case for 200mm Kowa Lens . . . . .	16.00	24.00 ▲						
663-437	Case for 250mm Kowa Lens . . . . .	16.00	24.00 ▲	663-361	<b>BODY CAP</b> for Kowa Super 66 . . . . .	5.33	8.00 ▲		
<b>KOWA FLASH ACCESSORIES</b>				705-376	<b>BATTERY PX625</b> (replacement) 1.35V for Kowa Meter/Finders Cat. No. 663-316 and 663-318 . . . . .	.90	1.39		
<b>KOWA FLASH ACCESSORIES</b>				<b>KOWA FILTERS</b>					
663-357	<b>FLASH BRACKET</b> Attaches rigidly to camera with two point support for maximum stability. Pre-drilled to accept Honeywell or Graflex type quick-release clips and clamps. Includes strain-relief for flash cord . . . . .	34.67	52.00 ▲	67mm <b>SCREW-IN TO FIT 55mm, 85mm, 110mm, 150mm, 200mm, 250mm Kowa lenses. Double-threaded for use in combinations.</b>					
706-214	<b>COILED FLASH CORD</b> Heavy duty 6' coiled cord with screw-on molded PC terminal and 2-blade polarized plug with strain-relief. . . . .	4.63	6.95	664-461	1A Skylight Filter . . . . .	16.67	25.00 ▲		
706-926	<b>COILED FLASH CORD PC/PC</b> Heavy duty 6' coiled cord with screw-on moulded PC terminal and threaded PC-type flash connector for Honeywell, Rollei, and similar flash units; with strain relief . . . . .	4.63	6.95	664-450	UV Filter . . . . .	14.67	22.00 ▲		
<b>KOWA GENERAL ACCESSORIES</b>				664-451	Y2 Light Yellow Filter . . . . .	14.67	22.00 ▲		
663-365	<b>CARRYING CASE</b> Eveready type case for camera with hood and 85mm lens attached. Hinged front section for quick release . . . . .	31.33	47.00 ▲	664-454	O2 Orange Filter . . . . .	14.67	22.00 ▲		
663-366	<b>EXTENDED FRONT COVER</b> For eveready case. Oversize front section allows carrying camera with 55mm, 110mm, or 150mm lenses attached . . . . .	22.67	34.00 ▲	664-452	RO Red Filter . . . . .	14.67	22.00 ▲		
663-355	<b>NECK STRAP</b> (replacement) Molded of tough, durable vinyl. Includes bayonet mount safety hooks with positive locks. . . . .	8.00	12.00 ▲	664-453	R1 Dark Red Filter . . . . .	14.67	22.00 ▲		
663-358	<b>QUICK-LOAD TRIPOD MOUNT</b> Permits reloading of camera while mounted on even largest tripod platforms . . . . .	16.00	24.00 ▲	664-455	N.D. 4 Filter . . . . .	18.00	27.00 ▲		
663-352	<b>DIRECT-COUPLED HAND GRIP</b> Molded hand grip trips body shutter release directly; no cable release required. With built-in safety strap and accessory shoe* . . . . .	52.00	78.00 ▲	664-462	Polarizing Filter . . . . .	30.00	45.00 ▲		
<b>KOWA GENERAL ACCESSORIES</b>				95mm <b>SCREW-IN: TO FIT 500mm Kowa Lenses</b>					
<b>* HAND GRIP ADAPTER FOR KOWA SIX-MM AND KOWA SIX CAMERAS</b> Locking knob expressly designed for these models; required for use of Hand Grip 663-352 on Kowa Six-MM and Kowa Six cameras . . . . .				2.67	4.00	664-481	1A Skylight Filter . . . . .	53.34	80.00 ▲
<b>KOWA GENERAL ACCESSORIES</b>				<b>GELATIN FILTER HOLDERS (replacement)</b>					
<b>KOWA GENERAL ACCESSORIES</b>				664-499 <b>GELATIN FILTER HOLDER, 37.5 mm</b> for Kowa 19mm Fisheye lens . . . . .				23.33	35.00 ▲
<b>KOWA GENERAL ACCESSORIES</b>				664-498 <b>GELATIN FILTER HOLDER, 33mm</b> for Kowa 35 and 40mm wide-angle lenses . . . . .				12.67	19.00
<b>KOWA GENERAL ACCESSORIES</b>				<b>KOWA MICRO, MACRO, AND CLOSE-UP ACCESSORIES</b>					
<b>KOWA GENERAL ACCESSORIES</b>									
<b>KOWA GENERAL ACCESSORIES</b>				663-424                      663-422      663-421      663-420					
<b>KOWA GENERAL ACCESSORIES</b>				663-424 <b>AUTOMATIC EXTENSION BELLOWS FOR USE WITH 55mm-250mm LENSES</b> Provides continuously variable extensions from 1x (life size) to 3x with 85mm lens, 0.7x-2x with 110mm macro lens. Independent main and rear focusing controls. Front standard allows 20° lateral tilt and 15mm rise/fall. Double cable release maintains automatic diaphragm operation . . . . .				300.02	450.00 ▲



Cat. No.	Description	Dealer Net Price	List Price	Cat. No.	Description	Dealer Net Price	List Price
663-420	<b>AUTOMATIC EXTENSION TUBE TYPE T1 (75mm)</b> 75mm tube depth. Retains fully automatic diaphragm control. Provides magnification to 1x with 85mm lens.	82.67	124.00 ▲	663-428	<b>CLOSE-UP LENS NO. 3</b> , 67mm diameter Magnifications to 0.19x with 85mm lens	44.67	67.00 ▲
663-421	<b>AUTOMATIC EXTENSION TUBE TYPE T2 (32mm)</b> Similar to above, but 32mm depth. Magnifications to 0.5x with 85mm lens.	82.67	124.00 ▲	663-359	<b>MICROSCOPE ADAPTER IN SHUTTER</b> Permits photomicrography with any standard microscope. Accepts eye-pieces to 33mm O.D.. May be used with or without ocular of microscope. 10 speed Seiko leaf shutter allows precise speed control. Requires copystand or equivalent camera support.	183.34	275.00 ▲
663-422	<b>AUTOMATIC EXTENSION TUBE TYPE T3 (16mm)</b> Similar to Cat. No. 663-420 but 16mm depth. Magnifications to 0.3x with 85mm lens	82.67	124.00 ▲	<b>FOCUSING SCREENS FOR EARLIER KOWA MM AND KOWA SIX MODELS</b>			
663-426	<b>CLOSE-UP LENS NO. 1</b> , 67mm diameter. May be used individually or in any combination. Coated optical glass. Requires no exposure compensation. Magnifications to 0.30x with 85mm lens.	44.67	67.00 ▲	668-101	Plain Matte Screen . . . . .	18.67	28.00
663-427	<b>CLOSE-UP LENS NO. 2</b> , 67mm diameter Magnification to 0.23x with 85mm lens . . . . .	44.67	67.00 ▲	668-102	Horizontal Split Image Screen . . . . .	18.67	28.00
				668-105	Diagonal Split Image Screen . . . . .	18.67	28.00
				668-103	Matte Screen with Reference Lines	18.67	28.00
				668-104	Horizontal Split-Image Screen with Reference Lines . . . . .	18.67	28.00

**NOTE:** With the exception of magazines, focusing screens and tripod adapter, all Kowa Super 66 lenses and accessories may be used on previous Kowa 2 1/4 x 2 1/4" camera models.



Prices and Specifications subject to change without notice.

**BERKEY MARKETING COMPANIES**  
**KOWA DIVISION**

25-20 Brooklyn-Queens Expwy West, Woodside, NY 11377 • 1011 Chestnut St., Burbank, CA 91506

New York Offices: (212) 932-4040 New York Service: (212) 932-5000

Burbank Office & Service: (213) 843-1883



▲Price Increase ▼Price Decrease ★Advance Notice NNew Product DDiscontinued Product P Promotional Price CChange in Listing