

ARRI

ARRIFLEX COMPANY OF AMERICA

PRICE LIST

ARRIFLEX 16SR

SEPTEMBER, 1975

Cat. No. Description

List Price

16SR shown w/10-100
Zeiss, standard hand grip
and 400 ft. magazine.



The Arriflex 16SR is a silent, lightweight, compact 16mm double system production camera for filming applications requiring the highest demands of quality and operational reliability. The following features are factory installed:

CRYSTAL MOTOR, universal brushless DC motor with crystal control for 24/25 fps.

APEC, Arri Precision Exposure Control with ± 2 stop indicator dial.

PRE-SET LENS IRIS, activator for pre-set lens iris when used with 10-100 auto-iris lens.

AUTOMATIC SHUTTER STOP, 180° mirror shutter with automatic stop for uninterrupted viewing.

SYMMETRICAL FINDER, swingover viewfinder which can be positioned on left or right side of camera.

IMAGE COMPENSATION, three plane orientable finder with full image compensation in all positions.

PIN REGISTERED MOVEMENT, new Kinematic film transport with registration pin and fixed gap aperture.

FIBER OPTIC VIEWING SCREEN, fiber optic screen for brilliant finder image even at small lens openings.

AUTO START MARK, start marking system with film and tape markers.

OUT-OF-SYNCH WARNING, warning light in finder for synch speed variations.

OVERLOAD CONTROL, automatic re-setting electronic fuse for current overload protection.

CARRYING HANDLE, center-of-gravity mounted carrying handle.

STEEL BAYONET MOUNT, Arri steel bayonet mount for optimum lens seating.

A factory made test film and Arriflex Company of America warranty certificate are supplied with every camera.

No accessories not specifically mentioned above are included with the camera.

Cat. No. Description

List Price

CAMERA

301-031 **ARRIFLEX 16SR CAMERA ONLY . .** 11200.00

Standard camera body only.
Without lens, magazine, handgrip,
battery or other accessories.

303-101 **BASIC ARRI 16SR ACCESSORY PACK,** 2363.00

consisting of the following items:

- 1 Each 339-217 400 ft. coaxial magazine
- 1 Each 331-000 12V on-board nickel battery
- 1 Each 331-001 Battery adapter
- 1 Each 331-002 Battery charger
- 1 Each 339-092 Standard camera grip

COMPLETE ARRIFLEX 16SR OUTFITS

Money saving, ready to shoot Arriflex 16SR outfits consisting of:

- 301-031 Camera
 - 303-101 Accessory Pack
- and zoom lens as listed below.

303-110 **ARRIFLEX 16SR PRE-SET 100 OUTFIT** 15500.00

Arriflex 16SR camera with Zeiss
10-100, Vario Sonnar T3.1 "auto
iris" lens with pre-set diaphragm
feature.

303-111 **ARRIFLEX 16SR STD. 120 OUTFIT** 15300.00

Arriflex 16SR camera with Angenieux
12-120 T2.5 lens.

303-112 **ARRIFLEX 16 SR STD. 57 OUTFIT** 15875.00

Arriflex 16SR camera with Angenieux
9.5 - 57 T2.8 lens.

303-113 **ARRIFLEX 16SR STD. 150 OUTFIT** 16000.00

Arriflex 16SR camera with Angenieux
10-150 T3.2 lens.

303-114 **ARRIFLEX 16SR STD. 95 OUTFIT** 16500.00

Arriflex 16SR camera with Angenieux
9.5-95 T2.8 lens.

MAGAZINE


400 ft. co-axial magazine
shown without loop pro-
tector plate.



339-217 **ARRIFLEX 16SR 400 FOOT COAXIAL MAGAZINE** 1690.00

Quick change magazine with Arriflex
"fixed gap" aperture feature, coaxial,
double compartment for 200' and 400'
core loads; also accepts 200' daylight
spools; hinged compartment covers;
film counters for core and spool loads.
Supplied complete with film loop pro-
tector and core adapters.

Cat. No.	Description	List Price	Cat. No.	Description	List Price
339-201	CORE ADAPTER (REPLACEMENT)	17.50	BATTERIES AND DRIVE ATTACHMENTS		
339-204	COLLAPSIBLE CORE (REPLACEMENT)	32.50	 <p>16SR with "on board" battery.</p>		
300-999	LOOP PROTECTOR PLATE (REPLACEMENT)	30.00			
VIEWFINDER ACCESSORIES			331-000	"ON BOARD" NICKEL CADMIUM BATTERY 12V/1.2AH — Compact, lightweight, battery mounts on back of 16SR camera. Will deliver approximately 2000 feet of film per charge.	198.00
339-112	FINDER EXTENDER Extends the eyepiece back for increased viewing comfort when working with the camera on a tripod or geared head. 8 in. length features filter turret for two contrast filters, large aperture, coated optics for minimum transmission loss.	1320.00	331-001	BATTERY MOUNTING ADAPTER . Required, one per camera, to mount battery Cat. No. 331-000 on 16SR.	50.00
339-113	AUTO-CLOSURE EYEPIECE (Replacement) For all Arriflex cameras.	350.00	331-002	BATTERY CHARGER w/SELF TIMER Universal 110V/220V charger for battery Cat. No. 331-000. Will simultaneously charge up to 3 batteries in 12 hours.	230.00
339-116	RUBBER EYE CUP ASSEMBLY . . . (Replacement) With recess for 15.5mm corrective lens.	30.00	331-019	DURO-PACK NICKEL CADMIUM BATTERY 12V/2.8AH, complete with separate mini charger. Requires cable Cat. No. 339-480 or 331-481.	196.00
339-110	FOAM RUBBER EYE CUSHION. . .	3.50	331-020	MINI CHARGER (REPLACEMENT) For Duro-Pack battery Cat. No. 331-019.	25.00
HANDGRIPS			<p>NOTE: Nickel Cadmium batteries with larger capacities are available. For further details, please contact your nearest Arriflex sales office.</p>		
 <p>16SR shown with Universal grip in various positions.</p>			339-480	POWER CABLE, 6 ft. straight For 16SR with separate battery.	52.00
<p>NOTE: The Arriflex 16SR is equipped with a built-in master control switch, which operates camera ON/OFF, "auto iris" and the exposure control. The various accessory grips are anatomically designed to facilitate "off tripod" operation of the camera with all controls in the handgrip.</p>			339-481	POWER CABLE, 2' to 6' coiled. . . . For 16SR with separate battery.	64.00
339-092	STANDARD 16SR HANDGRIP . . . Right hand grip with built-in position adjustment and integral stop/start switch.	195.00	339-394	VARIABLE SPEED CONTROL For variable speed operation from 5 to 75 fps.	550.00
339-091	AUXILIARY 16SR HANDGRIP . . . Left hand grip for two hand camera support in conjunction with standard or universal handgrip. No provision for any camera controls.	160.00	339-465	EXTERNAL SYNCH CONTROL 50/60 Hz. for control of camera speed from any external synch signal of 50/60 Hz. 1 volt. Also allows phase shift control for filming of TV monitor.	595.00
339-090	UNIVERSAL 16SR DELUXE HANDGRIP Full pivot for right or left hand use with center position for shortage. Built-in position adjustment. Integral stop/start switch and lens preview mechanism on cameras so equipped.	925.00	339-483	REMOTE ON/OFF CABLE For operation of camera "ON/OFF" from tripod handle.	142.00
			CARRYING CASES		
			332-040	16SR CAMERA CASE Rugged aluminum case with vinyl covering, holds 16SR with one magazine and zoom lens mounted. Also stores grip, battery and miscellaneous accessories.	225.00
			332-041	16SR "ATTACHE" CASE In handsome leather exterior. For 16SR camera with mounted 400 ft. magazine and 10-100 Zeiss Vario Sonnar zoom lens, plus room for battery, handgrip, and small accessories.	335.00

Cat. No.	Description	List Price	Cat. No.	Description	List Price
			FIXED FOCAL LENGTH LENSES		
			NOTE: Only fixed focal length lenses with guaranteed factory original mounts have the name "ARRIFLEX" engraved on the front rim or the mount.		
			ZEISS LENSES		
	16SR camera case No. 332-040 with recessed handle and locks.		311-146	8mm DISTAGON F2/T2.2 Requires adapter (333-073) for Series 8 filter.	1125.00
			311-149	16mm DISTAGON F2/T2.4. Requires adapter (333-073) for Series 8 filter.	1125.00
332-042	16SR MAGAZINE CASE Holds 2-400 foot magazines with room for spare battery and charger. Features vinyl covered aluminum ex- terior, and fitted foam interior.	210.00	311-150	24mm DISTAGON F2/T2.2 Requires adapter (333-073) for Series 8 filter.	1050.00
ZOOM LENSES			311-158	25mm PLANAR F2/T2.2 ; Requires adapter (333-068) for Series 7 filter.	600.00
NEW "AUTO IRIS" ZOOM LENSES The following lenses feature provision for manual, pre-set, and fully automatic operation when used on 16SR cameras equipped with servo control exposure system. All lenses are supplied in Arri heavy duty steel bayonet mount.			311-142	32mm PLANAR F2/T2.2 Requires adapter (333-068) for Series 7 filter.	690.00
311-154	ZEISS 10-100 "AUTO IRIS" VARIO SONNAR f/2.8 T3.1 Further Zoom Lenses equipped with pre-set diaphragms to be announced.	2600.00	311-143	50mm PLANAR F2/T2.2 Requires adapter (333-068) for Series 7 filter.	690.00
STANDARD ZOOM LENSES IN ARRI BAYONET MOUNTS Standard zoom lenses feature heavy duty bayonet steel mount to insure positive lens seating. Operation of diaphragm is manual only.			311-151	85mm PLANAR F2/T2.2 Requires adapter (333-080) for Series 7 filter.	890.00
311-421	ANGENIEUX 12-120 f2.2/T2.5 . . . Supplied with retaining ring for Series 9 filter. (Special lens shade [333-700] available.)	2300.00	311-145	135mm SONNAR F4 Requires adapter (333-074) for Series 6 filter.	356.00
311-429	ANGENIEUX 9.5-57 F1.6/T2.8 . . . Supplied with retaining ring for Series 9 filter.	2750.00	SCHNEIDER		
311-423	ANGENIEUX 9.5-95 F2.2/T4.2 . . . Requires adapter ring/sunshade com- bination (333-707) for 4½ inch round filter.	3450.00	311-110	10mm CINEGON F1.8/T2. (With serial No. above 9861936) Requires adapter (333-076) for Series 7 filter.	600.00
311-424	ANGENIEUX 12-240 F3.5/T4.2 . . . Requires adapter ring/sunshade com- bination (333-708) for 4½ inch round filter.	6000.00	311-114	16mm CINEGON F1.4/T2 (With Serial No. above 1122800) Requires adapter (333-076) for Series 7 filter.	550.00
311-434	ANGENIEUX 10-150 T2.3/T3.2 . . . Features close focusing 5 ft. to 32 in. supplied with adapter ring for Series 9 filter. Special sunshade available (to be announced).	2948.00	311-121	25mm CINE XENON F1.4/T2 Requires adapter (333-076) for Series 7 filter.	525.00
			311-122	28mm CINE XENON F2/T2.2 Requires adapter (333-076) for Series 7 filter.	440.00
			311-123	35mm CINE XENON F2/T2.2 Requires adapter (333-076) for Series 7 filter.	500.00
			311-124	40mm CINE XENON F2/T2.2 Requires adapter (333-076) for Series 7 filter.	500.00
			311-125	50mm CINE XENON F2/T2.2 Requires adapter (333-076) for Series 7 filter.	540.00
			311-126	75mm CINE XENON F2/T2.2 Requires adapter (333-074) for series 6 filter.	570.00
			311-127	100mm CINE XENON F2/T2.2. . . . Requires adapter (333-069) for Series 8 filter.	1140.00
			311-131	5.9mm ANGENIEUX F1.8/T2 Wide angle, fixed focus 20 inch to infinity, supplied with retaining ring for 93mm round filter.	1120.00

Cat. No.	Description	List Price	Cat. No.	Description	List Price
312-110	40mm MAKRO KILAR F2.8 Permits close-up photography from infinity to 4 inches without supplementary lenses or extension tubes. Reproduction ratio 1:2. Supplied with retaining ring for Series 5 filter.	218.00		SERIES 8 FILTERS	
	<i>Information concerning additional lenses suitable for use on the 16SR is available on request.</i>		+333-704	Type 85	12.90
				SERIES 9 FILTERS	
			+333-701	Type 85	16.75
			+311-905	+½ Diopter	22.20
			+311-906	+1 Diopter	22.20
			+311-907	+2 Diopter	22.20
LENS ACCESSORIES				FILTER HOLDER ADAPTER RINGS	
339-330	ZOOM DRIVE FOR 12-120 ANGENIEUX Supplied with hand control for use with 8, 12, or 16 volt batteries.	325.00	+333-068	Adapter 49M7 Accepts Series 7 filter.	6.60
339-336	ZOOM DRIVE FOR 10-100 ZEISS VARIO SONNAR Similar to Cat. No. 339-330.	290.00	+333-069	Adapter 62M8. Accepts Series 8 filter.	8.35
321-082	AUXILIARY FOCUSING RING FOR ZEISS 10-100 VARIO SONNAR . . . Features large finger grips for easy operation of focus barrel.	80.00	+333-073	Adapter 49M8 Accepts Series 8 filter.	8.35
339-008	16SR BELLOWS MATTE BOX Adjustable bellows combination filter holder for 3"x3" with beam and fitting.	495.00	+333-074	Adapter 40.5F6 with black insert ring Accepts Series 6 filter.	4.20
339-030	FRONT LENS CAP for Schneider Lenses. Specify lens focal length. . . .	3.50	+333-076	Adapter 49.5M7 Accepts Series 7 filter.	6.60
339-035	FRONT LENS CAP for Zeiss Lenses . Specify lens focal length.	3.00	+333-078	Adapter for 12-120 Angenieux Accepts Series 9 filter.	31.00
339-033	REAR LENS CAP for all Arri Lenses One size fits all standard lens mounts.	2.00	+333-079	Adapter for 10-100 Zeiss Vario Sonnar Accepts Series 9 filter.	21.00
339-032	CAMERA LENS CAVITY CAP. . . . Protects camera lens opening when lens is removed.	3.50	+333-080	Adapter 46.5M7 Accepts Series 7 filter.	6.60
FILTERS, ADAPTERS AND SUNSHADES				SUNSHADES	
3x3 INCH SQUARE FILTERS fit 16SR Filter Holder			+333-700	For 12-120 Angenieux For use with filter holder adapter (333-078).	17.70
+333-109	Type 85	23.25	+333-703	Series 9	17.70
333-104	Neutral Density .3	50.00		SUNSHADE/FILTER HOLDER COMBINATIONS	
333-105	Neutral Density .6	50.00	+333-707	For 9.5 - 95 Angenieux Accepts 4 ½ inch filter.	80.00
333-106	Neutral Density .9	50.00	+333-708	For 12-240 Angenieux Accepts 4 ½ inch filter.	80.00
333-107	Neutral Density 1.2	50.00	+333-713	For 12-120 Angenieux Special deep shade, accepts series 9 filter.	50.00

+This product made in U.S.A.

Prices and specifications subject to change without notice.

"ARRI" and "ARRIFLEX" are trademarks registered with the U.S. Patent Office and recorded with U.S. Customs at all ports of entry to prevent unauthorized importation.



25-20 Brooklyn-Queens Expressway West, Woodside, N.Y. 11377 (212)932-3403
WEST COAST: 1011 Chestnut Street, Burbank, California 91506 (213)845-7687