

Mamiya®

RB67 PRO S

6x7cm SINGLE-LENS REFLEX CAMERA, LENSES, AND ACCESSORIES



BHMC

BELL & HOWELL/MAMIYA COMPANY

SINGLE-ACTION FOCUSING HOOD opens and closes with a touch. Interchanges with magnifying hoods and prism finders, including types with built-in CdS metering systems (will fit original RB67).

BREECH LOCK LENS MOUNT is designed for quick lens changing and secure locking. A safety device prevents the lens from being removed if the mirror is not cocked.

BELLOWS FOCUSING SYSTEM permits smooth rack-and-pinion focusing and allows close-up work without special attachments. For ultra-close photography, automatic extension tubes are available.

INTERCHANGEABLE LENS-SHUTTER COMBINATIONS give highest efficiency and matched performance. All shutters are identical with speeds from 1 to 1/400 second plus T and full flash synchronization at any speed. Lenses have multi-layer coatings, automatic diaphragms, depth-of-field scales, and common (77mm) filter threads.

FILM ADVANCE LEVER is conveniently located on the 120 and 220 roll film holders. A single movement or multiple strokes of the lever quickly advances the film. The double exposure prevention system has an intentional override.

UNIQUE REVOLVING BACK system enables horizontal or vertical format photography without changing the camera position. Red lines appear on the focusing screen to indicate when the back is set to the horizontal position.

FILM HOLDERS include those for 120 and 220 rolls, film packs, cut film and plates, and Polaroid film packs. With appropriate adapters, film holders for the Mamiya press camera as may also be used.

SHUTTER COCKING LEVER also cocks the mirror with a single quick motion. A safety device prevents the lens from being removed unless the mirror is down.

INTERCHANGEABLE BACKS allow complete film-use flexibility. Any back or film holder may be removed in mid-roll without frame loss.

FOCUSING KNOB is large and easy to use. Another focusing knob is on the opposite side of the camera for added convenience.

SHUTTER RELEASE is conveniently located for efficient exposures. A locking ring prevents accidental exposure.

LOCK LEVER for the focusing knob secures the focus setting once it is made and prevents accidental movement.


6x7cm FORMAT is considered ideal as the negative can be enlarged to 8x10 proportions with virtually no loss of picture area.

INTERCHANGEABLE FOCUSING SCREENS provide the desired view for every type of photographic application. Five different screens are available.

PLUS—

Film exposure counter • Film position indicator • Multiple exposure lever • Mirror release operating knob • Accessory shoe on camera body • Dark slide storing lug • Magnifier with interchangeable lenses • Distance scale for all lenses • Depth-of-field preview lever • Multiple safety interlocks • and more!

the ideal system for professional single-lens reflex photography




Mamiya RB67 Pro-S 6x7cm SLR

Designed with the professional in mind, this fine camera system provides the ultimate in quality, versatility, and photographic excellence. The superb precision and innovative features help to make the RB67 Pro-S the practical system for serious photographers. The ideal 6x7cm format is proportioned to the most common print sizes. The unique revolving back system, which accepts a multitude of film holders and adapters, provides convenience and efficiency. A fully interchangeable system of lenses with built-in shutters, viewfinders and screens for every application, and other accessories help to make the RB67 Pro-S the working photographer's dream.

CAT. NO. 4102A

RB67 Pro-S Camera Body, 120 Roll-Film Holder, Single-Action Focusing Hood, Matte Focusing Screen (less lens)


COMPLETE INTERCHANGEABLE BACK SYSTEM...



655310



655316



655320



655322

- CAT. NO. 655310 **Pro-S 120 Roll Film Holder** (10 exposures)
- CAT. NO. 655311 **Pro-S 220 Roll Film Holder** (20 exposures)
- CAT. NO. 655312 **6x4.5cm 120 Roll Film Holder** (16 exposures)
- CAT. NO. 655313 **70mm Film Holder** (55 exposures maximum)
- CAT. NO. 655316 **Double Cut Film/Plate Holder Type A** (film size 6x9cm)
- CAT. NO. 655318 **Film Pack Adapter**
- CAT. NO. 655321 **Polaroid Film Pack Holder Model 2** accepts Type 108 film for color prints (8) and Type 107 film for black-and-white prints (8). Image area 2 $\frac{7}{8}$ " x 3 $\frac{3}{4}$ "
- CAT. NO. 655322 **Polaroid Film Pack Holder M80** accepts Type 88 film for color prints (8) and Type 87 film for black-and-white prints (8). Image area 2 $\frac{3}{4}$ " x 2 $\frac{1}{4}$ "
- CAT. NO. 655320 **P-Adapter**
- CAT. NO. 655187 **M-Adapter** (horizontal)
- CAT. NO. 655326 **M-Adapter** (vertical)
- CAT. NO. 655323 **Spare Dark Slide** for Pro-S Roll Film Holders

MAMIYA PRESS FILM HOLDERS AND BACKS (use with P- and M-Adapters)

- CAT. NO. 656180 **Roll Film Holder, Model 2** (6x9cm)
- CAT. NO. 656181 **Roll Film Holder, Model 2** (6x7cm)
- CAT. NO. 656182 **Roll Film Holder, Model K** (6x9cm, 6x6cm, or 6x4.5cm)
- CAT. NO. 656190 **Cut Film/Plate Holder** (6x9cm)
- CAT. NO. 656192 **Film Pack Adapter** (6x9cm)
- CAT. NO. 656183 **Focusing Screen Holder**
- CAT. NO. 656184 **Magnifying Focusing Back**
- CAT. NO. 656185 **Right-Angle Focusing Back**

Spare dark slides for all above film holders are also available.

INTERCHANGEABLE VIEWFINDER SYSTEM...



655150



655151



655152




655154



655155



655156



655179

- CAT. NO. 655153 **Pro-S Single-Action Focusing Hood** (comes with camera)
- CAT. NO. 655150 **Magnifying Hood Finder with Case** (2.5X magnification)
- CAT. NO. 655151 **Dual Magnifying Hood Finder with Case** (3X or 5X magnification)
- CAT. NO. 655152 **CdS Magnifying Hood Finder with Case** (has built-in CdS meter)
- CAT. NO. 655154 **Prism Finder with Case**
- CAT. NO. 655155 **CdS Prism Finder with Case** (has built-in CdS meter)
- CAT. NO. 655156 **Universal Sportsfinder**

INTERCHANGEABLE FOCUSING SCREENS...

- CAT. NO. 655179 **Matte with Grid (#2)**
- CAT. NO. 655176 **Split Image (#3)** (has split-image prism rangefinder)
- CAT. NO. 655177 **Microprism (#4)** (has microprism rangefinder)
- CAT. NO. 655178 **Crosshair (#5)** (has cross in center of screen)
- CAT. NO. 655180 **Matte (#1)** (standard screen, comes with camera)
- CAT. NO. 655181 **45° Split Image (#6)** (has split-image prism rangefinder with image split at 45° angle)

VIEWFINDER ACCESSORIES INCLUDE...


- CAT. NO. 655215 **Eye Correction Lens +1** for Prism Finders
- CAT. NO. 655216 **Eye Correction Lens +2** for Prism Finders
- CAT. NO. 655217 **Eye Correction Lens +3** for Prism Finders
- CAT. NO. 655214 **Eye Correction Lens -.5** for Prism Finders
- CAT. NO. 655213 **Eye Correction Lens -1** for Prism Finders
- CAT. NO. 655212 **Eye Correction Lens -2** for Prism Finders
- CAT. NO. 655211 **Eye Correction Lens -3** for Prism Finders
- CAT. NO. 655210 **Eye Correction Lens -4** for Prism Finders
- CAT. NO. 655201 **Diopter Correction Lens +1** for Single-Action Hood
- CAT. NO. 655202 **Diopter Correction Lens 0** for Single-Action Hood
- CAT. NO. 655203 **Diopter Correction Lens -1** for Single-Action Hood
- CAT. NO. 655200 **Diopter Correction Lens -1.3** for Single-Action Hood
- CAT. NO. 655204 **Diopter Correction Lens -2** for Single-Action Hood
- CAT. NO. 655205 **Diopter Correction Lens -3** for Single-Action Hood

INTERCHANGEABLE MAMIYA/SEKOR LENSES...

All lenses for the RB67 Pro-S have built-in shutters with speeds from 1 to 1/400 second plus T for time exposures. Full flash synchronization is possible at all shutter speeds.




37mm f/4.5 C
Multi-Coated
Fisheye Lens
with Case and
UV, Y, R, LB-A
Filters
CAT. NO. 655037



Angle of View: 180°
Magnification (based on 90mm lens): .41X
Minimum Aperture: f/32
No. of Elements: 9
Filter Size: 40.5mm (4 filters included)
Weight: 47.97 oz. (1360g)




140mm f/4.5C
Multi-Coated
Macro
Rear Floating Element
Lens and Hood
CAT. NO. 655041




Angle of View: 35°
Magnification (based on 90mm lens): 1.75X
Minimum Aperture: f/32
No. of Elements: 7
Filter Size: 77mm
Weight: 31 oz. (880g)




50mm f/4.5 C
Multi-Coated
Wide-Angle
Lens and Hood
CAT. NO. 655001



Angle of View: 82°
Magnification (based on 90mm lens): .56X
Minimum Aperture: f/32
No. of Elements: 11
Filter Size: 77mm
Weight: 32.45 oz. (920g)




180mm f/4.5 C
Multi-Coated
Telephoto
Lens and Hood
CAT. NO. 655020



Angle of View: 28°
Magnification (based on 90mm lens): 2X
Minimum Aperture: f/45
No. of Elements: 5
Filter Size: 77mm
Weight: 30.86 oz. (875g)




65mm f/4.5 C
Multi-Coated
Wide-Angle
Lens and Hood
CAT. NO. 655007



Angle of View: 69°
Magnification (based on 90mm lens): .72X
Minimum Aperture: f/32
No. of Elements: 8
Filter Size: 77mm
Weight: 29.45 oz. (835g)




250mm f/4.5
Telephoto
Lens and Hood
CAT. NO. 655025



Angle of View: 20°
Magnification (based on 90mm lens): 2.8X
Minimum Aperture: f/45
No. of Elements: 5
Filter Size: 77mm
Weight: 46.2 oz. (1310g)



90mm f/3.8 C
Multi-Coated
Standard
Lens and Hood
CAT. NO. 655011



Angle of View: 52°
Magnification (based on 90mm lens): 1X
Minimum Aperture: f/32
No. of Elements: 7
Filter Size: 77mm
Weight: 28.39 oz. (805g)




360mm f/6.3
Telephoto
Lens and Hood
CAT. NO. 655030



Angle of View: 14°
Magnification (based on 90mm lens): 4X
Minimum Aperture: f/45
No. of Elements: 8
Filter Size: 77mm
Weight: 43.38 oz. (1230g)



127mm f/3.8 C
Multi-Coated
Standard
Lens and Hood
CAT. NO. 655015



Angle of View: 38°
Magnification (based on 90mm lens): 1.45X
Minimum Aperture: f/32
No. of Elements: 5
Filter Size: 77mm
Weight: 26.45 oz. (750g)



500mm f/8
Telephoto Lens
with Hood and
Lens Holder
CAT. NO. 655033



Angle of View: 10°
Magnification (based on 90mm lens): 5.6X
Minimum Aperture: f/32
No. of Elements: 6
Filter Size: 105mm
Weight: 94.88 oz. (2690g) with Holder



655276



655357



655351




655359



655226



655225



655227



655251



655250



655275



655279

LENS ACCESSORIES INCLUDE...

- CAT. NO. 655276 Soft Leather Case for All Lenses
- CAT. NO. 655359 Bellows Hood for 90 to 360mm Lenses
- CAT. NO. 655351 Sunshield with Case
- CAT. NO. 655125 77mm Yellow (Y2) Filter
- CAT. NO. 655126 77mm Light Green (YG) Filter
- CAT. NO. 655127 77mm Orange (O2) Filter
- CAT. NO. 655128 77mm Ultraviolet (UV) Filter
- CAT. NO. 655129 77mm Skylight (SL) Filter
- CAT. NO. 655130 77mm Neutral Density (ND16) Filter
- CAT. NO. 655132 77mm 81C (Warming) Filter
- CAT. NO. 655133 77mm 82C (Cooling) Filter
- CAT. NO. 655131 77mm Polarizing (PL) Filter
- CAT. NO. 655357 Gelatin Filter Holder (for 3" filters)

CAMERA GRIPS AND BRACKETS...

- CAT. NO. 655226 Pistol Grip Model II with Trigger (also fits C330)
- CAT. NO. 655228 Flashgun Bracket Type H (for Heiland/Honeywell mounts)
- CAT. NO. 655229 Flashgun Bracket Type G (for Graflex mounts)
- CAT. NO. 655225 Grip Holder with Trigger (also fits C330)
- CAT. NO. 655227 Multi-Angle Grip with Trigger (also fits C330)
- CAT. NO. 655231 Flashgun Adapter with Accessory Shoe

EXTENSION TUBES FOR ULTRA CLOSE-UPS...

- CAT. NO. 655250 Auto Extension Tube No. 1 (length 45mm)
- CAT. NO. 655251 Auto Extension Tube No. 2 (length 82mm)

CAMERA CASE FOR EQUIPMENT PROTECTION...

- CAT. NO. 655277 Eveready Camera Case
- CAT. NO. 655275 Compartment Case
- CAT. NO. 655278 Soft Camera Case
- CAT. NO. 655279 Aluminum Custom Case with Insert
- CAT. NO. 655358 Replacement Foam Insert for Aluminum Case

MISCELLANEOUS ACCESSORIES INCLUDE...

- CAT. NO. 655350 Focusing Knob Adapter (enlarges focus knob size)
- CAT. NO. 655372 Focusing Knob Adapter with 65/90/127mm scales (scales give camera-to-subject distance at a glance)
- CAT. NO. 655212 Quick Shoe (for instant-release tripod mounting)
- CAT. NO. 651520 Quick Shoe Model 2
- CAT. NO. 655355 Front Body Cap
- CAT. NO. 655356 Rear Body Cap
- CAT. NO. 655352 Neck Strap
- CAT. NO. 656209 Tripod Adapter P
- CAT. NO. 655364 Mamiya RB67 Pro-S Instruction Book
- CAT. NO. 655252 Mirror-Up Cable Release

BHMC

BELL & HOWELL/MAMIYA COMPANY