



Linhof

KLING PHOTO

PRICE LIST

Cat. No.	2 1/4 x 3 1/4 CAMERAS	Price
SUPER TECHNIKA 23 AND TECHNIKA 23 (2 1/4 x 3 1/4) CAMERAS		
0001	SUPER TECHNIKA 23 (2 1/4 x 3 1/4") with Quick-Change Back; built-in Multifocus range-and-viewfinder; revolving, swinging, tilting, interchangeable spring back; blank rangefinder coupling disk for normal, wide-angle and telephoto lens; blank lens board; two-position body shutter release; leather carrying handle without lenses	389.50
0002	TECHNIKA 23 (2 1/4 x 3 1/4") same as 0001 without built-in Multifocus range-and-viewfinder. For focusing with distance scale or ground glass without lenses	249.50
	Conversion of Technika 23 into Super Technika 23 with Multifocus range-and-viewfinder (Delivery 10-12 weeks)	165.00
SPECIAL COLOR FINISH		
	Cameras are finished in black and satin chrome, with genuine leather covering, leather bellows and carrying handle. On special order (10-12 weeks) the camera can be supplied with leather covering and bellows in sand gray, burgundy red, or forest green, at no extra charge	—
	An all-ivory finish, including ivory-enameled camera bed and interior, with ivory leather covering and bellows is also available Ivory Finish	39.00
	Urgent Delivery of Color Finishes (about 3 weeks) any color	30.00
CAMERA-LENS COMBINATIONS 2 1/4 x 3 1/4"		
	Most lenses up to 135mm (5 1/4") normal, and 180mm (7") telephoto can be coupled to the Multifocus rangefinder of the Super Technika 23. Other lenses up to 200mm (8") normal, and 270mm (10 5/8") telephoto can be installed for ground glass focusing. (See Stock Outfits and Custom Installations on page A-2.	

Cat.
No.

2 1/4 x 3 1/4 OUTFITS - INSTALLATIONS

Price

COMPLETE STOCK OUTFITS—Super Technika 23

The following factory-installed one- two- and three-lens outfits are available for prompt delivery from stock. Savings resulting from factory-installation are reflected in these prices which include lens installation and rangefinder coupling. (See lens listing on page A-3 for complete lens and shutter specifications.)

ONE-LENS OUTFITS — Normal Lens only.

X021	with 105mm f/3.5 Schneider Xenar	464.45
X030	with 100mm f/2.8 Carl Zeiss Planar	622.50

TWO-LENS OUTFITS — Normal and Wide Angle Lens.

X022	with 105mm f/3.5 Schneider Xenar and 65mm f/6.8 Schneider Angulon	529.40
X031	with 100mm f/2.8 Carl Zeiss Planar and 53mm f/4.5 Carl Zeiss Biogon	1058.50

THREE-LENS OUTFITS — Normal, Wide Angle and Telephoto.

X023	with 105mm f/3.5 Schneider Xenar and 65mm f/6.8 Schneider Angulon and 180mm f/5.5 Schneider Tele-Arton	633.90
X024	with 105mm f/3.5 Schneider Xenar and 65mm f/6.8 Schneider Angulon and 180mm f/5.5 Schneider Tele-Xenar	609.35
X032	with 100mm f/2.8 Carl Zeiss Planar and 53mm f/4.5 Carl Zeiss Biogon and 180mm f/4.8 Carl Zeiss Sonnar	1353.50

CUSTOM-MADE CAMERA-LENS COMBINATIONS

Outfits with many different lenses of the photographer's own selection, or lenses already in his possession, are available on special order at the Service Charges shown below.

Lens Installation and Rangefinder Coupling Service Charges
For Custom Outfits, or individual lenses added to Stock Outfits.

SUPER TECHNIKA 23—All-inclusive charge for rangefinder coupling and lens installation. TECHNIKA 23—Lens installation, calibration and engraving of distance scale.

Kling-supplied lens	each	17.50
Customer's own lens	each	27.50

An additional cam disk is required when more than three lenses are to be coupled to the same Multifocus rangefinder, or when certain additional lenses are coupled

8.50

NOTE: To assure prompt service, please consult us about Custom combinations or installation of additional lenses on Stock Outfits, giving complete details of lenses desired.



Revised
March 1957

LENSES FOR 2 1/4 x 3 1/4 CAMERAS

Cat. No.	mm	inch	f/		shutter	top speed	diam mm		Price
Normal Lenses:									
0191	100	4	2.8	Zeiss PLANAR	EMXI	1/400	60		245.00
0190	105	4.1/8	3.5	Zeiss TESSAR	EMXO	1/500	42		87.00
0100	105	4.1/8	2.8	Schneider XENOTAR	EMXI	1/400	51		169.50
0101	105	4.1/8	3.5	Schneider XENAR	EMXO	1/500	42		74.95
0180	105	4.1/8	4.5	Voigtlander Apo-LANTHAR . .	EMXO	1/500	42		90.00
Wide-Angle Lenses:									
0130	47	1.7/8	8	Schneider SUPER ANGULON .	EMXOO	1/500	42		134.50
0192	53	2.1/8	4.5	Zeiss BIOGON	EMXO	1/500	70		436.00
0107	65	2.1/2	6.8	Schneider ANGULON	EMXOO	1/500	32		64.95
0131	65	2.1/2	8	Schneider SUPER ANGULON .	EMXOO	1/500	51		144.50
Telephoto Lenses:									
0193	180	7	4.8	Zeiss SONNAR	EMXI	1/400	60		295.00
0110-4	180	7	5.5	Schneider TELE-XENAR . . .	EMXO	1/500	42		79.95
0110-5	180	7	5.5	Schneider TELE-ARTON . . .	EMXO	1/500	42		104.50
0186	180	7	5.5	Voigtlander TELOMAR	EMXO	1/500	42		75.00
0124	240	9.1/2	5.5	Schneider TELE-ARTON* . . .	EMXI	1/400	51		169.50
0187	240	9.1/2	5.5	Voigtlander TELOMAR	EMXI	1/400	51		122.50
0112	270	10.5/8	5.5	Schneider TELE-XENAR . . .	EXII	1/200	60		157.95

*Cannot be used with 4x5" cameras.

Shutter Information Table

Shutter	Speeds	Synch
EMXOO . . .	B, 1, 1/2, 1/5 1/10, 1/25, 1/50, 1/100, 1/250, 1/500 sec.	M-X (see Note a)
EMXO . . .	B, 1, 1/2, 1/5 1/10, 1/25, 1/50, 1/100, 1/250, 1/500 sec.	M-X (see Note b)
EMXI . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/400 sec.	M-X (see Note b)
EXII . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/200 sec.	X

Note a: Lock for time exposures (T) available for mounting on lens board for \$3.00 List, including installation.

Note b: Equipped with built-in blade arrester for ground glass focusing.

Shutters having MX designation are Deckel SYNCHRO-COMPUR; EXII is Deckel COMPUR shutter.

Cat. No.	2 1/4 x 3 1/4 ACCESSORIES	Price
FILM HOLDERS		
ROLLEX precision roll film holder with automatic film stop, exposure counter, ASA film speed indicator. Supplied with its own rotating back; all-metal construction with leather covering to match camera:		
0300	Rollex Back 2 1/4 x 2 1/4" (12 exposures on No. 120 film)	64.50
0301	Rollex Back 2 1/4 x 3 1/4" (8 exposures on No. 120 film)	64.50
0308	Extra film carrier for Rollex (fits both sizes)	7.50
0309	Linhof 2 1/4 x 3 1/4" combination double cut film and plate holder with film ejector. No sheath required for cut film	9.75
0310	Lisco 2 1/4 x 3 1/4" double cut film holder	3.85
CASES		
0420	Linhof ATTACHE Case — 16 1/4 x 17 1/4 x 5 1/4" — finest quality top grain cowhide, plush lined throughout, with compartments for: camera, 3 lenses, 8 double film holders, 2 Rollex roll film holders, filters, accessories	87.50
0421	Linhof SHOULDER Case — 15 1/4 x 8 x 6 1/4" — finest quality top grain cowhide plush lined; zipper closure, adjustable shoulder strap. With compartments to hold the same equipment as Attache case	87.50
0422	Linhof SPORTS Case — 11 x 7 x 5 1/2" — compact top grain leather case with adjustable shoulder strap. Holds camera, Rollex, 3 lenses, accessories	54.50
0423	DeLuxe PRESS Case (made in U.S.A.) — 14 x 10 x 7" — Saddle tan top grain cowhide, carrying handle, shoulder strap. Compartments hold camera, 3 lenses, Rollex, 12 double cut film holders, flash gun, accessories	44.95
0424	Adjustable shoulder strap for Attache case	4.95
0425	Neck strap for camera	2.95
0403	Lens Case A—Solid Leather—for Xenar, Angulon, or 180mm Tele-Xenar	4.95
0409	Lens Case F—Solid Leather—for 180mm Tele-Arton, or 100mm Planar	4.95
MISCELLANEOUS ACCESSORIES		
0900	Linhof B/C Flashgun with foot to slide unto accessory shoe of camera; complete with 22 1/2 V Eveready B/C battery	24.00
0901	Linhof Extension Flash Unit for use with Linhof B/C gun	149.50
0902	22 1/2 V Eveready B/C Battery for Linhof Flashgun	1.40
0903	Encircling Clamp for mounting Linhof B/C Gun to flash bracket of camera	3.30
0428	Anatomical Grip, for installation in place of leather camera handle, complete with mounting plate, adjustable strap, and detachable cable release	34.95
0490	ANATOMICAL GRIP (right hand); fits on flash bracket. Not to be used as carrying handle	34.95
0920	Body Cable Release, black, with prongs	2.50
0932	Body Cable Release, chrome, heavy duty	3.50
0921	Replacement Cable for Body Cable Release 0920	1.50
0910	Lens Board, flat	2.75
0911	Lens Board, recessed	2.75
0211	Focal Frame Finder for extreme close-ups (specify '23')	29.50
0204	Cross Spirit Level; fits accessory shoe of camera	4.95
0951	Super Technika 23 Manual (one supplied with each camera)	.25
LENS SHADES AND FILTERS — see page A-15-16		
REPRODUCTION AND MACRO EQUIPMENT — see page A-13		
TRIPODS, PAN AND TILT HEADS — see page A-10		

Cat. No.	SUPER TECHNIKA 4 x 5	Price
-------------	----------------------	-------

SUPER TECHNIKA 4x5" CAMERA

0004	SUPER TECHNIKA 4x5, Model IV, with two-way lens tilt. Multifocus prism range-finder (dichroic) with mount for Kalart Focuspot; wire-frame viewfinder with parallax compensation; revolving, interchangeable back; triple extension. Supplied with blank lens board, blank distance scale, blank rangefinder coupling cam, built-in spirit level, two-position body shutter release, and detachable Anatomical Hand Grip without lenses	499.50
0040	SUPER TECHNIKA III, 4x5, with built-in Multifocus Rangefinder	369.50

Note: The Super Technika 4x5 is supplied with the Linhof UNIVERSAL BACK and Ektalite field lens, for use with Linhof 4x5 or standard American 4x5 cut film or plate holders, film pack adapters, film magazines, roll film holders, Polaroid back, or enlarging attachments. On special order, the Super Technika 4x5 is available with a Graflex-type Back for use with "Graflex" holders and attachments.

SPECIAL COLOR FINISH

Cameras are finished in sierra tan and satin chrome, with genuine leather covering, and black leather bellows. On special order (10-12 weeks) the camera can be supplied with leather covering in jet black, burgundy red, or forest green, at no extra charge	—
All-Ivory Finish, including ivory enameled camera bed and interior, with ivory leather covering and bellows	50.00
Urgent Delivery of Color Finishes (about 3 weeks)	30.00

4x5" CAMERA-LENS COMBINATIONS

Any lenses up to 250mm (10") normal, and 360mm (14 $\frac{1}{4}$ ") telephoto, can be coupled to the Multifocus Rangefinder of the Super Technika 4x5. Extreme wide-angle lenses require a Special Focusing Device (No. 0915) which is used for ground glass focusing only. (See page A6 for listing of complete factory-installed stock outfits.)

LENS INSTALLATION AND RANGEFINDER COUPLING SERVICE

STANDARD OUTFITS shown on page A6 include installation and rangefinder coupling of lenses listed.

CUSTOM-MADE OUTFITS with any number of different lenses of the photographer's own selection, or lenses already owned by the photographer, are available through our New York Service Department. All-inclusive charges:

ORIGINAL INSTALLATION (Any lens)	Kling-Supplied Lens	10.00
	Customer's Own Lens	20.00
LATER INSTALLATION (Any lens coupled after Original Installation) See Note A.		
	Kling-Supplied Lens	15.00
	Customer's Own Lens	25.00

Note A: When a camera is sent to us for Later Installation, all lenses, range finder cams, and distance scales already provided for the camera must accompany it so that the complete outfit can be checked out by our Service Department. There is no charge for this re-check at the time of Later Installations.

Cat.
No.

4 x 5 CAMERA - AND - LENS OUTFITS

Price

Savings resulting from factory installation are reflected in the following prices which include the Super Technika IV 4x5 camera, lenses, lens installation, range-finder coupling, and engraved distance scales. (See listing on page A-7 for complete lens and shutter specifications.)

ONE-LENS OUTFITS — Normal Lens only.

X051	with 150mm f/4.5 Schneider Xenar	589.45
X056	with 150mm f/5.6 Schneider Symmar	629.00
X046	with 135mm f/3.5 Schneider Xenotar	679.00
X061	with 150mm f/2.8 Schneider Xenotar	809.00

TWO-LENS OUTFITS — Normal and Wide Angle Lens.

X052	with 150mm f/4.5 Schneider Xenar and 90mm f/6.8 Schneider Angulon	664.40
X057	with 150mm f/5.6 Schneider Symmar and 90mm f/6.8 Schneider Angulon	703.95
X047	with 135mm f/3.5 Schneider Xenotar and 90mm f/6.8 Schneider Angulon	753.95

THREE-LENS OUTFITS — Normal, Wide Angle, and Telephoto Lens.

X054	with 150mm f/4.5 Schneider Xenar and 90mm f/6.8 Schneider Angulon and 240mm f/5.5 Schneider Tele-Arton	873.90
X055	with 150mm f/4.5 Schneider Xenar and 90mm f/6.8 Schneider Angulon and 270mm f/5.5 Schneider Tele-Arton	903.90
X059	with 150mm f/5.6 Schneider Symmar and 90mm f/6.8 Schneider Angulon and 240mm f/5.5 Schneider Tele-Arton	913.45
X060	with 150mm f/5.6 Schneider Symmar and 90mm f/6.8 Schneider Angulon and 270mm f/5.5 Schneider Tele-Arton	943.45
X049	with 135mm f/3.5 Schneider Xenotar and 90mm f/6.8 Schneider Angulon and 240mm f/5.5 Schneider Tele-Arton	963.45
X050	with 135mm f/3.5 Schneider Xenotar and 90mm f/6.8 Schneider Angulon and 270mm f/5.5 Schneider Tele-Arton	993.45

LENSES FOR SUPER TECHNIKA 4 x 5

Cat. No.	mm	inch	f/		shutter	top speed	front diam mm	Price
Normal Lenses:								
0102	127	5	4.7	Schneider PRESS XENAR	EMXO	1/500	42	69.95
0116	135	5.1/4	5.6	Schneider SYMMAR	EMXO	1/500	42	89.50
0129	135	5.1/4	3.5	Schneider XENOTAR	EMXI	1/400	60	179.50
0105	150	6	4.5	Schneider XENAR	EMXI	1/400	42	89.95
0182	150	6	4.5	Voigtlander APO-LANTHAR . . .	EMXI	1/400	42	120.00
0117	150	6	5.6	Schneider SYMMAR	EMXI	1/400	51	129.50
0104	150	6	2.8	Schneider XENOTAR	EXII	1/200	80	309.50
Wide-Angle Lenses:								
0192	53	2.1/8	4.5	Zeiss BIOGON††	EMXO	1/500	70	436.00
0107	65	2.1/2	6.8	Schneider ANGULON‡	EMXOO	1/500	32	64.95
0131	65	2.1/2	8	Schneider SUPER ANGULON*‡ .	EMXOO	1/500	51	144.50
0108	90	3.1/2	6.8	Schneider ANGULON	EMXO	1/500	42	74.95
0132	90	3.1/2	8	Schneider SUPER ANGULON . .	EMXOO	1/500	70	169.50
Telephoto Lenses:								
0111	240	9.1/2	5.5	Schneider TELE-XENAR	EMXI	1/400	51	119.95
0187	240	9.1/2	5.5	Voigtlander TELOMAR	EMXI	1/400	51	122.50
0125	240	9.1/2	5.5	Schneider TELE-ARTON	EXII	1/200	51	209.50
0112	270	10.5/8	5.5	Schneider TELE-XENAR	EXII	1/200	60	157.95
0126	270	10.5/8	5.5	Schneider TELE-ARTON	EXII	1/200	60	239.50
0114	360	14.1/4	5.5	Schneider TELE-XENAR	EXIII	1/100	70	199.95
0188	360	14.1/4	5.5	Voigtlander TELOMAR	EXIII	1/100	70	244.50
Long Focus Lenses:								
0118	180	7	5.6	Schneider SYMMAR	EMXI	1/400	60	144.50
0106	210	8.1/4	4.5	Schneider XENAR	EXIII	1/100	60	164.95
0119	210	8.1/4	5.6	Schneider SYMMAR	EMXI	1/400	60	169.50
0127	240	9.1/2	5.6	Schneider SYMMAR	EXII	1/200	70	229.50
Variable Softness (Depth Image) Lenses:								
7200	200	8	5.8	Rodenstock IMAGON**	EXIII	1/100		157.50
7201	250	10	5.8	Rodenstock IMAGON**	EXIII	1/100		172.50

†This ultra-wide angle (120°) lens covers a 4¾" circle.

*Covers 3½x4¾" area (98°) angle.

‡The above three extreme wide-angle lenses require Special Focusing Device No. 0915 for use on Super Technika 4x5.

**Imagon lenses cannot be coupled to Multifocus Rangefinder.

Shutter Information Table

Shutter	Speeds	Synch
EMXOO . . .	B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/500	M-X (see Note a)
EMXO . . .	B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/500	M-X (see Note b)
EMXI . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/400	M-X (see Note b)
EXII . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/200	X
EXIII . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100	X

Note a: Lock for time exposure (T) available for mounting on lens board for \$3.00 List, including installation.

Note b: Equipped with built-in blade arrester for ground glass focusing.

Shutters having MX designation are Deckel SYNCHRO-COMPUR; EXII is Deckel COM-PUR shutter, EXIII Deckel COMPOUND.

Cat.
No.

4 x 5 ACCESSORIES

Price

BACKS

0340	4x5 FOCAL PLANE SHUTTER Universal Back for Super Technika 4x5" III and IV, or for 5x7-to-4x5 reducing frame; with focus compensator	175.00
0320	4x5 Universal Back with Ektalite Field Lens replacement	69.50
0321	4x5 Graflex-type Back with Linhof Focusing panel	65.00
0322	4x5 Graflex-type Back without focusing panel	30.00
0325	3 1/4"x4 1/4" Universal Back; interchangeable with 4x5" Back, for ground glass focusing	65.00
0326	Reducing Back 4x5 to 2 1/4"x3 1/4"; for use with Linhof, or standard American double cut film holders, film pack adapters, etc.	59.95

FILM HOLDERS

0311	4x5 Linhof Double Cut Film and Plate Holder with film ejector and film numbering device (state numerals desired when ordering)	10.50
0312	4x5 Lisco Double Cut Film Holder	4.12
0309	2 1/4"x3 1/4" Linhof Double Cut Film and Plate Holder with film ejector	9.75
0310	2 1/4"x3 1/4" Lisco Double Cut Film Holder	3.85
	ROLLEX precision roll film holder for Super Technika 4x5 with Universal Back; automatic film stop, exposure counter, ASA film speed indicator; all metal construction with leather covering to match camera:	
0302	Rollex holder 2 1/4"x2 1/4" (12 exposures on No. 120 film)	64.50
0303	Rollex holder 2 1/4"x3 1/4" (8 exposures on No. 120 film)	64.50
0308	Extra film carrier for Rollex (fits both sizes)	7.50

FINDERS

0200	Multifocus Universal Optical Viewfinder for 4x5 camera; adjustable for lenses from 90mm to 360mm focal length; parallax correction; automatic compensation for reduced angle at closer range; rotating mask for horizontal or vertical. Fits finder shoe of Super Technika 4x5	89.95
0207	2 1/4"x2 1/4" Mask for Multifocus Viewfinder	3.00
0209	3 1/4"x4 1/4" (Polaroid) Mask for Multifocus Viewfinder	3.00
0203	Shoe for mounting Multifocus Viewfinder or Sportsfinder to other cameras	6.00
0400	Leather Case for Multifocus Viewfinder	5.95
0930	Contrast Filter for Multifocus Rangefinder	3.00
0931	Rubber Eyepiece Extension for Multifocus Rangefinder—replacement	1.00
0205	Wire Frame Finder (supplied with each camera) replacement	6.00
0206	Peep sight with parallax correction; for use with wire frame finder . replacement	6.00
0208	Plexiglass slip-on mask for wire frame finder with delineation of field for telephoto lenses, and 2 1/4"x3 1/4" field for normal (6") lens	4.00
0211	Focal Frame Finder for extreme close-ups (specify 4x5)	29.50

FLASH EQUIPMENT

0900	Linhof B/C Flashgun with slide-in foot to fit accessory shoe; complete with 22 1/2V Eveready B/C battery	24.00
0901	Extension B/C flash unit for use with Linhof B/C flashgun	14.95
0902	22 1/2V Eveready B/C battery	1.40
0903	Encircling Clamp for mounting Linhof B/C flashgun to flash bracket on side of camera	3.30

Cat.
No.

4 x 5 ACCESSORIES

Price

FLASH EQUIPMENT (continued)

Use of Heiland or Graflite Flashguns: The flashgun bracket of the Super Technika 4x5 accepts the standard Heiland E clamp. To attach a Graflite gun, the Heiland E clamp may be used, or the following installation is available:

0904	Graflite Bracket, supplied and installed	5.00
	Installation and Synchronization of Heiland Solenoid:	
	For average-size shutter	6.00
	For oversize shutter	8.00
0906	Heiland Solenoid	16.50

CASES

0440	Original Linhof 4x5 ATTACHE CASE—19x16"x6"—finest quality top grain cowhide, plush lined throughout, with compartments	87.50
0441	Original Linhof 4x5 SHOULDER CASE—17½x10¼x6¾"—finest quality top grain cowhide, plush lined throughout; zipper closure, shoulder strap	89.50
0442	Original Linhof 4x5 SAFARI CASE—21x14x6"—tropic proof case with hammered aluminum covering	89.50
0443	Original Linhof 4x5 DeLUXE PRESS CASE—18½x10½x8½"—large capacity, heavy-duty case of top grain cowhide, with compartments	87.50
	Original Linhof Leather Cases for lenses on lens board:	
0405	Lens Case C—for 90-127-135-150mm lenses (does not accept 150mm Xenotar)	4.95
0406	Lens Case D—for 150mm Xenotar, 240-270mm Tele-Xenars	5.95
0407	Lens Case E—for 240mm and 270mm Tele-Arton, 360mm Tele and similar	6.75
0424	Adjustable Leather Shoulder Strap for Attache and Safari cases	4.95
0426	Leather Neck Strap for Super Technika 4x5 camera	2.95

MISCELLANEOUS ACCESSORIES

0915	Wide-Angle Lens Focusing Device for extreme wide-angle lenses (53-65mm) for use with cameras equipped with 3-notch struts. Fits lens standard in place of regular lens board	57.50
0990	3-notch struts for using extreme wide-angle lenses on earlier Super Technika 4x5 cameras . . . including installation	19.95
0912	Lens Board, flat, for Super Technika 4x5 III and earlier	2.50
0913	Lens Board, recessed, for Super Technika 4x5 III and earlier	2.50
0918	Lens Board, flat for Super Technika IV 4x5	4.25
0919	Lens Board, recessed, for Super Technika IV 4x5	4.25
0922	Body Cable Release with prismatic shoe for Super Technika 4x5 cameras with serial numbers up to #39999	2.50
0923	Body Cable Release with prongs for Super Technika 4x5 cameras with serial numbers from #50001 up	2.95
0933	Body Cable Release, chrome, heavy-duty	3.95
0924	Replacement cable for body release #0923	1.75
0445	ANATOMICAL GRIP, for installation in place of leather handle on Super Technika III; complete with mounting plate, adjustable strap, and detachable cable release	34.95
0491	ANATOMICAL GRIP, same as 0445, for Speed Graphic Camera	34.95
0490	ANATOMICAL GRIP (right hand); fits on flash bracket. Not to be used as carrying handle	34.95

LENS SHADES AND FILTERS — See Page A-15-16

ENLARGING, REPRODUCTION, MACRO EQUIPMENT — See Page A-13

CAMERA STANDS, DOLLIES, TRIPODS, PAN AND TILT TOPS—See Page A-10



Revised
March 1957

Cat.
No.

TRIPODS and ACCESSORIES

Price

LIGHTWEIGHT TRIPODS and DOLLY

Code			
0605	XVT	MINI COMBI Tripod with center post and tilt head	19.95
0630	0	CLAMPOD camera clamp with double ball joint tilting head	19.95
0660	XIIT	COMBI STANDARD 2-sect. Tripod with center post and tilt head	25.95
0661	XIIP	COMBI STANDARD 2-sect. Tripod with center post and pan head	29.95
0662	VIIIT	COMBI SPECIAL 3-sect. Tripod with center post and tilt head	29.95
0663	VIIIP	COMBI SPECIAL 3-sect. Tripod with center post and pan head	33.95
0617	XIII	SUPER COMBI 74-inch Tripod with center post and spirit level	39.95
0640	LWD	LIGHT WEIGHT FOLDING DOLLY	47.50

PROFESSIONAL TRIPODS and DOLLY

Code			
0618	XIV	LIGHT WEIGHT PRO Tripod with center post and spirit level	57.95
0606	VII	DeLUXE STUDIO Tripod with geared center post	79.95
0607	III	TWIN SHANK PRO Tripod with interchangeable camera platform	89.95
0621	—	Geared Center Post for Twin Shank Pro or DeLuxe Camera Stand	59.95
0609	IV	PROFESSIONAL DeLUXE Tripod with built-in geared center post	169.95
0613	X	DeLUXE CAMERA STAND with geared center column, base casters and built-in shelf for accessories, lenses, holders, etc.	299.50
0625	ELB	OUTRIGGER ADAPTER; holds Geared Center Post 0621 horizontally on Twin Shank Pro, Professional DeLuxe, or DeLuxe Camera Stand for convenient camera positioning	27.95
0622	EXT	25" EXTENSION COLUMN; may be used singly or with additional columns to increase camera elevation with professional tripods	29.95
0610	PD	PROFESSIONAL DeLUXE GEARED DOLLY for professional tripods	249.50

TRIPOD HEADS and OTHER TRIPOD ACCESSORIES

0631	JUNIOR LIGHTWEIGHT Tilt Head with panorama scale	9.95
0634	REPORTER Pan-and-Tilt Head with spirit level, pan and tilt scales	11.95
0633	PRECISION TILT TOP with panorama scale	13.95
0635	PRECISION PAN-AND-TILT Head with spirit level, pan and tilt scales	18.95
0636	Professional DeLUXE BALL HEAD with panorama scale	38.50
0637	Professional DeLUXE PAN-AND-TILT Head, spirit level, scales	38.50
0641	Heavy Duty GEARED CRITICAL FOCUSING SLIDE and Stereo Head	69.95
0639	SOUND PROJECTOR PLATFORM for professional tripods	34.95
0643	SLIDE PROJECTOR PLATFORM for Combi tripods (specify tripod model)	12.95
0626	CAMERA LEVELLING HEAD, small	12.95
0627	CAMERA LEVELLING HEAD, large	27.95
0623	2 1/2" Center Post for Combi Standard or Special	2.50
0624	8" Center Post for Combi Standard or Special	2.95

CARRYING CASES — Waterproof Fine Check Canvas

0659	Case for MINI COMBI Tripod	5.50
0658	Case for COMBI STANDARD Tripod	6.95
0651	Case for COMBI SPECIAL Tripod	8.50
0670	Case for LIGHT WEIGHT PRO Tripod	14.50
0671	Case for LIGHT WEIGHT FOLDING DOLLY	12.50
0654	Case for DeLUXE STUDIO Tripod	14.50
0655	Case for TWIN SHANK PRO Tripod	19.50
0656	Case for TWIN SHANK PRO with geared center post, or for Professional DeLuxe Tripod	19.50

Cat. No.	SUPER TECHNIKA 5x7 - TECHNIKA 5x7 CAMERAS	Price
	CAMERAS	
0006	SUPER TECHNIKA 5x7 CAMERA; built-in Multifocus Rangefinder with mount for Kalart Focuspot; revolving interchangeable back; supplied with blank lens board, blank distance scale slide, blank rangefinder coupling cam, body shutter release, built-in spirit level without lenses	550.00
0005	TECHNIKA 5x7" CAMERA Same as above, without built-in Multifocus Rangefinder; for ground glass or scale focusing without lenses	465.00
	Conversion of Technika 5x7 into Super Technika 5x7; includes installation of Multifocus Rangefinder system (Delivery 10-12 weeks)	120.00
	Linhof 5x7 Cameras are supplied with a spring back to accept standard American 5x7 cut film holders. Smaller (4x5 or 2 1/4 x 3 1/4) press holders, film pack adapters, etc. may be used with the Reducing Backs listed under Accessories	
	SPECIAL COLOR FINISH Cameras are finished in black and satin chrome, with genuine leather covering, leather bellows and carrying handle. On special order (10-12 weeks) the camera can be supplied in sand gray, burgundy red, or forest green leather at no extra charge	—
	All-Ivory Finish, including ivory enamelled camera bed and interior, with ivory leather covering and bellows	55.00
	Urgent (about 3 weeks) Delivery of Color Finishes (any color)	30.00
	5x7" CAMERA-LENS COMBINATIONS Most lenses from 120mm (4 3/4") wide-angle to 300mm (12") normal, and up to 500mm (20") telephoto, can be coupled to the Multifocus Rangefinder of the Super Technika 5x7. Factory-installed Stock Outfit are shown on page A-12.	
	Lens Installation and Rangefinder Coupling Charges Prices of Stock Outfits shown on page A-12 include installation and rangefinder coupling of lenses listed.	
	CUSTOM-MADE OUTFITS with any number of different lenses of the photographer's own selection, or lenses already owned by him, are available through our New York Service Department. All-inclusive charges:	
	ORIGINAL INSTALLATION (lenses coupled when camera is ordered)	
	Kling-Supplied Lens	10.00
	Customer's Own Lens	20.00
	LATER INSTALLATION (lenses coupled after Original Installation (see Note A))	
	Kling-Supplied Lens	15.00
	Customer's Own Lens	25.00
	NOTE A: When a camera is sent to us for Later Installation, all lenses, rangefinder cams, and distance scales already provided for the camera must accompany it so that the complete outfit can be checked out by our Service Department. There is no charge for this re-check at the time of such Later Installation.	

Cat. No.	5 x 7 STOCK OUTFITS - LENSES	Price
-------------	------------------------------	-------

STOCK OUTFITS — SUPER TECHNIKA 5x7

The following factory-installed camera-and-lens combinations are available for prompt delivery. Savings resulting from factory installation are reflected in these prices which include lens installation, rangefinder coupling, and engraved distance scale. (See lens listing below for complete lens and shutter information).

0070	Super Technika 5x7 with 210mm f/5.6 Schneider Symmar	719.50
0071	Super Technika 5x7 with 210mm f/5.6 Schneider Symmar and 120mm f/6.8 Schneider Angulon	824.45

LENSES FOR SUPER TECHNIKA 5x7

Cat. No.	mm	inch	f/		shutter	top speed	front diam mm		
Normal Lenses:									
0118	180	7	5.6	Schneider SYMMAR	EMXI	1/400	60		144.50
0106	210	8 1/4	4.5	Schneider XENAR	EXIII	1/100	60		164.95
0119	210	8 1/4	5.6	Schneider SYMMAR	EMXI	1/400	60		169.50
0183	210	8 1/4	4.5	Voigtlander APO-LANTHAR	EXIII	1/100	60		175.00
0127	240	9 1/2	5.6	Schneider SYMMAR	EXII	1/200	70		229.50
Wide-Angle Lenses:									
0132	90	3 1/2	8	Schneider SUPER-ANGULON#	EMXOO	1/500	70		169.50
0109	120	4 3/4	6.8	Schneider ANGULON	EMXI	1/400	51		104.95
0123	165	6 1/2	6.8	Schneider ANGULON	EXII	1/200	60		149.95
Telephoto Lenses:									
0114	360	14 1/4	5.5	Schneider TELE-XENAR	EXIII	1/100	70		199.95
0188	360	14 1/4	5.5	Voigtlander TELOMAR	EXIII	1/100	70		244.50
0115	500	19 3/4	5.5	Schneider TELE-XENAR	EXV	1/50	109*		399.95
Special Purpose Lenses:									
0122	300	12	4.5	Schneider XENAR	EXV	1/50	85		264.95
0128	300	12	5.6	Schneider SYMMAR	EXIII	1/100	85		299.50
7201	250	10	5.8	Rodenstock IMAGON variable softness lens	EXIII	1/100	*		172.50
7202	300	12	5.5	Rodenstock IMAGON variable softness lens	EXV	1/50	*		198.00

#This extreme wide-angle lens requires special installation. Ask for complete details.

*Lenses supplied with lens shade.

SHUTTER INFORMATION TABLE

Shutter	Speeds	Synch
EMXOO . . .	B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/500	M-X (see Note a)
EMXI . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/250, 1/400	M-X (see Note b)
EXII . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100, 1/200,	X
EXIII . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50, 1/100,	X
EXV . . .	T, B, 1, 1/2, 1/5, 1/10, 1/25, 1/50,	X

Note a: Lock for time exposures (T) available for mounting on lens board;
\$3.00 List, including installation.

Note b: Equipped with built-in blade arrester for ground glass focusing.

Shutters having MX designation are Deckel SYNCHRO-COMPUR; EXII is Deckel COMPUR;
EXIII and EXV are Deckel COMPOUND shutters.

Cat. No.	ACCESSORIES FOR SUPER TECHNIKA 5 x 7	Price
0210	Multifocus Universal Optical Viewfinder for 5x7 cameras; adjustable for lenses from 120mm to 500mm focal length; parallax correction; automatic compensation for field reduction at close range; rotating mask for horizontal or vertical. Fits finder shoe of Super Technika 5x7 and Technika 5x7	99.50
0327	Reducing Frame to use 4x5 Linhof Universal Back (0320) or 4x5-to-2 1/4 x 3 1/4 Reducing Back (0326) on Super Technika and Technika 5x7	22.50
0320	4x5 Linhof Universal Back with Ektalite Field Lens	69.50
0326	Reducing Back 4x5-to-2 1/4 x 3 1/4	59.95
0400	Leather Case for Multifocus Viewfinder	5.95
0316	5x7 Lisco Double Cut Film Holder	4.71
0914	Blank lens board	3.75
0925	Body Cable Release with prismatic shoe for Super Technika 5x7.	2.95
0934	Body Cable Release, chrome, heavy-duty	3.95
0211	Focal Frame Finder for extreme close-ups (specify 5x7)	29.50
0452	ANATOMICAL GRIP, for installation in place of leather handle on Super Technika 5x7; complete with mounting plate, adjustable strap, cable release	34.95
0490	ANATOMICAL GRIP (right hand); fits on flash bracket. Not to be used as carrying handle	34.95
0450	Original Linhof 5x7 ATTACHE CASE—22x17 1/2 x 7"—finest quality top grain cowhide, plush lined throughout, with compartments for camera, 2 extra lenses, Multifocus Viewfinder, 6 double cut film holders, accessories	89.50
LENS SHADES AND FILTERS — See Page A-15-16.		
ENLARGING REPRODUCTION, MACRO EQUIPMENT — See below.		
TRIPODS, CAMERA STANDS, DOLLIES, PAN AND TILT TOP — See Page A-10.		

Universal ACCESSORY STAND

For Enlarging • Copying • Macro-Photography • Photomicrography

Cat. No.		Price
UNIVERSAL ACCESSORY STAND		
0700	BASIC UNIVERSAL STAND, for use with all Super Technika Cameras. Warp-proof 23x25" baseboard with four adjustable levelling tips, 37" detachable steel upright column, spirit level, camera support arm with variable friction drive, rotating camera stage for vertical and horizontal positioning; supplied with special socket wrench for column locking ring	119.95
MACRO Photography Accessories		
0760	Lens Board for '23' camera with conical tube and flange for macro lenses	7.50
0761	Lens Board for 4x5 camera with conical tube and flange for macro lenses	7.50
0762	Lens Board for 5x7 camera with conical tube and flange for macro lenses	9.95
0710	16mm f/2.5 Macro lens without shutter	62.00
0711	25mm f/3.5 Macro lens without shutter	52.00
0712	40mm f/4.5 Macro lens without shutter	45.00
0713	63mm f/4.5 Macro lens without shutter	51.00
0714	100mm f/6.3 Macro lens without shutter	57.00

Cat. No.	ENLARGING ACCESSORIES (continued)	Price
PHOTOMICROGRAPHY Accessories		
0770	Lens Board with telescoping microscope adapter for '23' camera	8.25
0772	Lens Board with telescoping microscope adapter for 4x5 camera	8.25
0774	Lens Board with telescoping microscope adapter for 5x7 camera	9.95
0771	2 1/4 x 3 1/4" Micrograin Ground Glass with clear center spot and cross hairs	4.00
0773	4x5" Focusing Panel with clear crystal glass and center mark, for use with Linhof 4x5 Universal Back	17.95
0775	5x7" Micrograin Ground Glass with clear center spot and cross hairs	7.50
LIGHTING UNIT for Copying, Gross Photography, etc.		
0750	BASIC COPY LIGHT UNIT. Adjustable lamp support frame (Maximum adjustment 34x35") consisting of four satin chrome rods with four two-way locking clamps; one Reflector Lamp on adjustable arms with two clamps; 5 ft. rubber-clad cable, switch and socket. Without bulb	72.00
0751	REFLECTOR LAMP for use on Copy Light Unit; mounted on adjustable arms with two clamps; 5 ft. rubber-clad cable, switch and socket. (Up to four Reflector Lamps can be mounted on Copy Light Unit) each	35.00
0752	LIGHT CONTROL BOX with four outlets for connection to individual Reflector Lamps. On and Off switches for each lamp. Bulbs may be used at half voltage (for focusing and composition) and full voltage (for exposure). Complete with power cable and plug	25.00
ENLARGING (PROJECTION PRINTING) ACCESSORIES		
Cold Lite Attachments complete with transformer for 110V:		
0720	Cold Lite Attachment for Super Technika 23	89.50
0721	Cold Lite Attachment for Super Technika 4x5.	89.50
0722	Cold Lite Attachment for Super Technika 5x7.	115.00
Accessories for '23' Cold Lite Attachment:		
0730	Negative Carrier for un-cut 120/620 roll film (2 1/4 x 3 1/4")	9.95
0731	Mask for 2 1/4 x 3 1/4" cut film negatives	1.75
0732	Mask for 2 1/4 x 2 1/4" negatives	1.75
0733	Mask for 35mm (24x36mm) negatives	1.75
Accessories for 4x5 Cold Lite Attachment:		
0735	Negative Carrier for 4x5" cut film	9.95
0736	Mask for un-cut 120/620 roll film (2 1/4 x 3 1/4")	2.10
0737	Mask for 3 1/4 x 4 1/4" cut film	2.10
0738	Mask for 2 1/4 x 2 1/4" roll film	2.10
0739	Mask for 35mm (24x36mm) negatives	2.10
Accessories for 5x7 Cold Lite Attachment:		
0741	Negative Carrier for 5x7" cut film	12.50
0742	Mask for 4x5" cut film	2.50
0743	Mask for 3 1/4 x 4 1/4" cut film	2.50
0744	Mask for 2 1/4 x 3 1/4" cut film	2.50
0745	Mask for un-cut 120/620 roll film — 2 1/4 x 3 1/4"	2.50
0746	Mask for un-cut 120/620 roll film — 2 1/4 x 2 1/4"	2.50

Cat.
No.

LENS SHADES AND FILTERS

Price

LINHOFF "COMPENDIUM" LENS SHADE/FILTER HOLDER. An exceptionally sturdy, yet light, combination accessory which is held on the front lens mount by spring-tensioned ring clamp. Black anodized light metal alloy with removable, unbreakable lens shade. Accepts Linhof Optical Filters listed below. Each Compendium is supplied with one blank filter ring to close filter slot when used without a filter.

0500	42mm COMPENDIUM (accepts 42mm Linhof Filters)	13.95
0501	Adjustable COMPENDIUM 42/51mm (accepts 51mm Linhof Filters)**	17.95
✓0502	Adjustable COMPENDIUM 51/60mm (accepts 70mm Linhof Filters)***	18.95
0503	Adjustable COMPENDIUM 60/70mm (accepts 70mm Linhof Filters)***	19.95
0507	COMPENDIUM for ZEISS PLANAR and SONNAR (accepts 70mm Linhof Filters)	19.95

**Also accepts American Series VIII filters

***Also accepts 3" diameter Kodak filters

ORIGINAL LINHOFF OPTICAL GLASS FILTERS FOR COMPENDIUM.

Filters are mounted in metal rings which snap into the filter slot of the Compendium. Special holding tab for easy handling eliminates damage from fingerprints, etc. Please specify color when ordering:

Yellow 1	Green 1	Red 1	Blue
Yellow 2	Green 2	Red 2	
Yellow 3	Orange	U.V.	

0530	Filter for 42mm Compendium	specify color	4.75
0531	51mm Filter for 42/51mm Compendium	specify color	5.45
✓0532	70mm Filter for 51/60 or 60/70 Compendium	specify color	9.95

CASES FOR 42mm COMPENDIUM and FILTERS

0401	Leather Case for 42mm Compendium and 3 filters	6.50
0408	Leather Case for 42mm Compendium and 6 filters	7.95

ENTECCO SCREW-IN LENS SHADE FILTER HOLDERS

(Made in U.S.A.)

for use with 'Series' size filters and lens attachments

For Lens:	Order Cat. No.	For Lens:	Order Cat. No.	For Lens:	Order Cat. No.
Angulon 65mm - - -	0511	Tele Arton 180mm - -	0512	Xenar 240mm - - -	0524
90mm - - -	0513	240mm - -	0514	300mm - - -	0521
120mm - - -	0515	270mm - -	0517	Xenotar 105mm f/2.8 -	0514
165mm - - -	0523	Tele Xenar 180mm - -	0512	135mm f/3.5 -	0517
Super Angulon 47mm - -	0513	240mm - -	0514	150mm f/2.8 -	0520
65mm - -	0515	270mm - -	0517	Apo Lanthar 105mm - -	0510
90mm - -	0522	360mm - -	0524	150mm - -	0510
Symmar 135mm - - -	0512	Xenar 105mm f/3.5 - -	0512	210mm - -	0525
150mm - - -	0514	127mm f/4.7 - -	0512	Telomar 180mm - - -	0510
180mm - - -	0519	150mm f/4.5 - -	0512	240mm - - -	0514
210mm - - -	0517	180mm f/4.5 - -	0514	360mm - - -	0518
240mm - - -	0524	210mm f/4.5 - -	0517		



Revised
March 1957

ENTECO LENS SHADES (continued)

Prices, Filter Sizes, Stock Numbers

Cat. No.	Code	Filter Series	Price	Cat. No.	Code	Filter Series	Price
0510	64	VI	4.25	0518	82	VIII	11.50
0511	502	V	3.25	0519	708	VII	8.50
0512	61	VI	4.25	0520	97A	IX	17.00
0513	61W	VI	4.25	0521	98	IX	17.00
0514	70	VII	8.50	0522	981W	IX	17.00
0515	70W	VII	8.50	0523	80W	VIII	11.50
0516	72	VII	8.50	0524	81	VIII	11.50
0517	80	VIII	11.50	0525	713	VII	8.50