

Beaulieu 16mm Camera Systems


Hervic-Beaulieu

Effective Date: March 31, 1973

Order Code Description

BEAULIEU R16B(PZ) POWER ZOOM/AUTO-EXPOSURE ELECTRONIC SYNC CAMERAS

- 10-005 Beaulieu R16B(PZ) "Auto" 16mm Camera w/Angenieux 12-120mm Automatic Zoom Lens, f2.2. With built-in POWER ZOOM.
- 10-006 Beaulieu R16B(PZ) "Auto" 16mm Camera w/Angenieux 17-68mm Automatic Zoom Lens, f2.2. With built-in POWER ZOOM.



*10-006

NOTE: R16B "Auto" cameras accept 200 ft. magazines and diaphragm operates FULLY AUTOMATICALLY with special Angenieux Zoom Lenses and SEMI-AUTOMATICALLY with other "C" mount and "C" mount adapted lenses.

LENS INTERCHANGEABILITY NOTE: Beaulieu R16B cameras will accept most "C" mount lenses, and (with the use of lens adapters) an extensive range of still cameras lenses. Please refer to the HERVIC CINE LENSES List for specific lens and lense accessories listing.



BEAULIEU R16B REFLEX-CONTROL ELECTRONIC SYNC CAMERAS

NOTE: R16B Reflex-Control cameras accept 200 ft. magazines, and diaphragm operates SEMI-AUTOMATICALLY with "C" mount and "C" mount adapted lenses. Available in 3-lens Turret model or "Mono" model (for use with extra-heavy or long lenses).

- 10-050 Beaulieu R16BM Reflex-Control 16mm Camera ("Mono" Model) — BODY ONLY
- 10-051 Beaulieu R16BT Reflex-Control 16mm Camera (Turret model) — BODY ONLY

BEAULIEU R16B SCIENTIFIC/RESEARCH CAMERAS (Ideally suited for endoscopic and other medical-type filming)

- 10-060 Beaulieu R16BTE Reflex-Control 16mm "ENDO" Camera (Turret model) — BODY ONLY
- 10-069 BEAULIEU R16B(EU) 16mm "EURATOM" Camera (with AUTOMATIC EXPOSURE Control System, provided by Graduated Disc) BODY ONLY




10-060

THE BEAULIEU 16MM "ENDO" CAMERA SHOWN IN USE WITH AN OLYMPUS ESOPHAGO FIBERSCOPE




*10-005

(SHOWN WITH OPTIONAL 200 FT. DAYLIGHT-LOAD MAGAZINE)




*10-005

*NOTE: Electric Handgrip (10-201) and 500 mA Handgrip Battery (10-204) shown are optional accessory items.




Diopter Scale Set-Screw



Frames-Per-Second Dial Set-Screw



*10-050



10-069

Beaulieu 16mm Camera Systems (Cont.)

Hervic-Beaulieu

Effective Date: March 31, 1973

Order Code Description

BEAULIEU R16B REFLEX-CONTROL CAMERA & LENS PACKAGES


- 10-052 Beaulieu R16BM Camera ("Mono" model) w/Angenieux 12-120mm Zoom Lens, f2.2
- 10-058 Beaulieu R16BT Camera (Turret model) w/Angenieux 12-120mm Zoom Lens, f2.2
(Must be used w/Turret Support Plate #10-292)
- 10-057 Beaulieu R16BM Camera ("Mono" model) w/Angenieux 12.5-75mm Zoom Lens, f2.2
- 10-059 Beaulieu R16BT Camera (Turret model) w/Angenieux 12.5-75mm Zoom Lens, f2.2
(Must be used w/Turret Support Plate #10-292)
- 10-062 Beaulieu R16BM Camera ("Mono" model) w/Angenieux 9.5-95mm Zoom Lens, f2.2
- 10-063 Beaulieu R16BT Camera (Turret model) w/Angenieux 9.5-95mm Zoom Lens, f2.2
(Must be used w/Turret Support Plate #10-292)
- 10-066 Beaulieu R16BM Camera ("Mono" model) w/Angenieux 9.5-57mm Zoom Lens, f1.6
- 10-067 Beaulieu R16BT Camera (Turret model) w/Angenieux 9.5-57mm Zoom Lens, f1.6
(Must be used w/Turret Support Plate #10-292)
- 10-053 Beaulieu R16BT Camera (Turret model) w/Angenieux 17-68mm Zoom Lens, f2.2
- 10-056 Beaulieu R16BT Camera (Turret model) w/Three (3) Angenieux Lenses (10mm f1.8; 25mm f1.4; 75mm f2.5)
- 10-061 Beaulieu R16BT Camera (Turret model) w/Rank-Taylor-Hobson Monital Compact 17-85mm Zoom Lens, f3.8

NEW PRODUCTS LISTING

ACCESSORIES FOR BEAULIEU R16B CAMERAS

SPECIAL NOTE: Beaulieu R16B "Auto", PZ and Reflex-Control camera models (listed above) are supplied with the following accessory items INCLUDED in the basic price of the camera outfit: Rubber Eye-Cup (#10-282); Leather Handstrap (#10-283); Cable Release (#10-285); and Rubber Air Blower (#10-289). These items are shown below with an asterisk (*).


- 10-201 Electric Handgrip
- 10-202 Mechanical Handgrip
- 10-203 Dummy Socket
- 10-204 Handgrip Battery, 500 mA (use 50 mA Charger only)
- 10-205 Handgrip Battery, 1000 mA (use 90 mA Charger)
- 10-207 Semi-Pro Nicad Battery, 1000 mA (use 90 mA Charger)
- 10-211 Battery Container (for external charging of 500 mA and 1000 mA Handgrip Batteries)
- 10-212 External Battery Extension Cord
- 10-226 Charger, 50mA for 500mA Batteries (metal)
- 10-227 Charger, 90mA for 1000mA Batteries (metal)
- 10-224 Charger, DC/DC (for 500 mA batteries, 12V) w/Cord
- 10-225 Charger, DC/DC (for 1000 mA batteries, 12V) w/Cord
- 01-310 AC Power Converter: 110V, AC to 7.2 V, DC



10-056

R16BT Reflex Control Camera (Turret model)

POWER ACCESSORIES




EFFECTIVE DATE: MARCH 31, 1973

Order Code

Description

ACCESSORIES FOR BEAULIEU R16B CAMERAS (Cont.)





- 10-231 Remote Control Cord w/Switch
- 10-274 Viewfinder Cap — for R16B cameras ONLY
(for remote control filming)
- 10-251 Magazine, 200-Foot — Daylight Load
- 10-257 Sync Pulse Generator — couples to camera
and to sync head of tape recorder —
60 cycle model (American standard)
- 10-256 Sync Pulse Generator — 50 cycle model
(European standard)



Uher 1200 Report Synchro 1/4" Tape Recorder

- 01-041 Uher 1200 Sync Tape Recorder, complete
package, (includes Order Codes #01-040,
#01-014, #01-009, #01-007, #01-003, #01-002
and #01-005)
- 01-040 Uher 1200 Sync Tape Recorder
BASIC UNIT ONLY
- 01-014 Uher 537 Microphone
- 01-009 Uher K118 Microphone Cord
- 01-007 Uher 533 Nicad Battery
- 01-003 Uher Z 125/714 Power Supply
- 01-002 Uher Tuchel Plug (female)
- 01-005 Uher Z514 Case
- 01-048 Uher Compact Stereo Cassette Tape Recorder,
model 124, including: Power Supply &
Charger (model Z-131), Dual microphone
M-640, **Dry Fit Battery** (model Z-213)
- 01-049 Uher Compact Stereo Cassette Tape Recorder,
model 124, including: Power Supply & Charger
(Model Z-131), Dual microphone M-640,
Alkaline Battery (model Z-215)
- 01-109 Super Star #80 Microphone
- 01-311 Multilapse Unit — complete package. For
complex time lapse photography.
Controls exposure interval time between
4 f.p.s. and 1 frame every 45 hours. Counts
frames exposed and controls lighting
and other auxiliary equipment in addition
to the camera. Operates on 115 Volt, A.C.
- 10-280 Handgrip (pistol-type)
- 10-281 Rubber Eye-Cup (slip-on)
- * 10-282 Rubber Eye-Cup (screw-in)
- * 10-283 Leather Handstrap
- * 10-289 Rubber Air Blower (dust remover)
- 10-291 Camera Base (w/Matte Box Bracket Shoe)
- 10-273 Turret Locking Screw
- 10-292 Turret Support Plate — for extra-heavy or
long lenses
- 01-928 Extension Tube Set (for "C" mount lenses)
- 01-927 Microscope Adapter ("C" mount)
- 01-915 Macro Rings ("C" mount): 5mm, 10mm,
20mm, 30mm, 50mm
- 10-284 Cable Release — Metal — 30 CM Straight
- * 10-285 Cable Release — Metal — 30 CM Curved
- 10-286 Cable Release — Metal — 50 CM Straight
- 10-287 Cable Release — Metal — 50 CM Curved
- 10-288 Cable Release — Metal — 80 CM Straight

NEW PRODUCTS LISTING



Order Code

Description

CASES FOR BEAULIEU R16B CAMERAS AND ACCESSORIES

- 10-605 Case — Deluxe, Leather, Standard size (Holds R16B w/17-68mm Zoom ATTACHED)
- 10-609 Case — Deluxe, Leather, Large size (Holds R16B w/12-120mm Zoom ATTACHED)
- 01-210 Case — Halliburton, Aluminum, Foam-fitted (Holds R16B w/12-120mm Zoom ATTACHED)
- 01-211 Case — Halliburton, Aluminum, Foam-fitted (Holds R16B w/12-120mm Zoom and 200' Magazine ATTACHED, plus one extra 200' Magazine)
- 01-215 Case — Deluxe, Hammered Aluminum, Foam-fitted (Holds R16B w/12-120mm Zoom and 200' Magazine ATTACHED, plus one extra 200' Magazine)
- 01-216 Case — Deluxe, Hammered Aluminum, Foam-fitted (Holds R16B w/12-120mm Zoom ATTACHED)
- 10-617 Case — Professional-type, Velour-covered Partitions, Hammered Aluminum, Heavy-duty (Holds R16B w/12-120mm Zoom and 200' Magazine ATTACHED, plus two extra 200' Magazines)

MISCELLANEOUS 16MM ACCESSORIES

- 10-246 Magazine Throat Opening Cover for R16B Cameras
- 10-247 Film Spool, 100'
- 10-248 Film Spool, 200'
- 10-249 Rubber Stopper (for 200' magazine)
- 10-250 Chrome Rollers (for 200' magazine)
- 10-260 Sync Cord (for Order Code #10-257)
- 10-263 Sync Cap (16mm)
- 10-272 "C" mount Body Cap
- 10-716 90mA Charger Lamp
- 10-717 50mA Charger Lamp

LENS ADAPTERS

NOTE: Beaulieu R16B Reflex-Control Cameras will take all "C" mount adapters listed. The R16B "Auto" Cameras will take any "C" mount adapter, the diameter of which is LESS than 2 inches in the FIRST 2 1/2 inches of the mount. These adapters are indicated by asterisk (*). R16B(PZ) Power Zoom Cameras accept adapters coded #01-922 and #01-924, provided that the lens used is not wider (in diameter) than the adapter.

- 01-920 Adapter, Leica M3 TO "C" mount
- 01-923 Adapter, Leicaflex TO "C" mount
- * 01-902 Adapter, Contax TO "C" mount
- 01-903 Adapter, Contarex TO "C" mount
- * 01-921 Adapter, Exakta TO "C" mount
- * 01-922 Adapter, Pentax TO "C" mount
- * 01-906 Adapter, Arriflex TO "C" mount
- 01-926 Adapter, Nikon F TO "C" mount
- 01-925 Adapter, Hasselblad TO "C" mount
- 01-909 Adapter, Alpa TO "C" mount
- 01-918 Adapter, Minolta TO "C" mount
- 01-919 Adapter, Canonflex — Canon Bayonet TO "C" mount
- 01-912 Adapter, Retina Reflex S TO "C" mount
- * 01-924 Adapter, Leica-Canon screw-mount TO "C" mount
- 01-914 Adapter, "T" mount TO "C" mount

"C" MOUNT LENSES

NOTE: Refer to HERVIC CINE LENSES List for available "C" mount zoom and standard lenses, and lens accessories.

All shipments are F.O.B. our warehouses.



EXECUTIVE OFFICE:
14225 VENTURA BLVD., SHERMAN OAKS, CALIF. 91403
(213) 872-2860 • (213) 981-2395



EASTERN REGIONAL OFFICE:
5 DAKOTA DRIVE, LAKE SUCCESS, NEW YORK 11040
(516) 328-3335 • (516) 328-3336

EFFECTIVE DATE: MARCH 31, 1973