


ALPA

SWISS CUSTOMBUILT 35mm WITH HAND-SELECTED LENSES



1

THE **ALPA** FORMULA: SWISS CHRONOMETER PRECISION + CUSTOM GROUND OPTICS = UNCONDITIONAL GUARANTEE FOR HIGHEST MECHANICAL AND OPTICAL PERFORMANCE.

SYMBOL OF SWISS PRECISION: Each ALPA is as painstakingly assembled as a fine Swiss watch, literally custom-built to your order, with all the skill and experience of Swiss master craftsmen.

STREAMLINED: Ultra modern styling with attractive chrome, deep satiny black, green or red finish.

FINGER-TIP CONTROL: For utmost speed and ease of operation.

ACCURATE COMPOSITION: 24x36mm frame is 1/2mm larger on each side than 23x35mm ground-glass, a safety margin covered by slide mount.

WELL BALANCED: Exceptionally sturdy, yet compact — 5 3/4" x 3 3/4" x 2", and lightweight — a mere 21 ounces.

ELECTRONICALLY COMPENSATED THROUGH-THE-LENS METER: 3 sensitive CdS cells behind-the-lens, for absolutely precise exposures (9d).

GOLDPLATED ELECTRIC CONTACTS: Guarantee complete accuracy, even when battery voltage decreases.

AUTOMATIC, OPTICAL COUPLING: Centering of needle on ground-glass indicates precise f/stop or shutter speed from 1/1000 to 4 seconds, for films from 12 to 6400 ASA — AUTOMATICALLY, with any lens, any lens accessory, at any distance. (9d).

RELEASE LOCK: For light readings, previewing depth of field and preventing accidental exposures (9d).

PARALLAX-FREE: Through-the-lens viewing system guarantees accurate framing, focusing and depth-of-field control—with any lens, at any distance.

ULTRA LUMINOUS: Groundglass image is strikingly brilliant, in 1:1 LIFE SIZE.

COUPLED RANGEFINDER: 45° diagonally split image with clear circle pinpoints focus instantly, automatically couples to any lens, at any distance.

HAIR-TRIGGER RELEASE: Operates both lightning reflex-mirror and vibration-free shutter.

HIGH-SPEED WINDING: Frontal rapid-wind lever provides fast film transport, without removing camera from eye.

HIGH-SPEED REWINDING: Unique pull-out crank with parallelogram support.

AUTOMATIC EXPOSURE COUNTER: Instantaneous zero return.

SWISS PRECISION MOVEMENT: Electronically tested speeds from 1/1000 to 1 sec., B, M, FX synchronization; selftimer from 1 to 20 sec., intermediate speeds between marks — 60 different settings!

OVER 30 ALPA LENSES: From 9.8 up to 5000mm including Zoom Lenses.

UNRIVALED APOCHROMATS: Macro-Switar 50mm f/1.8, Kinoptik 18mm f/1.8, 100mm f/2 and 150mm f/2.8 APOCHROMATS offer exclusive correction of primary colors, for precise color fidelity.

AUTOMATIC DIAPHRAGMS: Usable with extension tubes and bellows (twin-cable release) for close-up work; can be disconnected to check depth-of-field.

ALL-IN-ONE LENSES: Automatic Macro-Switar 50mm focuses from infinity to 7" (1:3), Makro-Kilar 40mm to 4" and 2" (1:1,1), and Makro-Kilar 90mm to 5" (1:1), without accessories.

100% LENS CONSISTENCY: Each lens is individually film-tested and hand selected for you — carries an unconditional guarantee for optical excellence. Macro-Switar lenses are supplied with test-film.

ALPA MACRO SYSTEM AND MICRO PHOTOGRAPHY: Extension tubes, bellows, lens inversion rings, close-up lens and micro-adaptor offer a continuous focusing range from infinity down to ultra close-ups of 1:10 — 1:1-20:1 — and (with microscope) 1500:1, without gap!

ALPA MACROSTAT COPY AND CLOSE-UP STAND: Light weight, easily adaptable construction unit with reflectors, close-up light, focusable macro and micro stages, duplicating attachment, groundspikes etc., can be easily adapted to any problem of copywork as well as indoor and outdoor close-up photography.

SPECIAL HALF FRAME MODELS: 18x24mm (17x22.5mm) format, with spacing accuracy of 0.02mm.

ELECTRIC MOTOR: Attachable 12 Volt DC motor and rechargeable battery rod (or transformer-rectifier) permits automatic film transport and remote release.

100 FOOT MAGAZINE: Accepts standard 100 foot daylight loading reels, for up to 800 pictures (1600 half frames) without reloading.

TOTAL QUALITY CONTROL: More than 50% of the ALPA factory is engaged in inspection, certifying the severe and exclusive quality controls with a Swiss Precision Label, attached to every ALPA.

LIFELONG DURABILITY: Sturdy precision construction withstands most rugged use, is geared for more than 100,000 operations! World wide guarantee.



ALPA 9d
with/optically coupled
electronically compensated
behind-the-lens CdS meter

ALPA 9f
without
exposure meter

CODE

damac	w/ALPA-MACRO-SWITAR 50mm f/1.8 ALL-IN-ONE APOCHROMAT (inf. to 7") Automatic
dabody	without lens
fitac	w/ALPA-MACRO-SWITAR 50mm f/1.8 ALL-IN-ONE APOCHROMAT (inf. to 7") Automatic
fibody	without lens

PRICE

529.00
359.00


469.00
299.00

CATALOG NUMBER

C910352/70A
C912239/35A

C920312/70A
C928199/35A

ALPA IN A CLASS BY ITSELF



BLACK MODELS (9d or 9f)

CODE

nor-	deep satiny black finish	add
vert-	Same, but dark green covering	add
red-	Same, but dark red covering	add

PRICE

15.00
15.00
15.00

CATALOG NUMBER


C922010/00A
C924010/00A
C925010/00A

HALF FRAME MODELS (9d or 4b)

siframe	for 18 x 24mm (17 x 22.5mm) half frames (spacing accuracy 0.02mm).....	add
---------	--	-----

100.00

C921080/00A



ALPA 4b

straight 90° viewing

ALPA 5b

45° viewing

ALPA 6b

same w/Rangefinder,
Selftimer

ALPA 8b

same plus separate
Range-Viewfinder

forboda	without lens	
---------	--------------------	--

169.00

C424112/70A

quibode	without lens	
---------	--------------------	--

209.00

C524139/35A

sibodu	without lens	
--------	--------------------	--

239.00

C624159/35A

octobad	without lens	
---------	--------------------	--

259.00

C824172/70A

DIFFERENT GROUNDGLASSES (Must be ordered with camera)

groundglass without rangefinder*		add
groundglass with clear center strip (give width)*		add
groundglass with clear spot*		add
clear glass for Macro/Micro (not for 9d)*		add
groundglass engraved according to sketch		

20.00

AC700016/00A

20.00

AC720016/00A

20.00


AC740016/00A

20.00

AC760016/00A

Prices on request

*Please specify with or without crosshair



ALPA MOTOR

motoro	Electric motor 12 Volt DC for ALPA models with serial # over 49,000	
combifo	Transformer-Rectifier 110 Volt AC/12 Volt DC	
motorac/-reg	Battery rod 12 Volt DC with sep. recharger	
motocab 6.5	Extension cord 6.5 ft.	
motocab 16.5	Same, 16.5 ft.	
motocab 33	Same, 33 ft.	
motocab 100	Same, 100 ft.	
deped	Footpedal for motor	
tempo	Timer 1-60 secs. 110 Volt AC	

269.00

AC200204/25A ▲

99.00

AC202074/25A ▲

99.00

AC204074/25A

6.95

AC206005/25A

8.95

AC208006/75A

12.95

AC201009/75A

24.95

AC203018/75A

49.95

AC205037/50A ▲


99.95

AC207075/00A ▲

alpado	for ALPA models with serial # over 49,000	
--------	---	--

499.00

AC220374/25A ▲



ALPA 100 FOOT BACK

BOOKLETS

THE ALPA CAMERA 124-page text book by Jacob Deschin with ALPA 9d Supplement	
ALPA Test Reports from Photo Magazines	
ALPA9d leaflet	
ALPA 22-page 4-color catalog	
ALPA MACRO-SWITAR APOCHROMAT	
ALPA Electric Motor	
ALPA 100 ft. Magazine	
ALPA Macrostat Close-up and Copy Stand	
ALPAMacro and Micro Instructions	
ALPA Combextan Bellows System	
ALPA Inversbag Lens Inversion System	
ALPA Extreme Close-ups	

2.95

B23001/80A

no charge

B23500/00A

no charge

B23100/00A

no charge

B23200/00A

no charge

B23300/00A

no charge

B23800/00A

no charge

B23900/00A

no charge

B24100/00A

no charge

B24200/00A

no charge

B24300/00A

no charge

B24400/00A

no charge

B24500/00A



THE ULTIMATE IN PHOTOGRAPHY — **ALPA** TOGRAPHY

979 Third Avenue, New York, NY 10022 • (212) 421-5220

A1/10MC/37

ALPA • TESSINA • ROBOT • CARENA • KINOPTIK • PRIMOS • VOLOMAT • LINDIA • KERN • OMAG • FI-CORD • ASTROLUX

OVER 30 ALPA HAND-SELECTED LENSES FROM 9.8 UP TO 5000mm



1_a

UNRIVALED APOCHROMATS: Macro-Switar 50mm f/1.8, Kinoptik 18mm f/1.8, 100mm f/2 and 150mm f/2.8 APOCHROMATS offer exclusive correction of primary colors, for precise color fidelity.

ALL-IN-ONE LENSES: Automatic Macro-Switar 50mm focuses from infinity to 7" (1:3), Makro-Kilar 40mm to 4" and 2" (1:1,1), and Makro-Kilar 90mm to 5" (1:1), **without accessories.**

AUTOMATIC DIAPHRAGMS: Usable with extension tubes and bellows (twin-cable release) for close-up work; can be disconnected to check depth-of-field.

100% LENS CONSISTENCY: Each lens is individually film-tested and hand selected for you — carries an unconditional guarantee for optical excellence. Macro-Switar lenses are supplied with test-film.



WIDE-ANGLE LENSES

CODE

kino 9.8

kino 18

viskin

exretrof

luman

autretrof

curtar

kile

kidan

maswitar

normaswitar

1. ALPA-KINOPTIK 9.8mm f/1.8 (18 x 24mm) .
2. ALPA-KINOPTIK 18mm f/1.8 (18 x 24mm) .
Viewfinder for 9.8 and 18mm lenses
3. ALPA-RETROFOCUS 24mm f/3.5 Auto-
matic (no lenshood)
ALPA-Luminar 25mm f/3.5 special close-up
lens for 2:1-20:1x magnification (needs tubes/
bellows)
4. ALPA-RETROFOCUS 28mm f/3.5 Automatic
(no lenshood)
5. ALPA-CURTAGON 35mm f/2.8 Automatic
ALPA-MAKRO-KILAR E 40mm f/2.8 ALL-IN-
ONE lens (inf. to 4") w/hood
ALPA-MAKRO-KILAR D 40mm f/2.8 ALL-IN-
ONE lens (inf. to 2") w/hood

ALPA-MACRO-SWITAR 50mm f/1.8 ALL-IN-
ONE APOCHROMAT (inf. to 7") Automatic . . .
same, in black finish

- ALPA-XENAR 75mm f/3.5 (inf. to 13")
1. ALPA-ALFITAR 90mm f/2.5 Automatic
 2. ALPA SUPER-MAKRO-KILAR 90mm f/2.8 ALL-
IN- ONE lens (inf. to 5") w/hood
 3. ALPA-KINOPTIK 100mm f/2 APOCHROMAT
Automatic
 4. ALPA-TELE-XENAR 135mm f/3.5 Automatic
 5. ALPA-KINOPTIK 150mm f/2.8 APOCHROMAT
Automatic
 6. ALPA-ALITAR 180mm f/4.5 Automatic

ALPA-ENNA-ZOOM 85-250mm f/4 w/hood, case
ALPA VARIOGON .80 - 240mm f/4 w/hood, case

- ALPA-KINOPTIK 210mm f/2.8 w/hood*
ALPA-KINOPTIK 300mm f/3.5 w/hood*
ALPA-PAN-TELE-KILAR 300mm f/4 ALL-IN-
ONE LENS (inf. to 5½") w/hood, case
1. ALPA-TELE-XENAR 360mm f/5.5
 - ALPA-TELE-KILAR 400mm f/4 w/hood, case
ALPA-KINOPTIK 500mm f/5.6 w/hood*
ALPA-TELE-KILAR 600mm f/5.6 w/hood, case
ALPA-KINOPTIK 1000mm f/8 w/hood (inf.-12')
 3. *Large focusing wheel) For KINOPTIK
 4. *Tripod support) 210-1000mm

Lenses up to 5000mm

PRICE

CATALOG NUMBER

649.00 L11486/75A
359.00 L13300/00A
99.50 V17080/00A

249.00 L10166/00A ▲

159.00 L15119/25A

219.00 L12146/00A ▲

179.00 L14119/35A

109.95 L16073/30A

139.95 L18093/30A

189.00 L26126/00A

189.00 L28126/00A

129.00 L30086/60A

199.00 L34132/70A ▲

259.00 L32172/70A ▲

369.00 L36276/75A

189.00 L38126/00A

449.00 L31336/75A

229.00 L33152/70A ▲

299.00 L35199/35A

399.00 L39266/00A

499.00 L50374/25A

549.00 L52411/75A

469.00 L57312/70A

269.00 L54179/70A

529.00 L56352/70A

599.00 L56499/25A

699.00 L59466/00A ▲

1999.00 L561700/00A

39.95 AC51032/00K

39.95 AC53032/00K

Prices Upon Request

STANDARD LENSES

TELE-PHOTO LENSES

ZOOM LENSES

EXTREME TELE-PHOTO LENSES



ALPA IN A CLASS BY ITSELF



LENSHOODS

CODE

omxana	1. for Switar 50, 75mm
omxabe	2. for Macro-Switar 50mm
	for 9.8mm
	for 18mm
curtabe	3. for 35mm (no hoods for 24, 28mm)
telebe	for 90, 135mm
parso	4. for 100mm
parast	for 150mm
alibe	for 180mm
parante	5. for 360mm


ADAPTER-RINGS

exabag	Adapter fitting Exacta lenses to ALPA
practibag	Adapter fitting Praktica lenses to ALPA
leialp 39	Adapter fitting longer Leica lenses to ALPA (Needs Extensan and/or Tubans), 39mm
leialp 33	Same, 33mm
cinadapt	1. Adapter fitting ALPA lenses to 16mm cameras w/C-mount
alpei	2. Adapter fitting ALPA lenses to Leica range-finder cameras, enlargers w/Leicamount



FILTERS (give tint below)

filtrana *	Size A (diam. 42mm) for Switar 50, 75, Makro-Kilar 90mm	each
filtrabe *	Size B (diam. 52mm) for 35, Macro-Switar 50, 90, 135, 180mm	each
filtrado **	Size D (diam. 67mm) for 24, 28, 100 and 150mm	each
ecrano **	Size E (diam. 30mm) for 40mm	each
Xfiltran **	Size X (diam. 75mm) for 360mm	each
**	Size K (diam. 96mm) for KINOPTIK 210-500mm	each
filkitt **	For Alpa Kilfitt 90, 300, 400, 600mm	
filana **	For ALPA-ENNA-ZOOM 85-250 mm	
befil **	For ALPA VARIOGON 80 - 240 mm	
	Filter slot (2" square filters) for 9.8mm	
interbag	Adapter ring to use size B filters on size A lenses	




POLARIZING FILTERS

polana	Size A (diam. 42mm)
polabe	1. Size B (diam. 52mm)
polado	Size D (diam. 67mm)

DIFFUSION DISCS

softala	2. Size A (diam. 42mm)	} give grade: 0 = weak 1 = medium
softabe	Size B (diam. 52mm)	
softado	Size D (diam. 67mm)	



CLOSE-UP LENSES

donal	Size A (diam. 42mm) + 1 diopter
donabe	3. Size B (diam. 52mm) + 1 diopter
donami	Same, + 1/2 diopter

PRICE CATALOG NUMBER

7.95	H10005/30A
9.95	H10206/65A
29.95	H10424/00A
19.95	H10616/00A
9.95	H10806/65A
12.95	H10108/65A
14.95	H10310/00A
14.95	H10910/00A
14.95	H10510/00A
19.95	H10710/00A
24.95	AC60016/65A
19.95	AC62013/30A
9.95	AC64006/65A
9.95	AC65006/65A
19.95	AC66013/30A
19.95	AC61013/30A
7.95	F11006/00A
9.95	F11207/50A
19.95	F11415/00A
4.95	F11603/30A
24.95	F11818/75A
49.95	F16840/00K
9.95	F11107/50A
14.95	F11311/25 A
19.95	F11515/00A
39.95	AC7132/00K
9.95	AC11106/65A
19.95	F12015/00A
24.95	F12218/75A
29.95	F12422/50A
7.95	F12606/00A
11.95	F12809/00A
19.95	F12515/00A
9.95	F12107/50A
11.95	F12309/00A
11.95	F12709/00A

* 40 colorless (haze, u.v.)
42 pale yellow (same, stronger)
610 pale pink (skylight)
615 pink (same, stronger)
45 light yellow
47 medium yellow

50 dark yellow
51 pale green
55 light green
53 dark green
56 deep orange
58 light red

60 medium red
64 dark red (for infrared)
41 medium blue (80B/daylight film indoors)
502 pale blue (82A/type A film w/3200° lamps)

507 salmon (85/type A film outdoors)
508 salmon (85 B/Super Anscochrome outdoors)
202 grey (neutral density 2x)
204 dark grey (neutral density 4x)

** not all tints



THE ULTIMATE IN PHOTOGRAPHY — **ALPA** TOGRAPHY

979 Third Avenue, New York, NY 10022 • (212) 421-5220

AIA/10MC/37

ALPA • TESSINA • ROBOT • CARENA • KINOPTIK • PRIMOS • VOLOMAT • LINDIA • KERN • OMAG • FI-CORD • ASTROLUX

ALPA ACCESSORIES

CATALOG
NUMBER

1_b



CAMERA CASES

CODE

cidark
ciblak
sumdark
sumblak

- De luxe everready case for ALPA 6c, 9d, 9f
1. Same, in black leather
2. De luxe everready case for ALPA a and b
Same, in black leather

PRICE

24.95 CA7616/65A
24.95 CA7816/65A
24.95 CA7016/65A
24.95 CA7216/65A

GADGET BAGS

lefblak
lefblaktwo
omblak
omblaktwo
omtan

3. For 1 ALPA, 2-3 lenses, accessories
Same, for 2 ALPA's, 1-2 lenses, accessories
4. for 1 ALPA, 5-6 lenses, accessories
Same, for 2 ALPA's, 2-3 lenses, accessories
Same as omblak, but in light saddletan
Second shoulder strap for gadget bag

59.95 CA7140/00A
59.95 CA7940/00A
79.95 CA7353/30A
79.95 CA7553/30A
79.95 CA7753/30A
6.95 CA7404/65A




LENS CASES

reblak
mulblak
noblak
kinblak
texblak

1. for 18, 24, 28, 35, 40, 50, 75mm w/hood
2. for 90, 135, 180mm w/hood
for Makro-Kilar 90, 100mm w/hood
3. for 150mm w/hood
for 360mm w/hood

9.95 CA8206/65A
14.95 CA8810/00A
14.95 CA8610/00A
14.95 CA8110/00A
19.95 CA8513/30A



METAL TRIMMED LENS CARRYING CASES

1. for 9.8mm
2. for KINOPTIK 210mm w/hood
for same w/large focusing wheel
for KINOPTIK 300mm w/hood
for same w/large focusing wheel
for KINOPTIK 500mm w/hood
for same w/large focusing wheel

24.95 CA8020/00K
39.95 CA1932/00K
44.95 CA1936/00K
44.95 CA2236/00K
49.95 CA2240/00K
49.95 CA2440/00K
54.95 CA2444/00K


EXPOSURE METER

metra
metsup
metrelem
dif


- Metraphot 3 exposure meter, attachable to
ALPA 6c, 9f, in leather case
Same w/supersensitive element, in case
Supersensitive element only, in case
Incident light plate for meter of ALPA 6c

19.50 M13013/00A
25.50 M13217/00A
7.50 M13405/00A
.95 SP13600/65A


ALPA IN A CLASS BY ITSELF



FLASH EQUIPMENT




ADAPTERS AND CORRECTION LENSES



MISCELLANEOUS ACCESSORIES



CAPS, SPOOLS



CODE

pile	PX-625 Mallory mercury battery for ALPA 9d meter
acude/camreg	1. Rechargeable battery with separate recharger for ALPA 9d meter
tripris	Triple adapter for 3 flashguns
syncoud	Angle adapter for PC-contact
synkron	2. Synch. cord for 2 hole contact of ALPA a, b
interpris	3. Attachment for use of PC-cord on ALPA a and b 2 hole contact
synstrob	Synchronization cord for PC-contact
suglis	4. Accessory clip adapter for flash with socket 16 mm high
miglis	Same, but only 6mm high

montur	1. Adapter for prescription glasses
montur/coral	Same with correction lens (give diopter: +1, +2, +3, +4, -1, -2, -3)
davoc	0.7 x ocular permits wearer of glasses to see entire ground glass, for Alpa 9d (installed by service station only)
cavoc	same, for Alpa 6 c, 9 f
ocuviv	2. Extension for viewfinder of ALPA a and b
loumido	Adapter for magnifier 2x to ALPA 9d
loumice	Same, for ALPA 6 c, 9 f
upemo	Magnifier 2x
ocugom	3. Rubber hood for ALPA 6 c, 9f
kodadapt/loumido	Adapter for 90° (Retina) viewer for ALPA 9d
visadapt	Same, for ALPA 6 c, 9f

diclaid	Straight cable release (10") w/set screw
coudal	1. Angle cable release (10") w/set screw
delum	Cable release w/built in light
declow	2. Cable release w/slow speed timer 2-32 secs.
remo	Remote air release with bulb (16.5')
ext	16.5' extension for air release
elect	3. Gitzo Electric remote release
hapri	Pistol grip for ALPA and long lens, with shoulder support, strap, cable release (see also Macro Equipment)
suswit	Braided, extensible leather neckstrap
susblak	Same, in black leather
cartan	4. Bulk-loading cassette
statasa	Adapter for mounting ALPA on tripod
redlong	Bushing converting from 3/8" to 1/4", 7mm
redcour	Same, but 4mm long
tri	5. Film trimmer for slidemounts
spetri	7 Watt spare bulb for trimmer

dusmet	1. Body cap for ALPA without lens
obdeka	Metal frontcap for lenses diam. 42mm
obdekbe	2. Metal frontcap for lenses diam. 52mm
obdako	Metal frontcap for lenses diam. 67mm
kildek	Frontcap for Macro-Kilar 40mm
maldek	Frontcap for Macro-Kilar 90mm
xobdek	Frontcap for Tele-Xenar 360mm
posan	3. Rearcap for bayonet mount
boal	Take-up spool for ALPA a cameras
bovid	Take-up spool for ALPA b-f cameras

PRICE CATALOG NUMBER

0.75	SP13900/60A
19.95	AC14913/30A
3.95	AC13102/65A
3.95	AC13802/65A
3.95	AC13302/65A
3.95	AC13702/65A
3.95	AC13502/65A
6.95	AC13904/65A
6.95	AC15504/65A

4.95	AC14003/30A
9.95	AC14206/65A
14.95	AC15110/00A
14.95	AC15710/00A
3.95	AC14402/65A
6.95	AC14704/65A
6.95	AC14604/65A
14.95	AC14810/00A
1.95	AC14101/30A
14.95	AC14310/00A
9.95	AC14506/65A

3.95	AC15002/65A
4.95	AC15203/30A
9.95	AC16106/65A
19.95	AC16213/30A
9.95	AC5506/65A
2.95	AC5902/00A
19.95	AC15413/30A
29.95	AC15319/97A
9.95	AC15606/65A
9.95	AC15806/65A
1.95	AC15901/30A
2.95	AC16402/00A
1.95	AC16601/30A
1.95	AC16801/30A
16.50	AC04711/00A
.95	SP4900/75A

3.00	AC17102/40A
2.50	SP17002/00A
3.00	SP17202/40A
4.95	SP17404/00A
2.00	SP17501/60A
2.00	SP17601/60A
2.00	SP17901/60A
1.00	SP17800/80A
3.00	SP17702/40A
3.00	SP17302/40A



THE ULTIMATE IN PHOTOGRAPHY — **ALPA** TOGRAPHY

799 THIRD AVENUE, NEW YORK, N. Y. 10022 • (212) 421-5220


A1B/10MC/37

ALPA • TESSINA • ROBOT • CARENA • KINOPTIK • PRIMOS • VOLOMAT • LINDIA • KERN • OMAG • FI-CORD • ASTROLUX

ALPA

COMPLETE SYSTEM OF MACRO-MICRO EQUIPMENT


ALPA-MACROSTAT COPY AND CLOSE-UP STAND:
Light weight, easily adaptable construction unit with reflectors, close-up light, focusable macro and micro stages, duplicating attachment, groundspikes etc., can be easily adapted to any problem of copywork as well as indoor and outdoor close-up photography.



**7 TYPICAL
MACROSTAT
COMBINATIONS**




**FOR INDOOR
PHOTOGRAPHY**



**AND
OUTDOOR
PHOTOGRAPHY**

**INDIVIDUAL
COMPONENTS
OF MACROSTAT**



ALPA MACRO SYSTEM AND MICRO PHOTOGRAPHY
Extension tubes, bellows, lens inversion rings, close-up lens and micro-adapter offer a continuous focusing range from infinity down to ultra close-ups of 1:10 — 1:1 — 20:1 — and (with microscope) 1500:1, without gap!


CODE

macrofix	Basic set w/simple table fixture, no reflectors (basnox, bicolon, conox, camtig)
macrolab	Same, w/electric table fixture, 2 reflectors (basel bicolon, 3 conox, camtig, tinox, 4 unitig, 2 lampref).
macromax	1. Same, w/4 reflectors and supports (basel, bicolon, 2 conox, camtig, 4 tinox, 11 unitig, 4 lampref)
macrorigid	Same, on baseboard with 2 reflectors (basplan, 2 bicolon, 2 conox, 2 camtig, usan, 2 tinox, 2 unitig, 2 lampref)
macrodia	2. Slide copying set w/macrostage, close-up light (basel, bicolon, camfix, usan, macbag, filmpas, 2 conox, camtig, unitig, lampabat, suglis)
macrophot	3. Close-up set w/macrostage, close-up light, mirror (basel, bicolon, 3 conox, camtig, camfix, tinox, usan, 2 unitig, macromir, lampabat, macbag)
macroex	4. Stand w/ground-spikes, mirror (coplant, bicolon, conox, camtig, rotul, miroplant, macromir)
basnox	Simple table fixture
basel	Electric table fixture w/4 outlets, 3 way-switch
basplan	18 x 27" Board with 2 fixtures
colon	12" column (Ø1") w/male and female cone
bicolon	Pair of two 12" columns
unitig	12" arm (Ø 0.6") for reflectors
camtig	Same for camera
conox	Clamp to connect arm to column
tinox	Clamp to connect two arms
camfix	Camera clamp for exact orientation
usan	Camera cradle w/three sockets
rotul	Ball-and-socket head
lampref	Reflector w/adjustable lamp socket
lampabat	Close-up light w/adjustable lamp socket
macbag	Adjustable macro-stage w/3 interchangeable discs: opaque, translucent, opaline
filmpas	Support for reproduction of filmstrips or slides (attaches to macbag)
suglis	Intermediate piece for acc. clip w/socket, 16mm high
miglis	Same, 6mm high
macromir	Two-way mirror w/flexible arm
coplant	Large groundspike for column
miroplant	Small groundspike for mirror

1^c

PRICE	CATALOG NUMBER
79.95	AC250060/00A
259.90	AC252195/00A ▲
399.90	AC254300/00A ▲
259.90	AC256195/00A ▲
299.90	AC258225/00A ▲
299.90	AC251225/00A ▲
79.95	AC253060/00A
39.95	AC26030/00A
69.95	AC26252/50A
23.95	AC26618/00A
11.95	AC26109/00A
19.95	AC26315/00A
4.95	AC26503/75A
9.95	AC26707/50A
13.95	AC27010/50A
11.95	AC27209/00A
15.95	AC27412/00A ▲
29.95	AC26622/50A
9.95	AC26807/50A
49.95	AC27137/50A ▲
49.95	AC27537/50A ▲
49.95	AC28037/50A
39.95	AC28830/00A ▲
6.95	AC29904/65A ▲
6.95	AC15504/65A ▲
19.95	AC28515/00A ▲
9.95	AC28707/50A
5.95	AC28904/50A

ALPA IN A CLASS BY ITSELF



ADDITIONAL MACROSTAT ACCESSORIES

CODE		
stafix	Baseplate for 3 unitig and 1 colon, to form tripod or lamp support	15.95
minipod	Table tripod for reflectors, close-up light	15.95
binox	Clamp to connect 2 pillars at angle	19.95
retig	Reducing adapter 25mm to 15mm diam. for conox, binox or stafix	9.95
sernox	Supplementary clamp for table fixture	9.95
lampshade	1. Attachable shade for reflectors	9.95
micplat	2. Micro-stage w/iris, condensor, interchanges with stage of macbag	69.95
malcone	Male cone w/3/8" socket	6.95
concap/interviscong	Adapter to attach ALPA on column	5.95
alpec	Simple cradle	19.95
intervisasa	Adapter w/3/8" and 1/4" screws	1.95
macdou	Adapter for attaching column to board of PRIMOS professional enlargers	3.95
conecrou	Adapter to attach mirror to table fixture	3.95
intertig	Reducing adapter for Ø 12mm (0.5") shafts	5.95
boucol	Plastic cap for colon column	.95
boutig	Plastic cap for unitig arm	.95
valma	Metal carrying case for Macrostat, ALPA etc.	79.95

PRICE CATALOG NUMBER


AC30612/00A	▲
AC29112/00A	▲
AC30815/00A	▲
AC30107/50A	▲
AC29007/50A	▲
AC29207/50A	▲
AC29452/50A	▲
AC28605/25A	▲
AC29804/50A	▲
AC30315/00A	▲
AC29101/50A	▲
AC29303/00A	▲
AC29503/00A	▲
AC29704/50A	▲
AC30200/75A	▲
AC30400/75A	▲
AC30460/00A	▲
AC21022/50A	▲
AC21203/75A	▲
AC21406/00A	▲
AC21602/25A	▲
AC21803/00A	▲
AC21103/75A	▲
AC21304/50A	▲
AC21530/00A	▲
AC21730/00A	▲



EXTENSION TUBES

tubset	3. Complete set Tuban, A, B, 1 - 4	96mm
tubana	Tuban A ring, fitting camera	6mm
tubanbe	Tuban B ring, fitting lens	6mm
tubanon	Tuban 1 intermediate tube	6mm
tubantwo	Tuban 2 intermediate tube	12mm
tubantre	Tuban 3 intermediate tube	24mm
tubanfor	Tuban 4 intermediate tube	48mm
extensan	4. Tube of variable length(w/tuban B)	30-50mm
tualp	Rotating tube of variable length	45-87mm


AC22052/50A	▲
AC22267/50A	▲
AC22475/00A	▲
AC22622/50A	▲
AC22897/50A	▲
AC22322/50A	▲
AC22122/50A	▲
AC22504/50A	▲
AC22706/00A	▲
AC22907/50A	▲
AC23309/75A	▲
AC23515/00A	▲
AC23709/00A	▲



SIMPLE BELLOWS COMBEXTAN BELLOWS SYSTEM

nivex	Bellows attachment	69.95
dovex	Same, with sliding support	89.95
simplex	Bellows w/2 movable supports	99.95
cavex	Sliding support for simplex (38-158mm)	29.95
duplex	Combination of simplex and cavex	129.90
ralex	Longer sliding support (28-300)mm	29.95
solex	Lenshood bellows	29.95
solexa	Adapter for Switar 50mm, Xenar 75mm	5.95
solexi	Adapter for inverted lenses	7.95
kibag	Adapter for ALPA Super-Makro-Kilar 90mm (needs tuban A)	9.95
percolon	12" pierced column (Ø1") for simplex	12.95
colonmax	Same, 40" for ralex	19.95
covis	Fixation screws for pierced column	11.95

L15119/25A	▲
AC15411/25A	▲
AC15319/97A	▲
AC16015/00A	▲
AC16305/25A	▲




CLOSE-UP LENS

CLOSE-UP ACCESSORIES

luman	1. Alpa-Luminar 25mm f/3.5 for 2:1- to 20:1 magnification (needs tubes, bellows)	159.00
bipres	Twin cable release for Auto - diaphragm lenses used with tubes or bellows	14.95
hapri	2. Pistol grip for ALPA and long lens, with shoulder support, strap, cable release	29.95
combipan	3. Twin-cable release for close-ups with hapri	19.95
prescombi	Pushbutton for use of combipan without hapri	6.95

AC23018/75A	▲
AC23204/50A	▲
AC23415/00A	▲
AC23604/50A	▲
AC23803/00A	▲
AC23107/50A	▲



INVERSBAG RING SYSTEM

inversbag	4. Inversion ring for lenses size B	24.95
inversred	Reducing adapter for size A lenses	5.95
inverstel	Adapter for binoculars, telescopes (give diam.)	19.95
inverstar	Adapter for microscopic adapter, tuban B etc.	5.95
inversfil	Adapter for extension tubes, 2 inversbags, etc.	3.95
impod	Support for inversbag	9.95

AC24018/75A	▲
AC24118/75A	▲
AC24222/50A	▲
AC24807/50A	▲

MICROSCOPIC ADAPTERS

ENDOSCOPIC ADAPTER

microfix	Inside diameter 25mm (requires tuban A)	24.95
micradapt	Inside diameter 33mm	24.95
micron	Inside diameter made to order (ask for questionnaire)	29.95
endobag	For Macro-Switar 50mm	9.95



THE ULTIMATE IN PHOTOGRAPHY — ALPA TOGRAPHY

979 Third Avenue, New York, NY 10022 • (212) 421-5220

AIC/10MC/37

ALPA • TESSINA • ROBOT • CARENA • KINOPTIK • PRIMOS • VOLOMAT • LINDIA • KERN • OMAG • FI-CORD • ASTROLUX