


esenting

ONE OF AMERICA'S FINEST CAMERAS



The Greatest Triumph of American Precision Engineering Genius

Detrola 400 3 4 5 6 7 8 9 10 11 12 13



Complete with specially designed Eveready Carrying Case

\$6950

Wollensak F:3.5 LENS

Detrola 400° ACCESSORIES

400" SYNCHRONIZED FLASH GUN

Quickly and easily attached, the unit consists of a chrome plated reflector and specially constructed, sturdy case. Oversize batteries produce dependable, prolonged operation. Uses standard focal plane flash bulbs. Safety switch prevents accidental firing. Perfectly synchronized with focal plane shutter.

400" COLOR FILTERS

Precision-built, scientifically engineered filters mounted in attractive aluminum holders, designed to slip over the regular camera lens. All surfaces are ground. Yellow 2XY for cloud effects, Yellow 4XY for color corrections, Green 4XG for panchromatic film, Red 5XR for panchromatic or infra-red. Haze Filter for ultra-violet.

400" DELUXE FILTER KIT

Combination lens shade and filter holder, aluminum construction, accurately machined. Ontical black inside reduces reflecting surface. Slips securely over lens mount; will not interfere with camera operation. Base unscrews to permit insertion of individual filters. Complete with 5 filters. Packed in attractive case.



Home of Precision-Built DETROLA Cameras and Radios - Detroit, Michigan

All prices subject to change without notice.

L Counter Disc automatically records number of exposures.

2

20)

Detrole

- Winding Knob simultaneously winds film and sets shutter.
- 3. Lugs for adjusting Counter Disc to zero setting for new film.
- Counter Arrow indicates number of exposures taken.
- 5. Release button to operate camera shutter.
- 6. Release button shoulder. Cable release may be screwed in here.
- High Shutter-Speed Dial for adjustment of speed required. (1/25 to 1/1500 second.)

 Slow-Speed Shutter Adjustment Knob fo adjustment of 1/10 second to one second.

THE WORLD'S FINEST CAMERAS HAVE ALL THESE FEATURES!

ELOSTIC

THE GREATEST TRIUMPH OF AMERICAN PRECISION ENGINEERING GENIUS

- 9. Index figures for slow-speed arrow.
- 10. Accesse / Clip for synchronized Detrola Flash Gun.
- II. Built-in coupled Miracle Eye range finder, techanically connected with
- lens system.
- 12. Optical view finder.
- Back-wind knob to rewind film into magazin.
 Eyelets or holding camera when us-
- ing neck cord.

 Depth of focus scale engraved on lens barrel.

15

17

18

16

- 16. Focus ring adjusts lens from three feet to infinity.
- 17. Lens aperture adjusting ring for adjusting lens opening.
- Wollensak lens. Corrected for colog photography.
- 19. Detrola "400" Serial Number for lifetime registration.
- registration. 20. Rewind release button. Dozens of other extraordinary innovations.

EYE

DETROLA CORPORATION DETROIT, MICH.

OTHER DETROLA CAMERA SUPER-VALUES!

ALL AMERICAN MADE

Model "A"

★ Precision-built, candid type camera with handy neck cord for carrying. ★ llex Meniscus lens. ★ Instantaneous shots and time exposures. ★ Uses standard film. ★ Provision for extra roll of film. * Fixed focus. * The finest low-priced camera on the market.

DETROLA MODEL "G" ANASTIGMAT F:4.5 LENS Shutter speeds from 1/25 to 1/200 seconds, including time to the second s ★ Variable accurate focus from 3 feet to infinity. ★ Auto-matic lens-mount extension release and finger-tip provision for trol. → Corrected for color transparencies. → Provision inatic lens-mount extension release and finger-tip focus con-trol. Corrected for color transparencies. X Provision for trol. A mounting Constitution Provision of the plus-value features! X Constitution for carrying. Convine Evancedy Leaster Convine Force exten-Genuine Eveready Leather Carrying Case, 54.50

OLLENSAK

VELOSTIGMAT

★ Shutter speeds from 1/25 to 1/200 second, time and bulb exposure. ★ Variable accurate focusing from 3 feet to infinity. ★ Uses inexpensive Eastman 127 or Agfa A-8 standard coll film. ★ Optical view finder. ★ Provision for tripod mounting and cable release. ★ Automatic Lens mount extension release. ★ Finger-tip focusing control ★ Builtien exposure indicator and 3 exposure calibrator

+ Built-in exposure indicator and 3 exposure calibrator

dises. ★ Neck cord. ★ More peak performance features!

Genuine Eveready Leather Carrying Case, \$4.50

F:3.5 LENS

Model "KW"

IST D



★ F:4.5 Wollensak Velostigmat lens. 1/25 -1/200 second, time and bulb. ★ Focus 3 feet to infinity. * Built-in optical view finder, telescoping lens mount. ★ Corrected for color. ★ Uses inexpensive standard film roll. ★ Neck cord. ★ Many additional features.

Genuine Eveready Leather Carrying Case, \$4.50



h

395

★ F:4.5 Wollensak Velostigmat lens with builtin Exposure Indicator and set of 3 Exposure Calibrator discs. * Shutter speeds from 1/25. to 1/200 second including time and bulb exposure. ★ Variable accurate focusing from 3 feet to infinity. ★ Optical view finder. ★ Provision for tripod mounting and cable release. 🛨 Corrected for color transparencies. ★ Uses inexpensive Eastman 127 or Agfa A-8 standard film roll. + Neck band.

