


Item
Number

DESCRIPTION



10.2600

CONTAREX SUPER:

- Built-in CdS exposure meter with through-the-lens metering. Meter coupled to shutter speeds and lens diaphragm. Meter angle: 7° only with 50mm lens. Equal to 7% of picture area.
- Focal plane shutter with speeds of 1 sec. to 1/1000 sec. plus B and built-in self timer.
- Large pentaprism viewfinder with interchangeable viewing screens.
- Instant-return mirror.
- F-stops and shutter speeds visible in viewfinder and on top of camera for convenient eye level and waist level adjustments.
- Flash synchronization color-coded for flash bulbs and strobe units. Hot shoe flash contact and regular PC outlet with locking device on camera body.
- Provisions for data recording on film at time of exposure.

LENSES

Interchangeable lenses, all bayonet-mounted, ranging from 18mm to 1000mm.

- 18mm to 250mm lenses with automatic pre-set diaphragms.
- B-Planar and B-Distagon with built-in automatic flash control.
- Automatic diaphragm compensation for close-up photography for 25 to 55mm lenses.


Complete range of accessories including interchangeable Magazine Backs, Copy Stand, Adapter for Photomicrography, Lens Shades, Filters, Close-up Lenses and many others.

10.2600	CONTAREX SUPER®, chrome finish*, with interchangeable split-image viewing screen and ground-glass ring, body only, lens and case extra	445.00
*Camera body with black finish, see below, \$24.00 extra.		
10.2600	Camera body, as above	} 684.00
11.2407	PLANAR® f/1.4, 55mm	
10.2600	Camera body, as above	} 634.00
11.2412	B-PLANAR® f/2, 50mm	
10.2600	Camera body, as above	} 534.00
11.2501	TESSAR® f/2.8, 50mm	
10.2600-BL	CONTAREX® SUPER, black finish, camera body only, lens and case extra	469.00
23.0008	CASE, EVEREADY, for Contarex super	29.00

CONTAREX PROFESSIONAL

Same features as Contarex Super, but no built-in exposure meter.

10.2700	CONTAREX® P with interchangeable split-image viewing screen and ground-glass ring, body only, lens and case extra	315.00
10.2700	Camera body, as above	} 554.00
11.2407	PLANAR® f/1.4, 55mm	
10.2700	Camera body, as above	} 504.00
11.2412	B-PLANAR® f/2, 50mm	
10.2700	Camera body, as above	} 404.00
11.2501	TESSAR® f/2.8, 50mm	
23.0008	CASE, EVEREADY, for Contarex P	29.00



10.2700

THE CONTAREX[®] CAMERA SYSTEM

ZEISS IKON
VOIGTLÄNDER

DESCRIPTION


Item
Number

INTERCHANGEABLE LENSES


DISTAGON f/4, 18mm, automatic preset	330.00	11.2418
DISTAGON, f/2.8, 25mm, automatic preset	276.00	11.2408
DISTAGON, f/2, 35mm, automatic preset	279.00	11.2414
B-DISTAGON f/4, 35mm, automatic preset, with built-in flash automation	209.00	11.2413
B-PLANAR [®] f/2, 50mm, automatic preset, with built-in flash automation	189.00	11.2412
TESSAR [®] f/2.8, 50mm, automatic preset	89.00	11.2501
S-PLANAR [®] f/4, 50mm for scale reproductions at 1:2.8 to 1:13 only	269.00	11.2415
PLANAR [®] f/1.4, 55mm, automatic preset	239.00	11.2407
SONNAR [®] f/2, 85mm, automatic preset	232.00	11.2404
TESSAR [®] f/3.5, 115mm, manually preset (for use with BELLOWS EXTENSION only)	289.00	11.2417
SONNAR [®] f/4, 135mm, automatic preset	185.00	11.2405
OLYMPIA SONNAR [®] f/2.8, 135mm automatic preset	239.00	11.2409
OLYMPIA SONNAR [®] f/2.8, 180mm, automatic preset	515.00	11.2425
OLYMPIA SONNAR [®] f/4, 250mm automatic preset, with rapid focusing grip with case	549.00	11.2421
VARIO-SONNAR [®] f/2.8, 40-120mm, zoom lens	660.00	11.2423
VARIO-SONNAR [®] f/4, 85-250mm zoom lens	849.00	11.2424
MONOCULAR, 8x30 B, f/16, 400mm tele attachment	108.00	20.1629
CASE, leather, for Monocular	12.00	23.1203
ADAPTER RING to attach Monocular 8x30 B to Contarex (50mm Planar or Tessar only)	7.50	20.1639
ADAPTER RING to attach Monocular 8x30 B to Planar f/1.4, 55mm	19.50	20.1642
MIROTAR [®] f/4.5, 500mm, mirror-reflex (catadioptric) lens with case	1312.00	11.2420
MIROTAR [®] f/5.6, 1000mm, mirror-reflex (catadioptric) lens with case	3990.00	11.2422

OPTIONAL INTERCHANGEABLE VIEWFINDER SCREENS


VIEWING SCREEN, full ground-glass	7.50	20.1312
VIEWING SCREEN, split-image with ground-glass ring for 25mm to 135mm lenses	7.50	20.1310
VIEWING SCREEN, split-image for 250mm lens	7.50	20.1311
VIEWING SCREEN, clear-glass with cross-line reticule for photomicrography	13.50	20.1313
VIEWING SCREEN, full ground-glass with split-image indicator...	10.00	20.1314
CONTAINER, with tweezers and soft-hair brush (holds up to 4 viewing screens)	15.00	20.7074
DATA RECORDING STRIPS in bag (100 each)	7.50	20.0202




11.2408 11.2414



11.2421



11.2420



20.7074


March 1, 1968

THE CONTAREX® CAMERA SYSTEM


ZEISS IKON
VOIGTLÄNDER

Item
Number

DESCRIPTION



11.2425



20.0710 20.0712



11.2423



11.2409

20.0627	DUST CAP for camera body	1.00
20.0609	LENS CAP for front of lens (21mm to 135mm)	1.00
20.0625	LENS CAP, rear, 25mm to 250mm lenses	1.00
20.0624	LENS CAP, front, 250mm lens	1.00
23.7756	LEATHER CASE for Distagon f/4, 35mm or any 50mm lens	18.00
23.7757	LEATHER CASE for 25mm, Distagon f/2, 35mm, 55mm or 85mm lens	18.00
23.7758	LEATHER CASE for 135mm lens	18.00
23.1002	LEATHER CASE for 250mm Olympia-Sonnar	21.00
20.7002	PLASTIC CONTAINER for Distagon f/4, 35mm or one 50mm lens	3.00
20.7008	PLASTIC CONTAINER for 25mm, 55mm or 85mm lens	3.00
20.7003	PLASTIC CONTAINER for Distagon f/2, 35mm or one 135mm lens	3.00
20.0710	LENS SHADE, bayonet mount, 56mm for 21, 25, and 35mm lenses	9.00
20.0712	LENS SHADE, bayonet mount, 56mm for 50, 55, 85, 115 and 135mm lenses	9.00
23.7838	CASE, leather, for #20.0710 lens shade	4.50
23.7837	CASE, leather, for #20.0712 lens shade	4.50
FILTER, bayonet mount, 56mm for 21, 25, 35, 50, 55, 85, 115 and 135mm lenses. each		19.50
20.1065	Ultra Violet 1x	
20.1061	Yellow 2x	
20.1062	Yellow Green 2x	
20.1063	Orange 3x	
20.1064	Red 8x	
20.1068	Skylight for daylight type color films.	
20.1012	85B for Super-Anscochrome Tungsten, High Speed Ektachrome, Type B	
FILTER, bayonet mount, 96mm for 18mm Distagon and Vario Sonnar lenses		
20.1071	Yellow 3x	39.00
20.1075	UV 1x	39.00
20.1078	Skylight	48.00

THE CONTAREX® CAMERA SYSTEM

ZEISS IKON
VOIGTLANDER

DESCRIPTION

Item
Number

FILTERS, screw-in mount, 67mm for 250mm lens each **24.00**

Ultra Violet 1x

20.1045

Yellow 2x

20.1041

Skylight for daylight color films.

20.1048

85B for Super Anscochrome Tungsten, High Speed Ektachrome, Type B

20.1049

CONTAPOL, polarizing filter in bayonet mount, 56mm **36.00**

20.1206

The Contapol subdues reflections on glass, water, and other non-metallic surfaces, darkens blue skies in color photography without changing subject colors. The filter factor is approx. 3X.

CASE, Leather, black, for one filter or one Proxar lens or one Contapol in 56mm bayonet mount only **3.00**

23.2001

CASE, Leather, black, for one 67mm filter **3.00**

23.2002

ACCESSORIES FOR CLOSE-UP PHOTOGRAPHY

PROXAR® CLOSE-UP LENS, bayonet mount, 56mm, 5x, f=0.2m (for distances 4-8 in.) **18.00**

20.0840

Approx. minimum coverage: 1 $\frac{3}{4}$ "x2 $\frac{1}{2}$ "*

Approx. maximum coverage: 3 $\frac{3}{8}$ "x5 $\frac{1}{4}$ "*

*With 50mm lens

PROXAR® CLOSE-UP LENS, bayonet mount, 56mm 1 dptr., f=1 meter for Sonnar 85mm and Sonnar 135mm **18.00**

20.0843

Focusing with 85mm: 15 $\frac{1}{2}$ " to 39"

Focusing with 135mm: 20" to 39"

Approx. area cover. 85mm: 10 $\frac{1}{4}$ "x15 $\frac{3}{4}$ " to 4"x6"

Approx. area cover. 135mm: 6 $\frac{3}{4}$ "x10 $\frac{1}{4}$ " to 3"x4 $\frac{1}{2}$ "

PROXAR® CLOSE-UP LENS, bayonet mount, 56mm 2 dptr., f=0.5 meter for Sonnar 85mm and Sonnar 135mm **18.00**

20.0844

Focusing with 85mm: 11 $\frac{1}{2}$ " to 20"

Focusing with 135mm: 14" to 20"

Approx. area cover. 85mm: 5 $\frac{1}{4}$ "x8" to 3"x4 $\frac{1}{4}$ "

Approx. area cover. 135mm: 3 $\frac{1}{2}$ "x5 $\frac{1}{4}$ " to 2"x3"

PROXAR® CLOSE-UP LENS, bayonet mount, 56mm 3 dptr., f=0.35 meter for Sonnar 85mm and Sonnar 135mm **18.00**

20.0845

Focusing with 85mm: 9" to 13 $\frac{1}{2}$ "

Focusing with 135mm: 10 $\frac{1}{4}$ " to 13 $\frac{1}{2}$ "

Approx. area coverage 85mm: 3 $\frac{1}{2}$ "x5" to 2 $\frac{1}{4}$ "x3 $\frac{1}{4}$ "

Approx. area coverage 135mm: 2 $\frac{1}{4}$ "x3 $\frac{1}{2}$ " to 1 $\frac{1}{2}$ "x2 $\frac{1}{4}$ "

FOCUSING BELLOWS EXTENSION double track **99.00**

20.1617

Approx. permissible field sizes with:

35mm lens: $\frac{1}{4}$ "x $\frac{3}{8}$ " to 1x1 $\frac{1}{2}$ "*

50mm lens: $\frac{3}{8}$ "x $\frac{5}{8}$ " to 1 $\frac{5}{8}$ " to 2 $\frac{3}{8}$ "*

85mm lens: $\frac{5}{8}$ "x1" to 2 $\frac{7}{8}$ "x3 $\frac{3}{4}$ "*

135mm lens: 1x1 $\frac{1}{2}$ " to 3 $\frac{1}{2}$ "x5 $\frac{1}{4}$ "*

*With 115mm lens: Infinity to natural size (1:1)

TESSAR® f/3.5, 115mm, in short barrel mount, including twin cable release, leather pouch (for use with Bellows Extension only) **289.00**

11.2417

BELLOWS LENS HOOD (Compendium) for use with Focusing Bellows Extension **30.00**

20.1631

CLOSE-UP LENS, with adapter ring for slide duplication (ratio 1:1) with Planar f/2, 50mm, focusing bellows and bellows lens hood **12.00**

20.1636

CLOSE-UP LENSES for Monocular 8x30B

+1 dptr. lens, field: 2"x3" **18.00**

20.0831

+2 dptr. lens, field: 1 $\frac{1}{4}$ "x1 $\frac{3}{4}$ " **21.00**

20.0832

+3 dptr. lens, field: $\frac{3}{4}$ "x1 $\frac{1}{4}$ " **21.00**

20.0833

+5 dptr. lens, field: $\frac{1}{2}$ "x $\frac{3}{4}$ " **39.00**


20.0834

+8 dptr. lens, field: $\frac{1}{4}$ "x1 $\frac{1}{2}$ " **30.00**


20.0835



20.1629




20.1639



20.1617

Item
Number

DESCRIPTION



20.1853

TABLE REPRODUCTION STAND consisting of:		
20.1826	Table Clamp	18.00
20.1819	Pillar 2' long	18.00
20.1828	Connecting Arm	18.00
20.1824	Camera Adapter	18.00

LIGHTING UNIT FOR TABLE REPRODUCTION STAND:

20.1810	1 T-Clamp	15.00
20.1820	1 Transverse Tube	15.00
20.1811	2 Clamps	each 15.00
20.1808	2 Tubes for carrying Reflector	each 7.50
20.1813	4 Reflectors, articulated tubes and U.S. adapter	each 20.00
20.1812	4 Clamps	each 15.00

20.1633	ADAPTER RING for Luminar lenses	21.00
---------	--	-------

REPROPHOT, portable copystand for object sizes:

20.1853	8"x12" to 1"x1½" (natural size)	89.00
---------	---------------------------------------	-------

20.1634	RIGHT-ANGLE VIEW-FINDER for viewing and focusing at waist-level and for copy work, photomicrography. Mirror reflex view-finder with adjustable eyepiece which is fitted to the eyepiece of the camera	36.00
---------	--	-------

MICRO ATTACHMENT for 25mm Eyepiece Sleeve, consisting of:

20.1628	1 Contarex Adapter	15.00
20.1616	1 Connecting Ring	18.00

20.1628


CARRYING CASES

23.0203	DELUXE CARRYING CASE for Contarex	36.00
	Holds Contarex with one lens on camera, two filters and one lens shade	

23.0204	SMALL UNIVERSAL CARRYING CASE for Contarex	54.00
	Holds Contarex with one lens on camera, one additional lens (up to 135mm, except 21mm Biogon), one Interchangeable Back, two filters and one lens shade.	

23.0205	LARGE UNIVERSAL CARRYING CASE for Contarex	75.00
	Holds Contarex with standard lens, three additional lenses, except 21mm Biogon, one Interchangeable Back, one Monocular 8x30B or one Interchangeable Back, two filters, two lens shades, adapter ring for Monocular 8x30B and one cable release, locking.	

23.7842	LENS CARRYING CASE for Contarex lenses and accessories	42.00
	Holds the 21mm Biogon, 135mm Sonnar and one additional lens (35mm, 50mm or 85mm) plus the 21mm viewfinder. There is space for either two 56mm filters or one filter and the Proxar close-up lens. In addition it holds either one interchangeable back or two 56mm lens shades.	



20.1616



23.0205

THE CONTAREX® CAMERA SYSTEM

ZEISS IKON
VOIGTLANDER

DESCRIPTION


Item
Number

SUNDRY ACCESSORIES FOR CONTAREX


INTERCHANGEABLE MAGAZINE BACK	69.00	20.0304
LEATHER CASE for one interchangeable magazine back	12.00	23.7856
LEATHER CASE for two interchangeable magazine backs	12.00	23.0200
CABLE RELEASE, locking, 10-in. long, with special locking device for longtime exposures	2.95	20.0281
TRIPOD EXTENSION PIECE	9.00	20.0203
RUBBER EYE CUP for viewfinder	2.50	35.0207
TAKE-UP SPOOL, made of plastic, with tooth for anchoring film	1.00	20.0001
NECK STRAP, black leather	1.95	23.0211
EYE-CORRECTION LENS (spherical only) from ± 0.5 to ± 5 diopters in steps of 0.5 each, for Contarex and Contarex Special with penta prism viewfinder attachment, special order only together with prescription for eye used	6.00	20.0504
CASSETTE, complete. For using "Bulk" film	12.00	20.0300
CORE, for Cassette	1.00	20.0301

EXPOSURE METERS AND FLASHGUNS

SEE SECTION H



20.0304



20.0203