

ZEISS IKON CAMERAS AND ACCESSORIES

CONFIDENTIAL DEALER PRICE LIST (6 pages)

See separate price schedule
for Contax Cameras, Lenses and Accessories

REVISED AND EFFECTIVE AS OF
FEBRUARY 15th, 1956

All prices, specifications and technical data subject to change without notice



Made in West Germany

CARL ZEISS, INC., 485 FIFTH AVENUE, NEW YORK 17, N. Y.

Telephone: VAnDerbilt 6-0260



CONFIDENTIAL DISCOUNT SCHEDULE ON ZEISS IKON CAMERAS AND ACCESSORIES

Our discounts on established consumer retail prices (less excise tax, if any) are, until further notice, as follows:

On Cameras, including Eveready Cases:

1 or 2.....	35%
3 or more, assorted (not including Box Tengor), ordered at one time and on one order (Contax with one lens only)	35% & 10% on net*

**On Contina IIa Package deal consisting of either
Contina IIa, with Novar f/3.5 in case with Ikoblitz O
OR
Contina IIa, with Novicar f/2.8 in case with Ikoblitz O**

1 or 2.....	35% & 5% on net*
3 or more (assorted with any type of camera excluding Box Tengor), ordered at one time and on one order	35% & 10% & 5% on net**†

On accessories

35%

On Box Tengor, Ikophot, Ikoblitz O, and Ikoblitz III:

1 or 2 of an item.....	35%
3 to 5 of an item, ordered at one time and on one order	40%*
6 or more of an item, ordered at one time and on one order	40% & 5% on net*

If an order for three or more cameras includes Contax cameras, the quantity discount of 10% will apply to one lens only for every Contax body ordered (as mentioned above under "Cameras"); if more than one lens is ordered for one Contax body, the special 10% will be granted on the most expensive lens.

*Any excise tax will be correspondingly reduced.

†The additional 5% applies to the Contina IIa package deal only.



CARL ZEISS, Inc.

485 Fifth Avenue

New York 17, N. Y.

ZEISS IKON CAMERAS

DEALER PRICE LIST—EFFECTIVE FEBRUARY 15, 1956

Prices, specifications and technical data subject to change.

CONTINA Ia and IIa (35mm)

Using standard 35mm. color and black-and-white film cartridges. Lenses factory coated. Shutters fully synchronized for flash (MX). Contina IIa has built-in ASA-calibrated photo-electric exposure meter.

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
CONTINA Ia, Novar f/3.5, 45mm., Prontor SVS, self-timer, case extra	526/24 Fpms	32.96	3.30	54.00
CONTINA IIa, Novar f/3.5, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra	527/24 Fpms	45.77	4.58	75.00
CONTINA IIa, Novicar f/2.8, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra	527/24 Vpms	52.49	5.25	86.00
CASE, Eveready, for Contina Ia, IIa	1244/24	5.85	-----	9.00
Eveready, for Contina I	1213/24	7.15	-----	11.00
Eveready, for Contina II	1216/24	7.15	-----	11.00
Eveready for Contessa	-----	7.80	-----	12.00
} discontinued camera models				
SYNCHRO CORD, PC	PC	1.27	-----	1.95
CABLE RELEASE, locking	1312/24	.81	-----	1.25
NECK STRAP, for Contina I	TR 499	1.17	-----	1.80
for Contina II and Contessa	TR 500S	1.63	-----	2.50
} discontinued camera models				
LENS SHADE, slip-on mount, 28.5mm., for Contina and Contessa	1110	1.63	-----	2.50
LEATHER CASE for lens shade, 28.5mm.	778	1.14	-----	1.75
FILTERS, screw-on mount, 27mm., for Contina and Contessa:				
Ultra Violet 1x	352-UV	3.25	-----	5.00
Yellow 2x	352-G	3.25	-----	5.00
Yellow Green 2x	352-GR	3.25	-----	5.00
Orange 5x	352-O	3.25	-----	5.00
Red 8x	352-R	3.25	-----	5.00
Skylight for Kodachrome & Ektachrome Daylight	-----	3.90	-----	6.00
85C for Kodachrome and Ektachrome Type F	-----	3.90	-----	6.00
} Domestic Manufacture				
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for Contina and Contessa	330	9.75	-----	15.00
EYE-CORRECTION LENS MOUNT (without lens) for Contessa	-----	1.17	-----	1.80
EYE-CORRECTION LENSES (spherical only) in screw-on mount from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Contessa and Contameter (special order only together with prescription for eye used)	901	3.25	-----	5.00
PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contina and Contessa:				
1x, f = 1m (for distances 40 to 18 in.)	909/1	3.25	-----	5.00
2x, f = 0.5m (for distances 20 to 12 in.)	909/05	3.25	-----	5.00
LENS CAP for front of Contina Lens	1053	.65	-----	1.00
CONTAMETER, close-up focusing and viewing device for Contessa only, parallax compensation, three lenses (for distances 8, 12, and 20 in.) in case	441	52.65	-----	81.00
IKOBLITZ O, BC flash unit with test bulb, ejector, cord, for 22½-volt (battery not included)	1316	6.18	-----	9.50
IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case	1329	18.20	-----	28.00
BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages	-----	1.27	-----	1.95
The Contina Guide by W. D. Emanuel, 72 pages	-----	.81	-----	1.25



CONTAFLEX I and II (35mm)

Single lens reflex, Penta roof prism incorporating both ground glass and split-image range-finder focusing, automatic pre-set lens diaphragm and automatic frame counter. Using standard 35mm. film cartridge or bulk, 36-exposure loads. Negative size 1x1½". Lenses factory coated. Shutter with built-in, full flash synchronization (MX). Prismatic, eye level single-lens reflex type. II with built-in ASA-calibrated photo-electric exposure meter.

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
CONTAFLEX I, Tessar f/2.8, 45mm., Synchro-Compur (new style) with self-timer, case extra.....	861/24 Pcms	103.15	10.31	169.00
CONTAFLEX II, Tessar f/2.8, 45mm., Synchro-Compur (new style), with self-timer, built-in photo-electric exposure meter, case extra	862/24 Pcms	121.45	12.15	199.00
CASE, Eveready, for Contaflex I and II.....	1242/24	9.10	14.00
TELE ATTACHMENT LENS, "TELESKOP 1.7x", maximum aperture f/5.6.....	861/03	60.42	6.04	99.00
STEREO PRISM ATTACHMENT STERITAR "A" for Contaflex.....	812	38.35	59.00
CARRIER BRACKET for tele attachment lens and stereo attachment of Contaflex.....	861/07	7.15	11.00
STEREO HAND VIEWER for Contaflex slides (without battery housing).....	1427	8.13	12.50
BATTERY HOUSING for Stereo Hand Viewer.....	1427/01	8.13	12.50
RIGHT-ANGLE VIEWFINDER for viewing and focusing the Contaflex at waist-level and for copying work, photomicrography, etc.	1253	14.30	22.00
ACCESSORY SHOE for flash attachment on top of Contaflex.....	861/02	1.27	1.95
FLASH CORD (4-inch) with angular plug.....	1340	.91	1.40
CASSETTE for Contaflex, complete.....	540/1	3.45	5.30
TAKE-UP SPOOL for Contaflex.....	563/01	.2945
CORE for Contaflex Cassette.....	540/5	.2945
CABLE RELEASE, locking.....	1312/24	.81	1.25
NECK STRAP for camera (with lock).....	TR 500-S	1.63	2.50
LENS SHADE, slip-on mount, 28.5mm., for Contaflex.....	1110	1.63	2.50
LENS SHADE, screw-on mount, 55mm., for Contaflex tele lens.....	1126	1.63	2.50
LEATHER CASE for lens shade, 28.5mm.....	778	1.14	1.75
EYE-CORRECTION LENSES (spherical only) from ± 1 to ± 5 diopters in steps of 0.5 diopters each (on special order only together with prescription for eye used).....	902	1.95	3.00
FILTERS, screw-on mount, 27mm., for Contaflex:				
Ultra Violet 1x.....	352-UV	3.25	5.00
Yellow 2x.....	352-G	3.25	5.00
Yellow Green 2x.....	352-GR	3.25	5.00
Orange 5x.....	352-O	3.25	5.00
Red 8x.....	352-R	3.25	5.00
Skylight for Kodachrome & Ektachrome Daylight } Domestic	—	3.90	6.00
85C for Kodachrome & Ektachrome Type F } Manufacture	—	3.90	6.00
screw-on mount, 55mm., for Contaflex tele lens:				
Ultra Violet 1x.....	355-UV	9.75	15.00
Yellow 2x.....	355-G	9.75	15.00
Yellow Green 2x.....	355-GR	9.75	15.00
Orange 5x.....	355-O	9.75	15.00
Red 8x.....	355-R	9.75	15.00
slip-on mount, 30mm., for Steritar "A" stereo attachment for Contaflex:				
Ultra Violet 1x.....	313-UV	3.90	6.00
Yellow 2x.....	313-G	3.90	6.00
Yellow Green 2x.....	313-GR	3.90	6.00
Orange 5x.....	313-O	3.90	6.00
Red 8x.....	313-R	3.90	6.00
POLARIZING FILTER, CONTAPOL, for Contaflex.....	338	9.75	15.00
PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contaflex:				
1x, f = 1m (for distances 40 to 18 in.).....	909/1	3.25	5.00
2x, f = 0.5m (for distances 20 to 12 in.).....	909/05	3.25	5.00
3x, f = 0.3m (for distances 12 to 8 in.).....	909/03	3.25	5.00
4x, f = 0.2m (for distances 8 to 6 in.).....	909/02	3.25	5.00
LENS CAP for front of Tessar f/2.8, 45mm. lens.....	1053	.65	1.00
MICRO ATTACHMENT for 25mm. Eye-Piece Sleeve consisting of:				
1 Adapter ring.....	1525 }	5.85	9.00
1 Connecting ring.....	1526 }			
(Carrier bracket 861/07 ESSENTIAL; Ocular with high eye-point RECOMMENDED)				
TABLE REPRODUCTION STAND (#1412) for Contaflex, consisting of:				
Table Clamp with Pillar.....	1405/030 }	17.55	27.00
T-Shaped Clamp.....	1405/031 }			
Supporting Bracket for Contaflex.....	1408/02	7.15	11.00
IKOBLOITZ O, BC flash unit with test bulb, cord, ejector, for 22½-volt (battery not included).....	861/01	9.10	14.00
IKOPHOT RAPID photo-electric exposure meter, (see page 1).....	1316	6.18	9.50
ADDITIONAL SET OF SCALES, either conventional or linear with light values (specify) for previous model Ikophot.....	1329	18.20	28.00
1 SET of 50 STEREO MASKS for Contaflex stereo slides.....	—	.65	1.00
BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....	1503	per set 2.28	3.50
The Contaflex Guide by W. D. Emanuel, 88 pages.....	—	1.27	1.95
	—	1.14	1.75



IKOFLEX TWIN LENS REFLEX (2¼x2¼ in.)

Using #120 roll film. Lenses factory coated. All shutters with built-in flash synchronization (MX). Ic models with built-in ASA-calibrated photo-electric exposure meters.

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
IKOFLEX Ib, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra	856/16 Fpms	60.42	6.04	99.00
IKOFLEX Ib, TESSAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra	856/16 Lpms	72.63	7.26	119.00
IKOFLEX Ic, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, with built-in exposure meter, case extra	886/16 Fpms	72.63	7.26	119.00
IKOFLEX Ic, TESSAR f/3.5, 75mm lens, Prontor SVS, self-timer, with built-in exposure meter, case extra	886/16 Lpms	84.84	8.48	139.00
CASE, eveready, for Ikoflex Ib	1245/16	9.10	14.00
eveready, for Ikoflex Ic	1249/16	9.10	14.00
eveready, for Ikoflex Ia } discontinued	1224/16	9.10	14.00
eveready, for Ikoflex IIa } camera models	1238/16	10.40	16.00
SYNCHRO CORD, PC	PC	1.27	1.95
CABLE RELEASE, locking	1312/24	.81	1.25
LENS CAP, twin, for Ikoflex Ia, IIa, Ib and Ic	—	.4975
LENS SHADE, special screw-on mount, 35.5mm	1121	1.63	2.50
LEATHER CASE for lens shade, 35.5mm	780	1.14	1.75
FILTERS, screw-on mount, 35.5mm.:				
Ultra Violet 1x	371-UV	3.90	6.00
Yellow 2x	371-G	3.90	6.00
Yellow Green 2x	371-GR	3.90	6.00
Orange 5x	371-O	3.90	6.00
Red 8x	371-R	3.90	6.00
POLARIZING FILTER, IKOPOL, dual, slip-on mount, with calibrations, complete in leather case	337	17.88	27.50
CLOSE-UP LENSES, IKOPROX, dual, parallax-corrected, slip-on mount, complete in leather case:				
1x, f = 1m (for distances 40 to 20 in.)	937/1	8.13	12.50
2x, f = 0.5m (for distances 20 to 13 in.)	937/05	9.75	15.00
PRISMATIC VIEW-FINDER, for focusing and viewing at eye-level (for Ikoflex Ia and IIa only)	400/16	9.10	14.00
NECK STRAP for Ikoflex Ia and IIa only	TR 499	1.17	1.80
NECK STRAP with lock (for Ikoflex Ib and Ic)	TR 500 S	1.63	2.50
IKOBLITZ III, BC flash unit, with cord, for 22½-volt (battery not included)	1369 } 1356/02 }	8.13	12.50
ADAPTER, for bayonet base flash bulbs, with ejector	1356/01	1.92	2.95
IKOPHOT RAPID photoelectric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small, compact design for instant one-hand operation, complete with metal safety chain and leather case	1329	18.20	28.00
BOOK: The Ikoflex Guide by K. Tydings, 128 pages	—	1.27	1.95



SUPER IKONTA III, IV, and BX (2 1/4 x 2 1/4)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (MX). Built-in coupled range-finders. IV and BX have built-in ASA-calibrated photo-electric exposure meter.

	catalog number	NET COST TO DEALER excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
SUPER IKONTA III, NOVAR f/3.5, 75mm., Synchro Compur, case extra	531/16 Fcm	58.59	5.86	96.00
SUPER IKONTA IV, TESSAR f/3.5, 75mm., Synchro-Compur, MXV (light values), built-in photo-electric exposure meter, self-timer, case extra	534/16 Lcms	78.73	7.87	129.00
SUPER IKONTA BX, TESSAR f/2.8, 80mm., Synchro-Compur, self-timer, built-in exposure meter, case extra.....	533/16 Pcms	99.48	9.95	163.00
CASE, eveready, for III and IV.....	1237/16	6.83	10.50
eveready, for BX.....	1203/16	7.80	12.00
eveready, for A } discontinued	1208	6.50	10.00
eveready, for C } camera	1206/2	6.50	10.00
eveready, for B } models	1204/16	7.80	12.00
SYNCHRO CORD, PC	PC	1.27	1.95
CABLE RELEASE, locking.....	1312/24	.81	1.25
LENS SHADE, slip-on mount, 32mm., for A, III and IV.....	1111	1.63	2.50
slip-on mount, 37mm., for B, BX and C.....	1112	1.63	2.50
LEATHER CASE for lens shade, 32mm.....	779	1.14	1.75
for lens shade, 37mm.....	780	1.14	1.75
FILTERS, screw-on mount, 35.5mm., for A, III and IV:				
Ultra Violet 1x	353-UV	3.90	6.00
Yellow 2x	353-G	3.90	6.00
Yellow Green 2x	353-GR	3.90	6.00
Orange 5x	353-O	3.90	6.00
Red 8x	353-R	3.90	6.00
slip-on mount, 37mm., for B and BX:				
Ultra Violet 1x	322-UV	3.90	6.00
Yellow 2x	322-G	3.90	6.00
Yellow Green 2x	322-GR	3.90	6.00
Orange 5x	322-O	3.90	6.00
Red 8x	322-R	3.90	6.00
screw-on mount, 40.5mm., for C:				
Ultra Violet 1x	354-UV	3.90	6.00
Yellow 2x	354-G	3.90	6.00
Yellow Green 2x	354-GR	3.90	6.00
Orange 5x	354-O	3.90	6.00
Red 8x	354-R	3.90	6.00
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for A, III and IV.....	330	9.75	15.00
slip-on mount, 37mm., for B, BX, and C.....	331	10.40	16.00
PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for A, III and IV:				
1x, f = 1m (for distances 40 to 21 in.).....	910/1	3.25	5.00
2x, f = 0.5m (for distances 20 to 14 in.).....	910/05	3.25	5.00
slip-on mount, 37mm., for B, BX, and C:				
0.5x, f = 2m (for distances 79 to 39 in.).....	911/2	3.25	5.00
1x, f = 1m (for distances 40 to 26 in.).....	911/1	3.25	5.00
2x, f = 0.5m (for distances 20 to 15 in.).....	911/05	3.25	5.00
CONTAMETER close-up focusing device for B and BX, parallax-compensation adjustment, complete with three lenses (for distances 12, 20, and 28 in.), slip-on mounts, 37mm., complete in case	442	52.65	81.00
EYE-CORRECTION EYE-PIECE lens mount, for B, BX, III, IV, and Contameter, without lens.....	—	1.17	1.80
EYE-CORRECTION LENSES, in screw-on mount (spherical only), from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Super Ikonta B, BX, III, IV, and Contameter (on special order only together with prescription for eye used).....	901	3.25	5.00
NECK STRAP for B and BX models (with lock).....	TR 500 S	1.63	2.50
MASK, 16 exposure, for C.....	—	.98	1.50
IKOBLITZ O, BC flash unit, with test bulb, ejector, flash cord, for 22 1/2-volt (battery not included).....	1316	6.18	9.50
IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case.....	1329	18.20	28.00
BOOK: The Ikonta and Super Ikonta Guide by W. D. Emanuel, 72 pages	—	.81	1.25



BOX TENGOR (2¼x3¼ in.)

Using #120 roll film. Lens factory coated. Built-in flash synchronization.

	catalog number	Net Cost to Dealer excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
BOX TENGOR, f/9, two element lens, three stops, three focusing settings, accidental double-exposure prevention device, case extra	56/2	9.15	.92	15.00
CASE, leather carrying, for Box Tengor.....	1227/2	2.44	3.75
FILTER for Box Tengor, yellow 2x.....	347	1.63	2.50

NETTAR IIB (2¼x2¼ in.), NETTAR IIC (2¼x3¼ in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (X) at 1/25th sec.

NETTAR IIB, NOVAR f/4.5, 75mm., Pronto, self-timer, case extra....	518/16 Its	23.80	2.38	39.00
NETTAR IIC, NOVAR f/6.3, 105mm., Vero, case extra.....	518/2 Eg	17.70	1.77	29.00
CASE, leather carrying, for IIB.....	1231/16	5.01	7.70
leather carrying, for IIC.....	1234/2	5.01	7.70
CABLE RELEASE, locking.....	1312/24	.81	1.25
LENS SHADE, slip-on mount, 32mm., for either camera.....	1111	1.63	2.50
LEATHER CASE for lens shade, 32mm.....	779	1.14	1.75
SYNCHRO CORD, PC.....	PC	1.27	1.95
FILTERS, slip-on mount, 32mm., for either camera:				
Ultra Violet 1x.....	349-UV	3.90	6.00
Yellow 2x.....	349-G	3.90	6.00
Yellow Green 2x.....	349-GR	3.90	6.00
Orange 5x.....	349-O	3.90	6.00
Red 8x.....	349-R	3.90	6.00
FILTERS, screw-on mount, 35.5mm., for Nettar IIB only:				
Ultra Violet 1x.....	353-UV	3.90	6.00
Yellow 2x.....	353-G	3.90	6.00
Yellow Green 2x.....	353-GR	3.90	6.00
Orange 5x.....	353-O	3.90	6.00
Red 8x.....	353-R	3.90	6.00
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for IIB and IIC.....	330	9.75	15.00
PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIB:				
1x, f = 1m (for distances 40 to 21 in.).....	910/1	3.25	5.00
2x, f = 0.5m (for distances 20 to 14 in.).....	910/05	3.25	5.00
PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIC:				
0.5x, f = 2m (for distances 79 to 39 in.).....	910/2	3.25	5.00
1x, f = 1m (for distances 40 to 26 in.).....	910/1	3.25	5.00
2x, f = 0.5m (for distances 20 to 15 in.).....	910/05	3.25	5.00
IKOBLITZ O, BC flash unit with test bulb, ejector, flash cord, for 22½-volt (battery not included).....	1316	6.18	9.50
IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case.....	1329	18.20	28.00

PHOTOGRAPHIC GUIDE BOOKS

The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....	—	1.27	1.95
The Contina Guide by W. D. Emanuel, 72 pages.....	—	.81	1.25
The Contaflex Guide by W. D. Emanuel, 88 pages.....	—	1.14	1.75
The Ikoflex Guide by K. Tydings, 128 pages.....	—	1.27	1.95
The Ikonta & Super Ikonta Guide by W. D. Emanuel, 72 pages.....	—	.81	1.25



ZEISS IKON PROJECTION EQUIPMENT FOR FLAT AND STEREO PROJECTION

	catalog number	Net Cost to excluding tax	DEALER excise tax	CONSUMER RETAIL PRICE including tax
IKOLUX 250 PROJECTOR, 250-watt, 110-volt, for 2x2-in. slides, complete with bulb, slide carrier and ORIKAR f/2.5, 100mm. lens (for flat projection) including field lens for 100mm. Orikar (#1478/06)	1478/1	87.50	4.38	139.00
STERIKON 10, with pre-polarizer, for Stereo projection with Ikolux 250 (for Contax and Contaflex stereo slides).....	1478/01	60.45	93.00
SLIDE CHUTE 2x2-in., instead of slide carrier.....	1478/032	2.11	3.25
CARRYING CASE, for Ikolux 250.....	1478/045	9.75	15.00

MOVIKON EIGHT (8mm Motion Picture)

A unique double-eight spool film movie camera of the same sterling quality workmanship and materials that characterize all Zeiss Ikon still cameras.

MOVIKON 8, for 25 ft. double-8 film, with Movitar f/1.9, 10mm. lens	5532/288	78.73	7.87	129.00
CASE, eveready, stiff leather, for Movikon 8.....	1280/28	10.40	16.00
ZIPPER POUCH CASE, eveready, soft leather, for Movikon 8.....	775	8.45	13.00
MOVIGONAR wide-angle lens, 0.5x, with view-finder, lens shade, and case	5532/07	42.11	4.21	69.00
MOVITELAR telephoto lens, 2x, with view-finder, lens shade, and case	5532/06	42.11	4.21	69.00
FILTERS, screw-on mount, 22.5mm., for Movitar f/1.9 lens:				
Ultra Violet 1x.....	361-UV	2.93	4.50
Yellow 2x.....	361-G	2.93	4.50
Yellow Green 2x.....	361-GR	2.93	4.50
Orange 5x.....	361-O	2.93	4.50
Red 8x.....	361-R	2.93	4.50
Neutral Gray 4x.....	361-N	2.93	4.50
FILTERS, screw-on mount, 35.5mm., for Movigonar and Movitelar lenses:				
Ultra Violet 1x.....	371-UV	3.90	6.00
Yellow 2x.....	371-G	3.90	6.00
Yellow Green 2x.....	371-GR	3.90	6.00
Orange 5x.....	371-O	3.90	6.00
Red 8x.....	371-R	3.90	6.00
Neutral Gray 4x.....	371-N	3.90	6.00
MOVISCOP VIEWER and EDITOR for 8mm. film, with rewind reels (on special order only).....	1431/28	69.25	3.46	110.00
MOVISCOP VIEWER and EDITOR for 16mm. film, with rewind reels (on special order only).....	1431/30	71.77	3.59	114.00
SPARE LAMP for Moviscop.....	1357	1.46	2.25

For CONTAX CAMERAS, LENSES and ACCESSORIES

see separate price schedule



Made in West Germany

ZEISS IKON CAMERAS AND ACCESSORIES



PRICE LIST No. 59 — *EFFECTIVE FEBRUARY 15, 1956*

CONTINA Ia and IIa (35mm)

Using standard 35mm. color and black-and-white film cartridges. Lenses factory coated. Shutters fully synchronized for flash (MX). Contina IIa has built-in ASA-calibrated photo-electric exposure meter.

	catalog number	PRICE including F.E. tax
CONTINA Ia, Novar f/3.5, 45mm., Prontor SVS, self-timer, case extra	526/24 Fpms	54.00
CONTINA IIa, Novar f/3.5, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra.....	527/24 Fpms	75.00
CONTINA IIa, Novicar f/2.8, 45mm., Prontor SVS, self-timer, built-in photo-electric exposure meter, case extra.....	527/24 Vpms	86.00
CASE, Eveready, for Contina Ia, IIa.....	1244/24	9.00
Eveready, for Contina I	1213/24	11.00
Eveready, for Contina II	1216/24	11.00
Eveready for Contessa } discontinued camera models	—	12.00
SYNCHRO CORD, PC	PC	1.95
CABLE RELEASE, locking.....	1312/24	1.25
NECK STRAP, for Contina I	TR 499 TR 500S	1.80
NECK STRAP, for Contina II and Contessa } discontinued camera models		2.50
LENS SHADE, slip-on mount, 28.5mm., for Contina and Contessa.....	1110	2.50
LEATHER CASE for lens shade, 28.5mm.....	778	1.75
FILTERS, screw-on mount, 27mm., for Contina and Contessa:		
Ultra Violet 1x	352-UV	5.00
Yellow 2x	352-G	5.00
Yellow Green 2x	352-GR	5.00
Orange 5x	352-O	5.00
Red 8x	352-R	5.00
Skylight for Kodachrome & Ektachrome Daylight	—	6.00
85C for Kodachrome and Ektachrome Type F	—	6.00
Type A for Kodachrome	—	6.00
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for Contina and Contessa	330	15.00
EYE-CORRECTION LENS MOUNT (without lens) for Contessa.....	—	1.80
EYE-CORRECTION LENSES (spherical only) in screw-on mount from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Contessa and Contameter (special order only together with prescription for eye used).....	901	5.00
PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contina and Contessa:		
1x, f = 1m (for distances 40 to 18 in.).....	909/1	5.00
2x, f = 0.5m (for distances 20 to 12 in.).....	909/05	5.00
LENS CAP for front of Contina Lens.....	1053	1.00
CONTAMETER, close-up focusing and viewing device for Contessa only, parallax compensation, three lenses (for distances 8, 12, and 20 in.) in case.....	441	81.00
IKOBLITZ O, BC flash unit with test bulb, ejector, cord, for 22½-volt (battery not included).....	1316	9.50
IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case.....	1329	28.00
BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....	—	1.95
The Contina Guide by W. D. Emanuel, 72 pages.....	—	1.25



CONTAFLEX I and II (35mm)

Single lens reflex, Penta roof prism incorporating both ground glass and split-image range-finder focusing, automatic pre-set lens diaphragm and automatic frame counter. Using standard 35mm. film cartridge or bulk, 36-exposure loads. Negative size 1x1 1/2". Lenses factory coated. Shutter with built-in, full flash synchronization (MX). Prismatic, eye level single-lens reflex type. II with built-in ASA-calibrated photo-electric exposure meter.

	catalog number	PRICE including F.E. tax
CONTAFLEX I, Tessar f/2.8, 45mm., Synchro-Compur (new style) with self-timer, case extra.....	861/24 Pcms	169.00
CONTAFLEX II, Tessar f/2.8, 45mm., Synchro-Compur (new style), with self-timer, built-in photo-electric exposure meter, case extra	862/24 Pcms	199.00
CASE, Eveready, for Contaflex I and II.....	1242/24	14.00
TELE ATTACHMENT LENS, "TELESKOP 1.7x", maximum aperture f/5.6	861/03	99.00
STEREO PRISM ATTACHMENT STERITAR "A" for Contaflex.....	812	59.00
CARRIER BRACKET for tele attachment lens and stereo attachment of Contaflex	861/07	11.00
STEREO HAND VIEWER for Contaflex slides (without battery housing)	1427	12.50
BATTERY HOUSING for Stereo Hand Viewer.....	1427/01	12.50
RIGHT-ANGLE VIEWFINDER for viewing and focusing the Contaflex at waist-level and for copying work, photomicrography, etc.	1253	22.00
ACCESSORY SHOE for flash attachment on top of Contaflex.....	861/02	1.95
FLASH CORD (4-inch) with angular plug.....	1340	1.40
CASSETTE for Contaflex, complete.....	540/1	5.30
TAKE-UP SPOOL for Contaflex	563/01	.45
CORE for Contaflex Cassette.....	540/5	.45
CABLE RELEASE, locking.....	1312/24	1.25
NECK STRAP for camera (with lock).....	TR 500 S	2.50
LENS SHADE, slip-on mount, 28.5mm., for Contaflex.....	1110	2.50
LENS SHADE, screw-on mount, 55mm., for Contaflex tele lens.....	1126	2.50
LEATHER CASE for lens shade, 28.5mm.....	778	1.75
EYE-CORRECTION LENSES (spherical only) from ± 1 to ± 5 diopters in steps of 0.5 diopters each (on special order only together with prescription for eye used).....	902	3.00
FILTERS, screw-on mount, 27mm., for Contaflex:		
Ultra Violet 1x	352-UV	5.00
Yellow 2x	352-G	5.00
Yellow Green 2x	352-GR	5.00
Orange 5x	352-O	5.00
Red 8x	352-R	5.00
Skylight for Kodachrome & Ektachrome Daylight	_____	6.00
85C for Kodachrome and Ektachrome Type F	_____	6.00
Type A for Kodachrome	_____	6.00
screw-on mount, 55mm., for Contaflex tele lens:		
Ultra Violet 1x	355-UV	15.00
Yellow 2x	355-G	15.00
Yellow Green 2x	355-GR	15.00
Orange 5x	355-O	15.00
Red 8x	355-R	15.00
slip-on mount, 30mm., for Steritar "A" stereo attachment for Contaflex:		
Ultra Violet 1x	313-UV	6.00
Yellow 2x	313-G	6.00
Yellow Green 2x	313-GR	6.00
Orange 5x	313-O	6.00
Red 8x	313-R	6.00
POLARIZING FILTER, CONTAPOL, for Contaflex.....	338	15.00
PROXAR CLOSE-UP LENSES, slip-on mount, 28.5mm., for Contaflex:		
1x, f = 1m (for distances 40 to 18 in.).....	909/1	5.00
2x, f = 0.5m (for distances 20 to 12 in.).....	909/05	5.00
3x, f = 0.3m (for distances 12 to 8 in.).....	909/03	5.00
4x, f = 0.2m (for distances 8 to 6 in.).....	909/02	5.00
LENS CAP for front of Tessar f/2.8, 45mm. lens.....	1053	1.00
MICRO ATTACHMENT for 25mm. Eye-Piece Sleeve consisting of:		
1 Adapter ring	1525 }	9.00
1 Connecting ring	1526 }	
(Carrier bracket 861/07 ESSENTIAL; Ocular with high eye-point RECOMMENDED)		

(CONTINUED ON PAGE 3)



CONTAFLEX I and II—Accessories, continued

	catalog number	PRICE including F.E. tax
TABLE REPRODUCTION STAND (#1412) for Contaflex, consisting of:		
Table Clamp with Pillar.....	1405/030 }	27.00
T-Shaped Clamp	1405/031 }	
Supporting Bracket for Contaflex.....	1408/02	11.00
	861/01	14.00
IKOBLITZ O, BC flash unit with test bulb, cord, ejector, for 22½-volt (battery not included).....	1316	9.50
IKOPHOT RAPID photo-electric exposure meter, (see page 1).....	1329	28.00
ADDITIONAL SET OF SCALES, either conventional or linear with light values (specify) for previous model Ikophot.....	—	1.00
1 SET of 50 STEREO MASKS for Contaflex stereo slides.....	1503	3.50
BOOKS: The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....	—	1.95
The Contaflex Guide by W. D. Emanuel, 88 pages.....	—	1.75
IKOFLEX TWIN LENS REFLEX (2¼x2¼ in.)		
Using #120 roll film. Lenses factory coated. All shutters with built-in flash synchronization (MX). Ic models with built-in ASA-calibrated photo-electric exposure meters.		
IKOFLEX Ib, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra	856/16 Fpms	99.00
IKOFLEX Ib, TESSAR f/3.5, 75mm. lens, Prontor SVS, self-timer, case extra	856/16 Lpms	119.00
IKOFLEX Ic, NOVAR f/3.5, 75mm. lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....	886/16 Fpms	119.00
IKOFLEX Ic, TESSAR f/3.5, 75mm lens, Prontor SVS, self-timer, with built-in exposure meter, case extra.....	886/16 Lpms	139.00
CASE, eveready, for Ikoflex Ib.....	1245/16	14.00
eveready, for Ikoflex Ic.....	1249/16	14.00
eveready, for Ikoflex Ia } discontinued	1224/16	14.00
eveready, for Ikoflex IIa } camera models	1238/16	16.00
SYNCHRO CORD, PC	PC	1.95
CABLE RELEASE, locking.....	1312/24	1.25
LENS CAP, twin, for Ikoflex Ia, IIa, Ib and Ic.....	—	.75
LENS SHADE, special screw-on mount, 35.5mm.....	1121	2.50
LEATHER CASE for lens shade, 35.5mm.....	780	1.75
FILTERS, screw-on mount, 35.5mm.:		
Ultra Violet 1x	371-UV	6.00
Yellow 2x	371-G	6.00
Yellow Green 2x	371-GR	6.00
Orange 5x	371-O	6.00
Red 8x	371-R	6.00
POLARIZING FILTER, IKOPOL, dual, slip-on mount, with calibrations, complete in leather case.....	337	27.50
CLOSE-UP LENSES, IKOPROX, dual, parallax-corrected, slip-on mount, complete in leather case:		
1x, f = 1m (for distances 40 to 20 in.).....	937/1	12.50
2x, f = 0.5m (for distances 20 to 13 in.).....	937/05	15.00
PRISMATIC VIEW-FINDER, for focusing and viewing at eye-level (for Ikoflex Ia and IIa only).....	400/16	14.00
NECK STRAP for Ikoflex Ia and IIa only.....	TR 499	1.80
NECK STRAP with lock (for Ikoflex Ib and Ic).....	TR 500 S	2.50
IKOBLITZ III, BC flash unit, with cord, for 22½-volt (battery not included)	1369 }	12.50
	1356/02 }	
ADAPTER, for bayonet base flash bulbs, with ejector.....	1356/01	2.95
IKOPHOT RAPID photoelectric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small, compact design for instant one-hand operation, complete with metal safety chain and leather case	1329	28.00
BOOK: The Ikoflex Guide by K. Tydings, 128 pages.....	—	1.95



SUPER IKONTA III, IV, and BX (2 1/4x2 1/4)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (MX). Built-in coupled range-finders. IV and BX have built-in ASA-calibrated photo-electric exposure meter.

catalog
number

PRICE
including F.E. tax

SUPER IKONTA III, NOVAR f/3.5, 75mm., Synchro Compur, case extra	531/16 Fcm	96.00
SUPER IKONTA IV, TESSAR f/3.5, 75mm., Synchro-Compur, MXV (light values), built-in photo-electric exposure meter, self-timer, case extra	534/16 Lcms	129.00
SUPER IKONTA BX, TESSAR f/2.8, 80mm., Synchro-Compur, self-timer, built-in exposure meter, case extra	533/16 Pcms	163.00
CASE, eveready, for III and IV	1237/16	10.50
eveready, for BX	1203/16	12.00
eveready, for A } discontinued	1208	10.00
eveready, for C } camera	1206/2	10.00
eveready, for B } models	1204/16	12.00
SYNCHRO CORD, PC	PC	1.95
CABLE RELEASE, locking	1312/24	1.25
LENS SHADE, slip-on mount, 32mm., for A, III and IV	1111	2.50
slip-on mount, 37mm., for B, BX and C	1112	2.50
LEATHER CASE for lens shade, 32mm.	779	1.75
for lens shade, 37mm.	780	1.75
FILTERS, screw-on mount, 35.5mm., for A, III and IV:		
Ultra Violet 1x	353-UV	6.00
Yellow 2x	353-G	6.00
Yellow Green 2x	353-GR	6.00
Orange 5x	353-O	6.00
Red 8x	353-R	6.00
slip-on mount, 37mm., for B and BX:		
Ultra Violet 1x	322-UV	6.00
Yellow 2x	322-G	6.00
Yellow Green 2x	322-GR	6.00
Orange 5x	322-O	6.00
Red 8x	322-R	6.00
screw-on mount, 40.5mm., for C:		
Ultra Violet 1x	354-UV	6.00
Yellow 2x	354-G	6.00
Yellow Green 2x	354-GR	6.00
Orange 5x	354-O	6.00
Red 8x	354-R	6.00
POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for A, III and IV	330	15.00
slip-on mount, 37mm., for B, BX, and C	331	16.00
PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for A, III and IV:		
1x, f = 1m (for distances 40 to 21 in.)	910/1	5.00
2x, f = 0.5m (for distances 20 to 14 in.)	910/05	5.00
slip-on mount, 37mm., for B, BX, and C:		
0.5x, f = 2m (for distances 79 to 39 in.)	911/2	5.00
1x, f = 1m (for distances 40 to 26 in.)	911/1	5.00
2x, f = 0.5m (for distances 20 to 15 in.)	911/05	5.00
CONTAMETER close-up focusing device for B and BX, parallax-compensation adjustment, complete with three lenses (for distances 12, 20, and 28 in.), slip-on mounts, 37mm., complete in case	442	81.00
EYE-CORRECTION EYE-PIECE lens mount, for B, BX, III, IV, and Contameter, without lens	—	1.80
EYE-CORRECTION LENSES, in screw-on mount (spherical only), from ± 0.5 to ± 5 diopters in steps of 0.5 diopters each, for Super Ikonta B, BX, III, IV, and Contameter (on special order only together with prescription for eye used)	901	5.00
NECK STRAP for B and BX models (with lock)	TR 500 S	2.50
MASK, 16 exposure, for C	—	1.50
IKOBLITZ O, BC flash unit, with test bulb, ejector, flash cord, for 22 1/2-volt (battery not included)	1316	9.50
IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case	1329	28.00
BOOK: The Ikonta and Super Ikonta Guide by W. D. Emanuel, 72 pages	—	1.25



BOX TENGOR (2¼x3¼ in.)

Using #120 roll film. Lens factory coated. Built-in flash synchronization.

BOX TENGOR, f/9, two element lens, three stops, three focusing settings, accidental double-exposure prevention device, case extra
CASE, leather carrying, for Box Tengor.....
FILTER for Box Tengor, yellow 2x.....

catalog
number

PRICE
including F.E. tax

56/2	15.00
1227/2	3.75
347	2.50

NETTAR IIB (2¼x2¼ in.), NETTAR IIC (2¼x3¼ in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in flash synchronization (X) at 1/25th sec.

NETTAR IIB, NOVAR f/4.5, 75mm., Pronto, self-timer, case extra....
NETTAR IIC, NOVAR f/6.3, 105mm., Vero, case extra.....

518/16 Its	39.00
518/2 Eg	29.00

CASE, leather carrying, for IIB.....
leather carrying, for IIC.....

1231/16	7.70
1234/2	7.70

CABLE RELEASE, locking.....

1312/24	1.25
---------	------

LENS SHADE, slip-on mount, 32mm., for either camera.....

1111	2.50
------	------

LEATHER CASE for lens shade, 32mm.....

779	1.75
-----	------

SYNCHRO CORD, PC.....

PC	1.95
----	------

FILTERS, slip-on mount, 32mm., for either camera:

Ultra Violet 1x.....
Yellow 2x
Yellow Green 2x
Orange 5x
Red 8x

349-UV	6.00
349-G	6.00
349-GR	6.00
349-O	6.00
349-R	6.00

FILTERS, screw-on mount, 35.5mm., for Nettar IIB only:

Ultra Violet 1x.....
Yellow 2x
Yellow Green 2x
Orange 5x
Red 8x

353-UV	6.00
353-G	6.00
353-GR	6.00
353-O	6.00
353-R	6.00

POLARIZING FILTER, BERNOTAR, slip-on mount, 32mm., for IIB and IIC.....

330	15.00
-----	-------

PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIB:

1x, f = 1m (for distances 40 to 21 in.).....
2x, f = 0.5m (for distances 20 to 15 in.).....

910/1	5.00
910/05	5.00

PROXAR CLOSE-UP LENSES, slip-on mount, 32mm., for IIC:

0.5x, f = 2m (for distances 79 to 39 in.).....
1x, f = 1m (for distances 40 to 26 in.).....
2x, f = 0.5m (for distances 20 to 15 in.).....

910/2	5.00
910/1	5.00
910/05	5.00

IKOBLITZ O, BC flash unit with test bulb, ejector, flash cord, for 22½-volt (battery not included).....

1316	9.50
------	------

IKOPHOT RAPID photo-electric exposure meter, ASA and DIN calibrated for both conventional and linear shutters, with light values, for reflected and incident light readings, small compact design for instant one-hand operation complete with metal safety chain and leather case.....

1329	28.00
------	-------

PHOTOGRAPHIC GUIDE BOOKS

The Zeiss Ikon 35mm. Guide by K. Tydings, 128 pages.....
The Contina Guide by W. D. Emanuel, 72 pages.....
The Contaflex Guide by W. D. Emanuel, 88 pages.....
The Ikoflex Guide by K. Tydings, 128 pages.....
The Ikonta & Super Ikonta Guide by W. D. Emanuel, 72 pages.....

—	1.95
—	1.25
—	1.75
—	1.95
—	1.25



ZEISS IKON PROJECTION EQUIPMENT FOR FLAT AND STEREO PROJECTION

	catalog number	PRICE including F.E. tax
IKOLUX 250 PROJECTOR, 250-watt, 110-volt, for 2x2-in. slides, complete with bulb, slide carrier and ORIKAR f/2.5, 100mm. lens (for flat projection) including field lens for 100mm. Orikar (#1478/06)	1478/1	139.00
STERIKON 10, with pre-polarizer, for Stereo projection with Ikolux 250 (for Contax and Contaflex stereo slides).....	1478/01	93.00
SLIDE CHUTE 2x2-in., instead of slide carrier.....	1478/032	3.25
CARRYING CASE, for Ikolux 250.....	1478/045	15.00

MOVIKON EIGHT (8mm Motion Picture)

A unique double-eight spool film movie camera of the same sterling quality workmanship and materials that characterize all Zeiss Ikon still cameras.

MOVIKON 8, for 25 ft. double-8 film, with Movitar f/1.9, 10mm. lens	5532/288	129.00
CASE, eveready, stiff leather, for Movikon 8.....	1280/28	16.00
ZIPPER POUCH CASE, eveready, soft leather, for Movikon 8.....	775	13.00
MOVIGONAR wide-angle lens, 0.5x, with view-finder, lens shade, and case	5532/07	69.00
MOVITELAR telephoto lens, 2x, with view-finder, lens shade, and case	5532/06	69.00
FILTERS, screw-on mount, 22.5mm., for Movitar f/1.9 lens:		
Ultra Violet 1x.....	361-UV	4.50
Yellow 2x.....	361-G	4.50
Yellow Green 2x.....	361-GR	4.50
Orange 5x.....	361-O	4.50
Red 8x.....	361-R	4.50
Neutral Gray 4x.....	361-N	4.50
FILTERS, screw-on mount, 35.5mm., for Movigonar and Movitelar lenses:		
Ultra Violet 1x.....	371-UV	6.00
Yellow 2x.....	371-G	6.00
Yellow Green 2x.....	371-GR	6.00
Orange 5x.....	371-O	6.00
Red 8x.....	371-R	6.00
Neutral Gray 4x.....	371-N	6.00
MOVISCOP VIEWER and EDITOR for 8mm. film, with rewind reels (on special order only).....	1431/28	110.00
MOVISCOP VIEWER and EDITOR for 16mm. film, with rewind reels (on special order only).....	1431/30	114.00
SPARE LAMP for Moviscop.....	1357	2.25

All prices, specifications and technical data subject to change without notice

see separate price schedule

For CONTAX CAMERAS, LENSES and ACCESSORIES

All ZEISS IKON Equipment Available Through Authorized ZEISS IKON Dealers



Made in West Germany

CARL ZEISS, Inc.

485 Fifth Avenue

New York 17, N. Y.