

IN ORDER NUMBER SEQUENCE

- 205 310 *Lens hood for 25 mm lens - SL 2000 F*
- 205 320 *Folding hood for 35 and 50 mm lenses with 49 mm thread - SL 2000 F*
- 205 330 *Lens hood for 85 and 135 mm lenses with 49 mm thread - SL 2000 F (except for 85 mm Distagon f/1.4 and 135 mm Sonnar f/2.8)*
- 205 480 *Front lens cap for lenses with 49 mm filter thread - SL 2000 F*
- 205 490 *Front lens cap, 67 mm thread - SL 2000 F*
- 205 500 *Auto extension tube set - SL 2000 F*
- 205 545 *Retro adapter for macrophotography - SL 2000 F*
- 205 550 *Adapter for M 39 x 1 Leica screw mount (without aperture coupling) - SL 2000 F*
- 205 570 *Macro lens adapter - SL 2000 F*
- 205 580 *Microscope adapter - SL 2000 F*
- 205 590 *Retro adapter with 55 mm screw thread for 60 mm Makro-Planar f/2.8*
- 205 591 *M 42 x 1 screw mount adapter (with auto aperture coupling) - SL 2000 F*
- 250 630 *Rear lens cap - SL 2000 F lenses*
- 205 640 *Camera body cap - SL 2000 F*
- 205 690 *Focusing screen with oblique split image and microprism ring - SL 2000 F*
- 205 691 *Focusing screen with horizontal split-image wedge and microprism ring - SL 2000 F*
- 205 692 *Focusing screen with microprism spot - SL 2000 F*
- 205 693 *Focusing screen with hairline cross - SL 2000 F*
- 205 694 *Focusing screen with clear spot - SL 2000 F*
- 205 695 *Focusing screen for endoscopy - SL 2000 F*
- 205 696 *Focusing screen with line grid - SL 2000 F*
- 205 700 *Close-up lens I, 49 mm thread - SL 2000 F*
- 205 710 *Close-up lens II, 49 mm thread - SL 2000 F*
- 206 010 *Lens hood for 50 mm Distagon lens - 6x6 cameras*
- 206 020 *Lens hood for 80 to 250 mm Planars and Sonnars - 6x6 cameras*
- 206 030 *Filter, medium yellow, size VI - 6x6 cameras*
- 206 040 *Filter, green, size VI - 6x6 cameras*
- 206 050 *Filter, orange, size VI - 6x6 cameras*
- 205 060 *Filter, light red, size VI - 6x6 cameras*
- 206 070 *Filter, infrared, size VI - 6x6 cameras*
- 206 080 *Colour correction filter, R 1.5, size VI - 6x6 cameras*
- 206 100 *Gelatine filter holder, size VI - 6x6 cameras*
- 206 110 *Soft focus attachment, Zeiss Softar I, size VI - 6x6 cameras*
- 206 120 *Soft focus attachment, Zeiss Softar II, size VI - 6x6 cameras*
- 206 130 *Frame finder outfit for prism finder - SL 66 E, SL 66*
- 206 140 *Micro adapter - SL 66 E, SL 66*
- 206 150 *Filter, UV, size VI - 6x6 cameras*
- 206 160 *Circularly polarizing filter, size VI - 6x6 cameras*
- 207 011 *Interchangeable 36/72 exposure film magazine - SL 2000 F*
- 207 012 *Special 72-exposure film pressure plate - SL 2000 F*
- 207 013 *250-exposure bulk film magazine - SL 2000 F*
- 207 015 *Polaroid magazine - SL 2000 F*
- 207 020 *Interchangeable battery holder - SL 2000 F*

IN ORDER NUMBER SEQUENCE

- 207 021 *Set of nicad cells - SL 2000 F*
207 025 *Nicad power pack - SL 2000 F*
207 030 *Pistol grip (basic outfit) - SL 2000 F*
207 031 *Flash extension kit I for grip - SL 2000 F, SLX*
207 032 *Flash extension kit II for grip - SL 2000 F, SLX*
207 033 *Quick tripod coupling component - SL 2000 F, SLX*
207 034 *Side mounting extension kit - SL 2000 F*
207 036 *Right-angle hot shoe - SL 2000 F*
207 037 *Dedicated flash extension kit - SL 2000 F*
207 038 *Pistol grip with quick screw fitting - SL 2000 F*
207 039 *Side mounting kit for pistol grip No. 207 038 - SL 2000 F*
207 040 *Remote release switch, 0.5 m (20 in.) lead - SL 2000 F*
207 041 *Timer - SL 2000 F, 6006/SLX*
207 042 *Magazine drawslide, spare - SL 2000 F*
207 043 *Remote release switch, 10 m (33 ft) lead - SL 2000 F*
207 045 *Infrared remote control set - SL 2000 F, 6006, SLX*
207 046 *Additional receiver for infrared set - SL 2000 F, 6006, SLX*
207 047 *Timer lead, 1.5 m (5 ft), spare - SL 2000 F*
207 048 *Extension lead, 10 m (33 ft) for timer - SL 2000 F*
207 050 *Folding hood, spare - SL 2000 F*
207 055 *Prism sports finder, 30° eyepiece - SL 2000 F*
207 060 *External power supply module - SL 2000 F*
207 065 *Rollei SCA 356 dedicated flash interface module - SL 2000 F, SL 66 E, 6006*
207 070 *External battery lead - SL 2000 F*
207 080 *Rapid nicad charger - SL 2000 F*
208 700 *Quick tripod coupling for 6x6 cameras (also SL 2000 F)*
208 710 *Rigid magnifying hood - SL 66 E, SL 66*
208 720 *Sheet film adapter back - SL 66 E, SL 66*
208 740 *Universal extension tube set - SL 66 E, SL 66*
208 750 *Extension tube, 40 mm - SL 66 E, SL 66*
208 760 *Extension tube, 80 mm - SL 66 E, SL 66*
208 770 *Adapter for 16, 25, 40 and 63 mm macro lenses, W 0.8"x¹/₃₆ thread - SL 66 E, SL 66*
208 780 *Adapter for 100 mm macro lens, 35x0.75 mm thread - SL 66 E, SL 66*
208 790 *Blank lens board, no thread - SL 66 E, SL 66*
208 810 *Prism finder - SL 66 E, SL 66*
208 840 *Sports finder hood with masks - SL 66 E, SL 66*
208 930 *Handgrip with cable release - SL 66 E, SL 66*
208 940 *Quick focusing lever, metal - 6006, SLX*
208 942 *MM electric remote release - 6006, SLX*
208 945 *Pistol grip with electric release - 6006, SLX*
208 946 *Extension kit for left hand or right hand side mounting of electric pistol grip - 6006, SLX*
208 947 *Dedicated flash extension kit - 6006*
208 950 *Quick focusing lever, plastic - 6006, SLX*
208 953 *Nicad power pack, spare - 6006, SLX*

IN ORDER NUMBER SEQUENCE

- 208955 Car Battery charging cord - 6006, SLX, SL 2000 F
208956 External battery lead - 6006, SLX
208959 Folding hood, spare - SLX
208961 Prism finder with case (90° eyepiece) - SLX
208962 Prism finder with case (45° eyepiece) - SLX
208964 Magnifying hood - SLX
208965 Viewing masks for folding hood - 6006, SLX
208966 Film charger, spare, in plastic case - SLX
208967 Body cap - 6006, SLX
208968 Remote control lead with electric release, 10 m (33 ft) - 6006, SLX
208969 Remote control lead with electric release, 5 m (16.5 ft) - 6006, SLX
208970 Front lens cap for 50 to 250 mm lenses - 6x6 cameras
208971 Rear lens cap - 6006, SLX
208976 Spare case for film charger - 6006, SLX
208982 Front lens cap for 40 mm lens, size VIII - 6x6 camera
208983 Front lens cap for 350 mm lens, size VII - 6x6 cameras
208985 Release lead with switch, 40 cm (16 in.) - 6006, SLX
208986 Mains lead, spare, with European plug for rapid nicad charger - 6006, SLX, SL 2000 F
208988 ME 1 Multi-exposure control unit - 6006, SLX
208989 Extension lead, 10 m (33 ft) for ME 1 and timer - 6006, SLX
208990 Spare lead, 1.5 m (5 ft) for ME 1 and timer - 6006, SLX
209010 Sheet film and plate holder for sheet film back - SL 66 E, SL 66
209020 Film sheath - SL 66 E, SL 66
209030 Rear focusing screen adapter - SL 66 E, SL 66
209380 Front body cap - SL 66 E, SL 66
209390 Rear body cover - SL 66 E, SL 66
209400 Camera coupling ring for bellows unit - SL 66 E, SL 66
209410 Lens coupling ring for bellows unit - 6x6 cameras
209420 Front bayonet ring for macro lens adapter - SL 66 E, SL 66
209430 Pair of macro stage subjectstage plates, spare - SL 66 E, SL 66
209729 Sheet film back adapter - SL 66 E, SL 66
560010 Rolleiflex SL 66 (body)
560014 SL 66 with 80 mm Planar f/2.8, with magazine and carrying strap
560020 6x6 cm 120/220 film magazine - SL 66
560030 Ground glass screen - 6x6 cameras
560040 Bright matt screen - 6x6 cameras
560050 Bright matt screen with split-image wedge - 6x6 cameras
560060 Bright matt screen with microprism spot - 6x6 cameras
560080 Screen frame - SL 66 E, SL 66
560100 Bright matt screen with clear spot - SLX, SL 66
560110 4.5x6 cm 120/220 film magazine - SL 66
560120 Finder mask for 4.5x6 magazine - SL 66
560180 Bright matt screen with central wedge and microprism spot - 6x6 cameras
560290 Rolleiflex SL 66 E (body)

IN ORDER NUMBER SEQUENCE

- 560 300 Rolleiflex SL 66 E with 80 mm Planar f/2.8, with film magazine and carrying strap
560 310 6x6 cm 120/220 film magazine - SL 66 E
560 315 4.5x6 cm 120/220 film magazine - SL 66 E
560 316 Polaroid magazine - SL 66 E, SL 66
591 020 Lamp, 24 volts, 250 watts, spare
591 041 IR 04 infrared remote control - P 801 S
591 100 Lamp extractor, spare
591 109 MD 216 memory dissolve unit
592 111 MD 32 cassette recorder interface
592 112 MD 40 tape recorder interface
592 113 Kodak lead
593 050 Projector cover - P 801 S
610 225 180 mm Heidosmat f/3.5 - P 66 S
610 235 250 mm Heidosmat f/3 - P 66 S
610 245 250 mm Heidosmat f/4.3 - P 801 S
610 248 Supporting bracket and alternative condenser for 250 mm Heidosmat f/4.3
610 540 Remote control extension lead, 10 m (33 ft) - P 66 S
610 640 Special lead for tape projection - P 66 S
625 088 Rollei P 66 S, without lens, with remote control, 24 volt, 250 watt lamp, mains lead and slide magazine
625 091 Infrared remote control - P 66 S
625 092 Remote control lead, spare - P 66 S
630 382 Remote control extension lead, 10 m (33 ft) - P 801 S
630 390 CEE mains supply lead, 4.8 mm
646 455 Light pointer attachment
653 300 P 3801 IR with two 90 mm VS-Heidosmat MC f/2.4 lenses, two 24 volt 150 watt lamps, 36-slide magazine/tray, autofocus infrared remote control, mains lead
653 308 Rollei P 3801 IR, without lenses, with two 24 volt, 150 watt lamps, 36 slide tray, autofocus and infrared remote control, mains lead
653 410 Rollei P 3801 with two 90 mm VS Heidosmat MC f/2.4 lenses, two 24 volt, 150 watt lamps, 36-slide tray, remote control unit, mains lead
653 408 Rollei P 3801, without lenses, with two 24 volt, 150 watt lamps, 36-slide tray, remote control, mains lead
653 455 Rollei P 801 S autofocus with 90 mm VS-Heidosmat MC f/2.4, 24 volt, 250 watt tungsten-halogen lamp, remote control lead, lamp extractor, mains lead and 36-slide (5x5 cm) tray
653 465 Remote control lead, spare - P 801 S
653 500 Additional infrared remote control for P 3801
653 501 Programming foil and reflection dots, pack of 10 - P 3801/IR
653 505 Remote control lead, spare - P 3801
653 506 Remote control extension lead, 10 m (33 ft)
654 110 Case - P 3801, P 3801 IR
740 021 Extension tube 9 mm - 6006, SLX
740 022 Extension tube, 17 mm - 6006, SLX
740 023 Extension tube, 34 mm - 6006, SLX

IN ORDER NUMBER SEQUENCE

- 740 024 *Extension tube, 68 mm - 6006, SLX*
740 030 *Rapid nicad charger, European plug - 6006, SLX*
740 110 *Rolleiflex SLX body with carrying strap and body cap, without charger
with remote release lead and control*
740 112 *Rolleiflex SLX with 80 mm Planar f/2.8, carrying strap, remote release lead with control,
charger and mains lead (European plug)*
740 115 *Rolleiflex SLX Reseau body (photogrammetric camera)
with 121/05 grid plate and photogrammetric log*
760 060 *Rolleiflex 6006, complete (European version)*
760 065 *Rolleiflex 6006 body*
760 066 *Rolleiflex 6006 Reseau body*
760 069 *Body cap*
760 070 *Interchangeable 6 x 6 cm No. 120 magazine - 6006*
760 071 *Interchangeable 6 x 6 cm No. 220 magazine - 6006*
760 072 *Interchangeable 4.5 x 6 cm No. 120 magazine - 6006*
760 073 *Interchangeable 4.5 x 6 cm No. 220 magazine - 6006*
760 074 *Magazine cap - 6006*
760 075 *Film charger with plastic case - 6006 (also for SLX)*
760 080 *Polaroid magazine with drawslide - 6006, SLX*
760 085 *Prism finder, 45° eyepiece - 6006 (also SLX)*
760 086 *Prism finder, 90° eyepiece - 6006 (also SLX)*
760 087 *Magnifier hood - 6006 (also SLX)*
790 200 *Rolleiflex SL 2000 F, bbody with film magazine, battery holder, carrying strap and body cap*
960 470 *Ever-ready case - SL 66*
969 090 *35 mm Distagon HFT f/1.4*
969 120 *85 mm Planar HFT f/1.4*
969 190 *500 mm Tele-Tessar HFT f/5.6 - SL 66 E, SL 66*
969 226 *2 x Teleconverter - SL 66 E, SL 66*
969 240 *50 mm Planar HFT f/1.4*
969 260 *25 mm Distagon HFT f/2.8*
969 270 *135 mm Sonnar HFT f/2.8*
969 320 *35 mm Distagon HFT f/2.8*
969 360 *135 mm Tele-Tessar HFT f/4*
969 370 *200 mm Tele-Tessar HFT f/4*
969 380 *50 mm Planar HFT f/1.8*
969 420 *28 mm Rolleinar MC f/2.8*
969 430 *105 mm Rolleinar MC f/2.8*
969 470 *28 mm Distagon f/2*
969 480 *60 mm Makro-Planar HFT f/2.8*
969 500 *30 mm F-Distagon f/3.5 - SL 66 E, SL 66*
969 510 *35 mm PC-Curtagon HFT f/4*
969 520 *40 mm Distagon f/4 - SL 66 E, SL 66*
969 530 *50 mm Distagon f/4 - SL 66 E, SL 66*
969 540 *80 mm Planar f/2.8 - SL 66 E, SL 66*

IN ORDER NUMBER SEQUENCE

- 969 550 120 mm S-Planar f/5.6 - SL 66 E, SL 66
969 560 150 mm Sonnar f/4 - SL 66 E, SL 66
969 570 250 mm Sonnar f/5.6 - SL 66 E, SL 66
969 600 14 mm F-Rolleinar MC f/3.5
969 610 21 mm Rolleinar MC f/4
969 620 35 mm Rolleinar MC f/2.8
969 635 50 mm Rolleinar Macro f/3.5
969 640 85 mm Rolleinar MC f/2.8
969 650 135 mm Rolleinar MC f/2.8
969 660 200 mm Rolleinar MC f/3.5
969 681 35-105 mm Zoom Rolleinar MC f/3.5-4.3 Macro
969 695 80-200 mm HFT Rolleinar MC f/4 zoom
969 700 400 mm Rolleinar MC f/5.6
969 701 Front lens cap for 14 mm Rolleinar f/3.5
969 702 Front lens cap for 21, 28 and 200 mm Rolleinars
969 703 Front lens cap for 35 mm to 135 mm Rolleinars
969 705 Front lens cap for 80-200 mm zoom Rolleinar
969 710 500 mm Reflex-Rolleinar MC f/8 (mirror lens)
969 720 1000 mm Mirotar HFT f/5.6 - SL 2000 F
969 730 500 mm Mirotar HFT f/4.5 - SL 2000 F
969 770 16 mm F-Distagon HFT f/2.8 - SL 2000 F
970 490 Leather case for SL 66 E and SL 66
970 750 Folding case - P 66 S
970 980 Leather ever-ready case for SLX
970 990 Case for SL 2000 F (small)
970 995 Case for SL 2000 F (large)
971 000 Carrying strap
971 010 Carrying strap, broad
972 000 Ever-ready case - SL 66 E
972 210 Leather case for 50 mm to 150 mm lenses - SL 66 E, SL 66
972 220 Leather case for 250 mm Sonnar f/5.6 - SL 66 E, SL 66
972 230 Leather case for 40 mm Distagon f/4 - SL 66 E, SL 66
972 240 Leather case for 500 mm Tele-Tessar f/5.6 - SL 66 E, SL 66
972 300 Leather case for 25 mm Distagon f/2.8 - SL 2000 F
972 310 Leather case for 35 mm Distagon f/2.8, 50 Planar f/1.8 and f/1.4 85 mm Sonnar f/2.8
972 320 Leather case for 135 mm Tele-Tessar f/4 and 135 mm Sonnar f/2.8 - SL 2000 F
972 330 Leather case for 200 mm Tele-Tessar f/4 - SL 2000 F
972 340 Leather case for 85 mm Planar f/1.4 or 16 mm F-Distagon f/2.8 - SL 2000 F
972 480 Aluminium case - SLX
972 482 Aluminium case - 6006
972 485 Aluminium case - SL 66 E, SL 66
974 030 Slide magazine (tray) for 30 slides, 7x7 cm (pack of 6)
974 031 Slide magazine (tray) for 30 slides, 7x7 cm
974 040 Rollei 7x7 cm slide frames (pack of 12)

IN ORDER NUMBER SEQUENCE

- 974 240 Rollei 7x7 cm slide frames with anti-Newton cover glasses (Pack of 12)
974 250 Anti-Newton cover glasses, spare
974 420 R 80 circular slide tray - P 801 S
974 440 24 volt, 150 watt tungsten-halogen lamp
974 550 Bellows lens hood - SLX, SL 66 E, SL 66
975 000 Filter, medium yellow, 1.5x for 40 mm Distagon, bayonet size VIII - 6x6 cameras
975 040 Filter, medium yellow, 1.5x for 500 mm Tele-Tessar, screw size VII - SL 66 E, SL 66
977 000 Extension bellows unit - SL 66 E, SL 66
977 009 Complete extension bellows outfit - SL 66 E, SL 66
977 010 Macro stage with pair of macro stage glasses - SL 66 E, SL 66
977 020 Micrometer focusing drive - SL 66 E, SL 66
977 030 Vibration dampers, pair - SL 66 E, SL 66
977 040 Slide copying stage, 6x6 cm - SL 66 E, SL 66
977 050 Slide copying stage, 24x36 mm - SL 66 E, SL 66
977 060 Rear lens cap - SL 66 E, SL 66
977 280 Polaroid back with drawslide - SLX
977 290 Extension bellows unit - 6006, SLX
977 310 Alternative 4.5x6 cm back - SLX
979 035 110-160 mm Vario Heidosmat - P 66 S
979 200 Focusing rack - SL 66 E, SL 66
979 225 2x Teleconverter - 6006, SLX
979 270 55 mm PCS Super-Angulon f/4 - 6006, SLX
979 280 50 mm Distagon HFT f/4 - 6006, SLX
979 290 80 mm Planar HFT f/2.8 - 6006, SLX
979 310 120 mm S-Planar HFT f/5.6 - 6006, SLX
979 320 150 mm Sonnar HFT f/4 - 6006, SLX
979 330 250 mm Sonnar HFT f/5.6 - 6006 - SLX
979 340 350 mm Tele-Tessar HFT f/5.6 - 6006, SLX
979 350 140-280 mm Variogon f/5.6 - 6006, SLX
979 370 40 mm Distagon HFT f/4 - 6006, SLX
979 380 50 mm Heidosmat f/2.8 - P 3801, P 801 S
979 391 90 mm VS-Heidosmat MC f/2.4 - P 3801, P 801 S
979 393 85 mm Heidosmat MC f/2.8 - P 3801, P 801 S
979 410 70-120 mm Vario Heidosmat f/3.5 - P 3801, P 801 S
979 435 80 mm Distagon f/4 with leaf shutter - SL 66 E, SL 66
979 440 150 mm Sonnar f/4 in leaf shutter - SL 66 E, SL 66
979 450 1000 mm Tele-Tessar f/8, with case - SL 66 E, SL 66
979 455 1000 mm Tele-Tessar f/8- SL 2000 f
979 460 1000 mm Mirotar f/5.6 - SL 66 E, SL 66
979 510 150 mm S-Heidosmat f/2.8 - P 66 S
979 630 Bellows unit - SL 2000 F
979 770 150 mm Heidosmat f/3.5 - P 3801
979 780 150 mm Heidosmat f/3.5 - P 66 S
979 910 400 mm Heidosmat f/4 - P 66 S