


THE BESELER TOPCON D-1
with the Meter-On-The-Mirror
for FULL FOCUS-ABILITY



Single-action lever winds film, counts exposure, cocks shutter, prevents double exposure. Adjacent window shows exposure number, has automatic zero reset.



You see the subject, you see the action, you see the proper exposure — all with the lens wide open — through this Pentaprism. Focusing is simple with full coverage true ground glass, plus condenser lens and fresnel lens. Micro-prism focusing spot is surrounded by fine focusing ring.



Full lens interchangeability of all lenses used on the famed Beseler Topcon Super-D.

25mm f/3.5 Auto,
35mm f/2.8 Auto,
58mm f/1.4 Auto,
58mm f/1.8 Auto,
58mm f/3.5 Marco,
90mm f/3.5 Pre-set,
100mm f/2.8 Auto,
135mm f/2 Pre-set,
135mm f/4 Marco,
135mm f/3.5 Auto,
135mm f/3.5 Pre-set,
200mm f/4 Pre-set,
200mm f/5.6 Auto,
300mm f/5.6 Pre-set,
300mm f/2.8 Pre-set.

10 second self-timer allows you to get into the picture yourself.



YOU SEE WHEN THE EXPOSURE IS CORRECT, REGARDLESS OF THE LENS YOU USE. AND EVERY AUTOMATIC LENS GIVES YOU THE EXCLUSIVE FULL FOCUS-ABILITY.


New focal plane shutter with 1 second, 1/2, 1/4, 1/8, 1/15, 1/30, 1/60, 1/125, 1/250, 1/500, 1/1,000, and B; internally coupled to the Cadmium Sulphide Cell, (as is the lens diaphragm); EV ranges from 2.7 to 16.7; film speed acceptance of ASA 25 to 1600; flash synced at all shutter speeds on M. X sync up to and including 1/125th second.

THE BESELER TOPCON D-1


Single Lens Reflex

In a single lens reflex, the only **intelligent** way of measuring light is by placing the exposure meter **on the mirror**. In this position, the meter sees the light rays **raw**, as the film sees them—directly—undistorted—without interference. The Meter-On-The-Mirror, an International Patent, is **exclusive** in Beseler Topcon Cameras. Only this patented Meter-On-The-Mirror, coupled to an automatic diaphragm or shutter, gives you the advantages of **Full Focus-Ability**.

The Beseler Topcon **Meter-On-The-Mirror** can be used with **any** lens . . . automatic . . . or pre-set . . . or even barrel mount. Whether you use a 300mm **Telephoto** lens or a 25mm **Wide Angle** lens, the patented Meter-On-The-Mirror gives you **accurate** exposures because the meter sees the raw unreflected light exactly as the film does. For the 1st time in photographic history, the exposure meter has been placed where it belongs: behind the lens, **on the mirror**!



This is Full Focus-Ability.
It is exclusive
with Beseler Topcon Cameras.
All Beseler Topcon Cameras
have the Meter-On-The-Mirror
...have Full Focus-Ability.



\$ 269 !

This is the BESELER TOPCON D-1 with standard 58mm f/1.8 lens. A full complement of interchangeable lenses and many accessories are available. Other Beseler Topcon Cameras are the SUPER-D (\$420.00 with f/1.4), and the AUTO-100 (\$159.00 with f/2). All Beseler Topcon Cameras — and only Beseler Topcon Cameras — have Full Focus-Ability. Visit your local Authorized Beseler Dealer for a remarkable demonstration.

CHARLES BESELER COMPANY

219 South 18th Street, East Orange, N. J.

Charles Conkling and Sons, Inc.

Atlantic 1-1135

4929 N. E. FREMONT ST.
PORTLAND 13, OREGON