

NOW YOU CAN AFFORD TO SUPPORT YOUR CAMERA IN STYLE

Designed with the néeds of TV cameramen, industrial and educational filmmakers in mind, Bogen Cine Video Camera Support Systems incorporate many exceptional features found only in equipment costing much more. They're truly professional performers that don't sacrifice innovative engineering or dependability. Now you can enjoy the confidence of knowing that every movement of your camera will be smooth, steady and shudder-free.

Tripods

PROFESSIONAL CINE/VIDEO TRIPOD the super sturdy support Tandem legs with retractable, spring-loaded spike tips


Tandem legs with retractable, spring-loaded spike tips are the secret to the Bogen Professional Cine/Video Tripod's rock-solid support. But there's a lot more to this lightweight (11 lbs.) tripod. It handles cameras up to 22 lbs. when used with the Bogen 3066 Cine Video Fluid Head – and even more with other heads.

It also features a 100mm diameter claw-ball leveller, variable leg angles within a 180° arc with 2 click stop positions, quick-flip lever leg locks, stainless steel fittings with high-quality enamelled castings and built-in leg straps for convenient transport. The tripod measures just 32 in. and extends to $54^{1}/_{2}$ in. without head.

Order Code 3191

Professional Cine/Video Tripod with 3066 Fluid Head Order Code 3194





THE BOGEN UNIVERSAL TRIPOD stable and versatile

The Bogen Universal Cine/Video Tripod weighs less than 12 lbs., yet extends to 66 in. It is remarkably stable because of its rigid center brace construction and its steel extension legs which lower the center of gravity. Legs are furnished with convertible cushion/spike tips.

For precise positioning, there is a centerpost which permits 9 in. of extension. The unique variable-angle center brace system on the tripod allows minimum elevation of the tripod platform as low as 16 in.

Order Code 3068 Universal Tripod with 3066 Fluid Head. Order Code 3065

Universal Tripod with 3066 Fluid Head and 3067 Dolly. Order Code 3069 Universal Tripod with 3063 Mini Fluid Head. Order Code 3118

THE BOGEN HEAVY-DUTY TRIPOD

The Bogen Heavy-Duty Cine/Video Tripod is the ideal field tripod. Closed length is only 371/2 in., yet it extends to a full 63 in. It can be set as low as 12 in. With its built-in claw ball, the camera head can be levelled quickly under all use conditions. The Heavy-Duty Tripod weighs just 17 lbs. 2 oz.

Order Code 3061

Heavy-Duty Tripod with 3066 Fluid Head. Order Code 3062

Heavy-Duty Tripod with 3066 Fluid Head and 3067 Dolly.

Order Code 3064

BOGEN'S STURDY 3140 TRIPOD WITH MINI FLUID HEAD

Our aluminum double-strut, center-braced two-section. The design offers remarkable rigidity coupled with light weight (only 11 lbs. 6 oz.).

The ideal tripod for educational and industrial studio applications, especially when used with any of our Bogen Dollies. It extends to a full 73 in. with the Mini Fluid Head. Folds to a compact $32\frac{1}{2}$ in. for travelling. Legs are furnished with convertible cushion/spike tips. The surprisingly affordable all-purpose tripod. **Order Code 3140** Also available in black anodized finish. **Order Code 3142**

THE 3124 TRIPOD WITH MICRO FLUID HEAD the ideal complement to your port-

able VCR camera Combines our 3126 Micro Fluid Head

with our lightweight 3011 Tripod that's sturdy, stable, versatile, easy to use and easy to carry. The combination weighs only 7 lbs. **Order Code 3124** Also available in black

anodized finish. Order Code 3122

3126 Micro Fluid Head with 3011 Tripod and 3127 Dolly.

Order Code 3129

3126 Micro Fluid Head with 3211 black anodized Tripod and 3127 Dolly. **Order Code 3149** 3160 XL Fluid Head with 3011 Tripod **Order Code 3163** 3160 XL Fluid Head with 3011 Tripod and 3127 Dolly **Order Code 3164**

THE 3125 TRIPOD WITH MICRO FLUID HEAD lets you get eyeball level with small frv

This will do everything the 3124 will do and more because it incorporates our 3021 Tripod which has a center post with a removable section and three-position, variable leg spread controls so that you can shoot at low angle. Just right for shooting children from infants on up. Easily portable, it weighs just 8 lbs. with the 3126 Bogen Micro Fluid Head.

Order Code 3125 Also available in black anodized finish. Order Code 3123 3126 Micro Fluid Head with 3021 Tripod and 3127 Dolly.

Order Code 3128 3126 Micro Fluid Head with 3221

black anodized Tripod and 3127 Dolly. Order Code 3148 3160 XL Fluid Head with 3021

Tripod. Order Code 3161

3160 XL Fluid Head with 3021 Tripod and 3127 Dolly. Order Code 3162



3170 COMPACT CONVERTIBLE VIDEO TRIPOD WITH MICRO FLUID HEAD

Versatile and easy to handle, Bogen's new 3001 Video Tripod with 3126 Micro Fluid Head is designed especially for portable VCR Cameras up to 6 lbs.

It sets up quickly and easily. Sturdy legs are made of tubular hard-finish aluminum and each has sure-grip, quick-acting, non-fouling lever locks.

Add the portable Video Dolly or the Lightweight Tripod Spreader and you have rock-solid support for smooth pans and tilts.

Order Code 3170 3001 Tripod with 3160 XL Fluid Head Order Code 3165

HEADS THE BOGEN FLUID HEAD

at the head of its class

.....

This lightweight, professional quality, fluid-damped tripod head is designed for cine and video cameras weighing up to 22 lbs. (10 kg.). The large, removable, camera platform has a mounting stud that travels in a 31/2 in. slot and facilitates balancing at the camera's center of gravity. In addition, there are a series of closely-spaced locking detents on the platform, any of which can be used.

The Bogen 3066 Fluid Head pans smoothly 360° and the panning drag can be adjusted by means of a simple adjustment screw. Vertical drag is adjusted by a large pawl-controlled lever. The tilting range is 60° up to 90° down with the camera under perfect control at all times. And there's a detent which can be set to limit the downward movement to 45°. Separate locks, independent of - the drag system, provide a positive hold in any position. Order Code 3066

MINI FLUID HEAD for maxi performance

Now you can make sure your lightweight Cine or Video camera (up to 11 lbs.) follows the action with nary a shudder when you mount it on this multi-talented Mini Fluid Head.

Measuring just 5 in. x 5 in. x 5 in. (excluding handle), this lightweight (3 lbs.), fluid damped head pans and tilts smoothly and has a camera platform that features a quick-release mounting plate with locating pin. For convenience and comfort and to accommodate the widest possible range of cameras, the Mini Fluid Head comes with a versatile handle which is positionable on either side and can be separated into two individual segments, each 9 in. in length. The Mini Fluid Head can be tilted 45° up and 90° down continuously, with detent at -45°, and has separate pan and tilt locks. Vertical drag is continuously adjustable.

Order Code 3063



BOGEN XL FLUID HEAD one smooth operator

If you're looking for a lightweight fluid head (1½ lbs.) with amazingly smooth operation and the ability to handle cameras up to 9 lbs., you've just found it. The Bogen XL Fluid Head. The fourth in our growing line of fluid heads, the XL has a special "quick release plate" which lets you attach and detach the camera quickly and easily. So setting up or changing cameras was never simpler. The adjustable handle can be conveniently located on either the right or left side of the head. **Order Code 3160**

MICRO FLUID HEAD here's the head for the new lightweight VCR cameras

You'll be amazed at the smooth, fluid effect movement of the Bogen Micro Fluid Head. Only 2 lbs. including an adjustable handle, it's perfect for just about any of the new lightweight (up to 6 lbs.) VCR cameras.

It measures $4\frac{1}{4}$ in. x $5\frac{3}{4}$ in. x $2\frac{3}{4}$ in. (excluding handle); pans smoothly a full 360°, can be tilted up or down 90°, has pan and tilt locks and continuously adjustable drag. Platform has adjustable positioning slot for best camera balance and is designed so that the handle can be on either left or right side. Order Code 3126

BALL CAMERA LEVELLER

This is an ideal adjunct to the 3063 Mini Fluid Head, 3160 XL Fluid Head or 3126 Micro Fluid Head. It works like a claw ball in that you mount it to your tripod. You can remove the camera and head quickly to mount on another tripod similarly equipped. And you can level your camera even if you haven't levelled the tripod. Ideal for field use on uneven terrain.

Order Code 3115



Dollies

THE BOGEN DELUXE CINE/ VIDEO DOLLY

The Bogen Cine/Video Dolly is designed for use with the Universal and Heavy-Duty Tripods. Individually braked 5 in. wheels and a unique leg locking system make it extremely stable. And it's easy to assemble and disassemble for transporting. The tripod legs are captured in a 38 in. diameter circle and the doorway clearance needed for the fully assembled dolly is only 391/2 in. **Order Code 3067**

AUTO DOLLIES

one touch of the central pedal locks (or unlocks) all three casters simultaneously

Many dollies brake against the caster or wheel itself which can cause flats, wear and slippage. But when you depress the centrally located foot pedal of either the Bogen Auto Dolly or the Bogen Folding Auto Dolly, you release all three wheels. When you lift the pedal, cam action raises the wheels free of the ground and the weight of the dolly and tripod rest on separate feet.

The ideal companions for Bogen 3131, 3135, 3140 and 3150 tripods. The Auto Dolly weighs only 6 lbs., incorporates Shepherd Casters and is easily assembled. Spread from center to tripod leg socket is $18\frac{1}{2}$ in. The Folding Auto Dolly features 3 in. wheels, weighs $9\frac{3}{4}$ lbs. and the spread from center to tripod leg socket is 20 in. Folds to a compact 29 in.

On either dolly, mounting and dismounting the tripod is accomplished by cam operated kick-locks.

If you need to support a camera for very low angle shooting, we've thoughtfully provided a European thread stud on the central casting on which you can mount your Bogen Mini, XL or Micro Head.

Auto Dolly. Folding Auto Dolly. Black Folding Auto Dolly. Order Code 3056 Order Code 3156 Order Code 3254

VARIABLE LEG SPREAD DOLLY

Here's a dolly with a difference – variable leg spread for added versatility. The newest member of Bogen's growing dolly line, the Variable Leg Spread Dolly has a special feature that allows you to adjust the radius from a maximum of 20 in. to as little as $12^{1/2}$ in. It's ideal for use with the 3124, 3125, 3140 3165 and 3170 tripods. And when our Variable Leg Spread Dolly isn't in use, it packs down to a compact size for easy storage. **Order Code 3137**

PORTABLE VIDEO DOLLY

This handy dolly weighs only 5 lbs. 7 oz., has a 20 in. radius, folds to a compact 221/2 in. and is suitable for most Bogen tripods. It features our Sure-lock/No-rock system that lifts the 2 in. casters free of the ground so that the dolly rests on separate feet. Heavy duty quick-fastening rubber straps hold tripod securely to dolly. **Order Code 3127**

LIGHTWEIGHT TRIPOD SPREADER

Closed length is only 16 in. Opens with adjustable legs to accommodate all Bogen tripods except the 3061. Maximum spread radius is $25\frac{1}{2}$ in. **Order Code 3155**


BOGEN MAGIC ARM

The Bogen Magic Arm is a fully articulated arm with 90° pivotable and 360° rotatable ends and an elbow that rotates 360°. Analogous to a human arm with a shoulder, an elbow and a wrist except that you have considerably greater movement. In the relaxed position, you can move any of the joints to any desired position. A firm turning movement of the control handle – located at the elbow joint – locks all three joints firmly into position.

The Magic Arm is perfect for placement of small lights; great for gobos, reflectors and flags.

Both ends have studs that fit into any standard $\frac{5}{8}$ in. socket – such as that on the Super Clamp – and the studs have flats for positive tightening. In addition, both ends are tapped: one is $\frac{1}{4}$ -20 and the other is for European threads so that they can be screwed on to tripods and light stands.

Order Code 2930 Accessory Fork. Order Code 2931 Super Clamp Order Code 2915



Accessories



VIDEO CAMERA SUPPORT

Our fully adjustable Video Camera Support keeps both hands free to operate the camera. Weighing just 2.6 lbs., it's made of rugged, black anodized aircraft-grade aluminum and padded with comfortable Neoprene[®] at shoulder and waist. The support includes a Double Ball Joint Head (2916) with camera platform and folds flat for storage. **Order Code 3147**

VIDEO CAMERA SHOULDER MOUNT

contoured, comfortable, convenient

Just about any portable video camera you own can be handled with ease using the Bogen Video Camera Shoulder Mount. It's contoured for a proper fit, padded for extra comfort and designed to be lightweight. For added versatility, it will also attach to a tripod. And it's rugged, too. Made of tough, heavy-duty aluminum, its adjustable screw slides back and forth to suit your needs while keeping the camera securely attached to the cross-bar. Order Code 3144 Optional bracket for camera with rear viewfinders. Order Code 3143

MINI AUTO-POLE

Need to handle a light or small camera in a confined area? The Mini Auto-Pole is just what you need. It's easy to set up, extends from 39 in. (1 meter) to 67 in. (1.7 meters) and uses the same automatic cam action positive locking system as our regular Auto-Pole. Gives you sturdy, secure, positioning where floor space is at a premium. Supplied as a set of 2. **Order Code 2953**

TRIPOD BAGS

Handsome dark blue heavy-duty Cordura[®] nylon. Protects valuable tripods and heads. 25 in. fits our 3165 and 3170 Tripods. **Order Code 3279** 35 in. fits our 3116, 3120, 3122, 3123, 3124, 3125, 3161, 3163 and 3215 Tripods. **Order Code 3280** 45 in. fits our 3131, 3132, 3135, 3140, 3142 and 3150 Tripods. **Order Code 3281**


TRIPOD APRON

Attaches easily to any Bogen Tripod. Order Code 3146

SKY HOOK GAFFER CLAMP

Unlike conventional gaffer clamps, the Sky Hook is adjustable so that its jaws can be nearly parallel so more surface area is involved. Combined with dur-

able rubber grippers, the result is a reliable grasp on anything from a $\frac{3}{4}$ in. shelf to a 3 x 3. Other features? How about our stud system? The socket is $\frac{5}{8}$ in. (16mm) and the standard stud is doubleended ($\frac{5}{8}$ in. for cine or strobe heads). If you want to hang a remote controlled camera, just get our accessory stud (Order Code 2971) – it takes either a $\frac{1}{4}$ -20 or Euro-thread ball head. **Order Code 2970**



HEAVY DUTY SWIVELING "C" CLAMP

Bogen's Heavy Duty "C" Clamp weighs less than 31/2 lbs. yet it is load-rated at 165 lbs. (75 kg.), which means that it was subjected to a static test at more than ten times its rating. The adjustable jaws open to handle any pipe up to $3^{1/2}$ in. in diameter. There's a 360° locking swivel which has sockets for 11/8 in. (28mm), and 5/8 in. bushings and also a slideout male 5/8 in. stud. Order Code 2965 Accessory Wire Rope Safety Chain. Order Code 2966

PROJECTOR PLATFORM

Aluminum platform for projectors, speakers, etc. Attaches to Bogen Tripods w/o head. Measures 93/4 in. x 133/4 in. **Order Code** 3290



VIDEO TRIPOD CADDY



The handiest thing you can put on a Tripod. Attaches to any two legs and is built to hold most of the new portable VCRs, battery packs or whathave-you. Heavy duty and rugged, adds stability. Order Code 3145

CARRYING STRAP

Here's an accessory strap for our tripods that makes carrying them even easier. Goes off and on quickly and doesn't get in the way of your shooting. Order Code 3044

MONOPODS

Bogen Monopods - convenient and lightweight - ideal for sports and action photography. Choose from two models. both with handy carry straps.

Bogen Professional Monopods 3 sections: extends from 27 in. to 65 in., weighs 1 lb., 13 oz.

and features a 3/8 in. tip on one end and a 1/4-20 on the other.

Order Code 3018 Professional Monopod with black anodized finish.

Order Code 3218 **Bogen 3-Section Monopod** Extends from 23 in. to 59 in. and

weighs only 1 lb. Order Code 3016 3-Section Monopod with black anodized finish. Order Code 3216

HARD CASES FOR **BOGEN TRIPODS**



ALL-WEATHER SHOES

Snap these all-weather shoes onto your tripod legs and you're set for snow, sand or other irregular surfaces. Shoes attach easily and provide the stability you need.

Order Code 3255 Set of 3



SPIKE TIPS

Count on our easy attaching spike tips to dig in and prevent the tripod from shifting on gravel, rocks, dirt, grass and more. For 3011 and 3021 Series Tripods and 3016 and 3216 Monopods.

Set of 3

Order Code 3256





Now you can protect your tripods from water, heat, cold, solvents and just plain wear and tear with lockable hard cases from Bogen. Available in two sizes, they're made of heavy duty high density polyethylene and feature exceptional impact resistance outside...superior cushioning inside. They also offer aluminum tongue and groove closures, recessed nickel-plated latches and piano hinges for long life. Large case measures 91/2 in. x 91/2 in. x 44 in. for 3061, 3068 and 3191 Tripods with 3066 Heads. Order Code 3286

Small case measures 6 in. x 6 in. x 44 in. for 3033, 3036, 3046 and 3051 Tripods with all Heads except 3066. Order Code 3285

QUICK RELEASE ADAPTER ASSEMBLY

For Video Camera Heads, designed to fit on any tripod that does not have the Quick Release feature. Supplied with the Bogen Quick Release Plate and an extra ³/₈ in. screw. Base is threaded for 1/4-20 and 3/8 in.

Order Code 3296

Specifications

		and a second						
BOGEN 3001	w/MICRO	w/XL						
TRIPOD	FLUID HEAD							
	Order Code	Order Code						
	3170	3165						
Weight:	5 lbs.	41/2 lbs.						
Closed Length:	24 ³ / ₄ in.	241/4 in.						
Maximum Elevation:	601/2 in.	60 in.						
Centerpost Length: Minimum Elevation:	81/2 in. 161/2 in.	81/2 in. 16 in.						
Management and a second s								
BOGEN 3011	w/MINI	w/XL	w/MICRO					
TRIPOD	FLUID HEAD Order Code	FLUID HEAD Order Code	FLUID HEAD Order Code					
	3116	3163	3124					
Weight:	8 lbs., 2 oz.	61/2 lbs.	7 lbs.					
Closed Length:	28 in.	271/2 in.	28 in.					
Maximum Elevation:	721/2 in.	72 in.	721/2 in.					
Centerpost Length:	17 in.	17 in.	17 in.					
Minimum Elevation:	26 in.	251/2 in.	26 in.					
BOGEN 3021	w/MINI	w/XL	w/MICRO					
TRIPOD	FLUID HEAD	FLUID HEAD	FLUID HEAD					
	Order Code	Order Code	Order Code					
	3120	3161	3125					
Weight:	9 lbs., 2 oz.	71/2 lbs.	8 lbs.					
Closed Length:	30½ in. 74½ in.	30 in. 74 in.	30½ in. 74½ in.					
Maximum Elevation: Centerpost Length:	17 ³ /4 in.	17 ³ /4 in.	17 ³ /4 in.					
Minimum Elevation:	14 in.	13½ in.	14 in.					
BOGEN 3033	w/MINI	w/MICRO						
TRIPOD	FLUIDHEAD	FLUIDHEAD						
TRIFOD	Order Code	Order Code						
	3131	3132						
Weight:	10 lbs. 12 oz.	10 lbs., 4 oz.						
Closed Length:	34 in.	331/2 in.						
Maximum Elevation:	731/4 in.	72 ³ /4 in.						
Centerpost Length:	11 in.	11 in.						
Minimum Elevation:	31¼ in.	30 ³ /4 in.						
BOGEN 3036 TRIPO		UID HEAD. Or	der Code 3135					
Weight:	12 lbs., 14 oz.							
Closed Length:	38 in.							
Maximum Elevation:	87½ in. 9½ in.							
Centerpost Length: Minimum Elevation:	22 in.							
BOGEN 3046 TRIPO			da O a da 0140					
Weight:	11 lbs., 6 oz.	UID HEAD. ON	der Code 3140					
Closed Length:	37 in.							
Maximum Elevation:	73 in.							
Centerpost Length:	19 in.							
Minimum Elevation:	341/2 in.							
BOGEN 3051 TRIPO	WITH MINI FL	UID HEAD. Or	der Code 3150					
Weight:	15 lbs., 10 oz.							
Closed Length:	401/2 in.							
Maximum Elevation:	67½ in.							
Centerpost Length:	9½ in.							
Minimum Elevation:	22 in.		-					
BOGEN HEAVY DU	IY IRIPOD W	TH C/V HEA	D.					
Order Code 3062	17 lbs., 2 oz.							
Weight: Closed Length:	37½ in.							
Maximum Elevation:	63 in. (Dolly							
	adds 9 in. to							
	height)							
Minimum Elevation:	12 in.							
BOGEN UNIVERSA	TRIPOD WIT	H C/V HEAD.						
Order Code 3065								
Weight:	11 lbs., 8 oz.							
Closed Length:	36 in.							
Maximum Elevation:	66 in. (Dolly							
	adds 9 in. to height)							
Centerpost Length:	9 in.							
Minimum Elevation:	16 in.							
		WITH C/V H	FAD.					
BOGEN PROFESSIONAL TRIPOD WITH C/V HEAD. Order Code 3194								
Weight:	18 lbs.							
Closed Length:	38 in.							
Maximum Elevation:	CO1/ in		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	601/2 in.							
Minimum Elevation:	12 in.							

Tripod/Head Combination Order Code Chart

without head	w/3126 Micro	w/3160 XL	w/3063 Mini	w/3066 Cine/ Video	compatible dollies
3001	3170	3165	—	—	3127 3137
3011 (³²¹¹ (Black)	3124 (³¹²² Black)	3163 (³²¹⁵ (Black)	3116		3127 3137
3021 (³²²¹ (Black)	3125 (³¹²³ Black)	3161 (³²²⁵ Black)	3120		3127 3137
3033	3132	С	3131	С	ALL
3036 (³²³⁶ (Black)	С	с	3135	С	ALL
3046 (³²⁴⁶ Black)	С	С	3140 (³¹⁴² Biack)	С	ALL
3051	С	С	3150	С	ALL
3061	1 <u>—</u> 23.457	2. C 1943		3062	3067
3068	-	_	3118	3065	3056 3156 3254 3067
3191	<u> </u>		_	3194	3156 3254

ORDER CODE	Description	Price	ORDER CODE	Description	Price
	TRIPODS			MONOPODS	
2001	3001 Compact Convertible Tripod (w/o Head)	\$71.50	3016	3-Section Monopod	\$34.95
3001		98.95	3018	Professional Monopod	43.95
3011	3011 Tripod (w/o Head)	126.95	3216	3-Section Black Anodized Monopod	38.50
3021	3021 Convertible Tripod (w/o Head)	156.95	3218	Brefessional Black Anodized Monanad	48.50
3033	3033 Professional Tripod (w/o Head)	186.95	5210	Professional Black Anodized Monopod	
3036	3036 Professional Tripod (w/o Head)		- Hassi		
3046	3046 Professional Tripod (w/o Head)	160.95	0000	FLUIDHEADS	148.95
3051	3051 Professional Tripod (w/o Head)	253.95	3063	Mini Fluid Head w/Quick Release Plate	355.95
3061	Heavy Duty Cine/Video Tripod w/Claw Ball (w/o Head)	317.95	3066	Cine/Video Fluid Head w/Quick Release Plate	73.50
3062	Heavy Duty Cine/Video Tripod w/3066 Head	665.95	3126	Micro Fluid Head	95.95
3064	Heavy Duty Cine/Video Tripod w/Fluid Head (3066)		3160	XL Fluid Head w/Quick Release Plate	95.95
	and 3067 Deluxe Video Dolly	886.95	and a stand of		
3065	Universal Cine/Video Tripod w/3066 Fluid Head	613.95	Constants	DOLLIES	100.05
3068	Universal Cine/Video Tripod (w/o Head)	263.95	3056	AutoDolly	128.95
3069	Universal Cine/Video Tripod w/Fluid Head (3066)	808.3 D.	3067	Deluxe Cine/Video Dolly	220.95
0000	and 3067 Deluxe Video Dolly	832.95	3127	Portable Video Dolly	79.95
3116	3011 Tripod w/Mini Fluid Head (3063)	243.95	3137	Variable Leg Spread Portable Dolly	97.95
3118	Universal Tripod w/Mini Fluid Head (3063)	396.95	3156	Folding Auto Dolly	167.95
3120	3021 Tripod w/Mini Fluid Head (3063)	274.95	3254	Black Folding Auto Dolly	185.95
3120	3211 Black Anodized Tripod w/Micro Fluid Head	172.95		, , , , , , , , , , , , , , , , , , ,	A PART
	3221 Black Anodized Tripod w/Micro Fluid Head	208.95		ACCESSORIES	
3123	3011 Tripod w/Micro Fluid Head (3126)	167.95	2915	Super Clamp (w/o Stud)	25.50
3124		200.95	2930	Magic Arm with Camera Platform	108.95
3125	3021 Tripod w/Micro Fluid Head (3126)	280.90	2931	Fork for Magic Arm	16.50
3128	3021 Tripod w/Micro Fluid Head and 3127 Dolly	244.95	2953	Mini Auto-Poles (Set of two)	113.00
3129	3011 Tripod w/Micro Fluid Head (3126) and 3127 Dolly	302.95	2965	Heavy Duty Swiveling "C" Clamp	85.00
3131	3033 Tripod w/Mini Fluid Head (3063)	228.95	2966	Wire Rope Safety Chain for 2965	17.50
3132	3033 Tripod w/Micro Fluid Head (3126)	332.95	2900		33.00
3135	3036 Tripod w/Mini Fluid Head (3063)	302.95	2970	Sky Hook Adjustable Gaffer Clamp	4.25
3140	3046 Tripod w/Mini Fluid Head (3063)			Accessory Stud for 2970	12.95
3142	3246 Black Anodized Tripod w/Mini Fluid Head (3063)	318.95	3044	Carrying Strap for Bogen Tripods	12.00
3147	Video Camera Support w/2916 Head	136.00	3054	Converter Plate to allow any Bogen Tripod to accept	11.00
3148	3221 Black Anodized Tripod w/Micro Fluid Head and	1.018.03		heads w/1/4-20 socket	39.95
	3127 Dolly	288.95	3115	Ball Camera Leveller	20.95
3149	3211 Black Anodized Tripod w/Micro Fluid Head and		3117	Conversion Kit w/extra handle for Mini Fluid Head	20.95
0.110	3127 Dolly	251.95	3143	Accessory Bracket for 3144 Video Camera	and the second
3150	3051 Tripod w/Mini Fluid Head (3063)	398.95	and the second second	Shoulder Mount. For camera where viewfinder	00.05
3161	3021 Tripod w/XL Fluid Head (3160)	215.95	1122 10 1	is on back of camera.	23.95
3162	3021 Tripod w/XL Fluid Head (3160) and	and the second	3144	Video Camera Shoulder Mount	54.95
0102	3127 Portable Dolly	292.95	3145	Video Tripod Caddy	35.95
3163	3011 Tripod w/XL Fluid Head (3160)	184.95	3146	Tripod Utility Apron	19.95
3164	3011 Tripod w/XL Fluid Head (3016) and		3155	Lightweight Tripod Spreader	44.95
3104	3127 Portable Dolly	261.95	3157	Replacement Quick Release Plate for 3160	5.95
0165	3001 Tripod w/XL Fluid Head (3160)	161.95	3158	Replacement Quick Release Plate for 3066	30.50
3165	3001 Tripod w/XL Fluid Head (3160) and		3159	Replacement Quick Release Plate for 3063	14.50
3166		238.95	3255	All-Weather Shoes	21.00
0.170	3127 Portable Dolly 3001 Tripod w/Micro Fluid Head (3126)	134.95	3256	Spiked Foot Adapters	9.95
3170	3001 Tripod w/Micro Fluid Head (3126) and 2127 Dolly	212.95	3279	Tripod Bag. 25 in.	32.50
3171	3001 Tripod w/Micro Fluid Head (3126) and 3127 Dolly	212.00	3280	Tripod Bag. 35 in.	40.50
3172	3001 Tripod w/Micro Fluid Head (3126) and 3155	178.95	3281		50.50
	Lightweight Tripod Spreader		3285	Tripod Bag. 45 in.	204.00
3191	Professional Cine Tripod	500.00	3286	Hard Case for Bogen Tripods.	225.00
3192	3191 Black Anodized Tripod (w/o Head)			Hard Case for Bogen Tripods.	220.00
3194	Professional Cine Tripod w/3066 Head	845.00	3290	Aluminum Platform for monitors, projectors,	
3195	3191 Black Anodized Tripod (w/3066 Head)	875.00		speakers, etc. Attach to tripod w/o head. Has 3% in.	30.00
3211	3211 Black Anodized Tripod (w/o Head)	105.95	0000	threaded socket. Measures 93/4 in. x 133/4 in.	33.95
3215	3211 Black Anodized Tripod w/XL Fluid Head (3160)	197.95	3296	Quick Release Adapter Assembly	00.90
3221	3221 Black Anodized Tripod (w/o Head)	136.95			and the second second
3225	3221 Black Anodized Tripod w/XL Fluid Head (3160)	229.95			
3236	3036 Black Anodized Tripod (w/o Head)	207.95			
3246	3246 Black Anodized Tripod (w/o Head)	177.95			All thum the

Prices and specifications subject to change without notice.

