
Kodak Picture-Taking

EQUIPMENT AND SUPPLIES PRICE CATALOG



- New Kodak Pocket Instanatic® Cameras
 5 models in a convenient, take-anywhere size
- Big, sharp snapshots
 Standard 3½ x 4½-inch prints
- New 110-Size Film Cartridge
 4 fine Kodak films in a smaller format
- Kodak Pocket Carousel Slide Projectors Color slides in compact plastic mounts a little over an inch square



1972-1 FOR COUNTER USE

PCCKET PHOTO ALBUM


Big sharp pictures from little cameras


Here's a pocketful of dreams. Look at the size, shape, and sharpness of these color prints made from films shot in the new Kodak Pocket Instamatic Cameras.

Snapshots measure $3\frac{1}{2} \times 4\frac{1}{2}$ inches. Enlargements from Kodak are 5×7 inches. And the frame number is photographically printed in the margin of the $3\frac{1}{2}$ " $\times 4\frac{1}{2}$ " Kodacolor prints, while the month/year appears on the back of $3\frac{1}{2}$ " $\times 4\frac{1}{2}$ " and 5" $\times 7$ " prints from Kodak.

These are some of the big ones that could have gotten away before the introduction of the convenient, go-everywhere Pocket Instamatic Cameras.







Five Pockets to pick from.



The Kodak Pocket Instamatic 20 camera comes in a ready-to-shoot outfit. It's the lowestpriced pocket model.



New Kodak pocket Instamatic®

jector is only a little over 8 x 8 inches square. Has a 120-slide tray. Three models with many

automatic features to choose from.

HIGHLIGHTS

Picture-taking Equipment and Supplies

I NEW P	RODUCTS	
KODAK Poc	ket Instanatic Cameras and Outfits	
Iden No.		List
A20	KODAK Pocket Instamatic 20 Camera	\$ 27.95
A20R	KODAK Pocket Instamatic 20 Camera Outfit	29.95
A30	KODAK Pocket Instamatic 30 Camera	47.95
A30R	KODAK Pocket Instamatic 30 Camera Outfit	49.95
A40	KODAK Pocket Instamatic 40 Camera	62.95
A40R A50	KODAK Pocket Instanatic 40 Camera Outfit	64.95
A50R	KODAK Pocket Instamatic 50 Camera KODAK Pocket Instamatic 50 Camera Outfit	107.95
A60	KODAK POCKET INSTAMATIC 50 Camera Outfit	109.95
A60R	KODAK POCKET INSTAMATIC 60 Camera Outfit	127.95 129.95
KODAK Pod	ket CAROUSEL Projectors	127.75
	ket Carousel 100 Projector	
B100	Mari 01/ 1 1 = 0/2 0	
BIOOZ	With 2 $\frac{1}{2}$ -inch EKTAR $\frac{f}{2.8}$ Lens	99.50
		134.50
KODAK Poc	ket CAROUSEL 200 Projector	
B200	With 2½-inch EKTAR f/2.8 Lens	149.50
B200Z	With 2 to 3-inch EKTAR f/2.8 Zoom Lens	184.50
KODAK Poch	ket CAROUSEL 300 Projector	
B300	With 2½-inch EKTAR f/2.8 Lens	214.50
B300Z	With 2 to 3-inch EKTAR f/2.8 Zoom Lens	249.50
KODAK Poch	ket Instamatic Camera Cases	
C14C	Model A for KODAK Pocket INSTAMATIC Cameras,	
0.40	Model 20, 30, and 40 (Black)	1.95
C15C	Model A for KODAK Pocket INSTAMATIC Cameras,	1.73
	Model 20, 30, and 40 (Green)	1.95
C16C	Model B for KODAK Pocket Instamatic Cameras,	AND ADDRESS OF THE PROPERTY OF
6176	Model 50 and 60 (Black)	2.25
C17C	Model B for KODAK Pocket INSTAMATIC Cameras,	
	Model 50 and 60 (Green)	2.25
KODAK Pock	cet CAROUSEL Projector Accessories	
B120	KODAK Pocket CAROUSEL 120 Slide Tray	3.95
B595	KODAK Pocket CAROUSEL Tray Case	12.95
B590	KODAK Pocket CAROUSEL Projector Case	12.95
		Pkg. of 20
B22	KODAK 2 x 2 Adapter for 110 Slides	1.25
	KODAK Projection EKTAR Lens 2 ½ -inch f/2.8	22.50
	KODAK Projection EKTAR Zoom Lens 2 to 3-inch f/2.8	57.50
DDA	Projection Lamp for KODAK Pocket CAROUSEL Projectors	4.95
Films for Ke	DDAK Pocket Instanatic Cameras	
C110-12	Kodacolor II Film	
C110-20	KODACOLOR II Film	1.40
EX110-20	EKTACHROME-X Film	1.95 2.30
KX110-20	KODACHROME-X Film	2.30
† VP110-12	VERICHROME Pan	.75
†Deliveries commen		
Iden No.	onal Parks Centennial Camera Kit	
AX-15RK	KODAK National Parks Centennial Kit (see page 13)	List
AN-TOKK	RODAR Hallollal Falks Celliellillal Kii (see page 13)	\$24.95

KODAK Processing Services for 110-size Films

The Kodak Laboratory Services listed below apply to Kodak color films in 110-size cartridges.

	OR Film Developing I (negatives returned in strips of 4, in transparent protective sleeve, with attached reprint order tab)\$	List 1.30
*KODACOLO	DR Prints (at time of developing)	.30
Size 3R 3R, eac	OR Prints (print-only orders) R—3½ x 4½ in. from negative size 13 x 17mm (110) ch print	.33
Enlarge 5 x 7, e	or Enlargements ements are regularly supplied glossy; matte finish available on request each more from same negative, each	1.35 1.10
Size 3F First co	olor Copyprints R—3 ½ x 4 ½ in. from prints 3 ½ x 4 ½ in. opy from a print litional copies from same print, each	.75 .50
*Supplied from I	Rochester, Palo Alto, Chicago, Atlanta, Dallas, Honolulu. **Supplied from Rochester, Chicago, and Palo Alto.	
	ME-X Film, 20 exposures (KX110-20) and ME-X Film, 20 exposures (EX-110-20) Processing	
In 30 x 30mi 13 x 17mm .	m white plastic mounts with frame number windows, 20 frames, returned, inserted in two plastic strips in flat protective wallet	2.45
	U.S. Kodak Laboratories.	
3R, ea 25 c	OME Prints from 13 x 17mm (110) transparencies, print size 3 ½ x 4 ½ in. or more from same transparency, each OME Enlargements from 13 x 17mm (110) color transparencies	.54 .30
5 x 7, e 5 or	eachrmore from same transparency, each	1.35 1.10
‡KODACHRO standa	OME Duplicate Transparencies, 13 x 17mm from one or more ard 110 mounted transparencies, supplied in 30 x 30mm plastic mounts	
	S,000† duplicates, each	.35
*Supplied from R ‡Supplied from R	Rochester, Palo Alto, Chicago, Atlanta, Dallas, Honolulu. †Prices for greater quantities available on request.	
II PRICE	CHANGES	
		9.95
XL55R XL55		4.50

III DELETIONS NONE

IV SPECIAL INFORMATION

KODAK SPRING/SUMMER FILM PROMOTION









Here's your chance to have a "Voter's Choice" watch in this election year. Choose from three watches—each with a different watch face (donkey, elephant, and/or Uncle Sam). For information on ordering, please see the back cover of this catalog.

REMEMBER!

To help us fill your order promptly and accurately, please refer to the CAT. No. as well as the full product description on all of your orders.

Order Quantity

CAT. No. 107 7155

Product Description

)

A20R INSTAMATIC 20 Camera Outfit

Kodak Instamatic cameras

- Drop-in loading
- Clear, sharp pictures
- Magicube flash
- "Used Lamp" warning signal
- Double exposure prevention

Instamatic "X" cameras . . . using 126 film cartridges



- Lowest-priced "X" model
- Aim and shoot . . .
 no settings



- Automatic film advance
- Aim and shoot . . .
 no settings



- Electronic shutter
- Electric eye
- Low light signal tells when to use a magicube —or put camera on firm support for long exposures

pocket Instamatic cameras . . . using 110 film cartridges So slim, so compact . . . each model slips into pocket or purse



- Lowest-priced pocket model
- Shutter speed:1/100 second . . .1/40 second for flash



- Automatic electronic shutter and electric eye...for automatic exposures
- Shutter speeds up to 1/160 second



- Electronic shutter and electric eye
- Close-up pictures
- Sharp f/8 lens
- Shutter speeds up to 1/225 second



- Sharp f/8 lens
- Electric eye
- Easy close-ups



- Automatic film advance
- Sharp f/8 lens
- Electric eye
- Easy close-ups







- Fast f/2.8 lens
- Automatic film advance
- Automatic electric eye
- Rangefinder



- Scale-type focusing
- Electronic shutter and electric eye
- Fast, sharp f/2.7
 KODAK EKTAR Lens
- Shutter speeds up to 1/250 second



- Coupled rangefinder
- Electronic shutter and electric eye
- Fast, sharp f/2.7
 KODAK EKTAR Lens
- Finest pocket model
- Shutter speeds up to 1/250 second

Kodak Instamatic cameras . . . using flashcubes



 Lowest-priced KODAK INSTAMATIC Camera



- Most versatile
- Reflex viewing
- Lens interchangeability
- Automatic exposure control
- Choice of f/2.8 or f/1.9 normal lens
- Rangefinder
- Electronic shutter speeds 1/500 to 20 seconds

STILL CAMERAS

10 Basic Features shared by following

KODAK INSTAMATIC Camera Models:

Pocket 20, Pocket 30, Pocket 40, Pocket 50, Pocket 60; X-15, X-25, X-30, X-35, X-45, and X-90

Note: 44 and INSTAMATIC Reflex Cameras offer the above features except for magicube flash (they use flashcubes), "used lamp" warning signal, and projected-frame viewfinder.

- 1. Drop-in film loading
- 2. Magicube flash
- 3. "Used lamp" warning signal
- 4. Automatic cube rotation
- 5. Automatic film-load identification
- 6. Automatic exposure positioning and counting
- 7. Double-exposure prevention
- 8. Bright projected-frame viewfinder
- 9. Sturdy construction and modern styling
- 10. Takes color slides, color prints, and B&W prints

KODAK Pocket Instanatic Cameras using 110 film and magicube

KODAK Pocket Instanatic 20 Camera Outfit

Ten basic features plus:

- Accepts 110 film cartridges
- Slim, pocket-size—get big, rectangular 3 1/2 x 4 1/2 - inch snaps . . . also 30mm plastic-mounted slides
- No focusing. Sharp, color-corrected 3-element f/9.5 LUMENIZED Lens for pictures from 5 feet on
- Shutter speed 1/100 second—changes to 1/40 second for flash pictures from 5 to 10 feet
- Tripod socket
- Clip-on wrist strap (supplied)
- Uses C110, EX110, KX110, and VP110
- Sliding cover—to protect lens when camera is pocketed
- Easy thumb-slide film advance . . . for picture-taking without removing camera from your eye

107 7155 A20R Outfit

\$29.95

Each outfit contains camera with wrist strap, C110-12 film, magicube (4 flashes), and instruction book.

Auxiliary Equipment:

KODAK Pocket Instamatic Camera Case, Model A (Black) (C14C)

KODAK Pocket INSTAMATIC Camera Case, Model A (Green) (C15C)

KODAK INSTAMATIC Carry Case (C55C) KODAK Magicube Extender (C177)

KODAK Pocket INSTAMATIC 20 Camera

CAT. No. 104 8156 A20 Camera List

\$27.95

"Camera only" supplied with wrist strap and instructions in a set-up box.

Camera dimensions, approximately 21/2 x 5 x 1 inches. Camera weight, approximately 5.6 ounces. Auxiliary equipment listed above.

KODAK Pocket Instanatic 30 Camera Outfit

Ten basic features plus:

- Accepts 110 film cartridges
- Slim, pocket-size—get big, rectangular 3 1/2 x 4 1/2 -inch snaps . . . also 30mm plastic-mounted slides
- Lowest-priced pocket model with electronic shutter and CdS electric eye for automatic exposures from 1/160 seconds to 10 seconds
- No focusing. Sharp, color-corrected 3-element f/9.5 LUMENIZED Lens for pictures from 5 feet on. Flash distances-5 to 10 feet
- Illuminated low-light viewfinder signal tells when to use magicube or put camera on firm support for long exposures
- Tripod socket and cable-release socket
- Clip-on wrist strap (supplied)
- Uses C110, EX110, KX110, and VP110
- Sliding cover—to protect lens when camera is pocketed
- Easy thumb-slide film advance . . . for picture-taking without removing camera from your eye

CAT. No.

107 9201

struction book.

List \$49.95

A30R Outfit Each outfit contains camera with wrist strap, C110-12 film, magicube (4 flashes), one installed size K battery, and in-

Auxiliary Equipment:

KODAK Pocket INSTAMATIC Camera Case, Model A (Black) (C14C)

KODAK Pocket INSTAMATIC Camera Case, Model A (Green) (C15C)

KODAK INSTAMATIC Carry Case (C55C)

KODAK Compact Camera Stand (with cable release) (C225)

Battery-size K required for electronic shutter and CdS meter

KODAK Magicube Extender (C177)

KODAK Pocket Instanatic 30 Camera

CAT. No.

List

104 8172 A30 Camera

\$47.95

"Camera only" supplied with wrist strap, one installed size K battery, and instructions in a set-up box.

Camera dimensions, approximately 21/2 x 5 x 1 inches. Camera weight, approximately 6.2 ounces (with battery installed).







Ten basic features plus:

- Accepts 110 film cartridges
- Slim, pocket-size—get big, rectangular
 3½ x 4½-inch snaps...also 30mm
 plastic-mounted slides
- Two-position focusing for "3-6 feet" close-ups, and "beyond 6 feet." Automatic reset to "beyond 6 feet" setting when film is advanced
- Electronic shutter and CdS electric eye for automatic exposures from 1/225 second to 10 seconds
- Sharp, color-corrected 3-element f/8 LUMENIZED Lens
- With magicube inserted, flash exposure range is 4 to 12 feet. Illuminated low-light viewfinder signal tells when to use magicube or put camera on firm support for long exposures
- Sliding cover—to protect lens when camera is pocketed
- Tripod socket and cable-release socket
- Clip-on wrist strap (supplied)
- Uses C110, EX110, KX110, and VP110
 films

- Easy thumb-slide film advance . . . for picture-taking without removing camera from your eye
- Cover over CdS electric eye

CAT. No.

List \$64.95

107 9078 A40R Outfit

Each outfit contains camera with wrist strap, C110-12 film, magicube (4 flashes), one installed size K battery, and instruction book.

Auxiliary Equipment:

KODAK Pocket Instamatic Camera Case, Model A (Black) (C14C)

KODAK Pocket INSTAMATIC Camera Case, Model A (Green) (C15C)

KODAK INSTAMATIC Carry Case (C55C)

KODAK Compact Camera Stand (with cable release) (C225)

Battery—size K required for electronic shutter and CdS meter (supplied)

KODAK Magicube Extender (C177)

KODAK Pocket Instanatic 40 Camera

CAT. No.

104 8198 A40 Camera

List

\$62.95

"Camera only" supplied with wrist strap, one installed size K battery, and instructions in a set-up box.

Camera dimensions, approximately 2½ x 5 x 1 inches. Camera weight, approximately 6.3 ounces (with battery installed).

Auxiliary equipment listed above.

KODAK Pocket Instamatic 50 Camera Outfit



- Accepts 110 film cartridges
- Slim, pocket-size—get big, rectangular 3½ x 4½-inch snaps... plus 30mm plastic-mounted slides
- Easy, scale-type focusing (calibrated in both feet and meters) from 3 feet to infinity
- With magicube inserted, camera lens adjusts for correct flash exposure as you focus in 4- to 30-foot range
- Programmed electronic shutter and CdS electric eye to pick the right combination of aperture and shutter speed . . . giving automatic exposures from 1/250 second to 10 seconds
- Fast, sharp, color-corrected 4-element LUMENIZED f/2.7 KODAK EKTAR Lens for every picture-taking situation
- Illuminated low-light viewfinder signal tells when to use magicube or put camera on firm support for long exposures
- Recessed glass plate—to protect lens and CdS electric eye when camera is pocketed
- Tripod socket and cable-release socket
- Clip-on wrist strap (supplied)

- Uses C110, EX110, KX110, and VP110 films
- Easy thumb-slide film advance . . . for picture-taking without removing camera from your eye

CAT. No.

107 9110 A50R Outfit

List \$109.95

Each outfit contains camera with wrist strap, C110-12 film, magicube (4 flashes), one installed size K battery, and instruction book.

Auxiliary Equipment:

KODAK Pocket Instamatic Camera Case, Model B (Black) (C16C)

KODAK Pocket INSTAMATIC Camera Case, Model B (Green) (C17C)

KODAK Compact Camera Stand (with cable release) (C225)
Battery—size K required for electronic shutter and CdS meter (supplied)

KODAK Magicube Extender (C177)

KODAK Pocket Instanatic 50 Camera

CAT. No.

List

104 8214 A50 Camera

\$107.95

"Camera only" supplied with wrist strap, one installed size K battery, and instructions in a set-up box.

Camera dimensions, approximately 21/4x5%x1 inches.

Camera weight, approximately 9 ounces (with battery installed).





KODAK Pocket Instanatic 60 Camera Outfit

Ten basic features plus:

- Accepts 110 film cartridges
- Slim, pocket-size—get big, rectangular 3½ x 4½-inch snaps...plus 30mm plastic-mounted slides
- Coupled rangefinder focuses from 3 feet to infinity—for extra focusing convenience and accuracy
- Easy, scale-type focusing (calibrated in both feet and meters) from 3 feet to infinity
- With magicube inserted, camera lens adjusts for correct flash exposure as you focus in 4- to 30-foot range
- Programmed electronic shutter and CdS electric eye to pick the right combination of aperture and shutter speed... giving automatic exposures from 1/250 second to 10 seconds
- Fast, sharp, color-corrected 4-element LUMENIZED f/2.7 KODAK EKTAR Lens for every picture-taking situation
- Illuminated low-light viewfinder signal tells when to use magicube or put camera on firm support for long exposures
- Recessed glass plate—to protect lens and CdS electric eye when camera is pocketed
- Tripod socket and cable-release socket

- Clip-on wrist strap (supplied)
- Uses C110, EX110, KX110, and VP110 films
- Easy thumb-slide film advance . . . for picture-taking without removing camera from your eye

CAT. No.

List

108 1967 A60R Outfit

\$129.95

Each outfit contains camera with wrist strap, C110-12 film, magicube (4 flashes), one installed size K battery, and instruction book.

Auxiliary Equipment:

KODAK Pocket INSTAMATIC Camera Case, Model B (Black) (C16C)

KODAK Pocket INSTAMATIC Camera Case, Model B (Green) (C17C)

KODAK Compact Camera Stand (with cable release) (C225)

Battery—size K required for electronic shutter and CdS meter (supplied)

KODAK Magicube Extender (C177)

KODAK Pocket INSTAMATIC 60 Camera

CAT. No.

List

104 8230 A60 Camera

\$127.95

"Camera only" supplied with wrist strap, one installed size K battery, and instructions in a set-up box.

Camera dimensions, approximately $2\frac{1}{4} \times 5^{-5/6} \times 1$ inches. Camera weight, approximately 9 ounces (with battery installed).

KODAK INSTAMATIC "X" Cameras using 126 film and magicube



KODAK INSTAMATIC X-15 Color Outfit

Ten basic features plus:

- Accepts 126 film cartridges
- Shutter speed 1/90 second—changes to 1/45 second for flash pictures from 4 to 9 feet
- No focusing. Sharp, preset f/11 lens for pictures from 4 feet on . . . in bright and hazy sun or on cloudy-bright days
- Magicube flash—for flash pictures without flash batteries
- Easy thumb-lever film advance
- Clip-on wrist strap (supplied)
- Uses CX126, EX126, KX126, and VP126 films

CAT. No.

151 4488 AX-15R Outfit

List \$22.95

Each outfit contains camera with wrist strap, CX126-12 film,

magicube (4 flashes), and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Carry Case (C55C)

KODAK INSTAMATIC Field Case, Model K (C86C)

KODAK Magicube Extender (C177)

KODAK INSTAMATIC X-15 Camera

CAT. No.

List

151 4504 AX-15 Camera

\$20.95

"Camera only" supplied with wrist strap and instructions in a set-up box

Camera dimensions, approximately 41/2 x 23/4 x 21/8

Camera weight, approximately 6 ounces. Auxiliary equipment listed above.

KODAK INSTAMATIC X-25 Color Outfit

Ten basic features plus:

- Accepts 126 film cartridges
- Automatic film advance—always keeps you ready for next picture
- Shutter speed 1/90 second—changes to 1/45 second for flash pictures from 4 to 9 feet
- No focusing. Sharp, preset f/11 lens for pictures from 4 feet on . . . in bright and hazy sun or on cloudy-bright days
- Magicube flash—for flash pictures without flash batteries
- Clip-on wrist strap (supplied)
- Uses CX126, EX126, KX126, and VP126

CAT. No.

151 4645 AX-25R Outfit

List \$32.95

Each outfit contains camera with wrist strap, CX126-12 film,

magicube (4 flashes), and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Carry Case (C55C)

KODAK INSTAMATIC Field Case, Model L (C88C)

KODAK Magicube Extender (C177)

KODAK INSTAMATIC X-25 Camera

CAT. No.

List

151 4629 AX-25 Camera

\$30.95

"Camera only" supplied with wrist strap and instructions in a set-up box

Camera dimensions, approximately 41/2 x 31/4 x 21/8 inches.

Camera weight, approximately 8 ounces. Auxiliary equipment listed above.

KODAK INSTAMATIC X-30 Color Outfit

Ten basic features plus:

- Accepts 126 film cartridges
- Only "X" model with electronic shutter and CdS electric eye for automatic exposures from 1/125 second to 10
- No focusing. Sharp, preset f/11 lens for pictures from 4 feet on. With magicube inserted, flash exposure is 1/45 second, 4- to 9-foot range
- Magicube flash—for flash pictures without flash batteries
- Red light signal—on top of camera and in viewfinder—tells when to pop on a magicube or put on firm support for long exposures
- Tripod socket and cable-release socket are provided

CAT. No.

List

147 3628 AX-30R Outfit

\$39.95

Each outfit contains camera with wrist strap, CX126-12 film, magicube (4 flashes), installed size K battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Field Case, Model K (C86C)

KODAK INSTAMATIC Carry Case (C55C)

KODAK Compact Camera Stand (with cable release) (C225)

Battery—size K required for electronic shutter and CdS meter (supplied)

KODAK Magicube Extender (C177)

KODAK INSTAMATIC X-30 Camera

CAT. No.

List

146 8842 AX-30 Camera

\$37.05

"Camera only" supplied with wrist strap, one installed size K battery, and instructions in a set-up box

Camera dimensions, approximately $4\frac{7}{16} \times 2\frac{5}{8} \times 2\frac{5}{16}$ inches.

Camera weight, approximately 7 ounces (with battery







KODAK INSTAMATIC X-35 Color Outfit

Ten basic features plus:

- Accepts 126 film cartridges
- Two-position focusing . . . for "2-6 feet" close-ups, and "beyond 6 feet." Automatic reset to "beyond 6 feet" setting after picture is taken
- CdS electric eye controls lens opening for automatic daylight exposures . . . shutter speed changes automatically from 1/90 to 1/45 second in reduced light
- Automatic flash exposure control. With "beyond 6 feet" setting, f/8 for flash pictures from 6 to 18 feet . . . with '2-6 feet'' setting, f/16 for flash pictures from 4 to 6 feet
- Illuminated viewfinder signal tells when to use flash
- Magicube flash—for flash pictures without flash batteries
- Sharp f/8 lens . . . clip-on wrist strap (supplied)
- Uses CX126, EX126, KX126, and VP126

CAT. No.

List

107 9854 AX-35R Outfit

\$49.95

Each outfit contains camera with wrist strap, CX126-12 film, magicube (4 flashes), PX-30-size battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Field Case, Model K (C86C) KODAK INSTAMATIC Compartment Case (C75C) Battery-1 PX-30-size required for CdS meter (supplied)

KODAK Magicube Extender (C177)

KODAK INSTAMATIC X-35 Deluxe Color Outfit

Offers same outfit components shown above plus a KODAK INSTAMATIC Field Case, Model K.

CAT. No.

List

103 5690 AX-35RD **Deluxe Outfit**

\$54.75

KODAK INSTAMATIC X-35 Camera

CAT. No.

List

107 9839 AX-35 Camera \$47.95 "Camera only" supplied with wrist strap, PX-30-size battery,

and instructions in a set-up box. Camera dimensions, approximately 41/2 x 23/4 x 21/2 inches.

Camera weight, approximately 9 ounces. Auxiliary equipment listed above.



KODAK INSTAMATIC X-45 Color Outfit

Ten basic features plus:

- Accepts 126 film cartridges
- X-45 offers one basic difference from X-35 . . . automatic film advance, X-35 has manual thumb-lever film advance
- Two-position focusing . . . for "2-6 feet" close-ups, and "beyond 6 feet." Automatic reset to "beyond 6 feet" setting after picture is taken
- CdS electric eye controls lens opening for automatic daylight exposures . . . shutter speed changes automatically from 1/90 to 1/45 second in reduced light
- Automatic flash exposure control. With "beyond 6 feet" setting, f/8 for flash pictures from 6 to 18 feet . . . with "2-6 feet" setting, f/16 for flash pictures from 4 to 6 feet
- Illuminated viewfinder signal tells when to use flash
- Magicube flash—for flash pictures without flash batteries
- Sharp f/8 lens . . . clip-on wrist strap (supplied)
- Uses CX126, EX126, KX126, and VP126 films

CAT. No.

107 9953 AX-45R Outfit

List \$59.95

Each outfit contains camera with wrist strap, CX126-12 film, magicube (4 flashes), PX-30-size battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Field Case, Model L (C88C) KODAK INSTAMATIC Compartment Case (C75C) Battery-PX-30-size required for CdS meter (supplied) KODAK Magicube Extender (C177)

KODAK INSTAMATIC X-45 Deluxe Color Outfit

Offers same outfit components shown above plus a KODAK INSTAMATIC Field Case, Model L.

CAT. No.

List

103 5732 AX-45RD **Deluxe Outfit**

\$64.75

KODAK INSTAMATIC X-45 Camera

CAT. No.

107 9938 AX-45 Camera

List \$57.95

"Camera only" supplied with wrist strap, PX-30-size battery, and instructions in a set-up box.

Camera dimensions, approximately $4\frac{1}{2} \times 3\frac{1}{4} \times 2\frac{1}{2}$ inches.

Camera weight, approximately 11 ounces. Auxiliary equipment listed above.



KODAK INSTAMATIC X-90 Camera

Ten basic features plus:

- Accepts 126 film cartridges
- Most automatic of all "X" models
- CdS electric eye controls lens opening for automatic daylight exposures—and slows shutter speed in reduced light... automatic exposure control for flash as you focus
- Automatic film advance . . . automatic "use flash" and "bad bulb" viewfinder signals
- Automatic sharp focus with easy-to-use rangefinder . . . also scale (3 feet to infinity) and zone ("close," "group," "scene") focusing
- Fast, sharp, 4-element f/2.8 KODAK EKTAR Lens
- Shutter speeds from 1/250 second to 1/30 second plus "B" setting for long exposures
- Magicube flash . . . for flash pictures without flash batteries from 4- to 25-foot range. Shutter speed 1/40 second when magicube inserted

- Built-in battery checker for PX-30-size battery energizing CdS automatic exposure controls
- Adjustable neck strap (supplied)
- Automatically sets film speeds (ASA 64 to 800) for CX126, EX126, KX126, EH126, and VP126 films

CAT. No. 108 0027 AX-90 Camera List \$144.50

Camera supplied with adjustable neck strap, one PX-30-size battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Field Case, Model F (C71C)

KODAK INSTAMATIC Compartment Case (C75C)

KODAK Magicube Extender (C177)

Battery—PX-30-size required (supplied)

Camera dimensions, approximately $4\frac{3}{4} \times 3\frac{1}{4} \times 2\frac{1}{2}$ inches.

Camera weight, approximately 24 ounces.

KODAK INSTAMATIC Cameras using 126 film and flashcube (battery flash)

KODAK INSTAMATIC 44 Gift Set

Seven basic features plus:

- Accepts 126 film cartridges
- Lowest-priced KODAK INSTAMATIC Camera
- Shutter speed 1/50 second for daylight exposures and with flashcube inserted.
 Flash distance: 4 to 9 feet
- No focusing. Sharp, preset f/11 lens for pictures from 4 feet on in bright and hazy sun or on cloudy-bright days
- For flash pictures, insert two PX-825-size batteries (supplied in gift set and color outfit) and pop on flashcube
- Knob-type film advance . . . clip-on wrist strap (supplied)
- Use with CX126, EX126, KX126, and VP126 films

CAT. No.

List

141 5520 A44G Gift Set

\$12.95

Each gift set contains camera with wrist strap, CX126-12 film, flashcube (4 flashes), 2 PX-825-size batteries, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Carry Case (C55C)

KODAK Flashcube Extender (C175)

Batteries—2 PX-825-size required (supplied in gift set and color outfit)

KODAK INSTAMATIC 44 Color Outfit

CAT. No.

List

140 4847 A44R Outfit

\$12.95

KODAK INSTAMATIC 44 Color Outfit contains everything in gift set above—packaged in a colorful gift and display outfit designed for pegboard merchandiser display.

KODAK INSTAMATIC 44 Camera

CAT. No.

List

140 2239 A44E Camera

\$9.95

"Camera only" supplied with wrist strap and instructions in a carded viewpack.

Note: A44E Camera sold only in trays of 5 cameras or cases of 4 trays (20 cameras).

Camera dimensions, approximately $5 \times 2\frac{1}{2} \times 2$ inches. Camera weight, approximately 6 ounces. Auxiliary equipment listed above.





KODAK INSTAMATIC Reflex Camera

This finest KODAK INSTAMATIC Camera offers seven basic features plus:

- Choice of extra-fast, extra-sharp, 45mm f/2.8, four-element XENAR or ultrafast, extra-sharp, 50mm f/1.9, six-element XENON Lens. Both lenses are color-corrected and coated. The f/2.8 focuses from 3.3 feet to "Inf" and the f/1.9 from 2 feet to "Inf." Camera is also available without lens
- Bayonet-type lens mount for quick interchange with wide-angle or telephoto lenses
- Brilliant pentaprism reflex finder with instant return mirror gives parallax-free viewing with all lenses, including close-up lenses
- Accurate focusing by bright ground-glass or split-field rangefinder. Also scale focusing
- Compur electronic shutter with programmed continuous speeds from 1/500 second up to 20 seconds—all automatically controlled. Also manually controlled exposures longer than 20 seconds
- Electric-eye exposure control is provided by the interaction between CdS cell and an electronic circuit which allows shutter to close when the correct exposure time for the preset lens opening is reached
- Shutter speeds of 1/500 to 1/30 second are indicated in the finder. A finder bracket indicates speeds longer than 1/30 second
- The exposure control is automatically set for the speed of the film used (ASA 64/80/125, or 160)
- Camera operation requires two PX-825-size batteries (supplied)
- A battery checker with a signal in the viewfinder allows testing the batteries in use

- Popping on a flashcube sets shutter for 1/30 second. Inserting connector cord of electronic flash unit sets shutter for 1/300 second
- The 45mm f/2.8 lens has a focus-linked automatic flash exposure control for the 5- to 23-foot range. The 50mm f/1.9 lens indicates the f/settings to be used with various flash-to-subject distances
- Single-stroke film advance; also double-exposure prevention
- Miscellaneous other features: shutter release with socket for cable release; depth-of-field indication scale; quick lens setting symbols. Supplied with two PX-825-size batteries, a certificate of import and ownership, and instruction book

CAT. N	10.		List
140 9	010	A1001 Camera with f/2.8 lens	\$199.50
140 9	283	A1002 Camera with f/1.9 lens	224.50
108 4	870	A1000 Camera, chrome,	
		without lens	153.00
106 1	084	A1011 Camera, black, without lens	158.00

Approximate dimensions and weights: With $45 \text{mm } f/2.8 - 51/4 \times 33/4 \times 31 \text{ inches}$; 26 ounces With $50 \text{mm } f/1.9 - 51/4 \times 33/4 \times 31/4 \text{ inches}$; 30 ounces Without lens $- 51/4 \times 33/4 \times 21/4 \text{ inches}$; 22 ounces

Without lens—5 1/4 x 3 3/4 x 2 1/4 inches; 22 oun

Auxiliary Equipment:

CURTAGON Lens, 28 mm f/4 (C28)

CURTAGON Lens, 35 mm f/2.8 (C35)

XENAR Lens, 45mm f/2.8 (C45) XENON Lens, 50mm f/1.9 (C50)

TELE-ARTON Lens, 90mm f/4 (C90)

TELE-XENAR Lens, 135mm f/4 (C135)
TELE-XENAR 200mm f/4.8 Lens Kit (C200)

KODAK INSTAMATIC Reflex Close-Up Lens Set, Type N/29.5mm (C206)

KODAK INSTAMATIC Reflex Close-Up Lens Set, Type R/29.5mm (C208)

KODAK INSTAMATIC Reflex Step-Down Ring, 52/29.5mm (C210)

KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TI/29.5mm (C212)
KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TII/52mm (C216)

KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TI/52mm (C214)

KODAK INSTAMATIC Reflex Lens Spacer (C220)

KODAK INSTAMATIC Reflex Lens Hood, 29.5mm (C202)

KODAK INSTAMATIC Reflex Field Case (C95C)

KODAK INSTAMATIC Reflex Accessory Case, Model 200 (C98C)

KODAK INSTAMATIC Reflex Microscope Adapter (C201)

KODAK INSTAMATIC Reflex Right-Angle Finder (C204)

KODAK INSTAMATIC Reflex Camera Stand Kit (C222)

KODAK Flashcube Extender (C175)

Batteries—2 PX-825-size required (supplied)

The Kodak American vacation special.

(Everything you need to take great pictures of your vacation. For less than \$25.)



The KODAK National Parks Centennial Kit

It's actually a special celebrating the 100th anniversary of the National Parks.

We've taken our regular KODAK INSTAMATIC X-15 Camera Outfit that comes complete with KODACOLOR Film and magicube. And added two entertaining and educational 96-page illustrated Guides to America's National Parks and to Colonial America. Plus a handsome, convenient case for the X-15.

For a limited time only, you get this special outfit for less than \$25. Or you can get the regular color outfit for less than \$23.

Kodak makes your pictures count.

13

AUXILIARY EQUIPMENT

For KODAK INSTAMATIC Reflex and/or RETINA Cameras



CURTAGON Lens, 28mm f/4

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Extreme wide-angle 7-element lens. Focusing range: 2 feet to "Inf."

CAT. No. List 102 3340 C28 \$100.00



KODAK INSTAMATIC Reflex Close-Up Lens Set, Type R/29.5mm

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Picture-taking range (film-to-subject) with the 45mm f/2.8 lens and the 50mm f/1.9lens-see note-from 1115/16 inches to 71/4 inches. CAT. No. List

154 8684 C208

\$ 26.50

Note: Attaching Type N and R auxiliary lenses to XENON Lens, $50 \text{mm} \ f/1.9$ requires a KODAK INSTAMATIC Reflex Step-Down Ring, 52/29.5 mm.



CURTAGON Lens, 35mm f/2.8

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Moderate wide-angle 6-element lens. Focusing range: 2 feet to "Inf."

102 3324 C35 \$ 85.00



KODAK INSTAMATIC Reflex Step-Down Ring, 52/29.5mm

For using Type N/29.5mm and Type R/29.5mm close-up lenses—see above—with the 50mm f/1.9 XENON Lens (52mm diameter thread).

CAT. No. List 101 4661 C210 \$ 7.50



XENAR Lens, 45mm f/2.8

For KODAK INSTAMATIC Reflex Camera. Fast standard 4-element lens. Focusing range: 3.3 feet to "Inf."

CAT. No. List 101 4786 C45 \$ 46.50

For KODAK INSTAMATIC Reflex and RETINA Reflex

Cameras. Fast standard 6-element lens. Focusing

List

\$ 71.50

List

\$109.00



KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TI/29.5mm

For TELE-ARTON Lens. Permits picture-taking with the 90mm f/4 TELE-ARTON Lens from 5 feet 103/4 inches to 3 feet 3% inches (film-to-subject).

CAT. No List

196 9880 C212 \$ 8.95



101 4760 C50

XENON Lens. 50mm f/1.9

range: 2 feet to "Inf."

CAT. No.

CAT. No.

102 3365 C135



TELE-ARTON Lens, 90mm f/4

TELE-XENAR Lens, 135mm f/4

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Medium telephoto 5-element lens. Focusing range: 61/2 feet to "Inf."

CAT. No. List 102 1500 C90 \$ 90.00

For KODAK INSTAMATIC Reflex and RETINA Reflex

Cameras. Long telephoto 5-element lens. Focus-ing range: 14 feet to "Inf."



KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TII/52mm

For 135mm TELE-XENAR Lens. Permits picture-taking with the 135mm f/4 TELE-XENAR Lens from 12 feet 103/4 inches to 7 feet (film-to-subject).

CAT. No. 102 1542 C216 \$ 15.50



KODAK INSTAMATIC Reflex Tele-Auxiliary Lens, TI/52mm

For 135mm TELE-XENAR Lens. Permits picture-taking with the 135mm f/4 TELE-XENAR Lens from 6 feet 71/2 inches to 4 feet 91/8 inches (film-tosubject).

CAT. No. 102 1526 C214 \$ 15.50



TELE-XENAR 200mm f/4.8 Lens Kit

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Extreme telephoto 7-element lens. Focusing range: 33 feet to "Inf."

CAT. No. List 102 3761 C200 \$275.00



KODAK INSTAMATIC Reflex Lens Spacer

Also works with KODAK RETINA Reflex Cameras. Fits between camera body and lens. Permits picture-taking at closer-than-minimum focus distances with all lenses.

CAT. No. List 101 4729 C220 \$ 38.50



KODAK INSTAMATIC Reflex Close-Up Lens Set, Type N/29.5mm

For KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Used singly or in combination. Picturetaking range (film-to-subject) with 45mm f/2.8 lens 38% inches to 12 inches; with 50mm f/1.9 lens-see note-381/8 to 101/8 inches.

CAT. No. List 154 8692 C206 \$ 13.50



KODAK INSTAMATIC Reflex Lens Hood, 29.5mm

Fits KODAK INSTAMATIC Reflex, RETINA Reflex, INSTAMATIC ("500" and "324"), RETINA, and RETINETTE Cameras with lenses accepting 29.5mm diameter, screw-in attachments. Flexible, round lens hood with metal attaching threads. Can be rolled back while on lens for ready availability and easy storage. A thread inside the lens hood accepts 29.5mm diameter filters.

CAT. No. List 146 2308 C202 \$ 2.75



KODAK INSTAMATIC Reflex Field Case

For f/2.8 and f/1.9 cameras. Made from sturdy, black, molded material and leather with bright metal trim. Adjustable shoulder strap. The dropdown front, held by sliding fasteners, is removable. Permits loading camera in case.

CAT. No. List 101 4745 C95C \$22.95



KODAK INSTAMATIC Reflex Accessory Case, Model 200

For KODAK INSTAMATIC Reflex and RETINA Reflex accessories. Holds four lenses (28mm to 200mm) and miscellaneous accessories such as close-up and auxiliary lenses, filters, finder, lens hood, and supplies for KODAK INSTAMATIC Reflex and RETINA Reflex Cameras. Black leath r-like material; chrome fittings; lined. Supplied with adjustable shoulder strap.

CAT. No. List 141 0752 C98C \$44.95



KODAK INSTAMATIC Reflex Microscope Adapter

Adapts camera body to most microscopes with 25mm diameter oculars. Electronic shutter in the camera automatically determines exposure—up to 20 seconds.

CAT. No. List 101 4828 C201 \$99.50



KODAK INSTAMATIC Reflex Right-Angle Finder

Fits KODAK INSTAMATIC Reflex and RETINA Reflex Cameras; also RETINA Automatic III, IIIC, and IIF Cameras. For low-angle views, copying, and similar subjects. Attaches to finder eyepiece. Some eyepieces require an adapter (supplied). Finder and adapter are supplied in a leather case.

CAT. No. List 154 8676 C204 \$27.00



KODAK INSTAMATIC Reflex Camera Stand Kit

Consists of U-shaped base, two-section telescoping upright, ball-and-socket swivel head, and right-angle extension bracket. Especially useful for tabletop and copying work. First three units can be used with most cameras. The right-angle extension bracket is specially designed for the INSTAMATIC Reflex Camera.

CAT. No. List 101 4687 C222 \$69.50



KODAK RETINA Field Case, Model K

For KODAK RETINA \$1 Camera. Attractive black case made from sturdy, black, molded material and leather with a bright metalized plastic bezel. The drop-down front is held by a snap fastener, pivots, and is removable. Part of the case is lined with contrasting velveteen. Supplied with a hand strap and extension for shoulder carrying.

CAT. No. List 145 1590 34FC \$10.95

The following lenses accept filters with 29.5mm diameter threads (32mm outside diameter) \S

XENAR Lens, 45mm f/2.8

XENAR Lens, 38mm f/2.8

REOMAR Lens, 45mm f/2.8

KODAK RETINA XENAR Lens, 45mm f/2.8

KODAK RETINA XENAR Lens, 50mm f/2.8

KODAK RETINA CURTAGON Lens, 35mm f/2.8

TELE-ARTON LENSES, 90mm and 85mm f/4

KODAK RETINA XENON C Lenses, 50mm f/2.8 and f/2

KODAK RETINA CURTAR Lens Component, 35mm f/5.6

The following lenses accept filters with 58mm diameter threads (60mm outside diameter) \S

KODAK RETINA XENON Lens, 50mm f/1.9
KODAK RETINA CURTAGON Lens, 28mm f/4
KODAK RETINA TELE-XENAR Lens, 135mm f/4
KODAK RETINA CURTAR Lens Component, 35mm f/4
KODAK RETINA LONGAR Lens Component, 80mm f/4

STILL CAMERA AIDS

Still Camera Cases



KODAK INSTAMATIC Carry Case (for KODAK Pocket INSTAMATIC 20, 30, 40, and KODAK INSTAMATIC 44, 124, 134, 174, X-15, X-25, and X-30 Cameras). Two compartments for camera, film, flashcubes or magicubes plus attached shoulder strap. Rugged vinyl material with grained, black finish.

List
\$1.95



KODAK INSTAMATIC Field Case, Model E (for KODAK INSTAMATIC 124, 134, 154, 175, 104, 304, 404, 100, 150, 300, and 400 Cameras)—Permits picture-taking as well as loading and unloading of the camera while in the case. Tough molded material with metal insert and hinges. Simulated plush lining. Styled in pebbled black. With clipon neck strap.

CAT. No.			List
147	3818	C66C	\$4.50



KODAK INSTAMATIC Field Case, Model K (for KODAK INSTAMATIC 314, X-15, X-30, and X-35 Cameras)—Permits picture-taking as well as loading and unloading of the camera while in the case. Tough, molded material with metal insert and hinges. Velveteen lined. Styled in pebble-grained black. With neck strap.

CAT. No.		List
141 5884	C86C	\$4.95



KODAK INSTAMATIC Field Case, Model L (for KODAK INSTAMATIC 414, X-25, and X-45 Cameras)— Similar to KODAK INSTAMATIC Field Case, Model K.

CAT.	No.		List
141	5926	C88C	\$4.95



KODAK INSTAMATIC Field Case, Model F (for KODAK INSTAMATIC 714, 814, 704, 804, 700, 800, and X-90 Cameras)—Permits picture-taking, loading and unloading, and winding of INSTAMATIC 814, 804, 800, or X-90 camera motor drive without removing camera from case. Tough molded material, styled in satin-finish black with bright metal bezels. Simulated red plush lining.

CAT. No.		List	
146	5954	C71C	\$9.95



KODAK Pocket INSTAMATIC Camera Case, Model A (two colors) (for Pocket 20, 30, 40 Cameras). Styled in black or green. A convenient slip-in carrying case in soft leather-grain vinyl with metal-trimmed top flap and loop for attaching to belt.

CAT.	No.		List
105	8320	C14C	
		(Black	
		model)	\$1.95
105	8346	C15C	
		(Green	

model)



KODAK Pocket INSTAMATIC Camera Case, Model B (two colors) (for Pocket 50, 60 Cameras). Similar to KODAK Pocket INSTAMATIC Camera Case, Model A. In black or green. Also with metaltrimmed top flap and loop for attaching to belt.

CAT. No.		List
105 8361	C16C	
	(Black model)	\$2.25
105 8387	C17C	
	(Green model)	2.25

KODAK INSTAMATIC Reflex Field Case, KODAK INSTAMATIC Reflex Accessory Case, Model 200, and KODAK RETINA Field Case—listed on page 15.

Flash Accessories



KODAK Magicube Extender—Designed for all KODAK INSTAMATIC "X" and KODAK Pocket INSTAMATIC Cameras and is for use with magicubes only. Helps prevent "red eye" effect, which may occur in some flash pictures, by giving extra elevation to the magicube.

CAT. No.		List
148 2736	C177	\$2.95



KODAK Flashcube Extender—For cameras accepting regular flashcubes (not magicubes).

CAT. No.		List
150 0438	C175	\$2.95



KODAK SUPERMITE Flasholder—Uses AG-1B flashbulbs in miniature 2-inch reflector. Complete with KODALITE fittings, lamp ejector button, and flash exposure guide labels. Uses 2 AA-size batteries (not included).

CAT. No.		List
155 8725	714	\$5.50

Still Camera Accessory




KODAK Compact Camera Stand (with cable release)—Pocket-sized unit converts any steady, flat surface—table, box, ledge—into a firm support. Lets you adjust camera to the best angle and comes with a self-storing cable release plus threaded post to fit standard tripod socket. Ideal for use with the KODAK INSTAMATIC X-30 Camera and all Pocket INSTAMATIC Cameras during long "time" exposures.

CAT. No.		List
103 0022	C225	\$4.50

1.95

Batteries



Note: Atmospheric conditions may produce a barely visible coating on battery contacts, thereby greatly reducing the battery's power output. Be sure to clean the contacts of new batteries with a rough cloth before installing. An occasional cleaning of batteries and equipment contacts, especially after periods of nonuse, is also recommended.

ALKALINE BATTERIES

Especially suited for use in photographic equipment because of their long life and high-performance characteristics. These factors are of prime importance for driving motors in movie cameras.

AA-size for KODAK XL33, XL55, and KODAK INSTAMATIC M22, M24, M26, M28, M30, M12, M14, M16, M18, M20, M2, M4, M5, M6, M7, M8, and M9 Movie Cameras, and KODAK Electric 8 Cameras; KODAK SUPERMITE, KODALITE Midget, KODALITE SUPER-M 40, and BROWNIE FIESTA Flasholders.

AAA-size for KODAK INSTAMATIC 104, 100, 154, 150, 304, 300, 404, and 400 Cameras; KODAK Electric-Eye Remote Flash Unit; HAWKEYE INSTAMATIC Flasholder.

N-size for KODAK INSTAMATIC 324, 704, 700, 804, and 800, Automatic 35R4 and 35F, and MOTORMATIC 35R4 and 35F Cameras; KODAK EKTAMITE Flasholder.

*PX-30-size for KODAK INSTAMATIC X-35, X-45, and X-90 Cameras to power their CdS automatic exposure controls.

K-size for KODAK INSTAMATIC X-30 Camera and KODAK Pocket INSTAMATIC 30, 40, 50, and 60 Cameras.

PX-825-size for KODAK INSTAMATIC 44, 124, 134, 174, S-10, S-20, 314, 414, 714, 814, and Reflex Cameras, and Brownie Fiesta R4 Camera; KODAK Flashcube Holder, Model 1.

List
\$.60
.60
.50
1.50
2.25
/2
\$1.25

MERCURY BATTERIES

For use with some CdS exposure controls and some flash systems.

PX-13-size for KODAK INSTAMATIC M24, M26, M28, M30, M4, M5, M6, M7, M8, and M9 Movie Cameras, KODAK Electric 8 Zoom Reflex, and KODAK RETINA IIF Cameras.

PX-23-size for Ko	DAK RETINA S1 Camera.	List
		Per
Size	CAT. No.	Battery
PX-13	146 1839	\$.95
PX-23		.95

*If PX-30 not available, two PX-825 can be used.

Photo Lamps

				List
			1	Per
Flashbulbs		CAT	No.	Lamp
AG-1		141	0018	\$.15
AG-1B		141	0034	.15
M2B		141	0075	.20
M3		141	0091	.20
МЗВ		141	0117	.20
No. 5		141	0174	.22
No. 5B Flashcube		141	0190	.22
(4 flashes)	141	1479	.60
(4 flashes		141	3061	.75
Photo-	ANSI			
flood	Code			
No. 1	BBA	141	0315	.60
No. 2	EBV	141	0331	.80
Reflector P	hoto			
RSP2	DXB	152	6144	3.15
RFL2	DXC	152	6128	2.50
375/34R4	BFA	152	6110	2.20
375/R-30	EBR	157	2650	2.40
300/R-30	BEP	155	2173	1.70

Auxiliary Camera Supplies



KODAK SNAP-CAP 135 Magazine—Black, unmarked 135 magazine with a replaceable end cap. Useful as substitute magazine for film on core if leader is accidentally wound into a 135 magazine having hard-staked end caps. Space is provided on magazine body for wiring film type and number of exposures. Available from all Marketing and Distribution Centers.

CAT. No.				
141 8656	J770 Package of	10	 	



KODAK Lens Cleaner—Quickly and safely removes foreign matter from the surfaces of all optical glass—smudged, dusty, or fingerprinted camera or enlarger lenses. Supplied in two sizes—1-ounce polyethylene squeeze-type bottle and 16-ounce glass bottle.

CAT. No.	Dispenser Package of	Bottle
134 /1/3	10 1-ounce bottles	\$.95
146 3728	16-ounce bottle	2.50



KODAK Lens Cleaning Paper—A soft, absorbent paper safe for use on the finest lenses. Lint-free and chemically pure. Folder contains 50 3x5-inch sheets.

	List
	Per
CAT. No.	Folder
154 6027	. \$.30

17

List

Consult your dealer for his selling price.

Kodak Carousel projectors

- Gentle gravity feed
- Quiet, dependable operation
- Preconditioning of slides
- High capacity trays
- Selective slide access, instant editing

"H" models (plus "600") . . . accepting 2x2-inch slides in 80- and 140-slide trays*

600H



- Dual-action "select" advance
- Priced for your economyminded customer

650H



- Push-button forward and reverse
- Remote control change, forward and reverse

750H



- Push-button forward and reverse
- Remote control change, forward and reverse
- Remote focusing in same control unit as forward and reverse change. Adjust focus at any time without going back to the projector

600



- Dual-action "select" advance
- Push-button control
- Lowest price
- Has basic CAROUSEL projector benefits—except whisper-quiet operation

760H



 Automatic focusing. Focus the first slide. 760H then automatically sharp-focuses all other slides in the same type of mount

^{*}Also shows 30mm square slides using KODAK 2x2 adapters for 110 slides.



- Automatic timing at 5, 8, or 15 seconds. 800H runs entire show automatically, if desired
- Manual timing when desired, instead of automatic
- Remote control change, forward and reverse
- Remote focusing (same as 750H)



- Automatic focusing (same as 760H)
- Automatic timing (same as 800H). Same choice of 5, 8, or 15 seconds. Can put on whole show automatically
- Manual timing when desired, instead of automatic
- · Remote control change, forward and reverse



- Top-of-the-line model, with combined special conveniences and refinements of all other "H" models
- Automatic timing (same as 800H and 850H)
- Automatic focusing (same as 760H and 850H)
- Remote focus override especially useful whenever slides in different types of mounts are mixed in the same tray
- · Remote control change, forward and reverse
- Manual timing when desired, instead of automatic

Pocket models . . . accepting 30mm square plastic-mounted slides in 120-slide tray





- Compact . . . for carrying, storing
- Select-button forward projection
- Lowest-priced pocket model

200



- Compact . . . for carrying, storing
- Remote focusing . . . adjust focus at anytime without going back to the projector
- Remote forward and reverse
- Push-button forward and reverse
- Rear leveling foot
- Accessory outlet

300



- Compact . . . for carrying, storing
- Automatic focusing—focus first slide and "300" then automatically sharp-focuses all other slides
- Automatic timing at 5, 8, or 15 seconds
- Remote control change, forward and reverse
- Push-button forward and reverse
- Rear leveling foot
- Dust cover
- Accessory outlet

SLIDE PROJECTORS

12 Basic Features shared by the following

KODAK Pocket and CAROUSEL H Projectors—

Pocket Models: 100, 200, 300; "H" Models: 600H, 650H, 750H, 760H, 800H, 850H, 860H

- 1. Gentle, reliable gravity feed
- 2. Dependable, whisper-quiet operation
- 3. Sharp, bright screen images

- 4. Tray features:
 - High capacity, circular trays for continuous shows
 - Easy tray change—like a "hi-fi" record
 - Quick loading
 - Selective access to all slides at all times
 - Tray stores in its own book-type case
- 5. Easy lamp replacement
- 6. Elevation adjustment
- 7. Rugged body with modern styling
- 8. Easy storing, easy carrying—with built-in handles
- Safety thermal fuse automatically protects projector from over-heating
- 10. Underwriters' Laboratories, Inc. Listed and CSA approved. Power required—110-125 volts, 60 Hz ac only except 600-K and 850-K which operate with 50-60 Hz ac.
- 11. Instant slide editing
- 12. Prewarming of slides—prevents "popping"



KODAK Pocket CAROUSEL 100 Projector

Twelve basic features plus:

- Lightweight, compact size—accepts small high-capacity tray holding up to 120 plastic-mounted 30mm square slides
- Slide change—forward—by select button at projector
- Super-sharp f/2.8 KODAK Projection EKTAR Lens
- Manual knob focus
- Three-position switch—"Off," "Fan,"
 "Lamp"
- Supplied with 150-watt, 24-volt DDA lamp and convenient cord storage bobbin

- Easy access to lamp and condensers via removable side panel . . . plus lamp ejection lever
- Wood-grain styling
- Projection elevation up to 10 degrees

CAT. No. List

108 6875 B100 with

EKTAR 2½-inch
f/2.8 Lens \$99.50

108 6826 B100Z with

EKTAR Zoom Lens,
2- to 3-inch f/2.8 134.50

For auxiliary equipment, see pages 26-29.

Note: KODAK Pocket CAROUSEL 100 Projector supplied with $2\frac{1}{2}$ -inch f/2.8 EKTAR Lens unless otherwise indicated. Also supplied are power cord, KODAK Pocket CAROUSEL 120 Slide Tray, and instructions.



KODAK Pocket CAROUSEL 200 Projector

Twelve basic features plus:

- Lightweight, compact size—accepts small high-capacity tray holding up to 120 plastic-mounted 30mm square slides
- Remote focusing . . . adjust focus without going back to the projector
- Remote forward and reverse slide change
- Forward and reverse slide change by push buttons at the projector. Also manual knob focus
- Rear leveling foot—in addition to front thumb-wheel elevation up to 10 degrees
- Super-sharp f/2.8 KODAK Projection
 EKTAR Lens
- Three-position switch—"Off," "Fan,"
 "Lamp"
- Supplied with 150-watt, 24-volt DDA lamp and convenient cord storage bobbin

- Easy access to lamp and condensers via removable side panel . . . plus lamp ejection lever
- Wood-grain styling
- Accessory outlet

CAT. No.

108 6917

B200 with

EKTAR 2½-inch

f/2.8 Lens

\$149.50

108 6933

B200Z with

EKTAR Zoom Lens,

2- to 3-inch f/2.8

184.50

For auxiliary equipment, see pages 26-29.

Note: KODAK Pocket CAROUSEL 200 Projector supplied with 2½-inch f/2.8 EKTAR Lens unless otherwise indicated. Also supplied are power cord, remote control cord, KODAK Pocket CAROUSEL 120 Slide Tray, and instructions.

KODAK Pocket CAROUSEL 300 Projector

Twelve basic features plus:

- Lightweight, compact size—accepts small high-capacity tray holding up to 120 plastic-mounted 30mm square slides
- Automatic focusing—focus first slide and "300" then automatically sharp focuses all other slides. Also manual knob focus
- Automatic slide change—at 5-, 8-, or 15-second intervals
- Remote slide change—forward and reverse—by 12-foot cord
- Forward and reverse slide change by push buttons at the projector
- Super-sharp f/2.8 KODAK Projection EKTAR Lens
- Three-position switch—"Off," "Fan," "Lamp"
- Rear leveling foot—in addition to front thumb-wheel elevation up to 10 degrees

- Supplied with 150-watt, 24-volt DDA lamp, convenient storage bobbin
- Easy access to lamp and condensers via removable side panel . . . plus lamp ejection lever
- Wood-grain styling
- Dust cover . . . plus accessory outlet

CAT.	No.		List
108	6974	B300 with	
		EKTAR 21/2-inch	
		f/2.8 Lens	\$214.50
108	6800	B300Z with	
		EKTAR Zoom Lens,	
		2 to 2 inch 1/2 0	240 50

For auxiliary equipment, see pages 26-29.

Note: KODAK Pocket CAROUSEL 300 Projector supplied with 2½-inch f/2.8 EKTAR Lens unless otherwise indicated. Also supplied are power cord, remote control cord, dust cover, KODAK Pocket CAROUSEL 120 Slide Tray, and instructions.



KODAK CAROUSEL 600H Projector

Twelve basic features plus:

- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Slide change—forward—by select button at projector
- Choice of sharp f/3.5 KODAK Projection EKTANAR Lenses
- Manual knob focus
- Three-position switch—"Off," "Fan,"
 "Lamp"
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT. No.		List
146 7018	B604H with EKTANAR 4-inch f/3.5 Lens	\$ 79.50
146 7448	B605H with EKTANAR 5-inch f/3.5 Lens	79.50
146 7034	B600ZH with EKTANAR Zoom Lens, 4- to 6-inch f/3.5	109.50
		109.50
146 7901	B601H without lens	67.00

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 600H Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

Note: The KODAK CAROUSEL 600H and 650H Projectors are similar. The "600H" has a single select button for advancing slides and for releasing the tray. The "650H" has dual forward and reverse slide change controls—by remote cord and at the projector. The "650H" also has an outlet for "special effect" accessories, the "600H" does not.

KODAK CAROUSEL 650H Projector

Twelve basic features plus:

- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Remote forward and reverse slide change
- Slide change—forward and reverse by push buttons at projector. Also manual knob focus
- Choice of sharp f/3.5 KODAK Projection EKTANAR Lenses
- Three-position switch—"Off," "Fan," "Lamp"
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT.	No.		List
145	8967	B654H with EKTANAR 4-inch f/3.5 Lens	\$114.50
145	8231	B655H with EKTANAR 5-inch f/3.5 Lens	114.50
145	8843	B650ZH with EKTANAR Zoom Lens, 4- to 6-inch	144.50
	2040	f/3.5	144.50
145	8942	B651H without lens	102.00

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 650H Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

Note: The KODAK CAROUSEL 650H and 750H Projectors are similar. The "750H," however, has a remote focus control, a "High" and "Low" lamp switch, and a leveling adjustment.

KODAK CAROUSEL 750H Projector

Twelve basic features plus:

- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Remote focusing . . . adjust focus without going back to the projector. Also manual knob focus
- Remote forward and reverse slide change
- Forward and reverse slide change by push button at the projector
- Choice of sharp f/3.5 KODAK Projection EKTANAR Lenses
- Four-position switch—including "High" and "Low" brightness control for longer lamp life
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT.	No.		List
145	8785	B754H with EKTANAR 4-inch f/3.5 Lens	\$139.50
145	8801	B755H with EKTANAR 5-inch f/3.5 Lens	139.50
145	8447	B750ZH with EKTANAR Zoom Lens, 4- to 6-inch	
		f/3.5	169.50
145	8587	B751H without lens	127.00

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 750H Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

Note: The KODAK CAROUSEL 750H and 760H Projectors differ in that the "760H" has built-in automatic focusing.





Twelve basic features plus:

- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Lowest-priced "H" model with automatic focusing—focus first slide and "760H" then automatically sharp focuses all other slides
- Remote forward and reverse slide change
- Forward and reverse slide change by push buttons at the projector
- Choice of sharp f/3.5 KODAK Projection EKTANAR Lenses
- Four-position switch—including "High" and "Low" brightness control for longer lamp life
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT. No.		List
146 1904	B764H with EKTANAR 4-inch f/3.5 Lens	\$164.50
146 1433	B765H with EKTANAR 5-inch f/3.5 Lens	164.50
146 1565	B760ZH with EKTANAR Zoom Lens, 4- to 6-inch f/3.5	194.50
146 1722	B761H without lens	152.00

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 760H Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

Note: The KODAK CAROUSEL 760H and 800H differ in that "760H" has built-in automatic focusing . . . 800H offers automatically-timed slide change but not auto focusing.



Twelve basic features plus:

- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Offers "750H" features plus automatic slide change—at 5-, 8-, or 15-second intervals
- Remote focusing . . . adjust focus without going back to the projector. Also manual focus knob
- Remote forward and reverse slide change
- Forward and reverse slide change by push buttons at the projector
- Choice of sharp f/3.5 KODAK Projection EKTANAR Lenses
- Four-position switch—including "High" and "Low" brightness control for longer lamp life
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

			-101
146	1300	B814H with EKTANAR 4-inch f/3.5 Lens	\$154.50
146	1268	B815H with EKTANAR 5-inch f/3.5 Lens	154.50
146	0872	B810ZH with EKTANAR Zoom Lens, 4- to 6-inch	104 50
146	1045	f/3.5 B811H	184.50
		without lens	142.00

For auxiliary equipment, see pages 26-29.

CAT. No.


KODAK CAROUSEL 800H Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.


Note: The KODAK CAROUSEL 800H and 850H Projectors differ in that the "800H" has manual remote focus control, while the "850H" has built-in automatic focusing.




List

KODAK CAROUSEL 850H Projector







- Automatic slide change—at 5-, 8-, or 15-second intervals
- Remote forward and reverse slide change
- Forward and reverse slide change by push buttons at the projector
- Choice of sharp f/2.8 KODAK Projection EKTANAR Lenses
- Four-position switch—including "High" and "Low" brightness control for longer lamp life
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT. No.		List
146 0757	B854H with EKTANAR 4-inch f/2.8 Lens	\$204.50
146 0773	B855H with EKTANAR 5-inch f/2.8 Lens	204.50
146 1409	B850ZH with EKTANAR Zoom Lens, 4- to 6-inch f/3.5	229.50
146 0732	B851H without lens	187.00


For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 850H Projector supplied with 4-inch f/2.8 EKTANAR Projection Lens unless otherwise indicated.

Note: The KODAK CAROUSEL 850H and 860H Projectors are similar. The difference is that the "860H" has a remote focus control override on the auto focus for finely-tuned projection.

KODAK CAROUSEL 860H Projector





- Automatic focusing—focus first slide and "860H" then automatically sharp focuses all other slides. Also manual knob focus
- Remote focusing . . . to adjust or override automatic focusing
- Automatic slide change—at 5-, 8-, or 15-second intervals
- Remote forward and reverse slide change
- Forward and reverse slide change by push buttons at the projector
- Sharp f/2.8 Kodak Projection EKTANAR Lens
- Four-position switch—including "High" and "Low" brightness control for longer lamp life
- Accessory outlet
- Projection elevation up to 6 degrees
- Supplied with 300-watt, 120-volt ELH lamp, power cord, remote control cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT. No.		List	
146 8024	B864H with EKTANAR 4-inch f/2.8 Lens	\$219.	50
146 8107	B865H with EKTANAR 5-inch f/2.8 Lens	219.	50
146 8248	B860ZH with EKTANAR Zoom Lens, 4- to 6-inch		
146 7612	f/3.5 B861H without lens	244.	

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 860H Projector supplied with 4-inch f/2.8 EKTANAR Projection Lens unless otherwise indicated.



KODAK CAROUSEL 600 Projector—Two Models

Not an "H" model but designed for slide maker who wants basic CAROUSEL Slide Tray and CAROUSEL Projector advantages at the lowest possible cost. Model 600 offers gentle, reliable gravity feed and dependable projection—but not whisper-quiet operation.



- Accepts 2 x 2-inch slides in 80- and 140-slide trays
- Slide change—forward—by select button at projector
- Choice of sharp f/3.5 KODAK Projection
 EKTANAR Lenses
- Manual knob focus
- Three-position switch—"Off," "Fan," "Lamp"
- Projection elevation up to 6 degrees
- Supplied with 500-watt, 120-volt DEK lamp, power cord, KODAK CAROUSEL 140 Slide Tray, and instructions

CAT. No.		List
108 9663	B614A with EKTANAR 4-inch f/3.5 Lens	\$64.95
108 9648	B615A with EKTANAR 5-inch f/3.5 Lens	64.95
108 9747	B610ZA with EKTANAR ZOOM Lens, 4- to 6-inch f/3.5	94.95
108 9689	B611A without lens	52.45

KODAK CAROUSEL 600 Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

KODAK CAROUSEL 600-K Projector—Offers basic CAROUSEL Projector convenience of Model 600 with one major exception: it works on 110 to 130 volts, 50 or 60 Hz operation by setting cycle-selector switch with lock screw.

CAT. No.		List
108 9788	B614KA with EKTANAR 4-inch f/3.5 Lens	\$ <i>79.</i> 95
108 9762	B615KA with EKTANAR 5-inch f/3.5 Lens	79.95
108 9804	B610KZA with EKTANAR Zoom Lens, 4- to 6-inch	
	f/3.5	109.95

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 600-K Projector supplied with 4-inch f/3.5 EKTANAR Projection Lens unless otherwise indicated.

KODAK CAROUSEL 850-K Projector

Offers basic Carousel Projector conveniences plus additional features pertaining to Model 850H with three major exceptions: it is supplied with 500-watt, 120-volt CBA lamp, it works on 110 to 130 volt, 50 or 60 Hz operation by setting cycle-selector switch with lock screw, it does not offer whisper-quiet operation.



CAT. No.		List
108 9499	B854KQA with EKTANAR 4-inch f/2.8 Lens	\$214.50
108 9473	B855KQA with EKTANAR 5-inch f/2.8 Lens	214.50
108 9515	B850KQZA with EKTANAR Zoom Lens, 4- to 6-inch f/3.5	239.50

For auxiliary equipment, see pages 26-29.

KODAK CAROUSEL 850-K Projector supplied with 4-inch f/2.8 EKTANAR Projection Lens unless otherwise indicated.

STILL PROJECTION AIDS



KODAK Pocket CAROUSEL 120 Slide Tray

For 30mm slides up to .050 inches thick. Accepts up to 120 slides. For pocket models only.

CAT. No. 103 5518 B120 List

\$ 3.95



KODAK Remote Extension Cord, 25-foot (for KODAK CAROUSEL Projectors)

Extends the range of the 12-foot remote control cord. For pocket and "H" models (also "600").

CAT. No.

140 1363 586

List \$ 5.95



KODAK Pocket CAROUSEL Tray Case

Holds three Pocket CAROUSEL 120 Slide Trays in their boxes. For pocket models only.

CAT. No.

List

\$12.95



KODAK Carrying Case for KODAK CAROUSEL Slide Trays

Has two compartments which will accommodate two 140- or three 80-slide trays or a lesser number plus extension cords, lenses, and other miscellaneous equipment. Made of gray, heavy-duty simulated leather.

CAT. No.

List

140 1090 582

\$13.50



KODAK Pocket CAROUSEL Projector Case

Holds Pocket CAROUSEL Projector with either lens plus one boxed Pocket CAROUSEL 120 Slide Tray, one boxed spare lamp, power and remote cords. For pocket models only.

CAT. No.

List

105 8262 B590

106 7461 B595

\$12.95



KODAK Carrying Case for KODAK CAROUSEL Slide Trays

Has two compartments which will accommodate three trays (140, 80, or universal) or other miscellaneous equipment. Made of gray, heavy-duty simulated leather.

CAT. No.

List

147 2349 B583C

\$13.50



KODAK CAROUSEL 80 Slide Tray

KODAK CAROUSEL 140 Slide Tray

board). Accepts up to 140 slides.

For 2 \times 2-inch slides up to 1/10 inch thick (cardboard). Accepts up to 80 slides.

For 2 x 2-inch slides up to 1/16 inch thick (card-

CAT. No.

CAT. No.

List

157 2593 B80

103 2242 B140

\$ 2.95

List

\$ 4.95



KODAK CAROUSEL Projector Case, Model B

Provides a convenient means of storing and carrying CAROUSEL Projectors (except 570). Has three compartments, one for projector, one for a slide tray in its box, and a third for other miscellaneous equipment. Made of gray, heavy-duty simulated leather.

CAT. No.

List

145 5674 B584C

\$14.50



KODAK CAROUSEL Universal Slide Tray

For 2 x 2-inch slides up to 1/8 inch thick (glass, plastic, or cardboard).

CAT. No.

List

\$ 3.95

For KODAK CAVALCADE Projectors



KODAK CAROUSEL Stack Loader

For 2 x 2-inch thin (V_6 inch thickness) cardboard and plastic slides—up to 40. Fits like a tray. Forward projection only. Not for pocket models.

CAT. No.

List

151 4249 B40

148 6232 588

\$12.95



KODAK CAVALCADE Slide Tray, No. 1

For cardboard or thin glass-mounted slides. 2 in pkg.

CAT. No.

154 8437 570

List \$ 5.95



KODAK 2 x 2 Adapter for 110 Slides

Adapts 30mm slides for use in regular 2 x 2 slide projectors.

List Per

CAT. No.

Pkg 20

105 8197 B22

\$ 1.25

Slide Filing Supplies (for 2x2-inch slides... not 30mm square slides)



KODAK Compartment File

Has 12 compartments, each holding up to 20 KODAK READY-MOUNTS or 11 2 x 2-inch thin-glass slides. Each compartment can be swung out, as shown, for easy access to that group of slides. With textured ivory-colored top and either teal green or cardinal red base and individual compartments. Shipping case contains 10 red, 10 green, or assortment of 5 red and 5 green. Un-

less otherwise specified, red supplied on orders for single files and assortment of 5 of each color on orders for case of 10.

CAT. No.		List
154 5532	330R KODAK Compartment File (Red)	\$ 6.95
154 5524	330G KODAK Compartment File (Green)	6.95
155 2389	330/10 KODAK Compartment File Assortment (5 Red and 5 Green)	•



KODAK 400 File Box

Convenient method of filing and storing 2 x 2-inch slides. Supplied in red or green. Molded of durable polystyrene with leather-grain finish on the front and back. Styled like a book for library filing. Contains 16 KODASLIDE Boxes for easy filing of slides by groups. Capacity—up to 400 KODAK READY-MOUNTS or 224 2 x 2-inch thin-glass slides. Supplied in carton displaying 10 file boxes—all

red, all green, or 5 red and 5 green (5 red and 5 green will be supplied unless otherwise specified).

CAT. No.		List
150 4109	332R KODAK 400 File Box (Red)	\$ 7.75
150 4117	332G KODAK 400 File Box (Green)	7.75
155 2371	332/10 KODAK 400 File Box Assortment (5 Red and 5 Green)	



KODASLIDE BOX

Each of these shatterproof boxes holds twenty or more KODAK READY-MOUNTS. Supplied with KODAK 400 File Box and can be used in KODAK Ready-File.

CAT. No.		List
149 9987	Carton of 6	\$ 1.35



KODAK Ready-File

Holds up to 188 KODAK READY-MOUNTS, 82 2x2-inch thin-glass slides, 96 KODAK Stereo READY-MOUNTS, or 6 KODASLIDE Boxes with 20 or more slides in each box. Supplied in a counter display tray containing 6 Ready-Files—all cardinal red, all teal green, all beige, or 2 of each color. Unless otherwise specified, the case containing 2 of each color will be supplied.

		List
CAT. No.		Per File
153 925		
	KODAK Ready-Files (Red)	\$3.25
153 924	6 331G Case of 6	
	KODAK Ready-Files (Green)	3.25
153 923	8 331B Case of 6	
	KODAK Ready-Files (Beige)	3.25
155 236	3 331/6 KODAK Ready-File Assortment	
	(2 Red, 2 Green, 2 Beige)	3.25
♦ Consult ye	our dealer for his selling prices.	

"Special Effect" Projection Aids



KODAK CAROUSEL Sound Synchronizer, Model 2

Provides reliability in recording and playback of signals used to control all current KODAK CAROUSEL and KODAK Pocket CAROUSEL (except older style 500 Series and 600/600H) Slide Projectors. It is compatible with the newer-type stereo tape recorders which incorporate 60 Hz filters. It is used to record and play back signals on one

track of the stereo tape; the other track is used for narration or music. The signals are not audible to the audience on playback. This product enables a person to prepare automated slide-tape talks. During playback, a remote control can be used to override the recorded signals. With the addition of an actuator cord (available from Central Parts Service, Part No. 169057), the Synchronizer can be used to control the simultaneous advance of up to three KODAK CAROUSEL Slide Projectors which have remote control features. It can be attached to three KODAK CAROUSEL Dissolve Controls, which in turn will activate six Kodak slide projectors. Attractively styled in gray and black. Packed in a clear plastic storage case. Weight, approximately 9 ounces.

CAT. No.		List
101 8191	B66	\$39.50



KODAK CAROUSEL Programmer, Model 1

Permits the recording and showing of synchronized slide-sound programs with KODAK CAROUSEL and KODAK Pocket CAROUSEL (except 600/600H) Projectors and most standard monaural tape recorders. The Programmer is used as a central control unit coupling the projector to the recorder. Dimensions without cover, $8\%_6 \times 8\%_2 \times 4\%_6$ inches. 105- to 125-volt, 60 Hz ac only. Underwriters' Laboratories, Inc. Listed.

CAT. No.		List
142 5305	590	\$132.50



KODAK CAROUSEL Dissolve Control, Model 2

Can be used with any combination of two CAROUSEL (except 600/600H and all pocket models) Slide Projectors to present lap-dissolve slide projection. Automatic cycling at 6-, 10-, or 14-second intervals; or manually operated by the "Forward" push button on the remote control cord of one of the projectors. In addition, this model provides remote focusing when used with the

KODAK CAROUSEL 860/860H Projector. Plywood case covered with black, simulated leather. Permanently attached 3-wire power cord. Dimensions without cover, 9% x 6% x 41/4 inches. 110- to 125-volt, 60 Hz ac only. Underwriters' Laboratories, Inc. Listed.

CAT. No.		List
109 0356	B56	\$215.00

Projection Lenses

KODAK Projection Lenses give superb edge-to-edge sharpness and color clarity. LUMENIZED.

For KODAK CAROUSEL and CAROUSEL H Projectors:

CAT.	Vo.	List
101 8	3506	\$22.50
141 9	886	12.50
155 (0029	12.50
146 6	5325	17.50
155 4	1666	12.50
155 (0631	17.50
154 8	3460	36.50
144 2	2763	42.50
	101 8 141 9 155 0 146 6 155 4 155 0	CAT. No. 101 8506 141 9886 155 0029 146 6325 155 4666 155 0631 154 8460

For KODAK Pocket CAROUSEL Projectors:

CAT. No. List EKTAR 21/2-inch f/2.8 147 2836 \$22.50 EKTAR Zoom 2- to 3-inch f/2.8 147 2851 57.50

Note: When lenses purchased at low net are combined with CAROUSEL Projector bodies purchased at low net, the combined low net price is equal to the low net of the factory prepackaged unit.

CAROUSEL 600, 600-K, 600H, 650H, 750H, 760H, and 800H Projectors are available with 4-inch f/3.5, 5-inch f/3.5, 4- to 6-inch f/3.5 zoom lenses, and without lens.

CAROUSEL 850H, 850-K, and 860H Projectors are available with 4-inch f/2.8. 5-inch f/2.8, 4- to 6-inch f/3.5 zoom lenses, and without lens.

Pocket CAROUSEL 100, 200, and 300 Projectors are available with 21/2-inch f/2.8 and 2- to 3-inch f/2.8 zoom lenses.

Note: Orders for CAROUSEL H Projectors (and 600 model) not indicating specific lenses will be filled with appropriate 4-inch lenses; unless otherwise indicated, Pocket CAROUSEL Projectors are supplied with 21/2-inch lenses.

Lamps for Slide Projectors and Slide Viewer

ANSI Lamp Code	Voltage/Watts	†Average Lamp Life	Specified for	CAT. No.	List Each
ELH	120/300	35		146 5558	\$11.50
ENG	120/300	15	KODAK CAROUSEL 600H, 650H, 750H, 760H, 800H, 850H, 860H Projectors	102 6269	13.50
ENH	120/300	175		102 6285	14.95
DDA	24/150	25	KODAK Pocket CAROUSEL 100, 200, 300 Projectors	105 8171	4.95
DEK DEK	120/500 125§/500	25 25		146 7943 147 5839	6.70 6.70
DEA	120/300	25	KODAK CAROUSEL 600, 600-K, 650, 700, 750, 760, 800, 850, 850-K, 860, and KODAK CAROUSEL 550, 570 Projectors	107 6348	7.55
СВА	120/500	50		146 7596	13.50
DAH	120/500	200		143 2160	8.50
BFB	125/170	25	KODAK READYMATIC Viewer	147 7413	4.75
CZA CZA	120/500 125§/500	25 25	KODAK READYMATIC 500, KODAK SUPERMATIC 500, and KODAK 500 Model B Projectors	156 5548 156 5530	6.50 6.50
czx czx	115-120/500 125§/500	25 25	KODASLIDE SIGNET 500 Projector and KODASLIDE Projector, Master Model	152 7142 152 7191	6.25 6.25
DDB	115-120/750	25		152 7225	6.50
DFD	115-120/1000	10	KODASLIDE Projector, Master Model	152 7282	6.95

Lamp for slide viewer:

Order No.				
7C7W	115-125 volts, 7 watts-for KODAK Illuminator, Model 1 (for KODAK Pocket Viewers)	152 6466		\$.25

[†]When operated at the designated voltage.

[°]Designed for study carrel or rear-screen projection use. Provides edge-to-edge sharpness with images up to 12 inches wide.

[§]An approximately 50% longer life at a 15% reduction in light output is obtained by using a 125-volt lamp on a 120-volt line. The 125-volt lamp is recommended for long-period or continuous projection.

Slide-Making Materials



141 4002

KODAK READY-MOUNTS - For mounting 28x 28mm (126), 24x36mm (135), and 1½x1½-inch (super-slide) transparencies. Solid grayboard with printing on face, "Seal edge with warm iron, do not touch film;" and on the reverse side, "Made in U.S.A." Two types are available: Folded—Convenient for mounting a few transparencies at one time. Supplied with 3 edges sealed; open edge can be sealed with a household iron. Flat-Can be sealed on 4 edges with a household iron or mounting press; 1/16 inch thickness.

	Marie			
			- 1	
			1/7	
			11/	
dis			1/	
			1	
			4	
Dies.		~		

‡KODAK Metal Binder (for 2x2-inch Slide Cover Glass, Thin)—Provides a quick and inexpensive method of glass-mounting slides. A transparency, mask, and two pieces of thin cover glass are inserted into the open end of the binder. The binder frames three sides, and holds the slide securely without the need of tape or fasteners.

	List
	Per Pkg
B350 Pkg of 50	\$ 3.05
	B350 Pkg of 50



‡KODAK Slide Cover Glass 2x2 Inch (Thin, Precleaned)—Thickness: .030 inch. For mounting slides in glass for use in CAROUSEL and other slide trays.

		List
CAT. No.		Per Pkg
141 3020	B351 Pkg of 50	\$ 2.10



CAT. No.

30.00

‡KODAK Projector Slide Cover Glass, 31/4 x4 (Precleaned) - Thickness: .050 in.

List

140 2130	B324 Pkg of 24				P	3.50
KODAK Film times.	Cleaner—Helps to	keep film	ready for	clear pr	ojection	at all
CAT. No.						List

AT. No.		List
5 6986	B359 4-oz bottle	\$ 1.20

Fold	ed, 2x2	2 in.	
			List
CAT.	No.		Per Pkg
141	4127	B256 Pkg of 50 126 for 28x28mm transparencies	\$ 3.35
141	4143	B255 Pkg of 50 135 for 24x36mm transparencies	3.35
Flat,	2x2 in		
141	4242	B206 Pkg of 100 126 for 28x28mm transparencies	2.35
141	4267	B205 Pkg of 100 135 for 24x36mm transparencies	2.35
141	4184	B207 Pkg of 100 127 for 1½x1½-in. (super-slide) transparencies	2.35
Bulk	packag	ges	
Flat,	2x2 in		
CAT.	No.		List Per Case
141	4028	126 for 28x28mm transparencies (case quantity: 7500)	\$72.00
141	4044	135 for 24x36mm transparencies (case quantity: 7500)	72.00



transparencies (case quantity: 2400) **‡KODAK Masks for Glass Slides (2x2-inch)**

	List Per Pkg
B356 Pkg of 50 126 for 28x28mm transparencies	\$ 1.10
B355 Pkg of 50 135 for 24x36mm transparencies	1.10
	126 for 28x28mm transparencies B355 Pkg of 50 135 for 24x36mm

Kodak movie cameras

for colorful super 8 movies

All Instanatic Camera models feature:

- Instant drop-in loading-no threading
- Electric motor drive—no winding
- Foldaway pistol grips

M22



- Only one setting
- Illustrated exposure guide
- Fast f/2.7 lens
- Budget price

M24



- No settings
- Automatic exposure
- CdS electric eye
- Fast f/2.7 lens

M26



- Extra-fast f/1.8 lens
- No settings
- Automatic exposure
- CdS electric eye

M28



- Zoom lens for exciting effects (13 to 28mm)
- Focusing f/2.7 lens
- Automatic exposure
- CdS electric eye

KODAK XL Movie Cameras . . . take color movies without movie lights—using KODAK EKTACHROME 160 Movie Film

Models feature:

- 230° shutter—delivers more light
- Superfast f/1.2 EKTAR Lens
- Unique "binocular" design—for steady movies
- Drop-in loading—no threading

M30



- 2 1/4 -to-1 power zoom (13 to 28mm)
- Reflex viewing—no parallax
- Focusing f/1.9 lens
- Automatic exposure
- CdS electric eye



- Automatic CdS exposure control
- Low-light signal
- Two filming speeds—
 18 and 9 fps
- High brightness optical viewfinder



- All the features of XL33 plus:
- Power zoom lens (9 to 21 mm)
- Superimposed image rangefinder—for well-focused movies
- Sports-type viewfinder

MOVIE CAMERAS

13 Basic Features shared by the following **KODAK Movie Camera Models:**

XL33, XL55; INSTAMATIC M22, INSTAMATIC M24, INSTAMATIC M26, INSTAMATIC M28, INSTAMATIC M30

- Drop-in, error-free cartridge loading— No threading
- Attached cover with snap lock—For speedy, positive loading
- 3. Exceptionally accurate film positioning and holding during exposure—for unusually sharp pictures
- 4. Automatic film-supply indication

- 5. Electric-motor drive—No spring winding. Accept AA-size batteries (extra with single cameras)— alkaline-type recommended. With normal use, more than 25 cartridges on one set of alkaline batteries
- Convenient exposure release—With dual lock for continuous run and for preventing accidental running of camera
- Built-in filter (Type A) for using the same film indoors and outdoors. Filter key for using other than specially designed movie light (supplied)
- Accept snap-on type of movie light with key which actuates built-in filter
- 9. Automatic film-load identification
- 10. Standard tripod socket
- End-of-film indicators in the viewfinder of all cameras
- 12. Gas-gauge-type film supply indicators
- 13. Rubber eyecups supplied with all

KODAK XL Movie Cameras for Existing-Light Movies

KODAK XL Movie Cameras . . . Movies without movie lights using KODAK EKTACHROME 160 Movie Film (Type A).

In addition to the 13 basic features, these key features give KODAK XL Movie Cameras the capability for movies without movie lights:

- Fast, f/1.2, 9mm EKTAR Lens allows more light to reach the film.
- 230-Degree Shutter delivers 40 percent more exposure than conventional 165-degree shutters.
- Specially Designed Viewfinder provides a bright image even in low-light conditions, and allows all the light from the lens to reach the film.
- Improved Exposure System uses a double-vane structure which allows all the light to reach the film. Conventional, singlevane systems block part of the light.
- Fast New Color Film. New KODAK EKTACHROME 160 Movie Film (Type A) provides two additional stops of exposure over KODACHROME II Movie Film (Type A). This means it's four times as fast.

KODAK XL33 Movie Outfit

Thirteen basic features plus:

- Extra-fast 9mm, 6-element, f/1.2 EKTAR Lens. Color-corrected and LUMENIZED
- 230-degree shutter
- High-aperture, high-brightness optical viewfinder
- Double-vane CdS automatic exposure control
- Unique "binocular" design
- Low-light signal visible in viewfinder
- Type A filter setting (manual or automatic with movie light key)
- Two filming speeds—18 normal, 9 for special situations such as very low light or for special effects
- Battery check
- Movie light receptacle (for KODACHROME II or KODAK EKTACHROME 40 Movie Film indoors)
- Film-supply indicator
- Rubber eyecup
- Tripod socket

- Electric-motor drive powered by four AA-size batteries
- Continuous run lock
- Uses 4 AA-size alkaline batteries (supplied with outfit)

CAT. No.

List

149 1950 XL33R Outfit

\$124.95

Each outfit contains movie camera with neck strap and rubber eyecup, 4 AA-size alkaline batteries, ELA464 super 8 film cartridge, and instruction book.

Auxiliary Equipment:

KODAK XL33/55 Movie Case (D145C)

KODAK XL33 Movie Camera

CAT. No.

List \$119.50

142 2864 XL33 Camera

"Camera only" supplied with neck strap, rubber eyecup,

and instruction book.

Camera dimensions, approximately 6½x4¾x3½ inches.

Camera weight, approximately 1 pound 12 ounces.

Auxiliary equipment listed above.

Note: Principal differences: The "XL33" and "XL55" differ in that the "XL55" has all of the "XL33" features plus: power zoom lens, superimposed-image rangefinder, sports-type viewfinder.



KODAK XL55 Movie Outfit

Thirteen basic features plus:

- 9mm to 21mm f/1.2 EKTAR power zoom lens. Color-corrected and LUMENIZED
- Superimposed-image rangefinder for easy focusing
- Sports-type viewfinder—lets you see the action before you film it
- 230-degree shutter
- High-aperture, high-brightness optical viewfinder
- Double-vane CdS automatic exposure control
- Unique binocular design
- Low-light signal visible in viewfinder
- Type A filter setting (manual or automatic with movie light key)
- Two filming speeds—18 normal, 9 for special situations such as very low light or for special effects
- Movie light receptacle (for KODACHROME II or KODAK EKTACHROME 40 Movie Film indoors)

- Film-supply indicator
- Rubber eyecup
- Tripod socket
- Electric-motor drive powered by four AA-size **batteries**
- Continuous run lock
- Uses 4 AA-size alkaline batteries (supplied with outfit)

CAT. No.

List

149 2545 XL55R Outfit

\$219.95

Each outfit contains movie camera with neck strap and rubber eyecup, 4 AA-size batteries, ELA464 super 8 film cartridge, and instruction book.

Auxiliary Equipment:

KODAK XL33/55 Movie Case (D145C)

KODAK XL55 Movie Camera

CAT. No.

Net

List

142 2724 XL55 Camera \$150.15

\$214.50 "Camera only" supplied with neck strap, rubber eyecup,

and instruction book. Camera dimensions, approximately 71/2 x43/4 x31/2 inches.

Camera weight, approximately 2 pounds. Auxiliary equipment listed above.



KODAK INSTAMATIC Movie Cameras



KODAK INSTAMATIC M22 Movie Outfit

Thirteen basic features plus:

• Fast 14mm f/2.7 lens, color-corrected, LUMENIZED. No focusing

- Manual lens setting f/2.7 to f/26
- Exposure guide for daylight exposure settings
- Fully enclosed optical viewfinder
- Rugged construction
- Styled in textured black and satin silver
- Palm-sized and lightweight
- Uses 2 AA-size alkaline batteries (supplied with outfit)

CAT. No.

148 3221

List

D22RA Outfit \$38.50

Each outfit contains movie camera with wrist strap, filter key, and rubber eyecup, KA464 super 8 film cartridge, 2 AA-size alkaline batteries, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Movie Case, Model B (D142C)

KODAK INSTAMATIC M22 Movie Camera

CAT. No.

List

148 2991 D22A Camera

\$34.50

"Camera only" supplied with wrist strap, filter key, rubber eyecup, and instruction book.

Uses Series 5, 30mm (13/6-inch) slip-on adapter ring. Camera dimensions, approximately 41/8 x 33/4 x 13/4 inches. Camera weight, approximately 13 ounces. Auxiliary equipment listed above.

Note: The "M22" and "M24" models are similar. The difference is in the exposure settings. The "M22" has manual lens settings; the "M24" has an electric-eye exposure control which selects the proper lens opening automatically—also an "insufficient light" signal.



KODAK INSTAMATIC M24 Movie Outfit

Thirteen basic features plus:

- Automatic electric-eye exposure control— CdS-type
- Signal in finder shows when to use movie light
- Fast 14mm f/2.7 lens, color-corrected and LUMENIZED. No focusing
- Fully enclosed optical viewfinder
- Rugged construction
- Styled in textured black and satin silver
- Palm-sized and lightweight
- Uses 2 AA-size alkaline batteries (supplied with outfit) and 1 PX-13-size mercury battery for CdS exposure control (supplied with camera and outfit)

CAT. No.

List

148 3007 D24RA Outfit

\$53.50

Each outfit contains movie camera with wrist strap, filter key, and rubber eyecup, KA464 super 8 film cartridge, 2 AA-size alkaline batteries, 1 PX-13 mercury battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Movie Case, Model B (D142C)

KODAK INSTAMATIC M24 Movie Camera

CAT. No.

List

148 3502 D24A Camera


\$49.50

"Camera only" supplied with wrist strap, filter key, rubber eyecup, one PX-13-size battery, and instruction book.

Uses Series 5, 28.5mm (11/8-inch) slip-on adapter ring. Camera dimensions, approximately 4 1/8 x 3 3/4 x 1 3/4 inches. Camera weight, approximately 14 ounces. Auxiliary equipment listed above.

KODAK INSTAMATIC M26 Movie Outfit

Thirteen basic features plus:



 Signal in finder shows when to use movie light

 Extra-fast 13mm f/1.8 lens, colorcorrected and LUMENIZED. No focusing

Fully enclosed optical viewfinder

Rugged construction

Palm-sized and lightweight

Styled in textured black and satin silver

 Uses 2 AA-size alkaline batteries (supplied with outfit) and 1 PX-13-size mercury battery for CdS exposure control (supplied with camera and outfit) CAT. No.

List \$68.50

148 3569 D26RA Outfit

Each outfit contains movie camera with wrist strap, filter key, and rubber eyecup, KA464 super 8 film cartridge, 2 AA-size alkaline batteries, 1 PX-13 mercury battery and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Movie Case, Model B (D142C)

KODAK INSTAMATIC M26 Movie Camera

CAT. No.

List

148 3122 D26A Camera

\$64.50

"Camera only" supplied with wrist strap, filter key, rubber eyecup, one PX-13-size battery, and instruction book.

Uses Series 5, 28.5mm (1 1/8-inch) slip-on adapter ring. Camera dimensions, approximately 41/8 x33/4 x13/4 inches. Camera weight, approximately 14 ounces. Auxiliary equipment listed above.

Note: Principal differences: The "M26" has an f/1.8 fixed-focus lens and a fixed-magnification finder; the "M28" has an f/2.7 zoom lens and a zoom finder.

KODAK INSTAMATIC M28 Movie Outfit

Thirteen basic features plus:

- Fast f/2.7 zoom lens—13 to 28mm (21/4:1) color-corrected, LUMENIZED, knob controlled. Zone and scale focusing
- Automatic electric-eye exposure control— CdS-type
- Signal in finder shows when to use movie light
- Zoom finder linked with zoom lens. Eyepiece adjustment
- Rugged construction
- Compact and lightweight
- Styled in textured black and satin silver
- Uses 2 AA-size alkaline batteries (supplied with outfit) and 1 PX-13-size mercury battery for CdS exposure control (supplied with camera and outfit)

CAT. No.

148 3767 D28RA Outfit

list

List

\$84.50

\$88.50

Each outfit contains movie camera with wrist strap, filter key, and rubber eyecup, KA464 super 8 film cartridge, 2 AA-size alkaline batteries, 1 PX-13 mercury battery, and instruction

Auxiliary Equipment:

KODAK INSTAMATIC Movie Case, Model C (D143C)

KODAK INSTAMATIC M28 Movie Camera

CAT. No.

148 3163 D28A Camera

"Camera only" supplied with wrist strap, filter key, rubber eyecup, one PX-13-size battery, and instruction book.

Uses Series 6, 39.5mm (1%-inch) slip-on adapter ring. Camera dimensions, approximately 61/2 x33/4 x21/8 inches. Camera weight, approximately 19 ounces. Auxiliary equipment listed above.

Note: Principal differences: The "M28" and "M30" differ in the following: The "M28" has a fast f/2.7 zoom lens. The "M30," an extra-fast f/1.9 zoom; the "M28" has an optical eye-level finder. The "M30" a reflex finder. The "M28" has manual zoom, the "M30" additional power zoom.



Thirteen basic features plus:

- Extra-fast 13mm to 28mm f/1.9 (2½:1) zoom lens, color-corrected, LUMENIZED, zone and scale focusina
- Motorized zoom action—from wide-angle to telephoto
- Convenient finger-tip zooming—for previewing, zoom setting
- Automatic electric-eye exposure control— CdS-type
- Signal in finder shows when to use movie light
- Through-the-lens reflex finder shows field throughout the 6 feet to infinity range. Adjustable eye piece
- Rugged construction
- Compact and lightweight
- Styled in textured black and satin silver

KODAK INSTAMATIC M30 Movie Outfit • Uses 2 AA-size alkaline batteries (supplied with outfit) and 1 PX-13-size mercury battery for CdS exposure control (supplied with camera and outfit)

CAT. No.

148 3171 D30RA Outfit

List \$108.50

Each outfit contains movie camera with wrist strap, filter key, and rubber eyecup, KA464 super 8 film cartridge, 2 AA-size alkaline batteries, 1 PX-13 mercury battery, and instruction book.

Auxiliary Equipment:

KODAK INSTAMATIC Movie Case, Model C (D143C)

KODAK INSTAMATIC M30 Movie Camera

CAT. No.

148 3189 D30A Camera

List \$104.50

"Camera only" supplied with wrist strap, filter key, rubber eyecup, one PX-13-size battery, and instruction book.

Uses Series 6, 39.5mm (1%-inch) slip-on adapter ring. Camera dimensions, approximately 6 1/8 x 3 3/4 x 2 1/8 inches. Camera weight, approximately 19 ounces. Auxiliary equipment listed above.


KODAK MOVIE AIDS



KODAK XL33/55 Movie Case (for KODAK XL33 and XL55 Movie Cameras)—This distinctive case has the pleasing aroma of genuine leather. Vinyl coating protects it from scuffing and water damage. Case interior is lined with rugged red corduroy and the flap is secured with a modern Velcro fastener. A shoulder strap provides carrying convenience.

CAT. No. 147 2794 D145C

List \$13.50



CAT. No.

102 3613 D142C

List \$4.95

KODAK INSTAMATIC Movie Case, Model C (for KODAK INSTAMATIC M28 and M30 Movie Cameras)—Same basic design as the Model B at left but slightly larger.

CAT. No.

List \$6.95

102 3597 D143C Replacement Lamps for KODAK Movie Lights

DVY Lamp (for KODAK INSTAMATIC Movie Light, Model 2)-Tungsten-halogen type. Produces 650 watts at 120 volts over a constant color temperature of 3400 K over a rated life of 25 hours. Case quantity 6.

CAT. No.

List

151 9552

\$8.35

FCP Lamp (for KODAK INSTAMATIC Movie Light, Model 1)-Small size, iodinecycle and single-ended screw-base design. Produces 375 watts at 120 volts with a constant color temperature of 3400 K over a rated life of 10 hours. Case quantity 12.

CAT. No.

155 7586

\$9.95

BEP, ERB, or BFA reflector photolamps (for KODAK 8 Movie Light, Models 1 and 2)—Listed under "Photo Lamps," page 17.

Kodak Instamatic movie projectors

3 drop-in cartridge-load models

M105



• Shows super 8 only

M109



- Shows super 8 and 8mm
- Forward, reverse, and still
- 400-foot capacity reel projection
- Convenience of cartridge projection
- Die-cast construction
- M110: up to 400-foot cartridge capability

M110



Shows super 8 and 8mm

models for super 8 films

M50



- Big, bright screenings
- 200-foot reel capacity
- Sharp 22mm f/1.5 lens

M68A



- Forward, reverse, still
 - 400-foot reel capacity
 - Aluminum die-cast body
- Self-cased
- f/1.5 or zoom lens
- Wood-grain vinyl panels

M70



- 7-speed model
- "Fun" screenings: extra fast, normal, and extra slow, forward and reverse
- Still projection
- Flip-top cover design
- 400-foot reel capacity
- Die-cast construction
- f/1.5 or zoom lens

M65A



- Threads, projects, rewinds—all automatically
- 200-foot reel capacity
- Metal construction
- Self-cased
- Has preview screen
- Sharp 22mm f/1.5 lens

dual models for both super 8 and 8mm films

M67



- Forward, reverse, still
- 400-foot reel capacity
- Aluminum die-cast body
- Self-cased
- f/1.5 or zoom lens

M85



- Compact, convenient flip-top design
- Forward, reverse, still
- Die-cast construction
- 400-foot reel capacity
- f/1.5 or zoom lens

M80



- 7-speed model
- "Fun" screenings: extra fast, normal, and extra slow, forward and reverse
- Still projection
- Flip-top cover design
- 400-foot reel capacity
- Die-cast construction
- f/1.5 or zoom lens

M95



- Brightest optical system
- 7-speed model
- "Fun" screenings: extra fast, normal, and extra slow, forward and reverse
- Still projection
- Flip-top cover design
- 400-foot reel capacity
- Die-cast construction
- Room-light receptacle
- f/1.5 or zoom lens, or super-fast f/1.0 lens

MOVIE PROJECTORS

7 Basic Features shared by the following

KODAK INSTAMATIC Movie Projector Models:

M50, M65A, M67 and M67-K, M68A, M70, M80, M85, M95, M105, M105-P and M105-K, M109 and M109-K, M110

 Exceptionally bright super 8 screen pictures because of the 50 percent larger picture area of super 8 film

- Exceptionally sharp movies because of the improved optical system
- Automatic film threading—after film insertion all the way onto the take-up reel
- Utmost film protection because of the sprocketless film transport system
- 5. Motorized film rewinding
- Lifetime lubrication provides carefree maintenance and long projector life
- 7. Underwriters' Laboratories, Inc. Listed
 Power required—110-125-volt, 60 Hz ac only
 (except M67-K, M105-K, M105-P, and M109-K which
 operate with 50-60 Hz ac).

KODAK INSTAMATIC Movie Projectors showing both super 8 and 8mm films

Note: These projectors adapt to either format by a single setting, and adding or removing a collar to the supply spindle, except with the M109 model, on which the supply spindles are changed.



KODAK INSTAMATIC M65A Movie Projector

Seven basic features plus:

- Effortless shows. At the end, film reverses automatically and rewinds—200 feet in 30 seconds; 50 feet in 15 seconds
- Fast 22mm f/1.5 LUMENIZED projection lens
- Self-cased. Built-in preview screen
- Easy "elevation" through tilting optics... up to 9 degrees
- Storage space for 8-foot attached power cord

- 150-watt, 125-volt DFN projection lamp (supplied)
- Attached 200-foot take-up reel
- Attractively styled in light gray and satin black

CAT. No. List 146 6309 D65A with 22mm f/1.5 lens \$99.50

For auxiliary equipment, see pages 46-48.

Dimensions, including handle, approximately 111/4x113/4x
7 inches.

Weight, approximately 101/4 pounds.

KODAK INSTAMATIC M67 Movie Projector

Seven basic features plus:

- Supplied with either 22mm f/1.5
 Projection EKTANAR Lens (D67 or D67K)
 or 20-32mm f/1.5 KODAK Projection
 Zoom Lens (D67Z)—both LUMENIZED
- Three projection speeds—"Forward,"
 "Reverse," and "Still" (with never a
 "blackout")
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 8 degrees
- Storage space for 8-foot attached power cord
- 80-watt, 30-volt DFE projection lamp (supplied)
- Attractively styled in metallic black and wood-grain vinyl paneling
- Die-cast aluminum body with a fold-down carrying handle and a snap-on cover

CAT. No. List
109 5694 D67 with
22mm f/1.5 lens \$114.50
109 5173 D67Z with

134.50

20-32mm f/1.5 zoom lens

D67 and D67Z work on 110-125-volt, 60 Hz ac operation.

KODAK INSTAMATIC M67-K Projector

CAT. No. List
108 8418 D67K with
22mm f/1.5 lens \$118.00

D67K Projector works on 110-130-volt, 50 or 60 Hz ac operation by turning an internal switch.

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 11x7½x10 inches.

Weight, approximately 13 pounds.



KODAK INSTAMATIC M85 Movie Projector



Seven basic features plus:

- Budget-priced low-silhouette projector with flip-top design. Self-cased
- Supplied with either 22mm f/1.5 KODAK Projection EKTANAR Lens (D85) or 20-32mm f/1.5 KODAK Projection Zoom Lens (D85Z)—both LUMENIZED
- Three projection speeds—"Forward,"
 "Reverse," and "Still" (with never
 a "blackout")
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 10 degrees

- 150-watt, 120-volt DNE projection lamp (supplied)
- Attractively styled in metallic blue with black base, bright metal trim
- Rugged die-cast metal projector case

CAT. No. List 151 1120 D85 with

22mm f/1.5 lens

D85Z with f/1.5 zoom lens 159.50

\$139.50

zoom lens
For auxiliary equipment, see pages 46-48.
Dimensions, approximately 11 1/8 x 11 3/4 x 4 1/8 inches.

weight, approximately 15 pounds.
by knob—up to

151 0908

Note: The M85 and M80 models are similar. The M85 has three projection speeds, whereas the M80 has seven. The M85 has no "Hi-Lo" switch, whereas the M80 does. There is also a difference in the finish.

KODAK INSTAMATIC M80 Movie Projector



Seven basic features plus:

- Seven projection speeds—"Forward" and "Reverse" at extra-slow 6, normal 18, and extra-fast 54 frames per second . . . plus still projection
- Low silhouette. Flip-top design. Self-cased
- Supplied with either 22mm f/1.5 KODAK Projection EKTANAR Lens (D80A) or 20-32mm f/1.5 KODAK Projection Zoom Lens (D80Z)—both LUMENIZED
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 10 degrees

- 150-watt, 120-volt DNE projection lamp (supplied)
- "Hi-Lo" switch for longer lamp life
- Attractively styled in metallic black and gray, bright metal trim
- Rugged die-cast metal projector case

CAT. No. List

150 1287 D80A with
22mm f/1.5 lens \$164.50

147 7157 D80Z with f/1.5
zoom lens 184.50

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 11 % x11 % x4 % inches.

Weight, approximately 15 pounds.

Note: The M80 and M95 models are similar. The M80 uses a 120-volt tungsten-halogen lamp and the M95 a 21-volt tungsten-halogen lamp with twice the life of regular lamps. The M95 also has an outlet for auxiliary room light.

KODAK INSTAMATIC M95 Movie Projector



Seven basic features plus:

- Seven projection speeds—"Forward" and "Reverse" at extra-slow 6, normal 18, and extra-fast 54 frames per second . . . plus still projection
- Low silhouette. Flip-top design. Self-cased
- Supplied with either 22mm f/1.5 KODAK Projection EKTANAR Lens (D95), 22mm f/1.0 KODAK Projection EKTAR Lens (D95B), or 20-32mm f/1.5 KODAK Projection Zoom Lens (D95Z)—all LUMENIZED
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 10 degrees
- 150-watt, 21-volt DNF projection lamp (supplied) providing nearly uniform light output throughout its long 25-hour life

- "Hi-Lo" switch for longer lamp life
- Electrical outlet automatically switches auxiliary room lamp off as projection lamp goes on
- Attractively styled in two-tone gray, bright metal trim
- Rugged die-cast metal projector case

CAT. No.		List
142 5388	D95 with 22mm f/1.5 lens	\$179.50
109 9050	D95B with 22mm f/1.0 lens	194.50
148 9244	D95Z with f/1.5 zoom lens	199.50

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 11 1/8 x 11 3/4 x 4 5/8 inches.

Weight, approximately 17 pounds.

KODAK INSTAMATIC M109 Movie Projector (Cartridge-Loading)



Seven basic features plus:

- Accepts film in 50- and 100-foot projection cartridges
- Also accepts film on conventional reels up to 400-foot capacity
- Supplied with either 22mm f/1.5 KODAK Projection Lens (D109 or D109K) or 20-32mm f/1.5 KODAK Projection Zoom Lens (D109Z or D109KZ)—both LUMENIZED
- Three projection speeds—"Forward,"
 "Reverse," and "Still" (with never
 a "blackout")
- 400-foot reel capacity (supplied with 400-foot take-up reel and one super 8, 50-foot KODAK Projection Cartridge A)
- Elevation control by knob—up to 10 degrees
- 80-watt, 30-volt DFE projection lamp (supplied)
- Attractively styled in two-tone blue, bright metal trim, black vinyl paneling
- Die-cast aluminum body with a fold-down carrying handle and a snap-on cover

CAT.	No.		List
101	5189	D109 with	
		22mm f/1.5 lens	\$159.50
101	9678	D109Z with	
		f/1.5 zoom lens	179.50

D109 and D109Z work on 110-125-volt, 60 Hz ac operation.

KODAK INSTAMATIC M109-K Movie Projector

CAT. No.		List
108 0142	D109K with	
	22mm f/1.5 lens	\$169.50
108 0308	DIOOK7 with	August 1

f/1.5 zoom lens 189.50 D109K and D109KZ work on 110-130-volt, 50 or 60 Hz ac operation.

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 12x101/4x71/2 inches.

Weight, approximately 15 pounds.

KODAK INSTAMATIC M110 Movie Projector (Cartridge-Loading)



Seven basic features plus:

- Accepts film in 50-, 100-, 220- and 400-foot projection cartridges
- Also accepts film on conventional reels . . . up to 400-foot capacity
- Supplied with either 22mm f/1.5 KODAK Projection Lens (M110) or 20-32mm f/1.5 KODAK Projection Zoom Lens (M110Z)—both LUMENIZED
- Three projection speeds—"Forward," "Reverse," and "Still" (with never a "blackout")
- 400-foot reel capacity (supplied with 400-foot take-up reel, one super 8, 50-foot KODAK Projection Cartridge A, and one super 8, 400-foot KODAK Projection Cartridge D)

- Elevation control by knob—up to 10 degrees
- 80-watt, 30-volt DFE projection lamp (supplied)
- Attractively styled in rich brown with wood-grain
- Die-cast aluminum body with a fold-down carrying handle and a snap-on cover

CAT. No.		List
141 3062	M110 with	

141 3962	M110 with	
	22mm f/1.5 lens	\$194.50
141 3921	M110Z with	

214.50


79.50

f/1.5 zoom lens For auxiliary equipment, see pages 46-48. Dimensions, approximately 12x101/4x71/2 inches. Weight, approximately 15 pounds.

KODAK INSTAMATIC Movie Projectors showing super 8 films only

KODAK INSTAMATIC M50 Movie Projector





- Lowest-priced KODAK super 8 projector
- Fast 22mm f/1.5 LUMENIZED projection lens
- Easy "elevation" through tilting optics up to 10 degrees
- 200-foot reel capacity (supplied with 200-foot take-up reel)
- 150-watt, 125-volt DFN projection lamp (supplied)
- Compact and lightweight for easy storing, easy carrying
- Available either without case (D50A) or with case (D50CA)

CAT. No. List 142 9158 D50A \$ 72.50 142 2427 D50CA with 22mm f/1.5 lens and KODAK

Carryina Case For auxiliary equipment, see pages 46-48. Dimensions, approximately 6x83/4x65/8 inches.

Weight, approximately 6 pounds.

Dimensions of projector in case, approximately 73/4 x91/2 x8

Weight, approximately 81/4 pounds.

KODAK INSTAMATIC M68A Movie Projector



Seven basic features plus:

- Three projection speeds—"Forward," "Reverse," and "Still" (with never a "blackout")
- Supplied with either 22mm f/1.5 KODAK Projection Lens (D68A) or 20-32mm f/1.5 KODAK Projection Zoom Lens (D68AZ)-both LUMENIZED
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 8 degrees

- 80-watt, 30-volt DFE projection lamp (supplied)
- Attractively styled in textured metallic brown with bright trim and wood-grain vinyl paneling
- Die-cast aluminum body with a fold-down carrying handle and a snap-on cover

CAT. No. List 145 1459 D68A with 22mm f/1.5 lens\$ 99.95

145 1657 D68AZ with f/1.5 zoom lens 119.95

For auxiliary equipment, see pages 46-48. Dimensions, approximately 11x71/2x10 inches. Weight, approximately 13 pounds.



KODAK INSTAMATIC M70 Movie Projector

Seven basic features plus:

- Low-silhouette projector with flip-top design. Self-cased
- Seven projection speeds—"Forward" and "Reverse" at extra-slow 6, normal 18, and extra-fast 54 frames per second . . . plus still projection
- Supplied with either 22mm f/1.5 Kodak Projection Lens (D70A) or 20-32mm f/1.5 Kodak Projection Zoom Lens (D70Z) —both LUMENIZED
- 400-foot reel capacity (supplied with 400-foot take-up reel)
- Elevation control by knob—up to 10 degrees

- 150-watt, 120-volt DNE projection lamp (supplied)
- "Hi-Lo" switch for longer lamp life
- Attractively styled in metallic black, with bright metal trim
- Rugged die-cast metal projector case

CAT.	No.		List
150	1337	D70A (with	\$149.50
150	1001	22mm f/1.5 lens)	\$149.50

169.50

\$189.50

f/1.5 zoom lens)

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 11 1/8 x 11 1/4 x 4 1/8 inches.

Weight, approximately 15 pounds.



KODAK INSTAMATIC M105 Movie Projector (Cartridge-Loading)

Seven basic features plus:

- Accepts film in 50- and 100-foot projection cartridges
- Also accepts film on conventional reels up to 400-foot capacity
- Supplied with 22mm f/1.5 KODAK Projection Lens (D105 or D105K), 20-32mm f/1.5 KODAK Projection Zoom Lens (D105Z or D105KZ), or 20mm f/1.3 KODAK Projection Lens (D105P)— LUMENIZED
- Three projection speeds—"Forward," "Reverse," and "Still"
- 400-foot reel capacity (supplied with 400-foot take-up reel, and one super 8 50-foot KODAK Projection Cartridge A)
- Elevation control by knob—up to 10 degrees
- 80-watt, 30-volt DFE projection lamp (supplied)
- Attractively styled in light brown, bright metal trim, wood-grain vinyl paneling
- Die-cast aluminum body with a fold-down carrying handle and a snap-on cover

CAT. No. List 109 4986 D105 (with 22mm f/1.5 lens) \$139.50

22mm f/1.5 lens) \$139.50 101 9652 D105Z (with' f/1.5 zoom lens) 159.50

D105 and D105Z work on 110-125-volt, 60 Hz ac operation.

KODAK INSTAMATIC M105-K Movie Projector

CAT. No.		List
108 020	9 D105K (with	
	22mm f/1.5 lens)	\$149.50
108 028	2 D105KZ (with	
	f/1.5 zoom lens)	169.50

D105K and D105KZ work on 110-130-volt, 50 or 60 Hz ac operation.

KODAK INSTAMATIC M105-P Movie Projector

D105P (with

20mm f/1.3 lens)

141 3368

Designed for 50 Hz operation only and live voltages of 110, 130, 220, or 240 (a four-position voltage selector allows for easy selection of the proper voltage).

easy selection of the proper voltage).

CAT. No.

List

In addition to the above, M105-P differs from M105 as follows: a detachable three-wire power cord; 12-volt, 100-watt Philips 6834 lamp; 20mm f/1.3 lens; and a seven-language instruction manual.

For auxiliary equipment, see pages 46-48.

Dimensions, approximately 12x101/4x71/2 inches.

Weight, approximately 15 pounds.

Seven speeds is only part of it.

This is the one to make the most of your movies, any way you look at it. The Kodak Instamatic M95 movie projector.

It's our most featured model. Easy. Bright. Versatile. Famous for its multispeed projection capability.

Flick one switch. Go from fascinating slow motion (6 fps) to smooth normal speed (18 fps) to funpacked speeded-up motion (54 fps) in both forward and reverse. Plus "still" projection. Seven speeds in all. And all from less than \$180.



KODAK Movie Projectors for 16mm films



KODAK ANALYST Movie Projector

Designed for making detailed analyses of film subjects. You can make repeated changes in the direction of film movement without any screen blackout or any loss of film movement.

- Separate motors for film transport and for lamphouse blower
- Governor-controlled 5 and 24 framesper-second speeds—rheostat control for speeds between 5 and 24 frames per second
- Remote reverse control for rapid change of film movement
- Daylight screen permits easy projection viewing in lighted room
- Lubricated for life
- Attached reel arms with enclosed nylon gears

Equipment includes—KODAK Projection EKTANAR Lens; 2-inch f/1.6 (L); 750-watt lamp (ANSI code DDB); 400-foot KODAK Movie Reel; instantaneous remote reversing switch; and integral translucent projection screen and mirror for viewing in daylight.

Power Required—105- to 125-volt, 25-60 Hz ac or dc. Underwriters' Laboratories, Inc. Listed. Illumination—750-watt lamp; 1000-watt lamp can be used. Film Capacity—400 feet, 16mm. Speeds—5 to 24 frames per second. Dimensions—Length 12½ inches, width 11 inches, height 14 inches. Weight—25 pounds.

CAT. No.

150 2368 199 Projector

List \$550.00

Auxiliary Equipment:

CINE-KODAK Bifocal Converter
KODAK Projection EKTANON Lenses

Spare or replacement lamps:

DDB lamp, 750-watt DFD lamp, 1000-watt



KODAK PAGEANT Sound Projector, Model AV-12E6

A 16mm optical sound projector with a rugged, 8-transistor, high-fidelity amplifier. Sound system is solid state and transistorized—for instant sound.

- Amplifier with a frequency response of 30 to 20,000 cycles, rated at 12 watts music power
- Well-baffled, 11x6-inch detachable speaker with 40 feet of cord
- Permanently prelubricated and timetested KODAK PAGEANT 16mm Projector mechanism is rubber shock-mounted in a sturdy scuff-resistant, vinyl-covered, 3/8-inch plywood case with permanently attached overhead reel arms
- Forward projection controlled with a straightforward master control lever that activates motor and lamp in proper sequence... either sound or silent speeds can be achieved with the flip of a lever
- Long-life features are: lifetime exciter lamp coupled with a solid-state solar cell, circuit breaker, and a super-hard tungsten-carbide-toothed film pulldown designed for years of use

- Unique two-handle portability
- Volume and tone controls
- Separate microphone and phono inputs that allow the projector to be used as a portable P.A. system
- Smartly styled in two-tone gray with a 12-foot, permanently attached 3-wire power cord

Equipment includes—KODAK Projection EKTANAR Lens, 2-inch f/1.6 (L); 750-watt lamp (ANSI Code DDB); 1600-foot KODAK Movie Reel. Film Capacity—2000 feet, 16mm. Power Required—105-125-volt, 60 Hz. Underwriters' Laboratories, Inc. Listed. Illumination—750-watt lamp; 1000- or 1200-watt lamp can be used. Amplifier—Printed circuit, all transistor. Separate inputs for microphone and phonograph. Frequency Response—30 to 20,000 cycles. Audio Output—12 watts Music Power. Speaker—11x6-inch oval. Dimensions—Length 12½ inches, width 11½ inches, height 16¾ inches. Weight—37½ pounds.

CAT. No.

109 7963 AV280

List \$650.00

Auxiliary Equipment:
KODAK 35-foot Speaker Extension Cord, Type B
CINE-KODAK Bifocal Converter
KODAK Microphone, Model PA-8
KODAK Projection EKTANON Lenses
DDB Lamp, 750-watt
DFD Lamp, 1000-watt
DHT Lamp, 1200-watt
BSK Photocell Exciter Lamp





In addition to the traditional PAGEANT Projector quality of picture and optical sound reproduction, the AV-12M6 records and plays back sound from magnetic tracks (full, half, and quarter widths) at either silent or sound speed. Add magnetic sound to any film, old or new.

- Overhead reel arms for projection convenience
- VU meter indicates sound level during recording
- Solid-state, transistorized amplifier has a 12-watt "music power" output rating
- Both high- and low-level inputs are provided and are independently controlled for balanced mixing of sound, with a separate master volume control to set the overall level
- All controls are grouped for ease of use
- 6-8 ohm output is provided for connection to the speaker; also 200 ohm output for headphone monitoring
- Microphone supplied
- Corrections in magnetic recording are easily made... rerecording automatically erases the previous recording
- Lifetime solar cell for optical sound pickup
- SUPER-40 Shutter provides optimum projection brightness at sound and silent speeds
- Special tungsten-carbide pulldown tooth gives long life
- 12-foot, permanently attached power cord with grounding-type plug and lifetime projector lubrication

Equipment includes—KODAK Projection EKTANAR Lens, 2-inch, f/1.6 (L); 750-watt lamp (ANSI Code DDB); 1600-foot KODAK Movie Reel; dynamic microphone. Film Capacity—2000 feet, 16mm. Power Required—105- to 125-volt, 60 Hz. Underwriters' Laboratories, Inc. Listed. Illumination—750-watt lamp; 1000- or 1200-watt lamp can be used. Amplifier—Printed circuit, all transistor. Separate inputs for microphone and phonograph. Amplifier Frequency Response—20 to 35,000 cycles. Audio Output—12 watts Music Power. Speaker—11 by 6-inch oval. Dimensions—Length 13% inches; width 11½ inches; height 16¾ inches. Weight—37½ pounds.

CAT. No.

141 9779 AV286

List \$1,250.00

KODAK PAGEANT Sound Projector, Magnetic-Optical, Model AV-12M6-K

Differs from domestic version as follows: 50/60 Hz, 120-volt operation; operation at 24 fps only; operation with projection lamp not higher than 1,000 watths; and has fixed two-blade shutter.

CAT. No.

liet

141 9878 AV286K

\$1,290.00

KODAK PAGEANT Sound Projector, Magnetic-Optical, Model AV-12M6-L

Differs from domestic version in that it is for 50 Hz, 220-volt operation only.

CAT. No.

List \$1,275.00

142 0447 AV286L

Auxiliary Equipment: KODAK 35-foot Speaker Extension Cord, Type B

CINE-KODAK Bifocal Converter

KODAK Projection EKTANON Lenses

DDB Lamp, 750-watt

DFD Lamp, 1000-watt

DHT Lamp, 1200-watt

BSK Photocell Exciter Lamp

PROJECTION AIDS

KODAK Projection Cartridges—For showing super 8 and 8mm films with projectors designed to project these cartridges. The 50-foot cartridge (supplied without reel) accepts super 8 film on a standard 50-foot film return reel; 8mm film has to be transferred to a 50-foot super 8 film return reel such as D533, or to a KODAK Projection Cartridge B (D523), for cartridge projection (see listings below). The 100-foot cartridge is supplied with a special 100-foot movie reel that accepts super 8 and 8mm films. For longer showings, the KODAK Projection Cartridge C (D515) projects 220 feet of film and the KODAK Projection Cartridge D (D517) projects 400 feet of film. Film in a projection cartridge is well protected—never touched. It permits flu utomatic film threading and rewinding. Cartridges are made from tough, translucent, molded material and are supplied with identification labels and loading instructions.



KODAK Projection Cartridge A (super 8, 50-foot) supplied without reel

CAT. No.			List
146 5350	D521		\$.65
KODAK MOV	ie Reel A	(super 8,	50-foot)



CAT. No. Per Reel
106 2868 D533 \$.12

KODAK Projection Cartridge B (super 8, 100-foot) supplied with reel

146 5491	D523
KODAK Pro 220-foot)	
CAT M	

CAT. No.

KODAK Projection Cartridge C (super 8, 220-foot) supplied with reel

CAT. No.		List
148 2850	D515	\$2.95



KODAK Projection Cartridge D (super 8, 400-foot) supplied with reel

CAT.	No.		List
149	1653	D517	\$3.95

KODAK Movie Reels for Super 8 Films—Specially designed for super 8 film. 200- and 400-foot reels are molded of gray polystyrene in rugged single-piece construction, dynamically balanced. Include footage markings and built-in film splicing slot with positioning pins. Packaged in buff-colored storage carton. 1200-foot super 8 reel (for KODAK INSTAMATIC M100, M100A, M100-P, and M100A-P Sound Projectors) constructed of gray metal with footage marking. 1200-foot super 8 can will hold two 1200-foot super 8 reels or one 1200-foot 16mm reel.



KODAK Movie Reel (super 8, 200-foot)

CAT.	No.		List
147	5573	D520	\$1.00

KODAK Movie Reel (super 8, 400-foot)

CAT.	No.		List
147	5557	D540	\$1.25



KODAK Movie Reel (super 8, 1200-foot)

CAT. No. List
147 7330 D512 \$5.00

KODAK Movie Can (super 8, 16mm, 1200-foot)

CAT. No. List 147 7397 D512C \$3.25

KODAK Movie Take-Up Reels—Supplied as original equipment with KODAK INSTAMATIC Movie Projectors. Attractive gray metal. Sprocket teeth at the reel center engage film during automatic threading, and slip-clutch keeps the film under tension. Accepts super 8 and 8mm films. For replacement use only—not to be used as supply reels.

KODAK Movie Take-Up Reel (super 8, 200-foot)

CAT. No.		List
150 0610	D525	\$2.50

KODAK Movie Take-Up Reel (super 8, 400-foot)

CAT. No.		List
150 0636	D545	\$3.50



List

\$.90

KODAK Movie Reels and Film Cans—Protect film from dust and curl. Can be marked for ready identification and neatly stored. Make possible long, uninterrupted showings. The 200- and 400-foot reels have the "easy-load" slot.

CAT.	No.		List
147	8098	200-foot 8mm KODAK Movie Reel & Can	\$ 2.15
147	8007	200-foot 8mm KODAK Movie Can	1.00
147	8031	200-foot 8mm KODAK Movie Reel	1.30
147	8106	400-foot 8mm KODAK Movie Reel & Can	3.35
147	8015	400-foot 8mm KODAK Movie Can	1.70
147	8049	400-foot 8mm KODAK Movie Reel	1.85
147	8114	400-foot 16mm KODAK Movie Reel & Can	3.55
147	8023	400-foot 16mm KODAK Movie Can	1.80
147	8056	400-foot 16mm KODAK Movie Reel	2.00
152	2168	1600-foot 16mm KODAK Movie Reel & Can	9.50
152	2184	1600-foot 16mm KODAK Movie Reel	5.65
152	2176	2000-foot 16mm KODAK Movie Reel & Can	15.50
152	2192	2000-foot 16mm KODAK Movie Reel	8.50



KODAK Projection Screen (40x40 inches)— For use with movie or slide projectors. Incorporates a highly reflective glass-beaded surface, mildew-resistant fabric, and easy-opening tripod leas.

CAT. No.		List
155 8857	338	\$22.95



KODAK EKTALITE Projection Screen, Model 3 (40x40)—Produces over six times the brightness of present lenticular screens within its 60-degreewide viewing area, so it is ideal for the projection of visuals in areas of high illumination or where darkening is not practical or desirable. The specially treated aluminum screen surface is mounted in a rugged, one-piece, molded housing and is equipped with a universal mounting bracket. The bracket permits free-standing use on a table or

desk, or suspension from wall or ceiling. The double-curved surface of this rigid screen not only returns more light per unit of screen area but, by nature of its unique curvature and material, will reject stray light originating from outside the projection area. Dimensions (frame size), 45×45 inches. Weight, 14 pounds.

CAT. No. List \$90.00



KODAK Projection EKTANON Lenses—(16mm)—Make possible optimum screen sizes and projection "throws" under unusual conditions. The 1½-inch lens produces extra-large screenings at short distances, while 3- and 4-inch lenses are intended for unusually long projection. For KODASCOPE Projectors, Models G, E, EE, Sixteen-10, Sixteen-20, ANALYST, ROYAL, Sound KODASCOPE Model F Series, and KODAK PAGEANT Sound Projectors.

CAT. N	lo.		List
150 3	093	1½-inch f/2.0 (L)	\$ 65.00
		2-inch f/1.6 (L) (EKTANAR)	40.00
150 3	119	3-inch f/2.0 (L)	129.50
		4-inch f/2.5 (L)	139.50

KODAK Projection Lenses (super 8)—For KODAK INSTAMATIC M70, M80, M85, M90, M95, M100, M100A, M100-P, and M100A-P Movie Projectors.

	LIST
22mm f/1.5 EKTANAR (L) Part No. 625410	\$15.00
22mm f/1.0 EKTAR (L) Part No. 625330	30.00
28mm f/1.5 EKTANAR (L) Part No. 839950	15.00
20mm to 32mm f/1.5 Zoom (L) Part No. 625760	35.00
KODAY Projection Lenses Jounes 81 KODAY INSTAULTIC MA	7 MA7-K MA8

 KODAK Projection Lenses (super 8)—KODAK INSTAMATIC M67, M67-K, M68, M68A, M105, M105P, M105-K, M109, M109-K, and M110 Movie Projectors, and KODAK EKTAGRAPHIC 120 Movie Projector.

 22mm f/1.5 (L) Part No. 625535

 \$15.00

 20mm to 32mm f/1.5 Zoom (L) Part No. 625575

 35.00

KODAK Projection Lenses (super 8)—For KODAK INSTAMATIC M50, M60,M65, and M65A Movie Projectors.List22mm f/1.5 (L) Part No. 625365\$15.00



CINE-KODAK Bifocal Converter (for KODAK Projection EKTANAR or EKTANON Lens, 2-inch f/1.6)—When mounted on a KODAK Projection EKTANAR or EKTANON Lens, 2-inch f/1.6, shortens the effective focal length to 15% inches or lengthens it to 2½ inches, depending on which end of the converter is placed next to the basic lens. It fits all current Kodak 16mm silent and sound projects to the converter is placed next to the basic lens.

jectors . . . and all of their predecessors fitted with the 2-inch f/1.6 lens: Sixteen-10, Sixteen-20, E and EE; Sound KODASCOPE Projector, Models F, FS-10, FS-10N, FB, FB-25, and FB-40.

CAT. No. List \$42.00



KODAK Rewind Film Clips—Used with KODAK Automatic 8, EKTAGRAPHIC 8, and INSTAMATIC M60, M65, M65A, M105, M109, and M110 Projectors. Attach to end of film on inside of supply reel to trigger automatic rewind. 10 clips per package.

		List
		Per Pkg
CAT. No.		of 10
140 8657	D510	\$.40



CAT. No. List 155 1837 \$12.50

KODAK Special Lubricating Oil—Specially designed for Kodak equipment requiring lubrication. 1-ounce bottle.

CAT. No. List 146 4288 \$.90



KODAK Microphone, Model PA-8—For KODAK PAGEANT Sound Projector, Models 12E6 and 12M6, and KODAK INSTAMATIC M100A Sound Projector. Dynamic microphone with 8-foot shielded cable and 0.250-inch diameter standard telephone plug. CAT. No. List 144 8372 \$19.95

Editing Equipment and Supplies



KODAK PRESSTAPE Universal Splicer (8mm, super 8, and 16mm). Accommodates super 8 as well as 8mm and 16mm films. Separate positioning pins for each film size provide proper alignment. A punch is provided for securely seating the splicing tape around the sprocket holes. Supplied with ten super 8 PRESSTAPES, ten 8mm PRESSTAPES and splicing instructions.

CAT. No.		List	
147	5599	D550	\$ 9.50

KODAK PRESSTAPES (super 8)



CAT. No. Pkg of 20 147 5771 69 \$.55

KODAK PRESSTAPES (8mm) CAT. No. 154 9914 65

KODAK PRESSTAPES (16mm)

CAT. No.

154 9922 66 \$.55



KODAK Movie Film Cleaner (with lubricant)— Helps to keep film ready for clear projection at all times. 4-ounce bottle.

CAT. No. List 195 6440 \$ 1.20



KODAK Film Cement—For speedy, smooth, permanent splicing.

CAT.	No.		 ist
195	6218	½-ounce bottle	\$.80
195	6192	2-ounce	
		bottle	1.20

KODAK Professional Film Cement—Same as above, for large-scale users.

CAT. No.		
195 6176 16-ou	nce can	
	on can	•

.55

Lamps for Movie Projectors

Use ANSI Lamp Code and specify voltage when ordering. If no voltage is specified, the lamp with the lower voltage is supplied.

ANSI Lamp Code	Voltage/Watts	†Average Lamp Life	Specified for	CAT. No.	List Each
			Current projector models:		at travers expenses so
DFE	30/80	15	KODAK INSTAMATIC M67, M67-K, M68A, M105, M105-K, M109, M109-K, and M110 Movie Projectors	109 9779	\$ 5.85
DFN	125 /150	15	KODAK INSTAMATIC M50, M60, M65, M65A, M65-K, M68, and BROWNIE 8 Movie Projector (Model A15)	140 5844	6.25
DNE	120/150	12	KODAK INSTAMATIC M70, M80, M85, and KODAK CARALUX 8 Movie Projectors	147 3834	10.45
DNF	21/150	25	KODAK INSTAMATIC M90, M95, M100A, and M100A-P Movie Projectors	155 7602	10.45
DDB	115-120 /750	25	KODAK PAGEANT Sound, all models; KODAK ANALYST and SHOWTIME 750; KODASCOPE L, G, E, EE, Eight-71, Eight-71A, Eight-90, Eight-90A, Sixteen-10, Sixteen-20, ROYAL, and Sound KODASCOPE Projectors	152 7225	6.50
DFD	115-120 /1000	10	KODAK PAGEANT Sound, all models; KODAK ANALYST and KODASCOPE Eight-71, Eight-71A, Sixteen-10, Sixteen-20, and ROYAL Projectors	152 7282	6.95
DHT	115-120 /1200	10	KODAK PAGEANT AV-255-S, AV-126-TR, AV-256-TR, AV-154-S, AV-154, Type II, MK5, AV-085, 8K5, AV-105M, AV-12E6, AV-12M6, AV-12M6-K, and AV-12M6-L Projectors	154 7132	9.05
	12/100	50	Philips, No. 6834 for KODAK INSTAMATIC M105-P Projector	140 0795	11.85
			Other projector models:		
CZA	120/500 125‡/500	25 25	BROWNIE 500 Movie Projector, Model C and Model A5	156 5548 156 5530	6.50 6.50
CZX	115-120/500 125‡/500	25 25	KODASCOPE L, G, E, EE, K-50, Sixteen-10, Sixteen-20, Eight-70, Eight-70A, Eight-71, Eight-71A, Eight-90, Eight-90A, Eight-33, and Sound KODASCOPE; and KODAK SHOWTIME 500, and BROWNIE 500 Movie Projector, Model A (with 200-foot reel capacity)	152 7142 152 7191	6.25 6.25
DKR	21/150	15	KODAK INSTAMATIC M100 Sound; KODAK CHEVRON 8, Model 1 and Model 10; and KODAK ANALYST 8 Projector, Model A75	140 4201	7.90
DCA	21/150	15	KODAK INSTAMATIC M100-P Sound Projector (115/230-volt)	140 5828	6.75

Exciter Lamp for sound system:

BSK	6-volt, 1 amp—for KODAK PAGEANT Sound Projectors, Models AV-12E6, AV-12M6, AV-12M6-K, AV-12M6-L, AV-126-TR, AV-126-TR-R, AV-256-TR, AV-256-TR-R; KODAK PAGEANT Arc Projector; and EASTMAN 16mm Projector, Models 25, 25B, 25C, 30, and 40	152 6359	2.10
BTD	7-volt, .2 amp—for all KODAK PAGEANT Sound Projectors except models listed for BSK lamp	152 6367	1.65

[†]When operated at the designated voltage.

[‡]An approximately 50% longer life at a 15% reduction in light output is obtained by using a 125-volt lamp on a 120-volt line. The 125-volt lamp is recommended for long-period or continuous projection.

PUBLICATIONS

Paperbound Editions







AW-1





AW-2

CAT. No.

102 5378 AC-52 KODAK Guide-

List \$1.50

America's National Parks

Helps visitors to the National Parks take better and more personal pictures so that they can share the natural beauty with friends and relatives back home.

141 3202 AC-57 KODAK Guide to

Colonial America

1.50

A picture-taking guide through missions, pueblos, presidios, trading posts, log huts, and stone mansions to help the visitor capture the beauty and romance of America's Colonial era.

151 3464 AW-1 How to Make

Good Pictures 32d ed.

1.50

A complete handbook on the fundamentals of "still" photography for the amateur.

146 5319 AW-2 Home Movies

Made Easy .

Covers the basics of home movie-making, plus tips on taking movies of children, vacations, sports. Includes simple techniques for slow motion, animation, existing-light movies. Tips on editing. Each order of 10 copies comes in a display carton which can be set on a counter.

Guides





S-16



CAT. No.

156 9136 R-19 KODAK Color DATAGUIDE.

List \$5.95

Basic descriptive and working data needed to correctly expose, process, and print color pictures in professional and advanced amateur work.

107 8989 S-16 KODAK Projection

Calculator and Seating Guide

2.00

A guide for projection situations involving distance, screen size, lens focal length, and film formats both movie and still, plus seating arrangements for various-sized rooms.

102 1518 S-20 KODAK EKTAGRAPHIC

Responder

.20

A four-color, dial-indicator answering device for classroom survey use. Supplied on punch-out form to be assembled with a paper fastener. The dial, mounted on winged folder, is visible only to the teacher and the individual student.

152 7761 AR-21 KODAK Master

Photoguide .

2.50

Complete information for taking still pictures in black-and-white and color on miniature, roll, pack, and sheet films.

Best Sellers







AC-19



AB-1

.95



AC-44



AC-56

CAT. No.

List 146 4841 AC-1 Picture the Fun with Your KODAK INSTAMATIC Camera \$.75 Gives simple tips for taking good pictures of fun things, such as parties, sports, people, and pets.

104 1938 AC-19 KODAK Pocket Guide to

Good Travel Pictures .50 Pocket-sized guide with on-the-spot information about picture-

147 7108 AB-1 Filters for Black-and-White and Color Pictures 7th ed.

Describes the theory and use of filters.

CAT. No.

144 9461 AC-44 Adventures in

Existing-Light Photography

List \$.95

Thoroughly covers the techniques for taking pictures by existing light. Comprehensive exposure tables provide camera settings for many picture subjects. Loaded with picture ideas.

104 1243 AC-56 Advanced Camera Tech-

niques for 126 and 35mm Cameras

.95

Tells how to make the most of the versatility of an advanced 126 or 35mm camera to get the best possible pictures.

Best Sellers














AD-4

CAT. No. List 147 5656 AD-4 Better Movies in Minutes \$.75

Shows how to make sharp, colorful, and interesting movies, both indoors and out. For the beginner.

tures outdoors, with both KODACHROME and EKTACHROME Films.

155 3015 AE-7 New Adventures in Indoor Color Slides Ideas for making better color slides indoors with flash, photoflood, or existing light. Data on Kodak color films included.

154 6662 AE-9 New Adventures in Outdoor Color Slides Designed to help the advanced color-slide fan make better pic-

102 4686 AE-10 Good Color Pictures-Quick and Easy Simplified tips for taking color pictures with automatic, adjustable, and nonadjustable cameras. Gives advice on daylight and flash photography, close-ups, titling, and showing pictures and slides.

147 5359 AE-81 Here's How Articles on bad-weather pictures, remote releases in nature photography, glassware, tabletops, night photography, subject control, exposure meters.

149 0309 AE-83 More Here's How Articles on titling, building a blind for nature photography, exhibition photographs, KODACOLOR-X Film, multiple flash, lenses, photographing stars.

141 8672 AE-84 The Third Here's How .95 Articles on photographing children, wild flowers; technique articles on KODAK High Speed EKTACHROME Film, flash, colorslide manipulation; the KODAK Colorama.

CAT. No.

List 151 3449 AE-85 The Fourth Here's How \$.95 Articles on movie lenses, color printing, print finishing, slide duplication, slide-tape talks, photographing antique cars.

109 8268 AE-87 The Fifth Here's How .95 Articles on pictorial lighting, underwater photography, photography from the air; photographing cats and dogs, flowers, alassware.

101 4547 AE-88 The Sixth Here's How .95 Articles on photography of insects, the dance; also candid photography, the art of seeing, movie editing, new pictures from old negatives.

146 5137 AE-90 The Seventh Here's How Articles on color infrared photography, top-quality slide projection, photographing motion as color, decorating your home with photographs, creating moods in pictures, and time-lapse

movies. 104 2134 AE-100 The Here's How Book of Photography 9.95

> A compilation of the first six books in the popular "Here's How" publication series. 39 articles, over 400 color pictures. Hardcover edition, 410 pages.

102 6061 AF-1 KODAK Films for

Includes both color and black-and-white KODAK Films. Text portion tells how to choose the right film and how to use it properly for best results. A Data Sheet section gives all the details for each film. Tables summarize the information for convenient reference.

Kodak Professional and Technical Publications











B-3

E-77

F-5











M-27

M-28

N-2

N-9

N-5

CAT. No.

152 8108 B-3 KODAK Filters for Scientific and Technical Uses 1st ed.

List \$2.00

Describes physical, optical, and transmission characteristics of the complete line of Kodak filters.

106 5846 B-3H KODAK Filters for Scientific and Technical Uses*

7.95

Hard-cover edition of popular B-3. Contains removable, 3-page wall chart on most-used Kodak filters.

152 7910 E-74 Color As Seen and

1.00

A readable explanation of the basic principles of color and color photography.

152 7944 E-75 Color Photography

1.00

Making high-quality color pictures in daylight.

152 7928 E-77 KODAK Color Films 6th ed.*

2.50

Covers handling, processing, and technical data on materials for still color photography.

152 8298 F-5 KODAK Professional

Black-and-White Films 1st ed.* 1.50

Making high-caliber negatives on sheet and roll films.

152 7969 M-1 Copying 8th ed.*..... 1.00

> Discusses lighting, exposure, processing; gives data on KODAK Films for copying.

105 8411 M-1H Copying 8th ed*..... 4.95

(hard cover)

147 5144 M-5 Photography from Lightplanes and Helicopters*

> Techniques for low-level, oblique aerial photographs. Covers still photography and motion pictures for both professional photographers and interested amateurs.

*In 81/2x11-inch format.

CAT. No.

155 8394 M-7 Basic Police Photography 2d ed.

List \$1.50

Shows how photography can discover and preserve evidence.

102 1468 M-27 Ultraviolet & Fluores-

cence Photography 1st ed.*

Describes techniques used, materials and equipment needed, and specific applications employed in both ultraviolet and fluorescence photography.

101 8365 M-28 Applied Infrared

Photography 1st ed.*

Describes the uses of outdoor and indoor still and motionpicture infrared photography in over 40 fields.

142 7665 M-27/28H Infrared and

Ultraviolet Photography*

9.95

Hard-cover edition of two data books. M-27 and M-28

151 9982 N-1 Medical Infrared

Photography 2d ed.*....

Black-and-white and color infrared applications and techniques -infrared luminescence. Extensive bibliography-43 figures.

146 0518 N-2 Cinephotomicrography*

A comprehensive guide to successful motion-picture taking through the microscope. Illustrated with many practical examples of the technique.

154 9906 N-5 Photography of

Gross Specimens

1.00

Helps in medical photography of pathological specimens.

147 2364 N-9 Basic Scientific

Photography*

Introduces the student and advanced amateur to the applications of photography for illustrating and documenting the natural sciences, archaeology, and bio-medicine.

Kodak Professional and Technical Publications








\$ 2.75

1.95





List

1.00

CAT. No.

109 7583 N-12A Close-Up

Photography (Volume I)*....

Provides an in-depth treatment of close-up photography and its uses in scientific, forensic, professional, and amateur photography.

109 7609 N-12B Photomacrography

(Volume II)* 2.75

An extensive description of photomacrography (the technique of making large images of small objects without the aid of a microscope). Many illustrations in black-and-white and color.

141 6858 N-16 Close-Up Photography and Photomacrography

(Hard-cover edition of

N-12A and N-12B) 10.00

103 6508 N-17 KODAK Infrared Films*

Discusses the photographic properties and discriminating effects of infrared radiation in terms easily understood by practicing photographers. Includes complete description of films for infrared photography.

103 4099 O-1 Basic Principles of Business Management for the

Small Photographic Studio*

Aimed at providing constructive answers to the many questions of a business nature that face professional photographers.

157 3955 O-4 Studio Techniques for

Portrait Photography 1st ed.

Emphasizes lighting and other techniques for portraits in blackand-white and color.

152 8371 P-2 Photography through the

Microscope 5th ed.* 2.50

Describes photomicrographic equipment and techniques.

153 8065 P-18 Basic Production Tech-

niques for Motion Pictures*

"How-to" information for business, education, government, industry, medicine, television. CAT. No.

140 5232 P-37 KODAK Films for

Cathode-Ray Tube Recording* \$ 1.00
guide in selecting the film best suited to specific applications

A guide in selecting the film best suited to specific applications of cathode-ray tube photography.

156 3659 P-39 Photomicrography of

Metals* 1.25

Expanded data book contains information on sample preparation, color-correction filters, exposure methods, and the latest films for black-and-white and color photomicrography.

103 4560 P-39A Photomicrography of

Metals* 5.00

(Hard-bound edition of P-39.)

141 8839 P-52 Techniques of

Microphotography* 1.25

Discusses recommended techniques for making precise photographs of drawings at great reductions.

146 0385 P-79 An Introduction to

Photofabrication Using KODAK

Photosensitive Resists 1st ed.*. 1.25

Presents basic techniques of a new and unique process for etching and plating metal surfaces.

101 8464 P-130 Basic Oscillography

1st ed.*

Presents basic techniques of photographically recording visible wave forms on an oscillograph.

102 4918 P-192 KODAK Photoresist

Seminar Proceedings—1968

Edition* (Volume I and Volume II). 2.00

Presents papers given at 1967 and 1968 Kodak-sponsored seminars on Kodak products and their role in the rapidly expanding field of microminiaturization.

108 1652 P-195 Collected Papers from


Kodak Seminars on Microminia-


turization (1965-66)* 1.00

Topics include photo-mask making, resist evaluation, photography near the diffraction limit, photoresist process optimization.

^{*}In 81/2×11-inch format.

Kodak Professional and Technical Publications











P-37

P-39

P-130

CAT. No.

141 5603 P-209 Proceedings—Kodak Photoresist Seminar-1969*

List

152 8363 S-8 Producing Slides and

CAT. No.

List

Papers on such topics as laser interferometer, optical inter-

\$ 1.50

Filmstrips 5th ed. \$ 1.75 Covers preparation of visual presentations for industrial, tech-

ferometer, wafer contamination, and photochemical smog. 108 3757 P-215 Nameplates by Photofabrication with KODAK

Photosensitive Resists*

Microminiaturization*

1.00

Describes photofabrication techniques used in nameplate production. Gives complete details.

148 5085 P-228 Proceedings of the 1970 Kodak Seminar on

1.50

Presents the papers on microminiaturization and microphotography given by experts in the field at the 1970 seminar.

105 8338 P-246 Photofabrication **Methods with KODAK** Photosensitive Resists*

1.75

Presents a process-oriented sequence of photofabrication methods. Process methods, rather than end products, are stressed.

147 2760 P-300 Lens Extension Tables*

These tables help to eliminate much of the calculating involved when lens extensions are used to obtain a given subject distance or desired magnification.

nical, and educational purposes. 157 2247 S-21 Basic Titling and

Animation for Motion Pictures 2d ed.*

1.95

Addressed to the small-scale producer of titles and/or animated films, such as the teacher, trainer, in-plant photographer. Sources of equipment needed; bibliography; glossary.

108 3872 S-27 Basic Magnetic Sound **Recording for Motion** Pictures*

1.25

Describes basic techniques, such as use of current equipment, script preparation, shooting for sound, recording sound, and editing.

141 3749 W-12 Radiography in Modern Industry 3d ed. ...

12.00

Five-part data book on industrial radiography, Special card brings periodic supplements on films, processing, and bibliography.

Binders

CAT. No. 152 7548

AW-22 KODAK Photographic Notebook

List \$1.95

CAT. No.
107 9342 W-4 Binder for Kodak
Technical Information

List \$2.49



Designed to hold 53/4x81/2-inch publications, this binder makes possible a photographic handbook tailored to individual interests and needs. Includes backbone title strips and tabbed separator pages. Most of the Photo Information Books and Customer Service Pamphlets are punched to fit either the KODAK Photographic Notebook or the Binder for Kodak Technical Information.



This deluxe binder is designed to hold $8\frac{1}{2} \times 11$ -inch technical publications, but it will also accommodate the smaller $5\frac{3}{4} \times 8\frac{1}{2}$ -inch publications. It contains blank separators, printed index strips to classify Kodak technical information, and 13 sheets of note paper.

Customer Service Pamphlets

Customer Service Pamphlets are informational pamphlets which provide answers to a multitude of picture-taking questions.

		List			List
	Equipment, Picture-taking Tips, Close-ups	Each		Movies	Each
AA-1	Maintaining Your Still and Movie Camera		AD-1	Questions and Answers About KODAK Super 8	
	and Projector	\$.15		Film Cartridges	\$.05
AA-2	Accurate Exposure with All Types of Meters	.15	AD-6°	What Happened to My Movies?	.05
AA-3	Some Questions and Answers About Camera		AD-7	Lubricating Your Processed Movies	.05
	Lenses	.10	AD-10	Making a Movie	.20
AA-5	How to Make and Use a Pinhole Camera	.15	AD-11	Indoor Movie-Making	.10
AA-6	Slide Showmanship with a KODAK CAROUSEL		AD-12	Movies of Babies and Children	.15
	Projector	.10	AD-13	Movies on the Move—Your Vacation	.15
AA-9	A Glossary of Photographic Terms	.15	AD-20	Sources of Motion-Picture Services and	
AA-10°	Do You Want Your Flash to Fire?	.05		Equipment—16mm, 8mm, and super 8	.10
AA-11	Which Cube Should I Use with My		AD-21	Getting the Most Out of Your 8mm Film	.10
	KODAK INSTAMATIC Camera?	.05	AD-22	KODAK 16mm Movie Films	.10
AA-23	How to Use an Eye-Level Viewfinder	.05	AD-26	Editing Your Movies	.15
AA-26	Optical Formulas and Their Application	.10	AD-28	Tips on Using KODAK Super 8 Movie Film	.05
AB-10	Close-up Pictures with 35mm Cameras	.10	AD-29	Care of Your Processed KODAK Movie Films	.10
AB-11	Close-up Pictures of Flowers and Other Small		AD-30	Close-up Movies	.10
	Objects, Using KODAK INSTAMATIC and		AD-32	Exposure Control with Automatic Movie	
	BROWNIE Star Cameras	.15		Cameras	.05
AC-4	Successful Flash Operation with		AD-43	Showmanship in Home-Movie Projection	.10
	Battery-Powered Flash	.05			
AC-5	Snapshots by Photoflood	.05			
AC-8	Snapshots of Babies and Children	.10			
AC-10	Photographing Television Images	.15		Color Photography	
AC-11	Composition	.20	AE-2	Getting the Most Out of KODAK High Speed	
AC-13	Photography in 5 Minutes	.10		EKTACHROME Films	.15
AC-17	Tips for Photographing Your Trip Abroad	.20	AE-3	Color Photography Under Fluorescent	
AC-18	Ideas for Photo Greeting Cards	.20		Lighting	.05
AC-20	Astrophotography with Your Camera	.15	AE-4°	Better Pictures-Next Time!	.15
AC-25	Underwater Photography	.10	AE-12	Introduction to Processing and Printing KODAK	
AC-26	Improve Your Environment Fight			Color Films	.15
	Pollution with Pictures	1.00	AE-21	Black-and-White Prints from KODAK Color Films	.10
AC-27	How to Set Your Adjustable Camera	.05	AE-22	Prevention and Removal of Fungus on	
AC-28	Picture-Taking Through Binoculars	.05		Prints and Films	.10
AC-29	Taking Pictures During an Airplane Trip	.05	AE-31	Printing Color Films Developed as	
AC-33	Pictures Are Fun	.15		Black-and-White	.05
AC-34	Tips for Good Pictures of Commencement Day	.10	AE-36	Mounting Slides in Glass	.10
AC-37	Exposure with Portable Electronic Flash Units	.10	AE-41	KODAK Color Films for Still Cameras—	
AC-39°	Kodak Tips on Taking Flower Pictures	.15		Roll, 135, and 126	.15
AC-41	Photography—How It Works (Wall Chart)	.35	AE-46	Loading and Handling 35mm Cameras	.10
AC-42	Photographing Fireworks Displays with Still		AE-50°	Take-Home Tips for Better Color Pictures	.05
	and Movie Cameras	.05	AE-91	Care of Your Color Prints	.05
AC-60	Easy Ways to Make Still and Movie Titles	.15	AE-92	Selecting Slides for Color Prints	.05

[°]Lots of 100 or more can be imprinted on order for a flat charge of \$1, regardless of quantity; no imprint is available on lots of 10.

Customer Service Pamphlets

	Films, Papers, Processing, Miscellaneous	List Each		Education, Camera Clubs	List Each
AF-7	Storage and Care of KODAK Black-and-White		AT-5	Photo Reports Make It Happen	\$.10
	Films in Rolls	\$.10	AT-13	Student Pictures for School Publications	.20
AF-8	How to Check Your Exposure Meter and		AT-15	Photography in Your Future	.15
	Camera	.05	AT-44	Happiness Is a Camera Club	.10
AF-16	Data-KODAK Black-and-White Films-		AT-45	Photographic Equipment for Group	
	Roll, 135, and 126	.10		Instruction and Activities	.05
AF-18	Equivalent Exposure Meter Settings	.05	AT-50	Managing the High-School Camera Club	.10
AM-2	Basic Copying	.10	AT-51	How to Start a Camera Club	.20
AM-3	Give Your Home Personality with		AT-53	How to Run a Live Camera Club	.50
	Photographs	.20	AT-56	Designing a Photo Course	.10
AM-4°	Photos Help You When Disaster Strikes	.15	AT-62	A Camera Club Merit-Award System	.20
AM-10	Solar-Eclipse Photography for the Amateur	.10	AT-104	보고 있다. 그 전에 전혀 전체들은 1일을 즐겁지다는 전혀보고 있다면 보고 있는데 얼굴하다 것 같아. 그런데 보고 있는데 보고 있다면 보고 있다면 보고 있다.	.15
AM-18	Lunar-Eclipse Photography	.05			
AN-6	Photomicrography with Simple Cameras	.10			
AN-15	Photomicrography with the KODAK INSTAMATIC Reflex Camera and the KODAK INSTAMATIC				
	Reflex Microscope Adapter	.10			

[°]Lots of 100 or more can be imprinted on order for a flat charge of \$1, regardless of quantity; no imprint is available on lots of 10.

Now from KODAK: super 8

A new film and camera to let you take movies by the light you live in.

The KODAK XL55 Movie Camera

The XL55 lets you take movies from sunlight to candlelight—without movie lights or other special lighting.

Just drop in Kodak Ektachrome 160 Movie Film (Type A) and you get up to 4½ stops more exposure than before.

Now you can film in super 8 color in seven, or less, footcandles of light. The *Kodak* XL55 Movie Camera is less than \$215.



Type A filter setting with the flick of a finger you can set the filter for shooting indoors or out. Superimposed image rangefinder—
helps you focus accurately from six feet to infinity.

End-of-film signal visible through the viewfinder, this bright-red signal alerts you when you have about three feet of film remaining.

color movies by existing light.



High Speed KODAK EKTACHROME 160 Movie Film

Four times the speed of Kodachrome II Film. Speed: 160 (tungsten), 100 (daylight with Type A filter). Great color balance and detail-recording ability. Use Ektachrome 160 Movie Film in the Kodak XL Movie Cameras. You can use it in many other super 8 cameras as well. While you won't achieve the full capabilities of low-light moviemaking, you'll still be able to film scenes at much lower light levels than with conventional super 8 color film. Check with your photo dealer to see if your present camera will accept high-speed Kodak Ektachrome 160 Movie Film.

Movie-light slot useful when filming with Kodachrome II or Kodak Ektachrome 40 Movie Film indoors. Dust cover (shown) included.

Filming speeds—
normal 18 fps and fastmotion 9 fps. Quickly set for
either one. The latter gives
you an extra full
stop of light.

Instant loading-

just open back of camera and drop in film cartridge. No threading. Cartridge automatically sets exposure control.

Film-supply indicator easy-to-read indicator tells you how much unexposed film is left.

CdS electric eye-

controls solid-state amplifier to power sophisticated double-vane lens aperture for highly accurate exposure control at both 9 and 18 fps.

9mm to 21mm power zoom f/1.2 Ektar lens—

finger-tip control lets you zoom in and out smoothly, quickly. The power zoom will operate even when you're not filming. Allows you to preview the scene you want throughout the zoom range.

Tripod socket standard size, accommodates all conventional tripods.

Ultra-fast f/1.2 Ektar Lens—

right now it's the fastest lens on any super 8 movie camera. This 10-element, 9mm to 21mm zoom lens gives you wide-angle scene coverage and lets you capture action clearly in lower-light situations than ever before. Remarkable 230° shutter—

an efficiency breakthrough for super 8 movie cameras. Helps you shoot in natural- and artificial-light situations never before possible. This shutter gives you 40% more exposure than the normal 165° shutter.

Greater depth of field—with the new 9mm lens,

with the new 9mm lens, you can now capture your world sharply and clearly, from close-ups of a few feet on out to infinity. Low-light signal—
orange signal, visible through

viewfinder, appears when scene presents insufficient light for fully exposed movies.

Price subject to change without notice.

KODAK COLOR FILMS

KODAK COLO					KODA			ED AN		MBER				
ROLL FIL	MS	BALANCED FOR	DAYI	LIGHT	FLAS	н	EDITOR SERVICE DESCRIPTION	DLAMPS DO K)	CONTROL OF STREET	STEN OOK)	ELECTRONIC FLASH	PI	ROCESSING	
			Speed	Filter	Bulb	Filter	Speed	Filter	Speed	Filter	Filter	-	(ODAK Chemicals 10)	
KODACHROME II (D For color slides ①	aylight) (K)	Daylight or Blue Flash	25	None	Blue	None	8	80B	6	80A	None	e c	By Kodak labs and photofinishers.	
KODACHROME II PROFESSIONAL (Type A) (KPA) For color slides 1 135-36 only		Photolamps (3400 K)	25	85	Clear	81C	40	None	32	82A	Not recom.	Sent to Kodak by dealers or direct by users with KODAK	Sent to Kodak by dealers or direct by users with KODAK	
KODACHROME-X (K	(X)	Daylight or Blue Flash	64	None	Blue	None	20	80B	16	80A	None		Prepaid Processing Mailers.	
KODACOLOR II (C) For color prints 2	10-12 and 110-2	Daylight or O Blue Flash	80	None	Blue	None	25	80B3	20	80A3	-	Flexi- color		
KODACOLOR-X (C) For color prints 2	()	Daylight or Blue Flash	80	None	Blue	None	25	80B3	20	80A3	None34	C-22		
EKTACOLOR PROFE TYPE S (CPS). For co 120, 220, 620, and Expose 1/10 sec or	lor prints② 135-36	Electronic Flash, Daylight, or Blue Flash	100	None	Blue ⑤	None	32	80B	25	80A	None	Process (By Kodak, other labs, or users. Sent to Kodak by dealers or direct by	
EKTACHROME-X (EX For color slides 1)	(1)6	Daylight or Blue Flash	64	None	Blue	None	20	80B	16	80A	None ④	E-4	users with KODAK Prepaid Processing Mailers.	
HIGH SPEED EKTACHROME®	Daylight (EH)	Daylight or Blue Flash	160	None	Blue	None	50	80B	40	80A	None	Process E		
For color slides 1 120, 126 (Daylight only), and 135	Tungsten (EHB)	3200 K or existing tungsten	80	85B	Clear Blue	81C 85B	100	81A	125⑦	None	85B	Pre		
EKTACHROME PROFESSIONAL	Daylight Type (EP)	Daylight or Blue Flash	50®	None®	Blue 5	None	Not	recom.	Not	recom.	None ④	Process E-3	Not by Kodak. Use KODAK EKTACHROME Film Processing Kit,	
For color transparencies. 1 120 only	Type B (EPB)	3200 K Tungsten	25	85B	Clear	81C	25	81A	32®	None®	Not recom.	Pr	Process E-3.	
SHEET FI	LMS	BALANCED	DAY	LIGHT	FLAS	Н	Blooming to the second	LAMPS O K)	CONTRACTOR STREET	GSTEN 00 K)	ELECTRONIC FLASH	P	ROCESSING	
		FOR	Speed	Filter	Bulb	Filter	Speed	Filter	r Speed Filter Filter		Filter			
EKTACHROME For color	6115, Daylight Type	Daylight or Blue Flash	50®	None®	Blue 5	None	Not	recom.	Not	recom.	None 4	Process E-3	Not by Kodak. Use KODAK EKTACHROME	
transparencies 1	6116, Type B	3200 K Tungsten	25	85B	Clear	81C	25	81A	32®	None®	Not recom.	Proces	Film Processing Kit, Process E-3.	
MOVIE FI	IIMS	BALANCED		DAYLIG	нт	PHOT	OLAMP	\$ (3400	K)	TUNGSTE	N (3200 K)	PI	ROCESSING	
MOVILI		FOR	Spe	eed	Filter	S	peed	Filter		Speed	Filter			
KODACHROME II For color movies	Daylight (K)	Daylight	2	!5	None		8	80B		No	t recom.	r user		
8, super 8 (Type A only), & 16mm	Type A (KA)	Movie Light (3400 K)		25	85		40	Non	ie	No	ot recom.	Not for	Sent to Kodak by	
EKTACHROME 40 For color movies super 8	Type A (EMA)	Movie Light (3400 K)		25	85		40	Nor	ne	No	ot recom.	dealers or direct by users with KODAK Prepaid Processing Mailers.		
EKTACHROME 160 For color movies in limited light. Sup. 8	Type A (ELA)	Tungsten	1	00	859		160	Non	ie	160	None 7			
EKTACHROME MS 7 For color movies in	256 (EMS)	Daylight	6	64	None		20	80B		16	80A	Process ME-4	By Kodak and other labs. Sent to Kodak by dealers.	

Notes ①: See bottom of next page.

KODAK BLACK-AND-WHITE FILMS

RODAR FILM (CODE)	PROPERTIES & DURDOCT	SPEEDS		
ROLL FILMS	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
VERICHROME PAN (VP)—rolls and for Cirkut cameras	All-round use.	125	125	
PLUS-X PAN (PX)-1351	General-purpose film.	125	125	
TRI-X PAN (TX) 1	Very fast. For limited light, action.	400	400	
PANATOMIC-X (FX)—120 and 13511	Extremely fine grain.	32	32	
PLUS-X PAN PROFESSIONAL (PXP)— 120 and 220 in 20-roll packages; film packs	General-purpose film.	125	125	
TRI-X PAN PROFESSIONAL (TXP)— 120 and 220 in 20-roll packages; film packs	Superior highlight brilliance, good contrast control, retouching surface on both sides.	320	320	
ROYAL-X PAN (RX)—120 only	Ultra-fast. For existing light.	1250	1250⑥	
HIGH CONTRAST COPY 5069 (HC)—135-36	Panchromatic; for line copying.	_	64	
MOVIE FILMS, 16mm	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
PLUS-X REVERSAL 7276 (PXR)	General use. Processes to projection original.	50	40	
TRI-X REVERSAL 7278 (TXR)	High speed. Processes to projection original.	200	160	
4-X REVERSAL 7277 (4XR)	Very fast. For limited light. Processes to projection original.	400	320	
EASTMAN PLUS-X NEGATIVE 7231 (PXN)	General purpose. Develops to negative.	80	64	
EASTMAN DOUBLE-X NEGATIVE 7222 (DXN)	Medium-high speed, negative film.	250	200	
SHEET FILMS	PROPERTIES & PURPOSE	DAYLIGHT	TUNGSTEN	
EKTAPAN 4162 (ESTAR Thick Base) 129	For portraits by electronic flash and general use.	100	100	
PLUS-X PAN PROFESSIONAL 4147 (ESTAR Thick Base) 129	Excellent definition. For portrait and commercial work.	125	125	
SUPER-XX PAN 4142 (ESTAR Thick Base)	Long tonal gradation. Color-separation negatives.	200	200	
SUPER PANCHRO-PRESS 6146, TYPE B	General purpose. Good contrast control.	250	250	
TRI-X PAN PROFESSIONAL 4164 (ESTAR Thick Base)	Superior highlight brilliance, good contrast control.	320	320	
TRI-X ORTHO 4163 (ESTAR Thick Base)	Superior highlight brilliance. For men's portraits and commercial subjects.	320	200	
ROYAL PAN 4141 (ESTAR Thick Base) 129	High speed. General purpose.	400	400	
ROYAL-X PAN 4166 (ESTAR Thick Base)	Ultra-fast. For available-light exposure.	1250	1250⑥	
COMMERCIAL 6127	Blue-sensitive. For continuous-tone copying, transparencies.	50 (2013)	8	
CONTRAST PROCESS ORTHO 4154 (ESTAR Thick Base)	Extremely high contrast. For line copies.	10013	50	
CONTRAST PROCESS PAN 4155 (ESTAR Thick Base)	Extremely high contrast. For colored line copies.	100®	80	

Notes: 1 Must be processed into slides or transparencies before prints can be made.

2 Must be developed to negatives before prints or slides can be made.

 Filter recommendations are for amateur use in making negatives to be printed by photofinishers.
 If results are consistently bluish, use a CC05Y or CC10Y Filter with KODAK EKTACHROME Professional Films (Process E-3); use a No. 81B Filter with KODAK EKTACHROME-X or KODACOLOR-X Films. Increase exposure 1/3 stop when a CC10Y or No. 81B Filter is used.

Retains highlight gradation in copies.

Or clear bulbs with No. 80C Filter; use No. 80D Filter with zirconium-filled clear bulbs such as AG-1 and M3.

Processing can be varied to make effective film speed higher or lower.
 Also existing tungsten.

8 See film instructions.

- Also for fluorescent lights, mercury-vapor lamps, carbon-arc spotlights, and television screens.
- (1) Also available in long rolls, 35mm perforated and 70mm perforated.

Also available in long rolls, 3½ in. wide.
 Speed to white-flame arc.

PROFESSIONAL COPY FILM 4125 (ESTAR Thick Base)

KODAK FILM (CODE)

EASTMAN KODAK COMPANY • ROCHESTER, N. Y. 14650

NOTICE: Films listed herein will be replaced if defective in manufacture, labeling, or packaging, or if damaged or lost by us or any subsidiary company. Except for such replacement, the sale, processing, or other handling of these films for any purpose is without other warranty or liability, even though such defect, damage, or loss may have been caused by our negligence or other fault. Since color dyes may in time change, color films will not be replaced for, or otherwise warranted against, any change in color.

25 13

STILL AND MOVIE FILMS

KODAK Films for Color Prints and Color Enlargements



KODACOLOR-X

For color snapshots in daylight or with blue flashbulbs. Produces negatives for color prints, and enlargements up to 11 x 14 inches. ASA 80. Developed (Process C-22) and printed by Kodak and other laboratories.

KODACOLOR-	X	List
	CAT. No.	Per Roll
CX116	141 5710	\$1.75
CX120	141 5959	1.25
CX126-12	141 4051	1.40
CX126-20	150 1956	1.95
CX127	141 5835	1.25
CX616	141 5975	1.75
CX620	141 5876	1.25
CX828	141 5819	.95
CX135-20	141 5793	1.95
CX135-36	177 2177	2.75



KODACOLOR II

New for color snapshots in daylight or with blue flashbulbs. Available in 110-size film cartridges, this film offers reduced grain for greater sharpness. Produces negatives for color prints, and enlargments up to 5 x 7 inches. ASA 64. Developed in KODAK FLEXICOLOR Chemicals and printed by Kodak and other laboratories.

KODACOLOR	II	List
	CAT. No.	Per Roll
C110-12	159 4316	\$1.40
C110-20	159 4357	1.95

KODAK Films for Color Slides



KODACHROME II

The universal favorite for color slides in daylight or with blue flashbulbs. Has excellent color quality, extreme sharpness, and low graininess, with moderate speed (ASA 25). Processed by Kodak and other laboratories (Process K-12).

KODACHROM	IE II (Daylight)	List
	CAT. No.	Per Roll
K828	157 0167	\$1.00
K135-20	157 0183	2.10
K135-36	157 0209	2.95



KODACHROME-X

For color slides in daylight or with blue flashbulbs. Somewhat faster (ASA 64) than KODACHROME II, with high sharpness and very fine grain. Processed by Kodak and other laboratories (Process K-12).

KODACHROMI	-X	List
	CAT. No.	Per Roll
KX110-20	159 4399	\$2.10
KX126-20	141 4010	2.10
KX135-20	141 4093	2.10
KX135-36	141 4119	2.95



EKTACHROME-X

For color slides in daylight (ASA 64) or with blue flashbulbs. Extremely brilliant colors, medium sharpness, and extremely fine grain. Can be processed by user, Kodak, or other laboratories (Process E-4).

EKINGIIKO	MP-V	Figi
	CAT. No.	Per Roll
EX110-20	159 4456	\$2.30
EX120	141 4317	1.35
EX126-20	141 4036	2.30
EX127	142 0967	1.35
EX620	141 4275	1.35
EX828	141 7328	1.10
EX135-20	141 4234	2.30
EX135-3	141 4259	3.20

EKTACHROME-X



High Speed EKTACHROME—This fast film for color slides is supplied in two types:

Daylight (ASA 160) for action outdoors, interiors lighted by daylight or fluorescent lights, and blue flashbulbs. Processed by user, Kodak, or other laboratories (Process E-4).

High Speed E	KTACHROME	List
Daylight	CAT. No.	Per Roll
EH120	140 7717	\$1.70
EH126-20	140 0951	2.70
EH135-20	155 7206	2.70
EH135-36	165 5737	3.75

Tungsten, balanced for 3200 K tungsten illumination (ASA 125), can also be used with available incandescent lighting. Can be exposed in daylight at ASA 80 with 85B Filter over the camera lens. Processed by user, Kodak, or other laboratories (Process E-4).

High Speed	List	
Tungsten	CAT. No.	Per Roll
EHB120	140 7733	\$1.70
EHB135-20	155 7198	2.70
EHB135-36	166 6148	3.75

KODAK Films for Color Movies



KODACHROME II (Type A) in super 8 cartridge

For KODAK INSTAMATIC and other super 8 Movie Cameras. This KODACHROME Film with extremely low graininess and a high degree of sharpness is for use indoors with movie lights (3400 K) (speed 40) or outdoors with the built-in Type A Camera Filter (speed 25). Package quantity, 20. Case quantity, 200. Processed by Kodak and other laboratories (Process K-12).

KODACHROME II (Type A)

		List
	CAT. No.	Per Roll
KA464	192 0479	\$3.20
50-ft cart	ridge	

KODACHROME II (Daylight and Type A)

This KODACHROME Film has extreme low graininess and a high degree of sharpness. Daylight type has speed 25 for use outdoors. Type A has speed 40 for use indoors with movie lights (3400 K) or outdoors at speed 25 with Type A Filter. Both processed by Kodak and other laboratories (Process K-12).



KODACHROME II, double 8mm

Package quantity, 20. Case quantity, 200 (459), 100 (460).

		List
	CAT. No.	Per Roll
K459 (Daylight) KA459 (Type A) 25 ft on camera	157 0258 157 0563	\$2.95
K460 (Daylight) KA460 (Type A)	157 0233 157 0548	4.25
25-ft magazine Magazine depo	sit	+.50
Price including	deposit	\$4.75

KODACHROME II, 16mm

Case quantity, 50 (447, 449), 30 (450).

	,,,,	
		List
	CAT. No.	Per Roll
K447 (Daylight) KA447 (Type A) 50-ft magazine	157 0290 157 0605	\$6.70
Magazine depo	sit	+.85
Price including	deposit	\$7.55
K449 (Daylight) KA449 (Type A)	157 0647	9.70
100 ft on camer K450 (Daylight) 200 ft on camer	157 0407	18.50



EKTACHROME (Type A) in super 8 cartridge

Package quantity, 20. Case quantity, 200. Processed by Kodak and other laboratories (KODAK Super 8 Autoprocess).

KODAK EKTACHROME 160 Movie Film (Type A) in super 8 cartridge—speed 160 (tungsten), 100 (daylight, with built-in camera filter). The high speed of this film, when used in cameras such as the new KODAK XL33 or XL55, makes movies possible under an extremely wide range of lighting conditions—from candlelight to sunlight.

		List
	CAT. No.	Per Roll
ELA464 (speed 160)	175 3771	\$3.95

KODAK EKTACHROME 40 Movie Film (Type A)

in super 8 cartridge—speed 40 (movie light), 25 (daylight, with built-in camera filter). A general purpose color movie film with somewhat different color rendition than KODACHROME II Movie Film (Type A).

	CAT. No.	Per Roll
EMA464 (speed 40) 50-ft cartridge	175 3656	\$3.45

KODAK Films for Black-and-White Prints and Enlargements



VERICHROME Pan

The all-purpose black-and-white film for snapshots outdoors in daylight or indoors by flash. ASA 125.

VP110-12	159	4274	\$.75
VP116	146	9881	.85
VP120	146	9915	.65
VP126-12	140	9119	.75
VP127	146	9949	.65
VP616	146	9899	.85
VP620	146	9923	.65
VP828	147	0509	.65

CAT. No.

PANATOMIC-X

Extremely fine-grain black-and-white film for maximum sharpness and detail. ASA 32.

	CAT. No.	Per Roll
FX120	146 9998	\$.80
FX135-20	147 0699	.95
FX135-36	147 0707	1.35

§With integral leader and trailer for loading in subdued light.

List

Per Roll

KODAK Films for Black-and-White Prints and Enlargements (continued)

Control Military In 1889	TRI-X Pan The high-speed (ASA 400) black-and-white film for fast action or poor light in fully adjustable cameras.	TX120 TX126-12 TX127 TX620 TX135-20 TX135-36	CAT. No. 147 0186 167 8622 147 0202 147 0194 147 0756 147 0764	List Per Roll \$.80 .90 .80 .95
Trocas at the same of the same	PLUS-X Pan		and the second	- List
Modak Plus-X	The all-round black-and-white film for miniature		CAT. No.	Per Roll
PANCKAND COM PICILINAS	cameras, has extra speed (ASA 125) and very	PX135-20	147 0715	\$.95
35-36				

KODAK Carded Films—1 roll on card for self-service retailing



For Black-and-White Prints and Enlargements

VERICHROME Pan			List
The all-purpose black-and-white film for snap-		CAT. No.	Per Roll
	VP126-12 carded	161 7133	\$.75
shots outdoors in daylight or indoors by flash.	VP127 carded	161 7158	.65
ASA 125.	VP620 carded	161 7117	.65

For Color Prints and Color Enlargements

KODACOLOR-X		CAT. No.	Per Roll
For color snapshots in daylight or with blue flash- bulbs. Produces negatives for color prints and en- largements. ASA 80.	CX126-12 carded CX126-20 carded CX127 carded CX620 carded CX135-20 carded	161 7091 166 5983 161 7059 161 7075 165 0985	\$1.40 1.95 1.25 1.25 1.95

For Color Slides

KODACHROME II

The universal favorite for color slides in daylight or with blue flashbulbs. Has excellent color quality, extremely low graininess, and extreme sharpness, with moderate speed (ASA 25).

	CAT. No.	List Per Roll
K135-20 carded	163 3882	\$2.10

KODACHROME-X

For color slides in daylight or with blue flashbulbs. Somewhat faster (ASA 64) than KODACHROME II with high sharpness and very fine grain.

List		CAT. No.	Per Roll
Per Roll	KX126-20 carded	161 7414	\$2.10
\$2.10			

For Color Movies

KA464 carded (super 8)

KODACHROME II (Type A) in super 8 cartridge

For KODAK INSTAMATIC and other super 8 Movie Cameras. This KODACHROME Film with extremely fine grain for greater detail is for use indoors with a movie light (3400 K) (speed 40) or outdoors with built-in Type A Camera Filter (speed 25).

A Camera Filter (speed 25).	
	List
CAT. No.	Per Roll
161 7596	\$3.20

KODACHROME II (Daylight) 8mm

(Speed 25) for use outdoors in daylight.

	CAT. No.	List Per Roll
K459 carded (double 8mm)	161 7570	\$2.95



KODAK Black-and-White Films in Rolls*-35mm Perforated

PANATOMIC	-X-Fine-grain		Per Roll	TRI-X Pan-	-Fast panchromati	ic	Per Roll
		CAT. No.	List			CAT. No.	List
FX401	50 ft	146 9089	\$4.95	TX401	50 ft	146 9170	\$4.95
FX402	100 ft	146 9097	8.65	TX402	100 ft	146 9188	8.65
FX410	271/2 ft	146 9105	3.10	TX410	271/2 ft	146 9196	3.10
			Per Roll				
PLUS-X Pa	n-For all-round use	CAT. No.	List	Direct Pos	itive Panchroma	itic, 5246—Reversal tra	nsparency film
PX401	50 ft	146 9113	\$4.95				Per Roll
PX402	100 ft	146 9121	8.65			CAT. No.	
PX410	271/2 ft	146 9139	3.10	DP402	100 ft	146 9204	1

KODAK Black-and-White Roll Films

Package Quantity-20, Case-300, except as noted.

ROYAL-X Pan-Ultra-fast panchromatic. Not for general use.

		Per Roll
	CAT. No.	List
RX120	171 2173	\$1.00
PLUS-X Pan Profess	ional—For all-round use	§Per 20 Rolls
	CAT. No.	List
PXP120	147 5995	\$16.00
PXP220	170 5250	32.00

TRI-X Pan Professional—Fast panchromatic, same emulsion as TRI-X sheet film. §Per 20 Rolls

	CAI. No.	List
TXP120	147 4063	\$16.00
TXP220	148 5705	32.00

High Contrast Copy, 5069—For copying only. No standard case quantity.

CAT. No. List HC135-36 171 0060 \$1.35

KODAK Color Roll Films

Prices do not include processing. Package Quantity—20, Case—300, except as noted.

KODACHROME II Professional (Type A)—Color reversal film for transparencies. For use with photoflood illumination. Processed by Kodak and other laboratories (Process K-12).

Per Roll

	CAT. No.	List	
KPA135-36	140 7105	\$2.95	

EKTACHROME Professional—Color reversal film for transparencies. Especially designed for the professional photographer, Daylight and Type B. Processed by user or independent laboratories (Process E-3).

		Per Roll	
Daylight	CAT. No.	List	
EP120	155 4054	\$1.55	
Туре В			
FPR120	175 3631	1 55	

EKTACHROME Infrared—Reversal film for transparencies. Produces false colors of which cyan is the infrared record. Deep yellow filter required for exposure. Refrigerated storage recommended. Processed by Kodak and other laboratories (Processes ME-4, E-4, or EA-5).

Per Roll

	CAT. No.	List
IE135-20	160 7845	\$2.70

EKTACOLOR Professional, Type S—Color negative film especially designed for the professional photographer. Balanced for daylight, electronic flash, or blue flash. Developed (Process C-22) and printed by user, Kodak, or other laboratories.

Per Roll

	CAT. No.	List
CPS620	143 0560	\$ 1.45
CPS120	141 5173	1.45
CPS135-36	163 2314	3.15
		§Per 20 Rolls
	CAT. No.	List
CPS120	147 4048	\$29.00
CPS220	148 5689	58.00

*When ordering, specify roll length in addition to full product description.

When ordering CPS120, specify if Professional Pack is desired.

Consult your dealer for his selling price.

§Professional Pack (20-roll package, heat-sealed, foil-wrapped rolls without individual cartons).

KODAK Roll Films

Orders for these products should be in standard package or case quantities whenever possible. This will help us to interpret orders correctly and expedite delivery.

	Roll Film Num	bers and Descripti	ons
Roll No.	Exp	oosures	Neg Size In
116		8	21/2×41/4
		16	15/8×21/4
120	}	12	21/4×21/4
		8	21/4×31/4
		16	13/6×13/6
127	{	12	15/8×15/8
		8	1 5/8 x 2 1/2
220	J	24	21/4×21/4
220	1	20	21/4×23/4
616		16	21/8×21/2
010		8	21/2×41/4
		16	15/8×21/4
620	{	12	21/4×21/4
		8	21/4×31/4
828		8	28x40mm
KODAK File	ns in 110 Cartrid	ge	
Roll No.	Exp	osures	Neg Size
110-12		12	13x17mm
110-20		20	13x17mm
KODAK File	ms in 126 Cartri	dge	
Roll No.	Exp	oosures	Neg Size
126-12		12	28x28mm
126-20		20	28x28mm
KODAK Ro	Il Films in 135 M	agazines	
	Exposures	Exposures	Stereo Pairs
Roll No.	24x36mm	18x24mm	23x24mm
135-20	20	40	15

135-36

28

Super 8 Black and White FOR CARTRIDGE MOVIE CAMERAS

PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Processed by commercial laboratories. Package quantity 20.

Case CAT. No. Quan

PXR464 50-ft cartridge 200 157 7394

TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories. Package quantity 20.

Case

CAT. No.

TXR464 50-ft cartridge

Quan 200 174 0877

Double 8mm Color FOR MOVIE CAMERAS

KODACHROME II (Daylight)

KODACHROME II (Type A)

Color projection film for all-round use. Processed by Kodak and other laboratories (Process K-12). Case

Daylight Quan CAT. No. K461 100 ft on camera spool \$\ddot\ 50 157 0274 \$10.15

Type A

KA461 100 ft on camera spool \$\frac{1}{2} 50 157 0589 10.15

KODACHROME II (Type A) (Magnetic Striped)

Color projection film for magnetic sound recording either before or after processing. Base side of film has magnetic stripe 30 mils wide along both edges. Processed by Kodak and other laboratories (Process K-12).

Case Per Roll

List

CAT. No. Quan KA558

50 ft on camera spool ‡ 40 191 4530 \$7.15

16mm Perforated Two Edges FOR MOTION-PICTURE CAMERAS*

EKTACHROME MS, 7256

Medium-speed color projection film for use in limited light. Daylight type only. Processed by Kodak and other laboratories (Process ME-4).

		Case			
		Quan	CAT.	No.	
EMS449	100 ft on camera spool‡	50	141	4846	
EMS450	200 ft on camera spool	30	141	4960	

PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Processed by commercial laboratories.

TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories.

			CAT.	No.	
TXR447	50-ft magazine Magazine deposit Price including deposit	50	153	4379	
TXR449	100 ft on camera spool	50	147	2133	
TXR450	200 ft on camera spool‡	30	147	2166	

4-X Reversal, 7277

High-speed panchromatic black-and-white projection film having twice the speed of KODAK TRI-X Reversal Film. Processed by commercial laboratories.

		Quan	CAT. No.	
4XR449	100 ft on camera spool‡	50	154 3495	
4XR450	200 ft on camera spool	30	174 1974	

EASTMAN PLUS-X Negative, 7231

Black-and-white panchromatic negative film for all-round use. Developed and printed by commercial laboratories.

			CAT. No.	
PXN449	100 ft on camera spool‡	50	191 3490	
PXN450	200 ft on camera spool‡	30	191 3516	

EASTMAN DOUBLE-X Negative, 7222

High-speed black-and-white panchromatic negative film for use in limited light. Developed and printed by commercial laboratories.

			CAT. No.	
DXN449	100 ft on camera spool‡	50	197 1654	
DXN450	200 ft on camera spool‡	30	197 1688	

^{*}When ordering specify roll length in addition to full product description.

[‡]With integral leader and trailer for loading in subdued light.

Consult your dealer for his selling prices.

KODAK Movie Films (continued)

16mm Perforated One Edge FOR MOTION-PICTURE CAMERAS*

KODACHROME II (Daylight) KODACHROME II (Type A)

Color projection film for all-round use. Processed by Kodak and other laboratories (Process K-12). Kodak processing provides for dye image photographic sound track.

	Case	Per Roll
Daylight	Quan	CAT. No. List
K455	100 ft on camera spool‡ 50	157 0357 \$ 9.70
Type A KA455	100 ft on camera spool ± 50	157 0662 9.70
KA456	200 ft on camera spool‡ 30	157 0720 18.50

EKTACHROME MS, 7256

Medium-speed color projection film for use in limited light. Daylight type only. Processed by Kodak and other laboratories. Kodak processing provides for dye-image photographic sound track (Process ME-4).

EMS455	100 ff on	camera	spool	50	141	4861

PLUS-X Reversal, 7276

Black-and-white panchromatic projection film for all-round use. Processed by commercial laboratories.

PXR455	100 ft on camera spool‡	50	153	2811	٠
PXR456	200 ft on camera spool‡	30	153	2837	•

TRI-X Reversal, 7278

High-speed black-and-white panchromatic projection film for use in limited light. Processed by commercial laboratories.

		XUUII	CAT.	No.	
TXR455 1	00 ft on camera spool‡	50	147	2141	
TXR456 2	00 ft on camera spool‡	30	147	2174	

4-X Reversal, 7277

High-speed panchromatic black-and-white projection film having twice the speed of KODAK TRI-X Reversal Film. Processed by commercial laboratories.

4XR455	100 ft on camera spool‡	50	154 3479	
4XR456	200 ft on camera spool	30	174 2063	

EASTMAN PLUS-X Negative, 7231

Black-and-white panchromatic negative film for all-round use. Developed and printed by commercial laboratories.

PXN455	100 ft on camera spool‡	50	191	3508	•
PXN456	200 ft on camera spool	30	191	3524	•

EASTMAN DOUBLE-X Negative, 7222

High-speed black-and-white panchromatic negative film for use in limited light. Developed and printed by commercial laboratories.

DXN455	100 ft on camera spool‡	50	197 1662	
--------	-------------------------	----	----------	--

KODAK White Movie Leader 7985*

8mm wide, 8mm perf	CAT. No.		16mm perf one edge	CAT. No.	
WL629 50-ft roll	163 5002	•	WL621 100-ft roll	157 1199	
8mm wide, super 8 perf			16mm perf two edges		
WL579 50-ft roll	191 0116	•	WL574 100-ft roll	157 1173	

KODAK Film Packs

Fili	m Pack Numbers and Desc	criptions
16	exposures per pack. Case—5	50 packs.
No. 518	31/4 x 4 1/4 in.	8x10.5 cm
No. 520	21/4 x 31/4 in.	6x 9 cm
No. 523	4 x5 in.	10x12.5 cm

TRI-X Pan Profession	onal—Fast panchromatic	
	CAT. No.	List
TXP518-16	140 3492	\$5.45
TXP520-16	140 3518	4.15
TXP523-16	140 3534	5.45
PLUS-X Pan Profess	sional—For all-round use	
	CAT. No.	
PXP523-16	147 7538	\$5.45

^{*}When ordering specify roll length in addition to full product description.

[‡]With integral leader and trailer for loading in subdued light.

Consult your dealer for his selling prices.

KODAK Sheet Films

Black-and-White Films

EKTAPAN,	4162 (Es	TAR Thick	Base)		Contrast	Process F	Pan, 4155	(ESTAR Thick	Base)
No. Sheet	s	No. Pkg			Per Package	No. Sheet	s	No. Pkg		Per Package
in Pkg	Size	in Case	CA	T. No.	List	in Pkg	Size	in Case	CAT. No.	List
25	21/4×31/4	40	169	0049	\$ 2.90	25	4x5	20	168 7656	\$ 4.05
25	31/4×41/4	20	168	9934	3.10	100	4x5	10	168 7755	15.50
25	4x5	20	168	9850	4.05					
100	4x5	10	168	9777	15.50					
25	9x12 cr	n 20	168	9363	3.55					
						Contrast	Process (Ortho, 41	54 (ESTAR Thi	ck Base)
PLUS-X P	an Profes	sional, 4	147 (ESTAR Thi	ck Base)	No. Sheet	s	No. Pkg		Per Package
No. Sheet	s	No. Pkg			Per Package	in Pkg	Size	in Case	CAT. No.	List
in Pkg	Size	in Case	CA	T. No.	List	25	4x5	20	171 6026	\$ 4.05
25	21/4×31/4	40		4785	\$ 2.90	100	4x5	10	171 6042	15.50
25	31/4×41/4	20		4868	3.10	25	9x12 c	The state of the s	171 6224	3.55
25	4x5	20		3167	4.05					e di Listi di Parki kaka kata 1777
100	4x5	10		1562	15.50					
25	9x12 cr			3910	3.55					
23	7212 (1	1 20		3710	3.33	Commer	cial, 6127	•		
Dave D.		Fares The	-L D-			No. Sheet	•	No. Pkg		Per Package
	ın, 4141 (ick Ba	se)		in Pkg	Size	in Case	CAT. No.	List
No. Sheet		No. Pkg			Per Package	25		40	174 9589	\$ 3.15
in Pkg	Size	in Case	CA	T. No.	List	25	2½x3½ 4x5	20	160 4081	\$ 3.15 4.45
25	21/4×31/4	40	149	1505	\$ 2.90	100	4x5	10	160 4529	16.95
25	31/4×41/4	20	149	1448	3.10	100	433	10	100 4329	10.93
25	4x5	20	149	1422	4.05					
100	4x5	10	149	1562	15.50					
25	6.5x9 cm	40	149	1380	2.90	POYAL-X	Pan 416	6 (FSTAD	Thick Base)	
									mick base)	A 400年,2010年1月 - 大海 40年2
SUPER Par	nchro-Pre	ss, 6146	, Type	В		No. Sheet		No. Pkg	CAT 11-	Per Package
No. Sheet		No. Pkg			Per Package	in Pkg	Size	in Case	CAT. No.	List
in Pkg	Size	in Case	CA	T. No.	List	25	4x5.	20	177 5360	\$ 5.10
25		40		7456						
	21/4 x 3 1/4	20		7472	\$ 2.90					
25 25	31/4×41/4 4×5	20		7480	3.10 4.05			4105 /	V . 1	The second of the second of the second
100	4x5	10		7498	15.50				STAR Thick Ba	
100	433	10	143	7470	13.30	No. Sheet	The state of the s	No. Pkg		Per Package
ww						in Pkg	Size	in Case	CAT. No.	List
	(Pan, 414	The state of the s	Thick	Base)		25	4x5	20	171 4062	\$ 5.35
No. Sheets		No. Pkg			Per Package	100	4x5	10	171 4104	20.25
in Pkg	Size	in Case	CA	T. No.	List					
25	31/4×41/4	20	147	1655	\$ 3.10					
25	4x5	20	147	1614	4.05				4 17 31 17	
100	4x5	10	147	1598	15.50					
25	9x12 cm	20	147	1374	3.55	Color	Films			
TRI-X Ort	tho, 4163	(ESTAR T	hick B	ase)		FKTACHPO	ME, 6115	Daylight	Type	
No. Sheets	2	No. Pkg			Per Package	No. Sheet			.,,,,	D D L
in Pkg	Size	in Case	CA	T. No.	List		Size	No. Pkg in Case	CAT. No.	—Per Package— List
25	4x5	20		0055	\$ 4.05	in Pkg				
100	4x5	10		0295	15.50	10	4x5	20	155 4294	\$ 8.65
100	423	10	143	0273	13.30	10	9x12 ci	m 20	155 4369	7.40
Tot V Dan	n Professi	414	LA IE	TAR Thiel	Perco					
		STATE OF THE PARTY OF	74 (23	TAR THICK						
No. Sheets		No. Pkg			Per Package	ENTACHDO	ME 6114	Type P	for use with Dh	otoflash or 3200 K lamps)
in Pkg	Size	in Case		T. No.	List				ioi use with Ph	
25	21/4×31/4	40		1535	\$ 2.90	No. Sheet		No. Pkg		—Per Package—
25	31/4×41/4	20	the state of the s	1576	3.10	in Pkg	Size	in Case	CAT. No.	List
25	4x5	20	143		4.05	10	31/4×41/4	20	155 4419	\$ 6.25
100	4x5	10		0198	15.50	10	4x5	20	155 4427	8.65
25	9x12 cm	20		1717	3.55	10	9x12 ci	m 20	155 4500	7.40



Travel light.

Do it right with a new Kodak pocket Instamatic 60 camera. The one that won't weigh you down, yet gives you all the features you could ask for.

Like the built-in automatic exposure control for taking pictures indoors and out. Plus a superb f/2.7 Ektar lens. Even a coupled rangefinder for extra-precise focusing. And it uses self-powered magicubes for flash.

The Pocket 60 takes the new little drop-in film cartridge. You get big, sharp 3½ x 4½-inch color prints. Or color slides.

To show these new small slides, there are new Kodak pocket Carousel projectors. (You can also get adapters to show them on any 2 x 2 projector.) These new Pocket projectors, in stylish black with wood-grain panels, are only a little over 8 inches square. And yet they take a full 120-slide tray.

See the Pocket 60 at your photo dealer's. It's less than \$128.

Kodak makes your pictures count.

New Kodak pocket Instamatic 60 camera.



KODAK PROCESSING SERVICES

KODACOLOR Film Developing and Printing		Table of Sizes	and Laboratories fro	m Which A	vailable
KODACOLOR Film Developing	List	KODACOLOR Print	s		
Per roll, except 135-36	\$1.30	Size	From Negative Size		Laboratory
Per roll, 135-36 KODAK EKTACOLOR Professional Film, Type S, Developing	1.90	2R-21/2 x31/2 in.	18x24mm (half-frame 24x36mm (135) 28x40mm (828)	135)	Rochester
Per roll, 120 and 620 Per roll, 135-36 Per roll, 220 (available from Rochester only)	1.30 1.90 4.20	3S-3½x3½ in.	1 % x1 % in. (127) 2 ¼ x2 ¼ in. (120/620) 28x28mm (126)		Chicago Palo Alto Honolulu Atlanta
KODACOLOR Prints (at time of developing KODACOLOR and KODAK EKTACOLOR Film) 2R, each print	.25	3R-3½x4½ in. 3½x5 in. 3½x5¼ in.	13x17mm (110) Standard-size rectang 18x24mm through 21/2		Dallas
3S and 3R, each print KODACOLOR Prints (Print-Only Orders)	.30	be printed, croppin	ends on proportion of negative g must be to one of the follo 21/4 in., 15/8×21/2 in., 21/4×	. If full negative wing dimensions:	13/6×13/6 in.,
From KODACOLOR or KODAK EKTACOLOR Professional Film,		KODACOLOR Enlar			
Type S, negatives. See table of sizes. 2R, each	\$.27	Size	From Negative Size	Labor	ratory
25 or more from same negative, each	.21 .33 .26	5x5, 5x7 8x10, 8x8 7x10, 10x14 11x11, 11x14	Standard-size roll film negatives	Rochester Chicago Palo Alto	Honolulu Atlanta Dallas
KODACOLOR Enlargements From KODACOLOR or KODAK EKTACOLOR Professional Film,		If special cropping 5x7 enlargements of negatives.	is desired, see KODACOLOR Enlare available from 18x24mm	argement Masking (half-frame) and	Guide. Only 13x17 (110)
Type S, negatives. See table of sizes.		KODACOLOR Transparencies			
Enlargements are regularly supplied glossy; matte finish available on request.		Size	From Negative Size		Laboratory
5x7, 5x5, each 5 or more from same negative, each	\$1.35 1.10	24x36mm	24x36mm (135) 28x40mm (828)		Rochester
8x10, 8x8, 7x10, each	3.35 2.70	28x28mm	28×28mm (126)		Palo Alto
11x14, 11x11, 10x14, each	7.75 6.25	31x31mm	1 % ×1 % in. (127) 2 ½ ×2 ½ in. (120/620)	el .	Rochester
		KODACOLOR Neg	atives from Color Trans	parencies	
KODACOLOR Transparencies		Size	From Transparency Siz	re	Laboratory
Transparencies from one or more same-size negatives at time of developing KODACOLOR Film. 24x36mm in 2x2 READY-MOUNTS, each	\$.35	21/4×31/4	18x24mm (half-frame 24x36mm (135) 28x40mm (828)	135)	
28x28mm in 2x2 READY-MOUNTS, each	.35 .45	21/4×21/4	Mark Comments of the Comments	4x24mm (square 135)	Rochester Chicago Palo Alto
1-39 transparencies, each	.35	21/4×21/2	23x24mm (stereo)		
31x31mm in 2x2 READY-MOUNTS		15/8×21/2	13x17mm (110)		
1-39 transparencies, each	.45	KODACOLOR COP	y Negatives		
40-5,000* transparencies, each	.40	Size	From	Labo	ratory
KODACOLOR Copy Negatives		21/4 in. wide	Prints and enlargements up	Rochester Chicago	Atlanta Dallas
KODACOLOR Negatives from Color Transpare	\$2.70	KODACOLOR Enlarg	through 8x10 in. pends on picture proportion. Keements are available from	KODACOLOR COL	y Negatives;
Each	\$1.35		R and KODACOLOR Transparenc	ies not available	
	\$1.35	KODAK Color Co			
KODAK Color Copyprints		Size	From Prints		Laboratory
First copy from a print	\$.75 .50	3S-3½x3½ in. 3R-3½x5 in.	3½x3½ in. 3½x5 in. 3½x4¼ in. 3½x4½ in.		Rochester Chicago Palo Alto
		31/2 x 41/2 in.	31/2 x 41/2 in.		

^{*}Prices for larger quantities available upon request.

KODACOLOR Business Cards

(Available from Rochester Laboratory only.)

Approximately $3\frac{1}{2}$ in. wide and 2 in. high with color picture $1\frac{1}{8}$ in. wide and $1\frac{5}{8}$ in. high on left side of card. Right side of card carries text as specified, such as name, position, company, address, and phone number. From KODACOLOR negative or color transparency 24x36mm through $2\frac{1}{4}x2\frac{1}{4}$ in. with head image size $\frac{3}{8}$ to $\frac{1}{2}$ in., or from color print or enlargement with head size $\frac{3}{8}$ to $\frac{1}{2}$ in. (Additional KODACOLOR Copy Negative charge if original is color print or enlargement.)

100 or more from same original, each	\$.20
Plus setup charge for standard layout	10.00
Setup charge for special layout—Quotation on request	

Overlay Printing

(Available from Rochester, Palo Alto, and Honolulu Laboratories.)

Customer's name or message printed on KODAK Color Prints 3R and 3S and KODAK Slim-Line and Trim-Line Photo-Greeting Cards. Specify in Special Instructions space of Color Finishing Envelope: "Overlay printing," and include the name or message. The name or message, typed by our laboratory, is produced in white in the picture area in one or two lines near bottom of print.

Service charge, Overlay Printing	List	
Per KONACOLOR negative or color transparency	\$4.00	

KODAK Slim-Line Thank-You and Birth Announcement Cards

3½x7-in. cards with color pictures 3x4½ in. (horizontal or vertical), or 3x3 in., depending on the proportions of the negatives or transparencies from which they are made. From standard-size Kodacolor negatives and from color transparencies in standard 126, 135 (24x36mm or 23x24mm stereo), 828, square 127, and square 120/620 sizes. Minimum order quantity, 25 cards. Prices for quantities other than those shown below will be based on the unit price of the next smaller standard quantity. Signature imprint not available.

	Design	Sentiment	
SL101	Flowers	Many Thanks for Your	Gift
SL102	Gift and Orchid	Sincere Thanks for You	r Lovely Gift
SL103	Flowers	Hill'm a New Arrival	
SL104	Stork and Cradle	Just Arrived	List
25 cards	from same original. Wit	h envelopes	\$ 9.50
50 cards	from same original. Wit	h envelopes	17.50
100 cards	from same original. Wit	h envelopes	33.00

KODAK Print and Enlargement Certificates

KODACOLOR Print Certificates

Enable customer to send KODACOLOR negatives to a Kodak laboratory for KODACOLOR Prints for direct return to customer. Supplied only in pads of 100 with a quantity of mailing envelopes.

C2R	KODACOLOR Print		
	Certificate 2R	CAT.	No.
	Pad of 100	143	9744
СЗ	KODACOLOR Print Certificate 35	R	

DDACOLOR Frint Certificate 35k	
Pad of 100148 2215	33.00

KODAK Color Enlargement Certificates

Enable customer to send KODACOLOR negatives or color transparencies to a Kodak laboratory for KODACOLOR or KODACHROME Enlargements for direct return to customer. Supplied only in pads of 50 for 5x7 in. or 25 for 8x10 in. with a quantity of mailing envelopes.

CE5 KODAK Color Enlargeme	ent	
Certificate 5x7	CAT. No.	List
Pad of 50	145 9940	\$67.50
CES KODAK Color Enlargeme	ent	
Certificate 8x10		

KODAK Prepaid Processing Mailers

KODACHROME and KODAK EKTACHROME Films (For Color Slides)

For Sizes:	
PK20 135-20 and 126-20 in	
20 2x2-in. mounts; 110-20 in CAT. No.	List
20 30x30mm mounts155 1365	\$2.45
PK36 135-36 in 36 2x2-in. mounts 155 1381	3.95
PK27 127 in 12 2x2-in. mounts; 120 and	
620 in 12 23/4 x 23/4 - in. mounts . 155 7107	2.95
PK28 828 in 8 2x2-in. mounts 155 1373	1.80

KODACHROME and KODAK EKTACHROME Movie Films

(For 16mm, 8mm, super 8)

CAT. No.	List
155 1399	\$2.60
oll)	
155 1407	6.00
141 2311	7.80
155 1415	2.45
155 1423	2.10
	CAT. No155 1399 bil)155 1407141 2311155 1415

KODACOLOR Films

(For Color Prints)

List \$27.00

	For Sizes:			
DP8	116, 120, 127, 616, 620	CAT.	No.	List
	828 (8 exp; 3R prints)	157	1397	\$ 3.70
DP12	110, 120, 126, 127, 620			
	(12 exp; 3R or 3S prints)	157	1405	4.90
DP20	110-20,126-20,135-20			
	(3R or 3S prints)	157	1421	7.30
DP20-2R	135-20 (2R prints)	157	1413	6.30
	135-36 (2R prints)			10.90
DP36-3R	135-36 (3R prints)	102	0999	12.70

Assortment

No. 614 KODAK Processing Mailer Assortment. Contains 5 DP12 Mailers, 5 PK20 Mailers, 5 PK59 Mailers, and A6-1 Mailer Merchandiser.

CAT. No.	List
151 1674	\$49.0

83.75

KODACHROME and KODAK EKTACHROME Film Processing

(Available from all Kodak Laboratories)

Kodak Processing of Kodachrome II, Kodachrome-X, Kodak Ektachrome-X, Kodak High Speed Ektachrome, Kodak Ektachrome Infrared Film for Still Cameras

	Per Roll
110-20	List
In 2x2-in. mounts—20 Frames, 13x17mm	\$2.45
126-20	
In 2x2-in. mounts—20 Frames, 28x28mm	2.45
Unmounted	2.15
135-20	
In 2x2-in. mounts—20 Frames, 24x36mm	2.45
In 2x2-in. mounts—40 Frames, 18x24mm	3.95
In stereo mounts—15 pairs, 23x24mm	3.95
Unmounted	2.15

	rerkon
135-36	List
In 2x2-in. mounts—36 Frames, 24x36mm	\$3.95
In 2x2-in. mounts—72 Frames, 18x24mm	6.65
In stereo mounts—28 pairs, 23x24mm	6.65
Unmounted	3.45
620-12 (KODAK EKTACHROME Film only)	
In 23/4 x 23/4 - in. mounts — 12 Frames, 21/4 x 21/4 in.	2.95
Unmounted	2.60
828	
In 2x2-in. mounts—8 Frames, 28x40mm	1.80
Unmounted	1.65
120-12 (KODAK EKTACHROME Film only)	
In 23/4 x 23/4-in. mounts-12 Frames, 21/4 x 21/4 in.	2.95
Unmounted	2.60
127-12 (KODAK EKTACHROME Film only)	
In 2x2-in. mounts—12 Frames, 15/8 x15/8 in.	2.95
Unmounted	2.60

KODAK Special Processing Envelope, ESP-1

For KODAK High Speed EKTACHROME Films, 135 and 120

Enables ordering from a U.S. Kodak Laboratory special processing which raises the speed of EH to ASA 400, and EHB to ASA 320. For 135-20, 135-36, and 120 sizes of these films only. Prepays the extra charge for this service on an enclosed roll either mailed in the appropriate KODAK Prepaid

Processing Mailer, or sent by a dealer who is billed the regular KODAK EKTACHROME Film processing charge. Supplied only in packages of 10.

KODAK Special Processing Envelope, ESP-1

(for KODAK High Speed		List
EKTACHROME Films)	CAT. No.	Per Env
	109 4994	\$1.25

KODACHROME Duplicate Transparencies

(Available from all Kodak Laboratories unless otherwise noted)

Duplicates are from one or more same-size transparencies, and are supplied in 2x2-in. READY-MOUNTS.

†13x17mm Duplicates from standard 110 mounted transparencies
18x24mm Duplicates from half-frame 135 mounted transparencies
24x36mm Duplicates from standard 135 mounted transparencies
28x28mm Duplicates from standard 126 mounted transparencies

	LIST
1-39 Duplicates, each	\$.35
40-5,000* Duplicates, each	.30

†24x36mm Duplicates reduced from 8x10 or smaller transparencies
No duplicates from 4.5x10.7cm or 6x13cm transparencies.

No auplicates from 4.5x10.7cm or 6x13cm fransparencies.	
	List
1-7 Duplicates, each	\$.85
8 or more Duplicates, from same transparency, each	.70
31x31mm Duplicates from square 127, 120 and 620 mounted tran	nsparen-
cies (120 and 620 Duplicates from Rochester and Chicago only)	
1-39 Duplicates, each	\$.45
40-5,000* Duplicates, each	.40

KODACHROME Stereo Duplicates

From one or more same-size mounted 23x24mm transparency pairs in KODAK Stereo READY-MOUNTS. Supplied from Rochester Laboratory only.

	List
1 or more Duplicate pairs, per pair	\$.80
50 or more Duplicate pairs, per pair	.65

Same-size Duplicates are also available from one of a stereo transparency pair. Priced and billed same as 24x36mm KODACHROME Duplicates.

^{*}Prices for larger quantities available upon request.

KODACHROME Prints

KODACHROME Prints

From color transparencies. See table of sizes below.	List
2R, each	\$.44
25 or more from same transparency, each	.25
2RM, each	1.10
25 or more from same transparency, each	.65
35 or 3R, each	.54
25 or more from same transparency, each	.30

Table of Sizes and Laboratories from Which Available

Print Size	From Transparency Size	Laboratory		
2R−2½x3½ in. Transparencies must be	18x24mm (half-135) 24x36mm (135) 28x40mm (828) e in standard mounts.	Rochester Honolulu Chicago Atlanta Palo Alto Dallas		
2RM-21/2 x31/2 in.	From Movie Frames	Chicago		
frames. A 9-frame str 16mm is required. If Id	, super 8, double-frame 16mm (10 ip of 8mm, 8-frame strip of sup onger lengths or rolls are submitte y a thread through the perforatio	per 8, or 5-frame strip of ed, the frame to be printed		
3S-3½x3½ in. Transparencies 15½x15½ in. and 2½x2¼ in. may be mounted or unmounted:	28×28mm (126) 1%×1% in. (127) 2¼×2¼ in. (120/620)	Rochester Honolulu Chicago Atlanta Palo Alto Dallas		
28x28mm, 24x24mm, and 23x24mm must be in standard mounts.	24x24mm 23x24mm (stereo)	Rochester Chicago		
3R—3½x5 in. Transparencies must be in standard mounts. 3½x4½ in. Transparencies must be in	18x24mm (half-135) 24x36mm (135) 28x40mm (828) 13x17mm (110)	Rochester Chicago Palo Alto Honolulu Altanta		

KODACHROME Enlargements

From color transparencies. See table of sizes below for laboratories supplying. Enlargements are regularly supplied high gloss; matte finish is available on request.

	Fisi
5x7, 5x5, each	\$1.35
5 or more from same transparency, each	1.10
8x10, 8x8, 7x10, each	3.35
5 or more from same transparency, each	2.70
11x14, 11x11, 10x14, each	7.75
5 or more from same transparency, each	6.25

Table of Sizes and Laboratories from Which Available

KODACI	ROME Enla	rgements			A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Enlarge-	Transparency Sizes					
ment Size, Inches	18x24mm Half-Frame (135)	24x36mm (135) 28x40mm (828)	28x28mm (126)	15/8 x15/8 in. (127) 21/4 x21/4 in. (120/620)	23x24mm (stereo) 24x24mm	13x17mm (110)
5x7	Rochester Chicago Palo Alto Honolulu	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto	Rocheste Chicago Palo Alto Honolulu Atlanta Dallas
5×5	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto Honolulu	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto	
8x10	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto	
8x8	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto Honolulu Atlanta Dallas	Rochester Chicago Palo Alto	
7x10	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto Honolulu* Dallas*	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	
11x14	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	
11x11	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	Rochester Chicago Palo Alto	A
10x14	Rochester Chicago Palo Alto	Rochester* Chicago* Palo Alto*	Rochester Chicago Palo Alto	Rochester Palo Alto	Rochester Palo Alto	

KODACHROME Movie Film Processing

(Available from all Kodak Laboratories.)

	Per Roll		Per Roll
Super 8	List	16mm	List
50-ft cartridge	\$ 2.45	50-ft magazine (After refund of 85¢	
		magazine deposit)	\$ 2.60
8mm		100-ft roll	6.00
25-ft roll	2.45	200-ft roll	12.00
25-ft magazine (After refund of 50¢		400-ft roll	24.00
magazine deposit)	2.10	1200-ft roll	72.00
50-ft roll with magnetic prestripe (KA558)	5.50	1200 11 1011	7.7.0
100-ft roll, incl 200-ft reel	9.25		

KODAK EKTACHROME Movie Film Processing

EKTACHROME 160 Movie Film, super 8 Available from all Kodak Laboratories.	Per Roll List	EKTACHROME MS (ESTAR Base), 16mm Available from Rochester, Los Angeles, Chicago, Fair Lawn, Atlanta, Findlay, and
50-ft cartridge	\$ 2.45	Rockville Laboratories. Per Roll
EKTACHROME 40 Movie Film, super 8	Per Roll	List
Available from all Kodak Laboratories.	List	125-ft roll
50-ft cartridge	\$ 2.45	250-ft roll 19.50 450-ft roll 35.10
EKTACHROME MS, 16mm		500-ft roll 39.00
Available from Rochester, Los Angeles, Chicago, Fair Lawn, Al Rockville Laboratories.	tlanta, Findlay, and	EKTACHROME Infrared, 16mm
	Per Roll List	Available from Rochester, Los Angeles, Chicago, Fair Lawn, Atlanta, Findlay, and Rockville Laboratories.

100-ft roll \$ 7.80 200-ft roll 15.60 400-ft roll 31.20 93.60

	List
125-ft roll	 \$ 9.75
250-ft roll	 19.50
450-ft roll	 35.10
500 ft roll	30 00

A PARTY OF THE PAR
List
\$9.75

KODAK Projection Cartridge Service Sleeve, PCS-1

For Super 8 KODACHROME OF KODAK EKTACHROME Movie Film, 50-Ft Cartridge

For ordering, from a U.S. Kodak Laboratory, the return of processed super 8 KODACHROME II and KODAK EKTACHROME Movie Film in the KODAK Projection Cartridge A. Prepays the extra charge for this service on an enclosed cartridge, either mailed in a KODAK Prepaid Processing Mailer PK59, or sent by a dealer who is billed the regular KODACHROME Film processing charge. Supplied only in packages of 10.

KODAK Projection Cartridge Service Sleeve, PCS-1-for super 8 KODACHROME OF KODAK EKTACHROME Movie Film

		List
		Per
	CAT. No.	Sleeve
50-ft cartridge	107 5274	\$1.00

KODACHROME Movie Film Duplicates

Prices include lightweight return reel up to and including 50-ft super 8, 100-ft 8mm, and 200-ft 16mm. Longer lengths will be returned on appropriate KODAK Movie Reel supplied without extra charge. From KODACHROME or EKTACHROME Film originals.

KODACHROME Duplicate, super 8	
(Supplied from Rochester only)	List
Per ft	\$.17
Minimum charge per order	8.50

KODACHROME Duplicate, 8mm	
(Supplied from Rochester only)	List
Per ft	\$.17
Minimum charge per order	8.50
KODACHROME Duplicate, 16mm	
(Supplied from Rochester only)	
Silent, per ft	.22
Minimum charge per order	11.00
Sound, per ft (negative sound track required)	.27
Minimum charge per order	13.50

Prices for Color Print, Duplicating, and Film Developing and Processing Services include return transportation within the United States by First Class Mail or Parcel Post Special

Handling, depending on weight.

NOTICE: The return of any film or print to us for processing or any other purpose will constitute an agreement by you that if any such film or print is damaged or lost by us or any subsidiary company, even though by negligence or other fault, it will be replaced with an equivalent amount of unexposed Kodak film and processing and, except for such replacement, the handling of such films or prints by us for any purpose is without other warranty or liability.

SONOTRACK Coating Services for 8mm, Super 8, and 16mm Films

SONOTRACK Coating is a magnetic stripe for processed 8mm, super 8, or 16mm film to permit sound recording. It is supplied from Rochester only, and is applied after film processing as follows:

8mm-30-mil stripe between perforations and film edge.

super 8—30-mil stripe along unperforated film edge, balance stripe between perforations and other film edge.

16mm-100-mil stripe along unperforated film edge (50-mil stripe if film has photographic sound track). If film is perforated both edges, 30-mil stripe between perforations and film edge.

SONOTRACK Coating for Processing 8mm, Super 8, or 16mm Film

List \$.06

 Per ft
 \$.06

 Minimum charge per order
 12.00

KODACHROME Duplicate Plus SONOTRACK Coating or KODACHROME or KODAK EKTACHROME Film Processing Plus SONOTRACK Coating

Total price is the SONOTRACK Coating charge of \$.06 List, per foot, plus the price of regular KODACHROME or KODAK EKTACHROME Film processing or duplicates. The minimum order is 50 feet, with SONOTRACK Coating.

Kodak introduces a few quiet changes.



The new Carousel H projectors are so quiet you can hardly hear them.

The objectionable noise of slide projectors is gone. In its place is a quiet purr that doesn't get in the way of conversation—or the enjoyment of your slides.

A more efficient lamp

Only 300 watts, yet the new ELH quartz-halogen lamp puts as much light on the screen as ordinary 500-watt quartz-halogen lamps—but gives off 40% less heat.

A quieter blower


Because it doesn't have to work so hard to keep your slides cool. It runs slower, quieter, and at a lower pitch.

Simplified condenser

Sophisticated design helps put brilliant images on your screen. Teams up with parabolic reflector on lamp.

A dichroic lamp reflector

Cools the light by scattering heat off its back while it sends the visible light where you need it. (A front-surface mirror on the light path folds the beam to keep the projector compact.)



A truly convenient lamp housing

A new, wide access door. Lamp lifts out and snaps into place with the help of a wire bail. And you can't put the wrong lamp in, because only the right lamps fit. Plus, condenser and heat-absorbing glass are now securely held in place, yet remove easily for cleaning.

Be quietly impressed. Choose from seven new Carousel H projector models from less than \$80. At your dealer's now.

Price subject to change without notice.

REGIONAL MARKETING AND DISTRIBUTION CENTERS

Regional Marketing and Distribution Centers open Monday through Friday.

Shipping and Service Points—Unless otherwise indicated, the products listed herein are supplied and serviced from the Eastman Kodak Company Regional Distribution Centers listed below:

*Eastern Region, 343 State St, Rochester, N.Y. 14650. Area Code 716: 254-1300. Telex 978429

Hawaiian Region, 1065 Kapiolani Blvd, Honolulu, Hawaii 96814. Area Code 808: 531-6565. Telex 302723354 Mail address—P.O. Box 1260, Honolulu, Hawaii 96807

Midwestern Region, 1901 West 22nd St, Oak Brook, III. 60521. Area Code 312:654-5300. Telex 255156

New York City Region

Marketing Center, 1133 Avenue of the Americas, New York, N.Y. 10036. Area Code 212: 262-6000 Distribution Center, 1334 York Ave, New York, N.Y. 10021. Area Code 212: 879-1500

Pacific Northern Region

Marketing Center, 3250 Van Ness Ave, San Francisco, Calif. 94119. Area Code 415: 776-6055. Telex 340892 Mail address—P.O. Box 3145 (Rincon Annex), San Francisco, Calif. 94119
Distribution Center, 9100 Alcosta Blvd, San Ramon, Calif. 94583. Area Code 415: 828-7000. Telex 336309

Pacific Southern Region, 12100 Rivera Rd, Whittier, Calif. 90606. Area Code 213: 945-1255. Telex 657434

Southeastern Region

Marketing Center, 1775 Commerce Dr, N.W., Atlanta, Ga. 30318. Area Code 404: 351-6510
Mail address—P.O. Box 4778 (Federal Annex), Atlanta, Ga. 30302
Distribution Center, 5315 Peachtree Industrial Blvd, Chamblee, Ga. 30341. Area Code 404: 457-5211. Telex 542106
Mail address—P.O. Box 1938, Atlanta, Ga. 30301

Southwestern Region

Marketing Center, 6300 Cedar Springs Rd, Dallas, Texas 75235. Area Code 214: 351-3221. Telex 730214 Distribution Center, 2800 Forest Lane, Dallas, Texas 75234. Area Code 214: 241-1611. Telex 730313

Parts for apparatus equipment are obtainable only from Eastman Kodak Company, Central Parts Service, 800 Lee Rd, Rochester, N.Y. 14650. Area Code 716: 458-6143. Telex 978270.

*Please address items to be serviced to Eastman Kodak Company, Central Equipment Service Center, 800 Lee Rd, Rochester, N.Y. 14650.

PROCESSING LABORATORIES

Unless otherwise designated, the processing services listed herein are supplied from the following Kodak Processing Laboratories:

Atlanta, Ga. 30341 4729 Miller Dr. Area Code 404: 457-52

4729 Miller Dr, Area Code 404: 457-5211 Chicago, III. 60616

1712 South Prairie Ave, Area Code 312: 922-9691

Dallas, Texas 75235 3131 Manor Way, Area Code 214: 357-4654

Fair Lawn, N.J. 07410

16-31 Route 208, Area Code 201: 797-0600

Findlay, Ohio 45840

1100 East Main Cross St, Area Code 419: 422-7654

Honolulu, Hawaii 96814 1065 Kapiolani Blvd, Area Code 808: 531-6565

Los Angeles, Calif. 90038 1017 North Las Palmas Ave, Area Code 213: 465-7151

Palo Alto, Calif. 94304

925 Page Mill Rd, Area Code 415: 327-7200

Rochester, N.Y. 14650 Kodak Park, Area Code 716: 458-1000

Kodak Park, Area Code 716: 458-1000 Rockville, Md. 20850

1 Choke Cherry Rd, Area Code 301: 948-2800

I WART OU TO HAVE A"VOTER'S CHOICE" WATCH



\$ 95

and both end panels from three boxes of any Kodak color film get you the Kodak "Voter's Choice" calendar watch of your choice.







ATIMELY OFFER FROM KODAK Entirely assembled in America, these calendar watches feature gold color base metal top, stainless steel back, metal dial, sweep-second hand, and a red-white-and-blue nylon strap. You can have one for only \$4.95 with both end panels from any three Kodak Color Film Cartons (6 end panels). For each watch ordered (specify Donkey, Elephant, and/or Uncle Sam watch face), simply send check or money order payable to "Kodak Timely Offer" and 6 end panels to KODAK TIMELY OFFER, P.O. Box 9941, St. Paul, Minn. 55199, and you will receive a watch by return mail. Please allow 4 to 6 weeks for delivery.

