

Catalog

Sept. 1966



NOVOFLEX



**Close-up
or
Tele**

Photo: Karl Müller

**Frame-filling,
Razorsharp
With Novoflex**


Photo: Horstmüller



Page**Index**

(Alphabetical List of Code-Words at the end of this catalog)

4	Follow Focus lenses for 35 mm cameras
5	Chest-pod and Tripod Clamp Ring
6	Follow Focus lenses for MOVIE cameras
7	Special Bellows BAL-U – Modification of Follow Focus lenses
8	Follow Focus Bellows
9	Extension Bellows I, S, II
10	Camera Adapters for extension bellows BAL-U, I, S, II
11	Lens Adapters for extension bellows I, S, II
12	Lens Heads for extension bellows I, S, II
13	Lens Heads for extension bellows I, S, II – Autom. Diaphragm
14	Slide Copying Attachment
15	Focusing Tripod Rack – Macro Wide Angle Lens
16	Nesting Lenses
17	Nesting Lenses
18	Microscope Adapter
19	6 × 6 (2¼ sq.in.) Extension Bellows
20	6 × 6 (2¼ sq.in.) Follow Focus lenses
21	Filters, Lens Hoods, Extension Tubes
22	Carrying Cases
23	Novoflex Pocket Book – Dust Caps



1 PIGRIFF-B

2 B-280 SONPI

3 B-400 PIFAS-B LENS-400 SONFE

3a N-640

4

ALBA
CANBA
REXBA
COBA
AUXBA
VISBA
LEBA
MINBA
MIRBA
NIKBA
PEBA
PRABA
IXBA
ZENBA

Follow Focus Lenses (German and Foreign Patents)

Pistol Grip with quick-change bayonet fittings at both ends for split-second, precise focusing of 3 Novoflex lenses: 280 mm, 400 mm, 640 mm Noflexar. Pistol Grip has locking knobs for time exposures.

Lenses for the above:

280 mm f 5.6 Noflexar

(Bayonet lens hood included in the price of B-280)

400 mm f 5.6 Noflexar

components of B-400:
barrel with diaphragm
400 mm lens cell, only
bayonet lens hood

} included in the price of B-400

640 mm f 9 Noflexar

for use with PIFAS-B and SONFE of the 400 mm Noflexar;
Additional savings in both weight and money!

Camera Coupling Adapters for the above

with swivel mechanism for horizontal and vertical pictures
(special bellows attachment for closer focusing, No. 8, can be
used in place of adapter)

for

Alpa

Canon FX, Pellix

Contarex

Edixa/Praktica/Pentax/Pentacon/Yashica

Exakta/Exa II (for Exakta outer bayonet mount)

Leica with Visoflex II and III

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina/Porstreflex

Topcon/Mamiya (for Exakta inner bayonet mount)

Zenit


The new bayonet Pistol Grip PIGRIFF-B No. 1 permits rapid interchanging of camera adapters No. 4, special bellows No. 8 and of the lenses No. 2 and 3 by means of bayonets.




5 PISTOCK with Follow Focus lenses and bellows



5 PISTOCK can also be used with other lenses



5 PISTOCK folded, measures less than 10 x 5 x 1 1/4"




6 PISTAR: Tripod clamp-ring for use with 400 mm and 640 mm Follow Focus Lenses.

5 PISTOCK

6 PISTAR

Chest pod
prevents camera movement without limiting flexibility

Tripod Clamp Ring
Fits around 400 mm and 640 mm Follow Focus lenses for use with tripod



7a

ARBA
CEBA
DEBA
CAMCO
+ COBA }

7b

PITUB-B

7c

PIBEA-16
PIBOLEX
PIWEBO

Adapters for Reflex-MOVIE-Cameras

for

Arriflex

C-mount (16 mm cameras **and** Bolex H 8 RX, Beaulieu 2008)

D-mount (most 8 mm cameras **excepting** Bolex H 8 RX, ")

Camex Reflex

Extension Tube, necessary for use of PIGRIFF-B with movie cameras

Cradle Support, with Tripod Socket


for

16 mm Beaulieu

Bolex Reflex

Pathé Webo

Most other movie-cameras can be used without cradle supports.



8 BAL-U

Special Bellows U

Increases the nearfocusing range considerably without diminishing the effectiveness at infinity. Replaces coupling adapter No. 4.

Adapters for BAL-U see No. 13

	focusing range	area covered
with 280 mm	infinity to 1 ft. 3 in.	2 1/2 x 3 1/2"
with 400 mm	infinity to 6 ft.	3 1/6 x 4 3/4"
with 640 mm	infinity to 13 ft. 8 in.	5 1/2 x 8 1/4"

(Using BAL-U with Visoflex II and III it is **not** possible to focus at infinity.)

Features of BAL-U:

Guide rails with the exposure factors for close-ups with the 280 mm and 400 mm lenses. (Normal exposure with the 640 mm lens even at full bellows extension.)

Camera can be swivelled for horizontal and vertical.

Interchangeable camera adapters see No. 13.

Quick change bayonets for camera body and Pistol Grip.

Modification of Screw-Thread Follow Focus Lenses

NOTE Follow Focus lenses with screw threads can be equipped with the new quick change bayonets. This equipment must be returned to the importer (in the U.S. to BURLEIGH BROOKS, Englewood, through your dealer. Delivery time in the U.S. approximately 6 to 8 weeks). Prices on request.

to modify PIGRIFF to PIGRIFF-B

to modify the 300 mm lens head N-300 (possible only starting with the serial number 30500)

to modify the 400 mm lens head N-400 to B-400


To this must be added one of the adapters No. 4 or a special bellows U No. 8 with adapters No. 13.

(The 240 mm focal length, the reflex attachments Novoflex and Visoflex I are not suitable for the bayonet Follow Focus lenses as they would not focus at infinity.)

An ideal use for your 240 mm f4.5 Novoflex is shown in ill. No. 21 (LEINO-240 = N-240 + LEIAN):

Adapter for use of N-240 with Novoflex bellows.

LEIAN



9

ALPIBAL
 CANPIBAL
 REXPIBAL
 COPIBAL
 AUXPIBAL
 LEPIBAL
 VISPIBAL
 LEIPIBAL
 IXPIBAL
 MINPIBAL
 MIRPIBAL
 NIKPIBAL
 PEPIBAL
 PRAPIBAL
 ZENPIBAL

ARPIBAL
 CEPIBAL
 DEPIBAL
 CAMCO
 +COPIBAL }

Follow Focus Bellows (German and Foreign patents)

Follow Focus Bellows

for split-second precise focusing of 4 lens heads: 105 mm, 135 mm, 150 mm, 240 mm.

(Swivel mechanism for horizontal and vertical. Tripod socket. Knobs for locking the trigger at rear most position when taking time exposures.)

All Novoflex bellows attachments now have Leica threads in front so that the lens heads No. 15–24, 30, can be screwed-in direct.

Adapters for camera lenses see No. 14.

Ideal accessories for counter-light scenes and for slide copying see No. 26, 28, 29, 30.

for

Alpa

Canon FX, Pellix

Contarex

Edixa/Praktica/Pentax/Pentacon/Yashica

Exakta/Exa II (for Exakta outer bayonet mount)

Leicaflex

Leica with Visoflex II/III

Leica with Visoflex I

Mamiya Reflex/Topcon (for Exakta inner bayonet mount)

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina/Porstreflex

Zenit




for Reflex-MOVIE-Cameras

Arriflex

C-mount (16 mm cameras **and** Bolex H 8 RX, Beaulieu 2008)

D-mount (most 8 mm cameras **excepting** Bolex H 8 RX, ")

Camex Reflex



Extension Bellows Attachments

NOVOFLEX Extension Bellows are not only the most advanced tools for photomacrography and close-ups, they are also a universal focusing means for many long lenses up to 240 mm focal length: see lens heads No. 15–24, 30.

You can choose from the following models:

NOVOFLEX Extension Bellows Model I

for

**Edixa/Praktica/Pentax/Pentacon/Yashica RX
Exakta/Exa II/Topcon
Zenit**

The camera mounts of model I are not interchangeable. The lens mount has always Leica threads so that the lens heads No. 15–24 and 30 fit directly. Adapters for other lenses see No. 14.

Tripod Rack see No. 31.

Model I bellows attachments can only be supplied for the above cameras.

NOVOFLEX Extension Bellows Model S

with swivel mechanism for horizontal and vertical pictures. Quick change bayonet mount for interchangeable camera adapters (see No. 13).

The lens mount has Leica threads so that the lens heads No. 15–24 and 30 fit directly. Adapter rings for other lenses see No. 14.

Tripod Rack see No. 31

NOVOFLEX Extension Bellows Model II

(US. Patent No. 2684020)

Has all the features of model S plus built-in focusing tripod rack.

10


**COLEIBAL
EXLEIBAL
ZENLEIBAL**

11

BAL-S

12

BALCAST



13

ALA
CANA
REXA
COA
IXA*
AUXA*
LEA
VISA
MINA
MIRA
NIKA
PEA
PRAA
ZENA

ARA
CEA


DEA

CAMCO }
+COA }

Camera Adapters for bellows Nr. 8, 11, 12
EACH bellows BAL-U, or BAL-S, or BALCAST for
ALL below mentioned cameras
adapts

BAL-U	—	—	to Alpha
BAL-U, BALCAST, BAL-S	—	—	Canon FX, Pellix
"	"	"	Contarex
"	"	"	Edixa/Praktica/Pentax/Yashica
"	—	—	Exakta/Exa II/Topcon/Mamiya Rx.
"	"	"	Exakta/Exa II
"	"	"	Leicaflex
"	"	"	Leica with Visoflex II/III
"	"	"	Minolta SR
"	"	"	Miranda
"	"	"	Nikon F, Nikkorex, Nikkormat
"	"	"	Petriflex
"	"	"	Praktina/Porstreflex
"	"	"	Zenit
			for movie cameras
—	"	"	Arriflex
—	"	"	movie cameras with C-mount (16 mm)
—	"	"	movie cameras with D-mount (most 8 mm)
—	"	"	Camex Reflex

* BAL-U is adapted to Exakta and Exa II with AUXA.



14

LEICAN
 LEICO
 LEIEX
 LEI-M
 LEI-F
 LEILEI = LEI
 LEIHEK
 LEIEL
 LEIMAR
 LEIMIN
 LEIMIR
 LEINIK
 LEIPRA

LEIAR
 LEICE

Adapters Fitting Camera Lenses

to the Leica thread of the bellows No. 9, 10, 11, 12
for lenses with

Canonflex bayonet
 Edixa/Praktica/Pentax/Yashica threads
 Exakta/Exa II/Topcon/Mamiya inner bayonet
 Leica-M bayonet
 Leicaflex bayonet
 Leitz Hektor 1:2.5/125 mm lens head
 Leitz Hektor and Elmar 135 mm lens head
 Leitz Elmar 90 mm lens head
 Leitz Elmar 65 mm lens head
 Minolta bayonet
 Miranda threads
 Nikon bayonet
 Praktina/Porstreflex bayonet

Arriflex bayonet


C-mount movie camera lenses (16 mm)


The front panels of the new NOVOFLEX Extension bellows (except the 6×6 Bellows Attachments, and the BAL-U, made for PIGRIFF-B) are equipped with Leica threads which offers the following

- advantages:
1. EACH bellows BAL-S or BALCAST fits 30 different cameras. Therefore it was of the utmost importance to select a universal-type lens mount, too. Leica threads were chosen because most lens heads have Leica threads.
 2. The lens heads 15 – 24, and 30 thus fit directly, i.e. without employing adapter rings.
 3. The lens head 105 mm now can be used for focusing at infinity with **all** SLR cameras. If the Leica threads were replaced by a bayonet mount, focusing at infinity would be possible only with 135 mm and longer lenses.
 4. With the above mentioned adapters it is also possible to use camera lenses with bellows model I, S, and II. There is a lens having many advantages over these normal camera lenses: see No. 30.

Lens Heads for Use with Bellows 9, 10, 11, 12
 permit focusing at infinity

A NOVOFLEX Extension Bellows is more than an accessory for close-up photography – it is a universal focusing device for many lenses. By merely adding a lens head to the bellows, the vast field of tele photography becomes instantly available. No helical focusing mounts are required, resulting in a saving in both weight and money.





15 **LEINO***
 16 **LEIXIN**
 17 **LEIXAR**
 18 **LEINO-135***
 19 **LEIXEAL**
 20 **LEIXIAN**
 21 **LEINO-240**
 22 **LEITELAR**

23 **LEINO-A**
 24 **LEINO-A-135**
 25 **AKAB**
AKABEL

105 mm f 3.5 Noflexar *	with click-stop diaphragm
105 mm f 3.5 Xenar	" "
105 mm f 4.5 Xenar	" "
135 mm f 4.5 Noflexar *	" "
135 mm f 4.5 Xenar	" "
150 mm f 4.5 Xenar	" "
240 mm f 4.5 Noflexar	" "
240 mm f 5.5 Tele-Arton	" "

See also No. 30 (BALFLEX)

* The 105 mm and 135 mm Noflexar lenses are available with automatic diaphragms. With this convenience the diaphragm remains wide open to facilitate focusing and not until the instant the double cable is pressed, does the diaphragm close down to the pre-selected "f" stop. After exposure, it re-opens automatically to full aperture.

105 mm f 3.5 Auto-Noflexar with fully automatic diaphragm

135 mm f 4.5 Auto-Noflexar with fully automatic diaphragm

Double Cable Release for the automatic diaphragm

Cable release adapter for use with Edixa or Leica type release button.

An ideal bellows lens hood BALSON, No. 26, is available for the lenses No. 15 - 20, 23, 24, and 30.

We can install automatic diaphragms into existing lenses of the following types:

105 mm f 3.5 Noflexar

105 mm f 3.5 Travegar

135 mm f 4.5 Noflexar

135 mm f 4.5 Travenon

135 mm f 4.5 Xenar

Automatic diaphragm including assembly

(Without double cable release)

Lens must be returned to importer (in the U.S. to BURLEIGH BROOKS through your dealer) for fitting. Delivery time in the U.S. approximately 6 to 8 weeks. Price on request.

fig. 27

BALCOP for slide
copying **with**
Focusing Tripod Rack





fig. 28

BALCOP-P for slide
copying **without**
Focusing Tripod Rack



Copy Your Slides

Make black and white negatives from slides, black and white positives from negatives, actual size or larger. Copy complete transparencies or just portions in color or black and white with NOVOFLEX slide copying equipment.

Bellows Lens Hood

Variable extension. Provides greater protection against stray or reflected light than any normal lens hood. Essential when using Slide Copying Attachment. Slip-on diameter is 42 mm, thus fitting lens heads 15–20, 23, 24, 30 (60 mm, 105 mm, 135 mm, 150 mm) directly. Other lenses may be used in conjunction with M-rings).

Slide Copying Attachment

Slides into grooves in front of Bellows Lens Hood. Holds transparencies or negatives (bound or in strip form) in correct position. Has opal glass for diffusing light. Angular Connecting Bracket permits focusing with Tripod Rack.

Slide Copying Attachment

Similar to BALCOP but for use **without** Focusing Tripod Rack (consequently BALCOP-P, **not** BALCOP, should be ordered for all Follow Focus Bellows and when no Focusing Tripod Rack is available).

Holder for Film in Rolls or Strips

60 mm f 4.5 Noflexar Lens Head

It is designed specifically for macro and copying work. Definitely superior to standard camera lenses for this work.

Does not require a supplementary lens attachment for slide copying.

Equipped with Leica threads. Fits all extension bellows No. 9, 10, 11, 12 directly.

Bellows Lens Hood BALSON fits BALFLEX lens without the use of an adapter ring.

Without BALFLEX, the following 3 accessoires are required for slide copying with 50 mm, 55 mm, 58 mm camera lenses:


An adapter (No. 14) fitting your lens to the bellows attachments.

M

An adapter fitting the bellows lens hood to your lens. Please add to the code syllable M the filter thread of your lens, e.g. M 49 x 0.75.

BALTES

Standard 50 mm, 55 mm and 58 mm camera lenses do not permit full-size 1:1 reproduction of 35 mm slides. However, this ratio can be achieved by adding a BALTES supplementary lens attachment which fits over the standard lens.



31 a CASTEL


31 b NIVEL

Focusing Tripod Rack

(With continental and Americal Tripod thread) makes focusing in photomacrography and slide copying easy. For this reason the equipment ill. 27 is the most convenient one for slide copying. CASTEL may be used in photomacrography with any camera, also for stereoscopic pictures of still subjects.

Spirit Level

A positive way to see if camera is perfectly level. Also for levelling the tripod rack when taking stereoscopic pictures.



32 a

32 b

COWEIT
EXWEIT
NIKWEIT
ZENWEIT
COWEIT
+CANCO }
LEIUM


35 mm f3.5 Noflexar Macro Wide Angle Lens

focus as close as $2\frac{3}{4}$ inches in four successive click-stop positions without the aid of extension bellows. The lens is so compact that it does not require a new ever-ready carrying case. for


Edixa/Praktica/Pentacon/Pentax/Yashica RX
Exakta/Exa I and II/Mamiya Reflex
Nikon F, Nikkorex, Nikkormat
Zenit

Canon FX, Pellix: COWEIT with Adapter CANCO


Reversal Ring permits using the 35 mm Macro-wide Angle Lens in reverse position for superior hyper close-up work. Opposite end of ring screws into any extension bellows having Leica threads. Thus a magnification ratio of 3:1 to more than 5:1 can be achieved.




400 mm f5.6 Noflexar telescoped for easy carrying




Extended for taking pictures




With adapter 33b, 400 mm lens cell and lens hood separated




The 640 mm lens head (No. 3a) takes the place of the 400 mm lens cell



No. 33d for reflex attachments; can also be used on SLR cameras with tube No. 33f



For comparison: lens No. 33a which has a longer nesting tube than No. 33d



Nesting Lenses (German and Foreign Patents)

33 a LA

400 mm f 5.6 Noflexar (with lens hood)

For SLR cameras with interchangeable adapters No. 33 b.
Cradle Supports No. 33 c are available for movie cameras.

Only 9 in. long when telescoped. The focusing knobs and the quick-stop diaphragm can be used only when the lens is extended which prevents damage to the diaphragm. The left focusing knob also serves as a locking screw. The lens can be rotated in its tripod socket ring for horizontal and vertical pictures.

N-640

640 mm f 9 Noflexar for use with LA or KU less lens cell.

Consequently an existing 640 mm Nesting Lens may be used also with the 400 mm lens cell LINSE-400, see under No. 3.

33 b

Adapter Rings for SLR cameras for the above
for

AL
CAN
REX
LE
CO
EX
MIN
MIR
NIK
PE
PRA
TOP
ZEN

Alpa
Canon FX, Pellix
Contarex
Leicaflex
Edixa/Praktica/Pentacon/Pentax/Yashica
Exakta/Exa II
Minolta SR
Miranda
Nikon F, Nikkorex, Nikkormat
Petriflex
Praktina/Porstreflex
Topcon/Mamiya Reflex
Zenit

for SLR MOVIE Cameras

AR
CE
DE
CAMCO
+CO }

Adapters

for

Arriflex

C-mount (16 mm cameras **and** Bolex H 8 RX, Beaulieu S 2008)

D-mount (8 mm cameras, **except** Bolex H 8 RX, Beaulieu S 2008)

Camex Reflex

33 c

Cradle Supports with tripod sockets and screws for the movie camera and the Nesting lens:

for

STUAR-16
STUBEA-16
STUBEA-8
STUBOL
STUCAM-8
STUWEBO-16

16 mm Arriflex (available only for **16 mm Arriflex**)

16 mm and 9,5 mm Beaulieu

8 mm Beaulieu

H 16 RX Bolex and H 8 RX

8 mm Camex Reflex

16 mm and 9,5 mm Pathé Webó

33 d KU

400 mm f 5.6 Noflexar with lens hood, fits reflex housings with adapters No. 33 e.

33 e

Adapters

for

LEI=LEILEI
VIS

Leica with Novoflex or Leitz Visoflex I

Leica with Leitz Visoflex II and III

33 f KUTUB

Extension Tube

Permits the use of lens KU (No. 33 d) on SLR cameras.



34b



34a


34 a MICRO

34 b MICROBALG

Photomicrography

Microscope Adapter. Has Leica threads that screw directly into Extension Bellows No. 9, 10, 11, 12. Opposite end clamps on microscope by means of lock-screw.

Microscope Bellows for using bellows attachments No. 9, 10, 11, 12 with copying stands.



35 a

**TISBIG
BROBIG**

- b **LEIXIAN**
c **TISLEI**
d **XUR**
e **TISXURING
BROXURING**
f **N-240**
g **N-300**
h **TISNORING
BRONORING**
i **BIGSON**
k **M 66...**
l **BIGCOP**

2 1/4 x 2 1/4" (6 x 6) Bellows

With built-in focusing tripod rack (with coupling adapters No. 37 a + 37 b these bellows attachments may be used also with 35 mm SLR cameras)

for

**Praktisix
Bronica**

Lens Heads for the above

**150 mm f 4.5 Xenar
Adapter for TISBIG**


**180 mm f 4.5 Xenar
Adapter for TISBIG
Adapter for BROBIG**

240 mm f 4.5 Novoflexar with bayonet lens hood
300 mm f 5.6 Novoflexar with bayonet lens hood
**Adapter for TISBIG
Adapter for BROBIG**

2 1/4 x 2 1/4" (6 x 6) Bellows Lens Hood
(60 mm slip-on diameter)

Adapter fitting BIGSON to lenses with slip-on diameter other than 60 mm. Please indicate filter thread e.g. M 66 - 40.5 x 0.5 (for 150 mm Xenar), M 66 - 49 x 0.75 (for 180 mm Xenar)

2 1/4 x 2 1/4" (6 x 6) Slide Holder



36 a

**TISPIGRIFF
BROPIGRIFF
HAPIGRIFF**

b K-240

c KS-500

37 a

**LEITIS
LEIBRO
LEIHA**

b

**ALLEI-P
CANLEI-P
COLEI-P
EXLEI-P
TOPLEI-P
MINLEI-P
MIRLEI-P
NIKLEI-P
PRALEI-P
REXLEI-P**

PISTOCK-66

2 1/4 x 2 1/4" (6 x 6) Follow Focus Lenses

(Adding the adapters 37 a + 37 b these Follow Focus lenses may also be used with 35 mm SLR cameras)

for
**Praktisix
Bronica
Hasselblad 1000 and 1600 F**

240 mm f 5.6 Noflexar Lens Head
for the above, with built-in lens hood

500 mm f 5.6 Tele-Noflexar Lens Head
for the above, with bayonet lens hood

Adapters for 2 1/4 x 2 1/4" (6 x 6) bellows attachments and 6 x 6 Follow Focus lenses of latest design, on 35 mm SLR cameras, in conjunction with adapters No. 37 b.

**TISBIG, TISPIGRIFF
BROBIG, BROPIGRIFF
HAPIGRIFF**

Adapters with swivel mechanism

for
**Alpa
Canon FX, Pellix
Edixa/Praktica/Pentax/Yashica
Exakta/Exa II (Exakta outer bayonet)
Topcon/Mamiya (Exakta inner bayonet)
Minolta SR
Miranda
Nikon F, Nikkorex, Nikkormat
Praktina/Porstreflex
Contarex**

Chest Pod for TISPIGRIFF, BROPIGRIFF, HAPIGRIFF (similar to No. 5, but with different leather strap).

39



38

FILPI
FILPI
FILFE
FILFE

Filters and Lens Hoods

for	filter thread	Lens Hoods
60 mm f 4.5 BALFLEX	M 40.5 × 0.5	BALSON No. 26
105 mm f 3.5 Noflexar	"	"
105 mm f 3.5 Xenar	"	"
105 mm f 4.5 Xenar	"	"
135 mm f 4.5 Noflexar	"	"
135 mm f 4.5 Xenar	"	"
150 mm f 4.5 Xenar	"	"
35 mm f 3.5 Noflexar	M 49 × 0.75	built-in
180 mm f 4.5 Xenar	"	Schneider
240 mm f 5.5 Tele-Arton	"	"
240 mm f 5.6 Noflexar f. 6×6	"	built-in
500 mm f 5.6 Tele-Noflexar	"	bayonet lens
for 6×6	"	hood included
		in the price of
		the lens
240 mm f 4.5 Noflexar	M 58 × 0.75	"
280 mm f 5.6 Noflexar	"	"
400 mm f 5.6 Noflexar	M 75 × 0.75	"
640 mm f 9 Noflexar	"	"

The filters are coated. Please indicate color.

Prices for blue and skylight filters are available on request.

We do not supply filters for the lenses where no filter price is indicated. For these lenses filters of other makes are available. Please ask for filters with **shallow mount** when buying filters for the 35 mm Macro Wide Angle lens. Long filter-mounts cause vignetting. The 6×6 Follow Focus lenses 240 mm and 500 mm have the filter thread on the rear mount of the lens heads.

39

NORING-I
NORING-II
NORING-III

Set of Extension Tubes

With Leica threads. Can be used to increase extension of Bellows No. 9, 10, 11, 12 which results in larger reproduction ratios even with long focal length lenses.

- 12 mm Extension Tube
- 24 mm Extension Tube
- 48 mm Extension Tube

40 a



40 b



40 c




40 d



40 e



40 f



40 g



- 40 a TASPI
- b TASPI-400
- c TASFE
- d TASPIBA
- e TASBA
- f TASWEIT
- g TASKULA
- h TASBOX-240

Carrying Cases

Leather Case, holster type, for 280 mm Follow Focus Lens with lens hood

Leather Case, holster type, for 400 mm Follow Focus Lens with lens hood

Leather Case, quiver type, for N-640 (No. 3 a) and two filters


Vinyl Case for Follow Focus bellows No. 9 with lens and lens hood

Leather Case for extension bellows I, II, S with lens and lens hood

Leather Case for 35 mm Wide Angle lens

Leather Case, quiver type, for 400 mm Nesting lens with lens hood

Vinyl covered Wooden Case for 6 x 6 Follow Focus Lens 240 mm



- 41 a **NOBU-D**
 b **NOBU-E**
 c **NOBU-F**

- 42 a **DUSTLEI**
 b **DUSTEX**
 c **DUSTCO**
 d **DUSTPI**
 e **DUSTFE**
 f **DUSTWEIT**

Novoflex Pocket Book

By Friedr. W. Voigt, Focal Press, London. Everything about Novoflex, with numerous illustrations and many tables.

in German language, 3rd revised edition (11thousand)
 in English language
 in French language

Rubber Dust Caps

for

Leica threads on lens heads

Exakta bayonet

Pentax threads

Front of 280 mm lens

Front of 400 mm and 640 mm lenses

Front of 35 mm Macro Wide Angle lens

Alphabetical List of Code-Words

When ordering please indicate code **or** specification in full.
Orders accepted only through Novoflex dealers.

Code	Specification	No.	Gramm weight
AKAB	Double cable release	25	55
AKABEL	Cable release adapter for use of AKAB w. Edixa or Leica	25	5
AL	Alpa-adapter for LA	33 b	20
ALA	Alpa-adapter for BAL-U	13	25
ALBA	Alpa-adapter for PIGRIFF-B	4	150
ALPIBAL	Follow Focus Bellows for Alpa	9	500
AR	Arriflex-adapter for LA	33 b	25
ARA	Arriflex-adapter for BAL-S, BALCAST	13	25
ARBA	Arriflex-adapter for PIGRIFF-B	7 a	60
ARPIBAL	Follow Focus Bellows for Arriflex	9	490
AUXA	Exakta/Exa II-adapter for BAL-U	13	30
AUXBA	Exakta/Exa II-adapter for PIGRIFF-B	4	160
AUXPIBAL	Follow Focus Bellows for Exakta/Exa II	9	490
B-280	280 mm f5.6 Noflexar for PIGRIFF-B	2	380
B-400	400 mm f5.6 Noflexar for PIGRIFF-B	3	830
BALCAST	Extension Bellows Model II	12	360
BALCOP	Slide Copying Attachment for use with Tripod Rack	27	125
BALCOP-P	Slide Copying Att. for use without Tripod Rack	28	80
BALFLEX	60 mm f4.5 Noflexar Lens Head	30	130
BALFILM	Holder for film in rolls or strips	29	45
BAL-S	Extension Bellows Model S	11	200
BALSON	Bellows Lens Hood	26	100
BALTES	Supplementary lens for slide copying	30	25
BAL-U	Special Bellows U for PIGRIFF-B	8	220
BIGCOP	2 1/4 x 2 1/4" (6 x 6) Slide Holder	35 i	260
BIGSON	2 1/4 x 2 1/4" (6 x 6) Bellows Lens Hood	35 i	250
BROBIG	2 1/4 x 2 1/4" (6 x 6) Bellows for Bronica	35 a	660
BRONORING	BROBIG-adapter for N-240, N-300	35 h	60
BROPIGRIFF	Pistol Grip for Bronica	36 a	950
BROXURING	BROBIG-adapter for XUR	35 e	30
CAMCO	Camex-adapter for COBA, COPIBAL, COA, CO	7a, 9, 13, 33b	35
CAN	Canonflex-adapter for LA	33 b	60
CANA	Canonflex-adapter for BAL-S, BALCAST, BAL-U	13	45
CANBA	Canonflex-adapter for PIGRIFF-B	4	180
CANCO	Canonflex-adapter for COWEIT	32 a	35
CANPIBAL	Follow Focus Bellows for Canon FX, Pellix	9	490
CASTEL	Focusing Tripod Rack	31 a	270
CE	C-mount movie camera-adapter for LA	33 b	55
CEA	C-mount movie camera-adapter for BAL-S, BALCAST	13	20
CEBA	C-mount movie camera-adapter for PIGRIFF-B	7 a	110
CEPIBAL	Follow Focus Bellows for C-mount movie cameras	9	490
CO	CO*-adapter for LA	33 b	20
COA	CO*-adapter for BAL-S, BALCAST, BAL-U	13	25
COBA	CO*-adapter for PIGRIFF-B	4	150
COLEIBAL	Extension Bellows Model I for CO*	10	200
COPIBAL	Follow Focus Bellows for CO*	9	490
COWEIT	35 mm Macro-wide Angle lens for CO*	32 a	200
DE	D-mount movie camera-adapter for LA	33 b	40
DEA	D-mount movie camera-adapter for BAL-S, BALCAST	13	25
DEBA	D-mount movie camera-adapter for PIGRIFF-B	7 a	120
DEPIBAL	Follow Focus Bellows for D-mount movie cameras	9	490
DUSTCO	Dust cap for Pentax threads	42 c	5


* syllable CO means Edixa/Praktica/Pentax/Yashica/Pentacón

Code	Specification	No.	Gramm weight
DUSTEX	Dust cap for Exakta bayonet	42 b	5
DUSTFE	Dust cap for 400 mm and 640 mm lenses	42 e	25
DUSTLEI	Dust cap for Leica threads on lens heads	42 a	5
DUSTPI	Dust cap for 280 mm lenses	42 d	15
DUSTWEIT	Dust cap for 35 mm Macro-wide Angle lens	42 f	5
EX	Exakta/Exa II-adapter for LA	33 b	35
EXLEIBAL	Extension Bellows Model I for Exakta/Exa II/Topcon/Mamiya	10	190
EXWEIT	35 mm Macro-wide Angle lens for Exakta/Exa I, II/Mamiya	32 a	200
FILFE	Filter for 640 mm and 400 mm Noflexar (add color)	38	40
FILPI	Filter for 240 mm and 280 mm Noflexar (add color)	38	25
HAPIGRIFF	Pistol Grip for Hasselblad 1000 and 1600 F	36 a	950
IXA	Exakta/Exa II/Topcon/Mamiya-adapter for BAL-S, BALCAST, Topcon/Mamiya-adapter for BAL-U	13	20
IXBA	Topcon/Mamiya-adapter for PIGRIFF-B	4	150
IXPIBAL	Follow Focus Bellows for Topcon/Mamiya	9	490
K-240	240 mm f5.6 Noflexar for BROPIGRIFF, HAPIGRIFF, TISPIGRIFF	36 b	530
KS-500	500 mm f5.6 Tele-Noflexar for BROPIGRIFF, HAPIGRIFF, TISPIGRIFF	36 c	1800
KU	400 mm f5.6 Noflexar for LEI, VIS	33 d	1615
KUTUB	Extension tube for use of KU with SLR cameras	33 f	65
LA	400 mm f5.6 Noflexar Nesting lens for SLR cameras	33 a	1650
LE	Leicaflex-adapter for LA	33 b	35
LEA	Leicaflex-adapter for BAL-S, BALCAST, BAL-U	13	30
LEBA	Leicaflex-adapter for PIGRIFF-B	4	150
LEI = LEILEI	Visoflex I-adapter for KU	33 e	60
LEIAN	Adapter for use of N-240 with Novoflex Bellows	8	90
LEIAR	Arriflex lens adapter for BAL-S, BALCAST, ARPIBAL	14	60
LEIBRO	BROBIG, BROPIGRIFF-adapter for adapters No. 37 b	37 a	65
LEICAN	Canonflex lens adapter for BAL-S, BALCAST, CANPIBAL	14	30
LEICE	C-mount camera lens adapter for BAL-S, BALCAST, CEPIBAL	14	10
LEICO	CO*-lens adapter for COLEIBAL, BAL-S, BALCAST, COPIBAL	14	15
LEIEL	Leitz Elmar 90 mm adapter for BAL-S, BALCAST	14	15
LEIEX	Exakta lens adapter for EXLEIBAL, BAL-S, BALCAST, AUXPIBAL, IXPIBAL	14	30
LEI-F	Leicaflex lens adapter for BAL-S, BALCAST, LEPIBAL	14	30
LEIHA	HAPIGRIFF-adapter for adapters 37 b	37 a	60
LEIHEK	Leitz Elmar and Hektor 135 mm lens adapter for BAL-S, BALCAST	14	20
LEILEI	Leitz Hektor 125 mm lens adapter for BAL-S, BALCAST	14	20
LEI-M	Leica-M lens adapter for BAL-S, BALCAST	14	35
LEIMAR	Elmar 65 mm lens adapter for BAL-S, BALCAST	14	10
LEIMIN	Minolta lens adapter for BAL-S, BALCAST, MINPIBAL	14	50
LEIMIR	Miranda lens adapter for BAL-S, BALCAST, MIRPIBAL	14	25
LEINIK	Nikon lens adapter for BAL-S, BALCAST, NIKPIBAL	14	45
LEINO	105 mm f3.5 Noflexar for bellows I, S, II, PIBAL	15	100
LEINO-A	105 mm f3.5 Auto-Noflexar for bellows I, S, II, PIBAL	23	140
LEINO-135	135 mm f4.5 Noflexar for bellows I, S, II, PIBAL	18	110
LEINO-135-A	135 mm f4.5 Auto-Noflexar for bellows I, S, II, PIBAL	24	150
LEINO-240	240 mm f4.5 Noflexar for bellows I, S, II, PIBAL	21	450

* syllable CO means Edixa/Praktica/Pentax/Yashica/Pentacon

Code	Specification	No.	Gramm weight
LEIPBAL	Follow Focus Bellows for Leica with Visoflex I	9	490
LEIPRA	Praktina/Porstreflex lens adapter for BAL-S, BALCAST, PRAPIBAL	14	65
LEITELAR	240 mm f 5.5 Tele-Arton for bellows I, S, II, PIBAL	22	260
LEITIS	TISBIG, TISPIGRIF adapter for adapters 37 b	37 a	45
LEIUM	Reversal ring for 35 mm Macro-wide Angle lens	32 b	15
LEIXAR	105 mm f 4.5 Xenar for bellows I, S, II, PIBAL	17	200
LEIXEAL	135 mm f 4.5 Xenar for bellows I, S, II, PIBAL	19	210
LEIXIAN	150 mm f 4.5 Xenar for bellows I, S, II, PIBAL	20	220
LEIXIN	105 mm f 3.5 Xenar for bellows I, S, II, PIBAL	16	220
LEPIBAL	Follow Focus Bellows for Leicaflex	9	380
LENS 400	400 mm lens cell	3	490
M	BALSON-adapter (please specify filter thread of lens)	30	10
M-66	BIGSON-adapter (please specify filter thread of lens)	35 k	15
MICRO	Microscope adapter	34 a	25
MICROBALG	Microscope bellows	34 b	45
MIN	Minolta SR-adapter for LA	33 b	30
MINA	Minolta SR-adapter for BAL-S, BALCAST, BAL-U	13	25
MINBA	Minolta SR-adapter for PIGRIFF-B	4	160
MINPIBAL	Follow Focus Bellows for Minolta SR	9	490
MIR	Miranda-adapter for LA	33 b	25
MIRA	Miranda-adapter for BAL-S, BALCAST, BAL-U	13	30
MIRBA	Miranda-adapter for PIGRIFF-B	9	140
MIRPIBAL	Follow Focus Bellows for Miranda	3	490
NIK	Nikon-adapter for LA	33 b	30
NIKA	Nikon-adapter for BAL-S, BALCAST, BAL-U	13	20
NIKBA	Nikon-adapter for PIGRIFF-B	4	150
NIKPIBAL	Follow Focus Bellows for Nikon F/Nikkormat/Nikkorex	9	500
NIKWEIT	35 mm f 3.5 Macro-wide Angle lens for Nikon F/Nikkormat/Nikkorex	32 a	200
NIVEL	Spirit Level	31 b	15
NOBU, D, E, F	Novoflex Pocket Book in German, English or French language	41 a	210
NORING I, II, III	Set of Extension Tubes	39	80
N-240	240 mm f 4.5 Noflexar for BRONORING, TISNORING	35 f	360
N-300	300 mm f 5.6 Noflexar for BRONORING, TISNORING	35 g	380
N-640	640 mm f 9 Noflexar for PIFAS-B, LA, KU	3 a, 33 a	780
PE	Petriflex-adapter for LA	33 b	20
PEA	Petriflex-adapter for BAL-S, BALCAST, BAL-U	13	20
PEBA	Petriflex-adapter for PIGRIFF-B	4	150
PEPIBAL	Follow Focus Bellows for Petriflex	9	490
PIBEA-16	Cradle Support for use of 16 mm Beaulieu with PIGRIFF-B and PITUB-B	7 c	260
PIBOLEX	Cradle Support for use of Bolex Reflex with PIGRIFF-B and PITUB-B	7 c	170
PIFAS-B	Barrel with diaphragm of B-400	3	400
PIGRIF-B	Pistol Grip with quick-change bayonet	1	650
PISTAR	Tripod clamp ring	6	150
PISTOCK	Chest Pod	5	380
PISTOCK-66	Chest Pod for 2 1/4 x 2 1/4" (6 x 6) F.F. lenses	37 b	480
PITUB-B	Extension tube for use of PIGRIFF-B with movie cameras	7 b	70
PIWEBO	Cradle Support for use of Pathé Webbo with PIGRIFF-B and PITUB-B	7 c	360
PRA	Praktina/Porstreflex-adapter for LA	33 b	20
PRAA	Praktina/Porstreflex-adapter for BAL-S, BALCAST, BAL-U	13	15
PRABA	Praktina/Porstreflex-adapter for PIGRIFF-B	4	140
PRAPIBAL	Follow Focus Bellows for Praktina/Porstreflex	9	500

Code	Specification	No.	Gramm weight
REX	Contarex-adapter for LA	33 b	50
REXA	Contarex-adapter for BAL-U	13	30
REXBA	Contarex-adapter for PIGRIFF-B	4	160
REXPIBAL	Follow Focus Bellows for Contarex	9	490
SONFE	Bayonet lens hood for B-400	3	130
SONPI	Bayonet lens hood for B-280	2	50
STUAR-16	Cradle Support for use of LA with Arriflex 16 mm	33 c	570
STUBEA-8	Cradle Support for use of LA with Beaulieu 8 mm	33 c	600
STUBEA-16	Cradle Support for use of LA with Beaulieu 16 mm	33 c	600
STUBOL	Cradle Support for use of LA with Bolex H 16 RX and H 8 RX	33 c	600
STUCAM-8	Cradle Support for use of LA with Camex Reflex 8 mm	33 c	650
STUWEBO-16	Cradle Support for use of LA with Pathé Webo 16 mm and 9,5 mm	33 c	600
TASBA	Leather case for extension bellows I, II, S	40 e	310
TASBOX-240	Wooden case for 6×6 Follow Focus lens 240 mm	40 h	1260
TASFE	Leather case for N-640	40 c	465
TASKULA	Leather case for 400 mm Nesting lens	40 g	510
TASPI	Leather case for 280 mm Follow Focus lens	40 a	410
TASPI-400	Leather case for 400 mm Follow Focus lens	40 b	570
TASPIBA	Vinyl case for Follow Focus bellows	40 d	570
TASWEIT	Leather case for 35 mm Macro-wide Angle lens	40 f	60
TISBIG	2 1/4 × 2 1/4" (6 × 6) Bellows for Praktisix	35 a	660
TISLEI	TISBIG-adapter for LEIXIAN	35 c	25
TISNORING	TISBIG-adapter for N-240, N-300	35 h	60
TISPIGRIFF	2 1/4 × 2 1/4" (6 × 6) Pistol Grip for Praktisix	36 a	950
TISXURING	TISBIG-adapter for XUR	35 e	25
TOP	Topcon/Mamiya-adapter for LA	33 b	30
U	Modification of Screw-Thread Follow Focus lenses	8	
VIS	Visoflex II and III-adapter for KU	33 e	70
VISA	Visoflex II and III-adapter for BAL-S, BALCAST, BAL-U	13	30
VISBA	Visoflex II and III-adapter for PIGRIFF-B	4	130
VISPIBAL	Follow Focus Bellows for Leica with Visoflex II/III	9	490
XUR	180 mm f4.5 Xenar for use with BROXURING, TISXURING	35 d	340
ZEN	Zenit-adapter for LA	33 b	20
ZENA	Zenit-adapter for BAL-S, BALCAST, BAL-U	13	20
ZENBA	Zenit-adapter for PIGRIFF-B	4	150
ZENLEIBAL	Extension Bellows I for Zenit	10	190
ZENPIBAL	Follow Focus Bellows for Zenit	9	490
ZENWEIT	35 mm f3.5 Macro-wide Angle lens for Zenit	32 a	200



NOVOFLEX

NOVOFLEX FOTOGERÄTEBAU 894 MEMMINGEN

Printed in West Germany

30 9 66