



Catalog


Printed Jan., 1971

NOVOFLEX

Page	Index
3	Follow Focus lenses for 35 mm cameras
4	same, complete
5	Chest-pod and Tripod Clamp Ring
6	Follow Focus lenses for MOVIE cameras
7	Special Bellows BAL-U
8	same, complete lenses
9	Automatic Bellows
10	Extension Bellows I
11	Extension Bellows S, II
12	Camera Adapters for bellows BAL-U, BAL-S, BALCAST
13	Lens Adapters for bellows BAL-S, BALCAST
14	Lens Heads for extension bellows
15	Lens Heads for extension bellows — Autom. Diaphragm
16	Slide Copying Attachment
17	Focusing Tripod Rack
18	Macro-Wide Angle Lens — Microscope Adapter
19	Filters, Lens Hoods, Extension Tubes
20	6 x 6 (2 1/4 sq. in.) Follow Focus Lenses — 35 mm Adapters for same — Chest-pod for same
21	6 x 6 (2 1/4 sq. in.) Extension Bellows 6 x 6 (2 1/4 sq. in.) Slide Copying Attachment
22	Carrying Cases
23	Novoflex Pocket Book — Dust Caps — Accessories for Bellows having other thread than Leica

Exclusivity of Camera Manufacturers:

Messrs. Bolex Paillard:	Bolex Bellows for Bolex Cameras
Messrs. Hasselblad AB:	Bellows and Slide Copying Equipment for Hasselblad 500 C; Prism Viewfinders for Hasselblad
Messrs. Minolta:	Auto-Bellows and Slide-Copying Equip- ment for Minolta
Messrs. Pignons S. A.:	Bellows Attachments for Alpa
Messrs. Rollei-Werke:	Bellows Attachments for Rollei SL-66
Messrs. Zeiss Ikon AG:	Bellows Attachment and Bellows Lens Hood for Contarex Bellows Attachment for Icarex Copying Stand „Reprophot“



1 PIGRIFF-B

2 B-280 SONPI

3 B-400 PIFAS-B LINSE-400 SONFE

3 a N-640

4

COBA

IXBA

AUXBA
ALBA
CANBA
REXBA
ICABA
VISBA
LEBA-SL
LEBA
MINBA
MIRBA
NIKBA
PEBA
PRABA
ZENBA

Follow Focus Lenses (German and Foreign Patents)

Pistol Grip with quick-change bayonet fittings at both ends for split-second, precise focusing of 3 Novoflex lenses: 280 mm, 400 mm, 640 mm Noflexar. Pistol Grip has locking knobs for time exposures.

Lenses for the above:

280 mm f 5.6 Noflexar
(Bayonet lens hood included in the price of B-280)

400 mm f 5.6 Noflexar ✓
components of B-400:
barrel with diaphragm
400 mm lens cell, only
bayonet lens hood } included in the price of B-400

640 mm f 9 Noflexar
for use with PIFAS-B and SONFE of the 400 mm Noflexar;
Additional savings in both weight and money!

Camera Coupling Adapters for the above
with swivel mechanism for horizontal and vertical pictures
(special bellows attachment for closer focusing, No. 8, can be
used in place of adapter)
for

**Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor,
Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*,
Olympus Pen-F*, Icarex w. screw-thread**

*) used with an "Adapter for Praktica/Pentax-Lenses"
supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE (with INTERIOR Exakta
bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, Pellix, FT

Contarex

Icarex

Leica with Visoflex II/III

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

(the code-word indicates focal length of each lens)

for

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leica mit Visoflex II oder III

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leica mit Visoflex II oder III

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leica mit Visoflex II oder III

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

focal length

1+2+4

COPI- 280-B

IXPI- 280-B

AUXPI- 280-B

ALPI- 280-B

CANPI- 280-B

REXPI- 280-B

ICAPI- 280-B

VISPI- 280-B

LEPI-SL- 280-B

LEPI- 280-B

MINPI- 280-B

MIRPI- 280-B

NIKPI- 280-B

PEPI- 280-B

PRAPI- 280-B

ZENPI- 280-B

1+3+4

COPI- 400-B

IXPI- 400-B

AUXPI- 400-B

ALPI- 400-B

CANPI- 400-B

REXPI- 400-B

ICAPI- 400-B

VISPI- 400-B

LEPI-SL- 400-B

LEPI- 400-B

MINPI- 400-B

MIRPI- 400-B

NIKPI- 400-B

PEPI- 400-B

PRAPI- 400-B

ZENPI- 400-B

COPI- 640-B

IXPI- 640-B

AUXPI- 640-B

ALPI- 640-B

CANPI- 640-B

REXPI- 640-B

ICAPI- 640-B

VISPI- 640-B

LEPI-SL- 640-B

LEPI- 640-B

MINPI- 640-B

MIRPI- 640-B

NIKPI- 640-B

PEPI- 640-B

PRAPI- 640-B

ZENPI- 640-B


1+3a+
PIFAS-B
+SONFE
+4




5 PISTOCK with Follow Focus lenses and bellows



5 PISTOCK can also be used with other lenses



5 PISTOCK folded, measures less than $10 \times 5 \times 1\frac{1}{4}$ "



6 PISTAR: Tripod clamp-ring for use with 400 mm and 640 mm Follow Focus Lenses.

5 PISTOCK


6 PISTAR

Chest pod

prevents camera movement without limiting flexibility

Tripod Clamp Ring

Fits around 400 mm and 640 mm Follow Focus lenses for use with tripod



7 a

ARBA
DEBA
CEBA
CEBA
COBA*
CEBA

7 b

PITUB-B

7 c

PIBEA-16
PIBOLEX
PIWEBO

Adapters for Reflex-MOVIE-Cameras for

Arriflex

Beaulieu 8 mm (D-mount)

Beaulieu S 2008 and 16 mm (C-mount)

Bolex H8RX (C-mount)

Camex Reflex

Pathé Webo

*) used with an "Adapter for Praktica/Pentax-Lenses"
supplied by the camera manufacturer

Extension Tube, necessary for use of PIGRIFF-B with
Movie cameras

Cradle Support, with Tripod Socket
for

16 mm Beaulieu

Bolex Reflex

Pathé Webo

No Cradle Support is necessary for Arriflex, Beaulieu 8 mm and
S-2008, Camex Reflex, Pentaflex.

Complete Follow Focus Lenses for Reflex-MOVIE-Cameras

(the code-word indicates focal length of each lens)

Arriflex:

Beaulieu 8 mm:

Beaulieu S-2008:

Beaulieu 16 mm:

Bolex Reflex
8 and 16 mm:

Camex Reflex:

Pathé Webo:

ARPI-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + ARBA + PITUB-B

BEAPI-8-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + DEBA + PITUB-B

BEAPI-S-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + CEBA + PITUB-B

BEAPI-16-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + CEBA + PITUB-B + PIBEA-16

BOLPI-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + CEBA + PITUB-B + PIBOLEX


CAMPI-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + CAMCO + COBA

WEBPI-280 (or -400) -B

= PIGRIFF-B + B-280 (or B-400) + CEBA + PITUB-B + PIWEBO

*) used with an "Adapter for Praktica/Pentax-Lenses"
supplied by the camera manufacturer



8 BAL-U

PRALEI

LEIAN

Special Bellows U

Increases the nearfocusing range considerably without diminishing the effectiveness at infinity. Replaces coupling adapter No. 4. The Special Bellows can NOT be used with Movie cameras requiring a Cradle Support.

Adapters for BAL-U see No. 13

	focusing range	area covered
with 280 mm	infinity to 1 ft. 3 in.	$2\frac{1}{2} \times 3\frac{1}{2}$ "
with 400 mm	infinity to 6 ft.	$3\frac{1}{6} \times 4\frac{3}{4}$ "
with 640 mm	infinity to 13 ft. 8 in.	$5\frac{1}{2} \times 8\frac{1}{4}$ "

(Using BAL-U with Visoflex II and III it is **not** possible to focus at infinity.)

Features of BAL-U:

Guide rails with the exposure factors for close-ups with the 280 mm and 400 mm lenses. (Normal exposure with the 640 mm lens even at full bellows extension.)

Camera can be swivelled for horizontal and vertical.

Interchangeable camera adapters see No. 13.

Quick change bayonets for camera body and Pistol Grip.

Adapter for use of old-type (screw-thread)

Follow Focus Lenses with BAL-U (focusing up to infinity NOT possible with 240 mm lens: see LEIAN).

Adapter for use of N-240 (and N-200) with Novoflex bellows.

Complete Follow Focus Lenses with Special Bellows BAL-U

(the code-word indicates focal length of each lens)

1 + 2 +
8 + 13

focal length
COPI- 280-U

IXPI- 280-U

AUXPI- 280-U

ALPI- 280-U

CANPI- 280-U

REXPI- 280-U

ICAPI- 280-U

LEPI-SL- 280-U

LEPI- 280-U

MINPI- 280-U

MIRPI- 280-U

NIKPI- 280-U

PEPI- 280-U

PRAPI- 280-U

ZENPI- 280-U

COPI- 400-U

1 + 3 +
8 + 13

IXPI- 400-U

AUXPI- 400-U

ALPI- 400-U

CANPI- 400-U

REXPI- 400-U

ICAPI- 400-U

LEPI-SL- 400-U

LEPI- 400-U

MINPI- 400-U

MIRPI- 400-U

NIKPI- 400-U

PEPI- 400-U

PRAPI- 400-U

ZENPI- 400-U

COPI- 640-U

1 + 3a +
PIFAS-B
+ SONFE
+ 8 + 13

IXPI- 640-U

AUXPI- 640-U

ALPI- 640-U

CANPI- 640-U

REXPI- 640-U

ICAPI- 640-U

LEPI-SL- 640-U

LEPI- 640-U

MINPI- 640-U

MIRPI- 640-U

NIKPI- 640-U

PEPI- 640-U

PRAPI- 640-U

ZENPI- 640-U

for

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leicaflex-SL

Leicaflex

Minolta SR

Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Mamiya Reflex (FP), Topcon SR, RE

(with INTERIOR Exakta bayonet)

Exa II, Exakta (with EXTERIOR Exakta bayonet)

Alpa

Canon FX, FT, Pellix

Contarex

Icarex

Leicaflex-SL

Leicaflex

Minolta SR


Miranda

Nikon F, Nikkorex, Nikkormat

Petriflex

Praktina

Zenit



9 a S-135

9 b

BALCO-A

BALNIK-A

BALCAN-A

BALTOP-A

BALSON-A

M 52 x 0.75

ACO-105

ANIK-105

ACAN-105

ATOP-105

135 mm Squeeze-Focus Xenar

135 mm f 4.5 Squeeze-Focus Xenar discontinued

Automatic Bellows

Novoflex Extension Bellows Model A (patented inland and abroad)

Bellows attachments with built-in mechanism for releasing the automatic diaphragm. Focusing tripod rack. — Permits focusing on bright ground glass at full lens aperture. The lens diaphragm stops down automatically to the preselected f-stop upon pressure on the camera releasing button. No double cable release required. Camera lenses are used in macro and close-up photography. For continuous focusing from close-up to infinity lens heads are in course of preparation. The diaphragm re-opens automatically with models BALNIK-A and BALCAN-A.

for

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex available July 1969

Nikon F, Nikkorex, Nikkormat available June 1969

Canon FX, Pellix, FT available June 1969

Topcon SR, RE available June 1969

Bellows Lens Hood for Automatic Bellows (may be used with BALCOP No. 27)


adapting BALSON-A to 105mm Auto-Bellows-Noflexar lenses

105 mm f 4 Auto-Bellows-Noflexar for BALCO-A

105 mm f 4 Auto-Bellows-Noflexar for BALNIK-A

105 mm f 4 Auto-Bellows-Noflexar for BALCAN-A

105 mm f 4 Auto-Bellows-Noflexar for BALTOP-A



10

10

BALCO

COLEI
COCO-OBALIX
EXLEI-KBALNIK
BALNIK-FTN
NIKLEI-KBALCAN
CANLEI-KBALMIN
MINLEI-K

Extension Bellows Model I

Non-interchangeable camera mounts. But these new model I bellows permit swivelling of the camera for view and upright pictures. The lens mount in front accepts camera's lenses. Consequently corresponding adapters (COLEI, EXLEI-K, NIKLEI-K, CANLEI-K, MINLEI-K) are required for use of lens heads with Leica threads (No. 15—24).

Such as model S and II the bellows model I are ideal tools not only in macro and close-up photography, but also in telephotography where they perform as focusing mounts for lens heads up to 240 mm focal length (No. 15—24 plus adapters COLEI etc: see below). Other accessories:

Bellows Lens Hood BALSON No. 26

Slide Copying Attachment BALCOP-P No. 28

Focusing Tripod Rack CASTEL No. 31a (Bellows Models I may be used **with CASTEL** in close-up and macro photography **except** slide-copying).

Novoflex Extension Bellows Model I

for

Edixa(-mat), Praktica(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Icarex w. screw-thread

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

BALCO (like BAL-S, BALCAST) can be screwed to cameras with protruding light-meter. (No extension ring required).

Adapter for use of lens heads No. 15—24 with BALCO

Adapter for use of Edixa/Praktica/Pentax/Yashica lenses that have **no** socket for cable release

Exa II, Exakta, Mamiya Reflex (FP), Topcon SR, RE

Adapter for use of lens heads No. 15—24 with BALIX

Nikon F, Nikkorex, Nikkormat

Nikon FTN, Nikon Photomic



Adapter for use of lens heads No. 15—24 with BALNIK

Canon FX, Pellix, FT

Adapter for use of lens heads No. 15—24 with BALCAN

Minolta SR

Adapter for use of lens heads No. 15—24 with BALMIN



11 BAL-S

12 BALCAST

Extension Bellows Attachments Model S and II

NOVOFLEX Extension Bellows are not only the most advanced tools for photomacrography and close-ups, they are also a universal focusing means for many long lenses up to 240 mm focal length: see lens heads No. 15-24, 30.

You can choose from the following models:

NOVOFLEX Extension Bellows Model S

with swivel mechanism for horizontal and vertical pictures. Quick change bayonet mount for interchangeable camera adapters (see No. 13).

The lens mount has Leica threads so that the lens heads No. 15-24 and 30 fit directly. Adapter rings for other lenses see No. 14.

Tripod Rack see No. 31

NOVOFLEX Extension Bellows Model II

(US. Patent No. 2684020)

Has all the features of model S plus built-in focusing tripod rack.

Camera Adapters for BAL-S, BALCAST, BAL-U, S-135 see No. 13.

13

ALA
COA
CANA
REXA
COA
AUXA
IXA

ICAA
COA
COA*
VISA
LEA
LEA-SL
IXA
COA
MINA
MIRA
NIKA

COA*
COA
COA
PEA
COA
PRAA
COA
COA*
COA
IXA
COA
ZENA

ARA
DEA

CEA

CEA

COA*

CEA

Camera Adapters for Bellows BAL-U, BAL-S, BALCAST and for Squeeze-Focus Xenar Lens

Camera Adapters for Nr. 8 Nr. 11 Nr. 12

BAL-U,
BAL-U, BAL-S, BALCAST
BAL-U, BAL-S, BALCAST
BAL-U,
BAL-U, BAL-S, BALCAST
BAL-U,

BAL-S, BALCAST

BAL-U,

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-U, BAL-S, BALCAST

BAL-S, BALCAST

BAL-S, BALCAST

BAL-S, BALCAST

BAL-S, BALCAST

BAL-S, BALCAST

BAL-S, BALCAST

Alpa

Asahi Pentax

Canon FX, Pellix, FT

Contarex

Edixa(-mat) Reflex

Exa II, Exakta

Exa II, Exakta

Icarex

Icarex w. screw-thread

Konica*

Leica with Visoflex II/III

Leicaflex

Leicaflex-SL

Mamiya RX (FP)

Mamiya Sekor

Minolta SR

Miranda

Nikon F, Nikkorex,

Nikkormat

Olympus Pen-F*

Pentacoon

Pentax

Petriflex

Praktica(-mat)

Praktina

Regula Reflex

Revue*

Ricoh Singlex

Topcon SR, RE

Yashica Reflex

Zenit

for MOVIE cameras

Arriflex

Beaulieu 8 mm


Beaulieu 16 mm, S-2008

Bolex Reflex

Camex Reflex

Pathé Webó

*) used with an "Adapter for Praktica/Pentax-Lenses"
supplied by the camera manufacturer



14

LEICAN
LEICO
LEICO-D

LEIEX
LEI-M
LEI-F
LEI
LEIHEK
LEIEL
LEIMAR
LEIMIN
LEINIK
LEIPRA

LEIAR
LEICE

Lens Adapters for Bellows BAL-S, BALCAST

to the Leica thread of the bellows No. 11, 12, 34
for lenses with

Canon bayonet

Edixa/Praktica/Pentax/Yashica threads

Adapter for use of Edixa/Praktica/Pentax/Yashica lenses
with socket for cable release

Exakta/Exa II/Topcon/Mamiya inner bayonet

Leica-M bayonet

Leicaflex bayonet

Leitz Hektor 1:2.5/125 mm lens head

Leitz Hektor and Elmar 135 mm lens head

Leitz Elmar 90 mm lens head

Leitz Elmar 65 mm lens head

Minolta bayonet

Nikon bayonet



Praktina/Porstreflex bayonet

Arriflex bayonet


C-mount movie camera lenses (16 mm)

The front panels of the NOVOFLEX Extension bellows BAL-S, BALCAST, PIBAL are equipped with Leica threads which offers the following


- advantages:
1. EACH bellows BAL-S or BALCAST fits 30 different cameras. Therefore it was of the utmost importance to select a universal-type lens mount, too. Leica threads were chosen because most lens heads have Leica threads.
 2. The lens heads 15 – 24, and 30 thus fit directly, i.e. without employing adapter rings.
 3. The lens head 105 mm now can be used for focusing at infinity with **all** SLR cameras. If the Leica threads were replaced by a bayonet mount, focusing at infinity would be possible only with 135 mm and longer lenses.
 4. With the above mentioned adapters it is also possible to use camera lenses with bellows model BAL-S, BALCAST, PIBAL. There is a lens having many advantages over these normal camera lenses: see No. 30.




15



23



16




17




18




24




19



20



21




22

Lens Heads for use with

- BAL-S
 - BALCAST
 - PIBAL
- (no adapter required)

Bellows I (adapter required: see No. 10)

A NOVOFLEX Extension Bellows is more than an accessory for close-up photography — it is a universal focusing device for many lenses. By merely adding a lens head to the bellows, the vast field of tele photography becomes instantly available. No helical focusing mounts are required, resulting in a saving in both weight and money.



15 **LEINO-105***
 16 **LEIXIN**
 17 **LEIXAR**
 18 **LEINO-135***
 19 **LEIXEAL**
 20 **LEIXIAN**
 21 **LEINO-200**
 22 **LEITELAR**
LEIXURRING

23 **LEINO-A-105*)**
 24 **LEINO-A-135**
LEIXEAL-A
 25 **AKAB**
AKABEL

105 mm f 4 Noflexar *	with click-stop diaphragm
discontinued	" "
discontinued	" "
135 mm f 4.5 Noflexar *	" "
135 mm f 4.5 Xenar	" "
150 mm f 4.5 Xenar	" "
200 mm f 4 Noflexar (w. lens hood)	" "
240 mm f 5.5 Tele-Arton	" "

Adapter for use of 180 mm Xenar lens (No. 40 d) with Bellows
 BAL-S, BALCAST, PIBAL

See also No. 30 (BALFLEX)

* The 105 mm and 135 mm Noflexar lenses are available with automatic diaphragms. With this convenience the diaphragm remains wide open to facilitate focusing and not until the instant the double cable is pressed, does the diaphragm close down to the pre-selected "f" stop. After exposure, it re-opens automatically to full aperture.

105 mm f 4 Auto-Noflexar with fully automatic diaphragm
135 mm f 4.5 Auto-Noflexar with fully automatic diaphragm
135 mm f 4.5 Auto-Xenar with fully automatic diaphragm

Double Cable Release for the automatic diaphragm

Cable release adapter for use with Edixa or Leica type release button.

An ideal bellows lens hood BALSON, No. 26, is available for the lenses No. 15 - 20, 23, 24, and 30.

We can install automatic diaphragms into existing lenses of the following types:

105 mm f 3.5 Noflexar
 105 mm f 3.5 Travegar
 135 mm f 4.5 Noflexar
 135 mm f 4.5 Travenon
 135 mm f 4.5 Xenar

Automatic diaphragm including assembly

(Without double cable release)


Lens must be returned to importer (in the U.S. to BURLEIGH BROOKS through your dealer) for fitting. Delivery time in the U.S. approximately 6 to 8 weeks. Price on request.

fig. 27

BALCOP for slide copying **with** Focusing Tripod Rack

fig. 28

BALCOP-P for slide copying **without** Focusing Tripod Rack



26 **BALSON**

BALSON-A

27 **BALCOP**

28 **BALCOP-P**

30 **BALFLEX**

Copy Your Slides

Make black and white negatives from slides, black and white positives from negatives, actual size or larger. Copy complete transparencies or just portions in color or black and white with NOVOFLEX slide copying equipment.

Bellows Lens Hood

Variable extension. Provides greater protection against stray or reflected light than any normal lens hood. Essential when using Slide Copying Attachment. Slip-on diameter is 42 mm, thus fitting lens heads 15-20, 23, 24, 30 (60 mm, 105 mm, 135 mm, 150 mm) directly. Other lenses may be used in conjunction with M-rings).

same for Automatic Extension Bellows

Slide Copying Attachment (also for Zeiss Ikon Bellows equipment for Contarex and Icarex)

Slides into grooves in front of Bellows Lens Hood. Holds transparencies or negatives (bound or in strip form) in correct position. Has opal glass for diffusing light. Angular Connecting Bracket permits focusing with Tripod Rack.

Slide Copying Attachment


Similar to BALCOP but for use **without** Focusing Tripod Rack (consequently BALCOP-P, **not** BALCOP, should be ordered for Follow Focus and for Model I Bellows and when no Focusing Tripod Rack is available).

60 mm f 4.5 Novoflex Lens Head (unnecessary for Bellows Model I)

Better than normal camera lens for macro and copying work, because:


1. Definition is superior to standard camera lenses for this work.
2. Does not require a supplementary lens for slide copying.
3. Equipped with Leica threads. Fits extension bellows BAL-S, BALCAST, without adapter.
4. Fits BALSON directly without M-ring.

If, however, camera lens is used for slide copying with BAL-S, BALCAST, the following accessories are required:



28

31 a



31 b

LEICO or other

M 49 × 0.75

BALTES

31 a **CASTEL**

31 b **NIVEL**


1. Lens Adapter (unnecessary for bellows model I).
2. Step-down ring for Bellows Lens Hood. If filter threads of camera lens are not M 49×0.75, ask for Special-make M-ring (indicating filter threads).
3. Supplementary lens to permit full-size 1 : 1 reproduction of 35 mm slides with 50, 55, or 58 mm camera lens (unnecessary for Bellows Model I).

Focusing Tripod Rack

(With continental and Americal Tripod thread) makes focusing in photomacrography and slide copying easy. For this reason the equipment ill. 27 is the most convenient one for slide copying. CASTEL may be used in photomacrography with any camera, also for stereoscopic pictures of still subjects.

Spirit Level

A positive way to see if camera is perfectly level. Also for levelling the tripod rack when taking stereoscopic pictures.



32 a

COWEIT

COWEIT
+ CANCO
EXWEIT
NIKWEIT

COWEIT

32 b

COWEIT *
LEIUMCOUM
EXUM

34

PIBAL*

35 a

MICRO

35 b

MICROBALG

35 mm f3.5 Noflexar Macro Wide Angle Lens

focus as close as $2\frac{3}{4}$ inches in four successive click-stop positions without the aid of extension bellows. The lens is so compact that it does not require a new ever-ready carrying case.

for

Edixa(-mat), Icarex-S, Praktika(-mat), Pentacon, Pentax, Mamiya Sekor, Regula Reflex, Ricoh Singlex, Yashica Reflex, Konica*, Revue*, Olympus Pen-F*, Alpa*, Minolta SR*, Miranda*, Petriflex*, Pentaflex*

*) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the camera manufacturer

Canon FX, Pellix, FT

Exa II and I, Exakta, Mamiya Reflex (FP), Topcon SR, RE Nikon F, Nikkorex, Nikkormat

Beaulieu**, Bolex Reflex**, Pathé Webó**

**) used with an "Adapter for Praktica/Pentax-Lenses" supplied by the German Beaulieu representation

Camex Reflex

Reversal Ring permits using the 35 mm Macro-wide Angle Lens in reverse position for superior hyper close-up work. Opposite end of ring screws into any extension bellows having Leica threads. Thus a magnification ratio of 3 : 1 to more than 5 : 1 can be achieved.

same for bellows BALCO

same for bellows BALIX

Follow Focus Bellows

Follow Focus Bellows discontinued

Photomicrography

Microscope Adapter. Has Leica threads that screw directly into Extension Bellows BAL-S, BALCAST, PIBAL. Adapters COLEI etc. are required for use of MICRO with Bellows Model I and A

Microscope Bellows for use of MICRO and microscope with a copying stand.



36

FILPI
FILPI
FILFE
FILFE

Filters and Lens Hoods

for	filter thread	Lens Hoods
60 mm f 4.5 BALFLEX	M 40.5 x 0.5	BALSON No. 26
105 mm f 3.5 Noflexar	"	"
105 mm f 3.5 Xenar	"	"
105 mm f 4.5 Xenar	"	"
135 mm f 4.5 Noflexar	"	"
135 mm f 4.5 Xenar	"	"
150 mm f 4.5 Xenar	"	"
35 mm f 3.5 Noflexar	M 49 x 0.75	built-in
135 mm f 4.5 Sq. Focus Xenar	"	"
180 mm f 4.5 Xenar	"	Schneider
240 mm f 5.5 Tele-Arton	"	"
240 mm f 5.6 Noflexar f. 6 x 6	"	built-in
500 mm f 5.6 Tele-Noflexar	"	bayonet lens
for 6 x 6	"	hood included
		in the price of
		the lens
200 mm f 4 Noflexar	M 58 x 0.75	"
280 mm f 5.6 Noflexar	"	"
400 mm f 5.6 Noflexar	M 75 x 0.75	"
640 mm f 9 Noflexar	"	"

The filters are coated. Please indicate color.

Prices for blue and skylight filters are available on request.

We do not supply filters for the lenses where no code-word is indicated. For these lenses filters of other makes are available. Please ask for filters with **shallow mount** when buying filters for the 35 mm Macro Wide Angle lens. Long filter mounts cause vignetting. The 6 x 6 Follow Focus lenses 240 mm and 500 mm have the filter thread on the rear mount of the lens heads.


Extension Tubes

With Leica threads. Can be used to increase extension of Bellows No. 10, 11, 12, 34 which results in larger reproduction ratios even with long focal length lenses

24 mm Extension Tube

37

NORING



38 a

BROPIGRIFF-S2-C
BROPIGRIFF
HAPIGRIFF
TISPIGRIFF
TISPIGRIFF-U

TISBIG-U

38 b

K-240

38 c

KS-500

38 d

ROLLAN

38 e

ROLLAN-200

39 a

LEIBRO-S2-C
LEIBRO
LEIHA
LEITIS

39 b

ALLEI-P
CANLEI-P
REXLEI-P
COLEI-P
EXLEI-P
TOPLEI-P
MINLEI-P
MIRLEI-P
NIKLEI-P
PRALEI-P

PISTOCK-66

2 1/4 x 2 1/4" (6 x 6) Follow Focus Lenses

(Adding the adapters 39 a+39 b these Follow Focus lenses may also be used with 35 mm SLR cameras)

Pistol Grips 6x6

for split-second trigger focusing of lenses No. 38 b, 38 c (inter-changeable with bayonet mounts)

Bronica S 2 and C

Bronica all other models

Hasselblad 1000/1600 F (not available for 500 CI)

Praktisix, Pentaconsix

same with inseparable Special Bellows

(focusing with 240 mm from infinity to 0.80 m)

(focusing with 500 mm from infinity to 3.40 m)

Special Bellows including assembly

(TISPIGRIFF must be sent in to works)

Lens Heads for the above

240 mm f 5.6 Noflexar with built-in lens hood

500 mm f 5.6 Tele-Noflexar with bayonet lens hood

Barrel for use of KS-500 and K-240 with **Rollei-SL-66**

(No pistol grip available for this camera)

Barrel for use of N-200 (40f) with **Rollei-SL-66**

Adapters for use of Follow Focus and Bellows Systems 6x6 with **35 mm cameras**

for

BROPIGRIFF-S2-C, BROBIG-S2-C

BROPIGRIFF, BROBIG

HAPIGRIFF

TISPIGRIFF, TISBIG

Adapters for use of the following **35 mm cameras** with 38a, b, c, or 40a and 39a

Alpa

Canon FX, Pellix, FT

Contarex

Edixa/Praktica/Pentax/Pentacoon/Yashica

Exakta, Exa II (with EXTERIOR Exakta bayonet)

Topcon/Mamiya (with INTERIOR Exakta bayonet)

Minolta SR

Miranda


Nikon F, Nikkorex, Nikkormat

Praktina

not available for Icarex, Leica, Leicaflex, Petriflex, Zenit

Chest-pod 6x6

chest-pod for TISPIGRIFF, BROPIGRIFF, HAPIGRIFF (same as No. 5 but with special strap)



40 a

BROBIG-S2-C
BROBIG
TISBIG

b LEIXIAN
c TISLEI
d XUR
e TISXURRING
f BROXURRING

f N-200
g N-300
h TISNORING
i BRONORING
k BIGSON
l M 66-49 x 0.75
l BIGCOP

LEINO

BROLEI

M 66-40.5 x 0.5

2 1/4 x 2 1/4" (6 x 6) Bellows

With built-in focusing tripod rack (with coupling adapters No. 39 a + 39 b these bellows attachments may be used also with 35 mm SLR cameras)

for

Bronica S2 and C
Bronica all other models
Praktisix, Pentaconsix

Lens Heads for the above focusing from close-up to infinity

150 mm f4.5 Xenar
Adapter for TISBIG
180 mm f4.5 Xenar
Adapter for TISBIG
Adapter for BROBIG

200 mm f4 Noflexar with bayonet lens hood discontinued
Adapter for TISBIG
Adapter for BROBIG
Bellows Lens Hood 6 x 6 (60 mm slip-on diameter)
Adapter for use of BIGSON with 180 mm Xenar
Slide Copying Attachment 6 x 6

Praktisix, Pentaconsix are used for slide copying with TISBIG, BIGSON, BIGCOP and the 80 mm camera lens


Bronica cameras are used for slide copying with BROBIG (-S2-C), BIGSON, BIGCOP and

105 mm f3.5 Noflexar

Adapter for use of Bronica (S2-C) with LEINO (also fitting other lenses with Leica threads)


Step-up ring for use of BIGSON with LEINO (also fitting 150 mm Xenar)

NOVOFLEX



Carrying Cases

- | | | |
|------|-----------|--|
| 41 a | TASPI | Leather Case, holster type, for 280 mm Follow Focus Lens with lens hood |
| b | TASPI-400 | Leather Case, holster type, for 400 mm Follow Focus Lens with lens hood |
| c | TASFE | Leather Case, quiver type, for N-640 (No. 3a) and two filters |
| d | TASPIBA | Vinyl Case for Follow Focus bellows with lens and lens hood |
| e | TASWEIT | Leather Case for 35 mm Wide Angle lens |
| f | TAS-135 | Leather Case for 135 mm Squeeze-Focus Xenar with camera adapter |
| g | TASUNI | Universal Carrying Case for complete Novoflex outfit (400 mm Follow Focus with Special Bellows, Bellows II or S with Focusing Rack CASTEL, 60, 105, 135, 200 mm Lens Heads, Bellows Lens Hood, Slide Copying Attachment, 135 mm Squeeze-Focus Xenar, all complete with camera adapters, Bellows I, 35 mm Macro-Wide angle — with cut-out (or uncut) interchangeable foam rubber lining — stylish, rugged, light-weight (only 2,1 kg), compact-size (ext. dimensions only 45 x 34 x 9,5 cm). |



- 42 a **NOBU-D**
 b **NOBU-F**
- 43 a **DUSTLEI**
 b **DUSTEX**
 c **DUSTCO**
 d **DUSTPJ**
 e **DUSTFE**
 f **DUSTWEIT**
 g **DUSTPRA**
 h **DUSTCAN**

ARLEI
CANLEI-K
COLEI
EXLEI-K
MINLEI-K
MIRLEI
NIKLEI-K
PRALEI

Novoflex Pocket Book

By Friedr. W. Voigt, Focal Press, London. Everything about Novoflex, with numerous illustrations and many tables

in German language, revised edition
 in French language

Rubber Dust Caps

for

Leica threads on lens heads
Exakta bayonet
Pentax threads
Front of 280 mm lens
Front of 400 mm and 640 mm lenses
Front of 35 mm Macro Wide Angle lens
Rear of PIGRIFF-B, B-280, B-400
Canon bayonet

Adapters for use of Lenses having Leica threads with Bellows having other threads or bayonets

thread or bayonet	thread
on camera-side	on lens-side
Arriflex	Leica
Canon FX, FT Pellix,	Leica
Edixa/Praktica/Pentax etc.	Leica
Exakta-Innenbajonett	Leica
Minolta SR	Leica
Miranda	Leica
Nikon F, Nikkorex, Nikkormat	Leica
Praktina/Porstreflex	Leica



NOVOFLEX

NOVOFLEX FOTOGERATEBAU D-894 Memmingen

Tel. (08331) 3376