




Canon

cameras & lenses

CANON FLASH UNIT MODEL Y SET



Designed for the Canon Camera Model IV-S(2) or any other synchronized camera with a Flash Bracket.

Set consists of:

- Flash Housing with built-in Micro-synchronizer Unit
- 5" Reflector for Small Bulbs
- Penlight Battery Cartridge

Extras:

- Self-Extension Adapter and Extension Cord A for connecting Speedlight Unit or for indirect lighting
- Capacitor Cell
- Flash Housing Extension



OTHER FLASH ACCESSORIES

- Side-lighting Unit, 5" or 7" Reflector
- Flash Tester
- Flash Bracket R for using Model Y set with synchronized Reflex cameras
- Flash Bracket S for any other synchronized cameras
- Flash Bulbs
- Shield Set for added light control
- Multi-Extension Socket
- Cord Connector
- Extension Cord B, 1 foot

SHUTTER RELEASE BUTTON

Slightly recessed to impart correct squeeze action to 'trigger finger.'

FILM TRANSPORT KNOB

Simultaneously sets shutter. Prevents accidental double exposures.

ASA RATING DIAL

For colour and black & white films.

EXPOSURE COUNTER**SHUTTER SPEED SELECTOR KNOBS**

Provide full range of speeds from 1 second to 1/1000, plus 'time,' 'bulb' and speed-light synchronization point.

ACCESSORY CLIP

Accommodates special viewfinders and other accessories.

SINGLE EYEPIECE RANGE-VIEWFINDER

Permits simultaneous focusing and composing.

IMAGE MAGNIFICATION CONTROL

Permits critical focusing in poorest light. Also provides correct fields of view for 50, 100, and 135 mm lenses.

FLASH SHOE


Flash unit or self-extension adapter for speed-light unit slide into position automatically engaging electrical terminals which connect to internal synchronization switch.

TAKE-UP SPOOL

(not shown)
Features unique spring-loaded extension grip to facilitate removal from camera.

TRIPOD SOCKET

(not shown)
Located in base plate, meter or feet calibration size.



CANON CAMERA Model IV-S(2)

Supplied with the incomparable Canon 50mm f:1.8 or f:1.5 extra-hard coated lens. Built-in Flash Synchronization for all speeds and for Speedlight at "X". Lens cap, leather case and shoulder strap available with the camera. This is the only camera with a 5 year guarantee.



UNIVERSAL VIEWFINDER

For use with Canon interchangeable lenses 35 mm to 135 mm. With 28 mm Front Attachment, this may also be used with Canon's 28 mm extra-wide angle lens.


CAMERA HOLDER

The velvet-lined cradle permits rigid mounting on tripod in vertical or horizontal position. Built-in Spirit Level insures accurate composition.

ARCO TRIPOD

One lever patented horizontal and vertical adjustment. Triple extension legs lock in any position.

CANON CAMERA Model II-S



Similar to IV-S(2) but with speeds from 1 sec. to 1/500 sec., B, T and X. This model is also available with the Canon 50 mm f:3.5 lens. Also shown is the Canon Auto-up attachment for the 50mm f:1.8 lens. This device permits close-up photography between 22" and 40" from the camera. Actual measurements are unnecessary as all focusing is done through the camera body rangefinder mechanism.

CANON LENSES

Wide Angle

28 mm f:3.5 75° Series VI Attachments

35 mm f:2.8 64° Series VI "

Standard

50 mm f:3.5 46° Series VI "

50 mm f:1.8 46° Series VI "

50 mm f:1.5 46° Series VII "

Telephoto

85 mm f:1.9 29° 1.7 x Series VII "

85 mm f:1.5 29° 1.7 x Special Size "

100 mm f:3.5 24° 2 x Series VI "

135 mm f:3.5 19° 2.7 x Series VII "

800 mm f:8 16 x Special Size "

All Canon lenses are interchangeable and will couple with the Canon or Leica camera. Lenses are supplied with Lens Base Caps and Lens Top Covers. Accessory lenses available with special viewfinders and leather cases. Plastic cases available for Standard lenses.



LISTINGS

Cable Release
Camera Lens Mount Cover
Self-Timer, Plastic Case (Walz)
Filters, Series VI, VII and Special for
85 mm f : 1.5 Lens
Lens Hoods with Adapter Rings
Extension Cords A or B
Step-up Ring, Series VI to VII
Film Magazine with Plastic Case
Universal Frame (Sports) Finder
Auto-up, Close-up Lens for 50 mm f : 1.8 Lens
Filter Retaining Rings, Series VI and VII
Adapter Ring Inserts, Series VI and VII
Canon Photo Oscilloscope Units
Canon X-Ray Units
Canon Portable and Table Copying Stands
Canon Radarscope
Canon Fluoroscope
Exposure Meter (Walz)
Model B-III Flash Unit for Unsynchronized
Canon Cameras
etc.

Sole Exporters: **JARDINE MATHESON & CO., (JAPAN) LTD.** Yokohama, Japan
Manufactured by: **CANON CAMERA CO., INC.**