NOLTA SR-Single Lens Reflex ystem minolla

A NEW HIGH IN PRACTICAL AUTOMATION
FOR SINGLE LENS REFLEX CAMERAS

COMPLETELY Automatic Minolta~SR-1

	LUCT	401					. = = 5	4115
W	1031	AU	ANCE	IHE	FILM	WIND	LEVER,	AND

Automatically
diaphragm opens to its largest aperture.
(this unique feature operates with standard 35mm, 100mm and 135mm lenses)

Automatically film advances one frame.

Automatically shutter is cocked.

Automatically film counter registers the frame.

☆ JUST PRESS THE SHUTTER RELEASE, AND......

Automatically diaphragm close to your pre-selected aperture.

Automatically mirror clears.


Automatically shutter exposes film.

Automatically mirror returns for uninterrupted viewing.

Now, you are ready to take your next shot by advancing the film.

THE PENTA-PRISM FINDER

The most advanced way of viewing and focusing.



One of the principal virtues of the penta-prism single lens reflex camera is through-the-lens viewing-focusing.

Regardless of the focal length of the lens being used the final subject is viewed through the lens directly onto the ground glass and therefore eliminates the parallax problem.

Depth of field and true perspective of the subject can accurately be seen.

This feature also allows this camera to be used with extension tubes, microscope, telescope and bellowscope.

The instant return mirror keeps the image visible even after the shutter is released.



Fixed Pentaprism:

Protects viewfinder. Keeps it free of dust. Shows exact area for accurate composing. Fresnel lens keeps even edges bright.




Single Speed Dial: Doesn't

Equal spacing. revolve: eliminating risk of brushing against dial and slowing exposure.



LVS Numbers: There if you want them.



Bulit-in Self-Timer: Allows you to get yourself into the picture.

MINO



Standard lens with exclusive achromatic coating (double coating) for color hi-fidelity.

SPECIFICATION OF SR-1

Lens:

F2-55mm Auto-Rokkor 6 elements

Achromatic coating.

Shutter Non-revolving, single dial, equal

spacing, Focal plane B, $1\sim1/500$ sec.

Synchronization:

FP and X flash synchronization.

SR-1



Rapid Rewind Crank: Pops up-rewinds film in seconds.



Exclusive Camera Back Release:

One hand operation: simply raise knob and back pops open.



Automatic Zero Return: Counter is magnified for easy viewing.



FP and X Flash
Synchronization.



Button for instant interchangeability of lenses.

Camera

\$ 169.50

Leather Case

\$ 15.00

Finder: Penta-prism, with fresnel lens.

Built in self-timer.

Instant return mirror.

Rapid wind lever, rapid rewind crank.

Automatic resetting exposure counter.

Size: $143 \times 93 \times 32$ mm.

Weight: 670gm.

CHOOSE THE WORLD FAMOUS Rokkor lenses to suit your needs

00000

Completely Automatic Rokkor lenses

(Diaphragm opens and closes to pre-selected f stop automatically)

- ② f2.8-35mm Wide Angle 7 elements \$119.50[△] 64° angle of view, focuses as close as 25cm (9.8 inches)
- 3 f2-55mm Standard 6 elements 43° angle of view, focuses as close as 50cm (19.7 inches)
- 4 f3.5-100mm Telephoto 5 elements \$99.50* 24° angle of view, focuses as close as 120cm (47 inches)
- 6 f2.8-135mm Telophoto 7 elements \$139.50*
 18° angle of view, focuses as close as 150cm (59 inches)

Automatic Rokkor lens


(Diaphragm closes to pre-selected f stop automatically)

(8) f3.5-200mm Telephoto 6 elements \$ 179.50* 12° angle of view, focuses as 200cm (79 inches)

Manual Pre-set Rokkor lenses

- ① f4-35mm wide angle 5 elements \$ 59.50^{\triangle} 64° angle of view, focuses as close as 40cm (15.8 inches)
- (5) f4-100mm Telephoto 3 elements \$ 59.50* 24° angle of view, focuses as close as 120cm (47 inches)
- 7 f4-135mm Telephoto 3 elements \$69.50* 18° angle of view, focuses as close as 150cm (59 inches)
- 9 f4.5-300mm Telephoto 4 elements \$ 259.50*
 8° angle of view, focuses as close as 450cm (178 inches)
- f5.6-600mm Telephoto 4 elements \$ 550.00*
 4° angle of view, focuses as close as 1200cm (474 inches)
 (* Price include case and hood) (^Price include case)

Interchangeable Lenses for SR cameras




Accessories FOR EVERY SITUATION

With the complete line of accessories, Minolta SR-1 boasts the versatility from taking the picture of the Moon to Microphotography.



Photo-Oscillo Unit.





Angle Finder II. \$ 19.95




Leica-type mount adapter \$ 4.95



Exakta-type mount adapter \$ 4.95



Complete \$ 990.00







(All Telephoto lenses come with hoods as standard equipment.) \$ 5.95 w/case



\$6.95 B Polarizing filter \$ 19.95




Microscope adapter \$19.95

(A) (A) Extention Bellows. \$ 24.95 (B) Extention Bellows "De Luxe" type.

\$ 54.95











MINOLTA CAMERAS, 150 BROADWAY, N. Y. 38.