BARGAINS

Central Camera Co.

PHOTOGRAPHIC HEADQUARTERS

230 South Wabash Avenue Chicago: : Illinois

64 PAGES

of

PHOTOGRAPHIC SUPPLIES

and

USED CAMERA BARGAINS



BARGAINS IN USED CAMERAS

IMPORTANT NOTICE

We have classified our used Cameras, Kodaks and lenses in two groups: P.I signifies practically new and S.H. signifies second hand. The first applies to outfit which have been used slightly and which can scarcely be told from new—the secon applies to outfits which have been used considerably but are in perfect workin condition.

Graflex and Focal Plane Cameras

60	000	4x5 Graflex R. B. Series B Camera, Kodak F:4.5 lens\$	69.50	S.H
	001	3½x4½ Popular Pressman Camera, Tessar F:4.5 lens	47.50	PNr
	002	2½x2½ Rolleiflex Camera, Tessar F:4.5 lens with case	57.50	
	003	2½x3½ Graflex R. B. Ser. B Camera, Kodak F:4.5 lens	49.50	
W		15/8x21/2 Exacta Camera, Tessar F:2.8 lens with case	59.50	
		2½x4¼ National Graflex Camera, Tessar F:3.5 lens	47.50	
60	007	2½x2½ Rolleiflex Camera, Tessar F:3.8 lens with case	49.50	S.H
60	800	2½x3½ Graflex R. B. Ser. B camera, Kodak F:4.5 lens	44.50	S.H.
60	009	K 5 Aero Camera with 1 12-inch Goerz Celor F:5.5, 1 Mapping supp	ort	
		(complete)	195.00	P.N
60	010	15/8×2½ No. 0 Graphic camera, F:6.3 lens	14.50	SH
	110	3½x4½ Ibsco Reflex Camera, Tessar F:4.5 lens	39.50	
)11	374X474 IDSCO Reflex Camera, Tessai F.4.3 felis	47.50	
)12	5x7 Contessa Nettel Camera (Box only)		
61)13	5x7 Stereo Graflex Camera, IIB Tessar lenses	127.50	
60)14	4x5 Graflex R. B. Series B Camera, Kodak F:4.5 lens	79.50	
60	115	5x7 Home Portrait Graffex, 93/4 Tessar F:4.5 in Betax shutter	167.50	
60)16	15/x15/6 Rolleiflex Camera. Tessar F:3.5 lens with case	47.50	S.H
	717	31/14/4 Graffex R B Ser B camera, Kodak F:4.5 lens	59.50	S.H
	018	3 ¹ / ₄ x4 ¹ / ₄ Auto Graflex Camera, Tessar F:4.5 lens	47.50	
	010	5x7 Graflex Series B. Camera, Kodak F:4.5 lens	119.50	
	019	15/8×2½ Exacta Camera, F:3.5 Schneider Xenar lens	49.50	
100	020	1%x2½ Exacta Camera, F:3.5 Schneider Aenai lens	42.50.	
		21/4 x 21/4 Graflex Jr. Camera, Tessar F:4.5 lens		
60	022	3½x4½ Popular Pressman Camera, Aldis F:4.5 lens	39.50	5.H.
60)23	5x7 Contessa Nettel Camera, with F:4.5 Tessar lens	87.50	
60	024	21/4 x 31/4 Thornton Pickard Camera, Cook F: 4.5 lens	49.50	
60	025	9x12 CM Mentor Reflex Camera. (Box only) out of order	12.50	
	027	31/4×41/4 R B Auto Graflex Camera, Graf F:3.8 lens	97.50	
	028	6½x9 CM Mentor Reflex Camera, Tessar F:2.7 lens	74.50	P.N
	029	4x5 Naturalist Graflex camera, 28 inch Telestigmat lens	197.50	P.N.
		15%x15% Rolleiflex Camera, Tessar F:2.8 lens with case	69.50	
	030	4x5 Graflex Series B Camera, Kodak F:4.5 lens	54.50	
	031	4x5 Granex Series B Camera, Rough F. 6.2 Jane	37.50	
	032	31/4 x 41/4 Auto Graflex Camera, Wollensak F:6.3 lens	67.50	
	033	4x5 Graflex Series B Camera, Kodak F:4.5 lens		
6	034	2½x3½ Graflex Jr. Camera, Cooke F:4.5 lens	47.50	
6	035	15/8x15/8 Rolleiflex Camera, Tessar F:3.5 lens, with case		P.N.
6	036	31/4 x41/4 Graflex R. B. Ser. B Camera, Kodak F: 4.5 lens	69.50	P.
6	037	31/x41/ Series B Graflex camera, Kodak F:4.5 lens	57.50	P.I
	038	3½x4½ Telescopic Graflex R. B. camera, Kodak F:4.5 lens	57.50	
	039	3½x4¼ Graflex Series D Camera, Kodak F:4.5 lens	76.50	P.N.
	040	2½x2½ Rolleiflex Camera, Tessar F:3.8 lens with case	67.50	P.N.
		5x7 Graflex Series B Camera, Kodak F:4.5 lens	97.50	
	041	JX/ Granex Series D Camera, (Dor Only)	76.50	PN
	042	5x7 Press Graflex Camera, (Box Only)	49.50	
	043	31/4 x 41/4 Graflex Series B Camera, Kodak F: 4.5 lens	67.50	
6	044	31/4x41/4 Telescopic Graflex R. B. Camera, Tessar F:4.5		
6	045	4x5 Graflex Series D Camera, Schneider Xenar F:3.5 lens	109.50	
-6	046	13x19 Pilot Camera, F:2.9 Tessar in compur shutter	47.50	
	047	4x5 Telescopic Graflex Camera, Tessar F:4.5 lens		S.H.
	048	31/x51/2 Speed Graphic Camera, Velostigmat F:4.5 lens		P.N.
	049	5x7 Home Portrait Graflex Camera, Tessar F:4.5 lens	197.50	P.N.
U	CTO	oki Home Forest Grands Cambridge Community	A	

FOTH-FLEX

THE REFLECTING CAMERA WITH MATCHED LENSES



\$67⁵⁰

A REFLECTING CAMERA focusing through a matched F:3.5 Foth Anastigmat Lens identical to the one used for taking the picture. Looking into the focusing hood you see the picture,

clear, full size, right side up, before and during the exposure. The reflecting feature eliminates guess work, assuring perfect composition and gives you action pictures and fleeting expressions with ease and certainty.

2¼ x 2¼ PICTURE SIZE, 12 pictures on regular 120 roll film.

AUTOMATIC FILM COUNTING DEVICE, the film being wound until the figure "1" appears in the red window, and then the automatic counter registers the exposures.

LENS EQUIPMENT consists of 2 matched, highly corrected F:3.5 Foth An-

astigmats. One of these lenses is used for focusing, and the other for taking the picture. Being perfectly aligned the lenses assure a picture identical with the one visible on the ground glass. The speed of these lenses, F:3.5, permits picture taking under adverse lighting conditions. Enlargements to any desired size are a reality because of the fine quality of these lenses.

THE SELF-TIMING FOCAL PLANE SHUTTER has speeds of 1/25, 1/50, 1/100, 1/200, 1/500 and bulb exposure. This wide range of speeds combined with the ability of the focal plane shutter to utilize the maximum amount of light assures superior results. The delayed action self timing device, permits the operator to get in the picture himself. Setting the shutter is very simple. The speed indicator knob is liftd and the pointer set opposite the desired speed.

THE FOCUSING HOOD is equipped with a focusing magnifier which can be used to insure absolute needle sharp pictures. The focusing hood

automatically springs into place for quick action shots.

ONE PIECE METAL CONSTRUCTION, thus assuring light weight, compactness, and extreme rigidity. Foth-Flex is covered with genuine leather and trimmed with metal.

ACCESSORIES

- 5X COLOR FILTER 4.50

Continued-GRAFLEX AND FOCAL PLANE CAMERAS

	6050	5x7 Home Portrait Graflex Camera, 12" Velostigmat F:4.5 lens	176.50	P.N
	6051	3½x4¼ R. B. Auto Graflex, box only	67.50	P.Nng
	6052	3½x4½ Graflex Ser. D. Camera, with Tessar F:4.5 lens	87 50	P.N.ay
	6053	6½x9CM Ernemann Sportsman Camera, F:3.5 Ernon lens	64 50	P.N.nd
	6054	1 ₁₆ ×1 ₁₆ Pilot Camera, F:3.5 Tessar lens, compur Shutter	40 50	P.N.or.
-	6055	9x12CM Zeiss Miroflex Camera, F:2.7 Tessar Lens, case, 3 holders	47.50	n-
	0033	and adapter	107 50	DN he
	COFC	and adapter	07 50	DN it-
	6056	4x3 Granex Ser. D. equipped with Tessal F.4.3 lens	27.50	D.M. al
	6057	3½x5½ Roll Film Graflex, Velostigmat F:6.3 lens		P.N. en
	6058	5x7 Press Graflex, with Tessar F:4.5 lens	119.50	T .T.
	6059	31/4x41/4 R. B. Auto Graflex, with Tessar F:4.5 lens	97.50	
	6060	3½x5½ Speed Graphic, box only	27.50	S.H. n
	6061	3½x5½ Speed Graphic, box only		4
		holders and adapter	122.50	P.N.
	6062	31/4 x41/4 Graflex Ser. D. with Kodak F:4.5 lens	62.50	S.H. *
	6063	3½x5½ Roll Film Graflex, box only, out of order	19.50	S.H.
	6064	5x7 Speed Graphic, 93/4" Tessar F:4.5 lens, Betax Shutter	87.50	P.N.
	6065	4x5 Graflex Ser. D. Camera, Kodak F:4.5 lens	97.50	P.N.
	6066	3½x4¼ Graflex Ser. D. with F:3.5 Schneider Xenar lens	112.50	P.N.
	6067	3½x4½ R. B. Auto Graflex, Tessar F:4.5 Lens	87.50	SH
	6068	4x5 Speed Graphic, F:4.5 Kodak lens	69.50	
		4x5 Speed Graphic, box only	59.50	
	6069	3½x4½ R. B. Auto Graflex, Velostigmat F:4.5 lens, Betax Shutter	79.50	
	6070	5/4X4/4 R. B. Auto Granex, Velostiginat 1.4.3 lens, Betax Shutter	59.50	
	6071	5x7 Speed Graphic, box only		
	6072	31/4x51/2 Roll Film Graflex, box only	29.50	
	6073	4x5 R. B. Auto Graflex, Kodak F:4.5 lens	97.50	
	6074	6½x9CM Contessa Nettel, F:4.5 Tessar lens	44.50	
	6075	3½x4¼ R. B. Auto Graflex, with Dagor F:6.8 lens	79.50	S.H.
	6076	4x5 Speed Graphic, box only	39.50	S.H.
	6077	4x5 RB Auto Graflex, Zeiss Protar F:6.3 lens	117.50	P.N.
	6078	3½x5½ Roll Film Graflex, Velostigmat F:4.5 lens	44.50	P.N.
	6079	5x7 Speed Graphic, box only	54.50	S.H.
	6080	5x7 Speed Graphic, box only		
		Betax Shutter	64.50	P.N.
	6081	3½x5½ Roll film Graflex, Tessar F:4.5 lens	54.50	P.N.
	6082	4x5 Speed Graphic, F:4.5 Tessar lens	74.50	P.N.
	6083	4x5 Speed Graphic Camera, F:3.5 Schneider Xenar lens, in Compur		
	0000	Shutter	69 50	S.H.
	6084	3½x4½ Speed Graphic Camera, Tessar F:4.5 lens		P.N.
	6085	3½x5½ Roll film Graflex, Kodak F:4.5 lens		P.N.
	6086	3½x5½ Compact Graflex, box only		P.N.
	6087	9x12CM Contessa Nettel Camera, F:4.5 Tessar lens, case, 3	00.00	
	0007	holder, film pack adapter	50 50	P.N.
	6000	3½x4¼ Speed Graphic, box only		P.N.
	6088	4x5 Speed Graphic Camera, F:4.5 Tessar lens		P.N.
	6089	4x5 Speed Grapine Camera, F.4.5 Lessar lens		P.N.
	6090	4x5 RB Auto Graflex, with F:6.8 Dagor lens		S.H.
	6091	3½x5½ Compact Graftex, box only	27.50	S.H.
	6092	3½x5½ Speed Graphic, with F:3.5 Schneider Aenar, Compur	(250	DM
		Shutter FAFI	74.50	P.N.
	6093	31/4 x 41/4 RB Auto Graflex Camera, Velostigmat F: 4.5 lens	14.50	P.N.
	6094	4x5 RB Auto Graflex Camera, Kodak F:4.5 lens	110.00	P.N.
	6095	2½x4¼ Roll film Graflex, Tessar F:4.5 lens	44.50	P.N.
	6096	3½x4½ Speed Graphic, box only	34.50	S.H.
	6097	3½x5½ Compact Graflex, Velostig. F:4.5 Lens	59.50	P.N.
	6099	9x12CM Contessa Nettel Camera, F:2./ Tessar lens	112.50	
	6099 A	3½x5½ Compact Graflex, Tessar F:4.5 lens	64.50	P.N.
	6099E	3 4x5RB Auto Graflex Camera, Tessar F:4.5 lens	122.50	
	60990	2½x4¼ Roll film Graflex, Tessar F:6.3 lens		P.N.
	60991	5x7 Compact Graflex, Kodak F:4.5 lens	87.50	P.N.
	6099E			P.N.
	6099F			P.N.
	60990		179.50	
	6099I			P.N.
	6099J		0	
	0099]	3 holders and adapter	169.50	PN
		o norders and adapter	107.00	

Pictorial Composition in Photography

By ARTHUR HAMMOND, A. R. P. S., Associate Editor of American Photography

The camera demands of its practitioners a somewhat different treatment of pictorial material from that required in the other graphic arts, and this book tells its readers how to see landscapes, figures and other subjects for photography in the special way required to make well-designed pictorial photographs. Not only the pictorial photographer who aspires to make pictures suitable for exhibition needs this book, but every user of the camera, whether amateur or professional, will find that his photographs will be far more attractive to himself and to others if he will but master the principles herein contained.

A detailed summary of the contents is as follows: CHAPTER I—Introductory—How Pictorial Photography has Benefited by the Energy and Enthusiasm of Technical and Scientific Experts—The Need for Sound Technical Knowledge and Training—Composition—The Mechanics of Suggestion—Teaches Commy in the Use of Tones; Teaches What and How to Emphasize; Teaches Careful Analysis of Impressions—The Limitations in Representation—What is a Picture? CHAPTER II—Spacing—Lines, Horizontal, Vertical, Oblique—Variety of Line—The Triangle—Curved Lines—The S-shaped Curve—The Unseen Line—Balance—Tones—The Characteristic Quality of Photography—Key. CHAPTER III—Mass—Notan—Breadth—Pictorial Balance—The Uncorrected Lens for Pictorial Work—Accent—Figures in Landscapes—Genre. CHAPTER IV—Linear Perspective—Focal Length of the Lens with Relation to the Point of View—Aerial Perspective—The Effect of Atmosphere on the Tones of a Picture—Theory and Practice of Orthochromatic Photography—When to Use a Color Corrected Plate or Film—Full Color Correction Sometimes Unnecessary. CHAPTER V—Simplicity—Sympathy—Restraint—Emphasis. CHAPTER VI—Line Composition Applied to Figure Studies—The Vertical Line—Repetition of Line—The Curved Line—The Lost Edge—The Triangle—The Rectangle—The S-shaped Curve—The Figure 8—The Hands in Portraiture—The Placing of the Head in the Picture Space—Groups—The Background. CHAPTER VII—Tones in Portraiture—Roundness and Solidity Brought out by Lighting—Outdoor Portraits—Sunlight—The Modernistic Trend in Portraiture—Modern Photography—Pattern or Design. CHAPTER VIII—The Definition of Art—Landscape—The Need for Cultivated Good Taste—Picture Making Largely Instinctive—Imagination—The Selection of Suitable Atmospheric Conditions—The Illusion of Relief—The Illusion of Distance—The Illusion of Movement—Underexposure Fatal to Success—Night Photography—Still Life and Flower Studies. CHAPTER IX—The Technique of Pictorial Photography—Developer for Negatives—Intensification and Reduction—Methods of Developing—Printing on Platinum and other Proc

There are forty-eight full-page illustrations carefully selected to bring out the points elucidated in the text. New and completely revised edition. Bound in red cloth.

PRICE, \$3.50

NEWS PHOTOGRAPHY by JACK PRICE

This book is written by a man who has been the chief photographer on one of New York's leading newspapers for many years. It is a very fascinating story of the experiences and types of work newspaper men are called upon to do. The news photographer's job is so versatile that it should be of interest to every photographic fan—from an educational standpoint as well as one of general interest.

Contents: Introduction, Foreword, Evolution of the News Photographer, Ethics, News Picture on Assignment, Ship News, Society News, Murder Mystery, Railroad Wreck, A Big Fire, Sports, Court Trial, General News, Feature Stories, Nature Pictures, Things Not to Do. Tricks of the Trade, Personal Experiences, Psychology, Amateur and News Photography, Pictures Wanted by Newspapers, Camera Equipment, Types and Accessories, Focusing, Sighting, Developing, Printing, General Advice Recapitulation.

C	
Continued—GRAFLEX AND FOCAL PLANE CAMERAS 6099K 4½x6CM (1½x2½) Ernemann Ermanox, F:2 Ernon lens, case,	
3 holders and adapter	122.50 P.N
6099M 9x12CM Ernemann Reflex, F:4.5 Ernon lens	59.50 S.H
6099N 4½x6CM Ernemann Sportsman Camera, F:3.5 lens, 3 holders	49.50 P.N
and adapter	
6099S 6½x9CM Zeiss Miroflex Camera, F:4.5 Tessar Lens, case and	
3 holders	112.50 P.N
6099U 9x12CM Ereneman Folding Reflex with Double extension bellows equipped Carl Zeiss Tessar F:4.5 carrying case 3 holders	
and adapter	147.50
MOTION PICTURE CAMERAS AND ACCESSORIES	
6100 16MM 400 Foot Eastman Reels & Humidor Cans, complete	\$ 1.15 New
6101 16MM Eastman Film Viewing outfit	8.50 P.N. 375 00 P.N.
6103 35 MM De Vry Splicing outfit	4.95 P.N.
6104 35 MM Capitol Continuous Projector	97.50 P.N.
6105 Fastman Kodascope Model B and Case	. //.50 P.N.
6106 Correctoscope for Filmo 70	4.75 P.N.
6108 11/4" Projection lens for any Standard Projector	4.75 New
6109 Eastman Model A Cine Kodak, F:1.9 lens	. 84.50 P.N.
6110 Kino Pano Tripod, complete with head	
6112 \$21.00 New Stanrite Tripod complete with Panrite Tilting Top	
6113 Filmo 70A with F:15 Cooke Complete Kodacolor Filters and	
Combination case	. 114.50 P.N. . 6.75 P.N.
6114 Carrying Case for Victor Camera	. 139.30 I.IN.
6116 Bell & Howell Character Title Writer	. 22.50 P.N.
6117 9 MM Pathex Motor Driven Projector	. 9.75 P.N.
6118 35 MM Eyemo with F:2.7 Cooke lens and case	. 97.30 F.IV.
Tessar	. 49.50 P.N.
6120 King Pang Tripod complete with head	. 17.50 S.FL.
6121 16½x22 Eastman Kodacolor Screen	7.50 P.N. 4.50 P.N.
6122 Eastman Cine Kodak Titler	. 12.50 P.N.
6124 Bell & Howell Block Letter Litler	. 4./J I.IV.
6125 Rell & Howell Filmador	. 2.75 P.N.
6126 334" Wollensak F:3.3 lens 6127 Weston Meter for Movies	. 17.50 P.N.
6120 6 Inch Wollengals F:45 lens	. 35.00 New
6120 33/" Cooke F:3.3 Telephoto lens for 70A or 70D Filmo	. 54.50 P.N.
6130 Combination Bell & Howell Carrying Case for Filmo 70	. 84.50 P.N.
6122 35 MM Goerz Hyper F:35 lens 2" Focus in plan barrel	. 17.50 P.N.
6122 Poll & Howell I I Projector with case	. 197.50 P.N.
6134 35 MM Barker Motion Picture Camera, Tessar F:3.5 lens, 200 foo Capacity, direct film focus	. 24.30 3.11.
6135 Fastman Kodascope Model B Camera and case	. 67.50 P.N.
6136 2" F:3.5 B & L Tessar to fit 70A or 70D in focusing mount	. 24.50 P.N.
6137 Filmo 70A camera with F:1.8 Cooke lens and case	. 72.50 S.H. . 16.75 P.N.
6130 1 Inch Cooke F:3.5 lens	. 9.75 P.N.
6140 1" F:1.5 Wollensak lens to fit Filmo or Victor in focusing mount	. 33.50 New
6141 35 MM Sept Camera, with F:3.5 lens and case	. 29.50 P.N. 31.50 P.N.
6143 Filmo 70A Camera, F:3.5 Cooke, Focusing Mount and Case	64.50 P.N.
6144 B & L Balopticon for Opaque Pictures with 500 watt nitrogen	
Rulb	. 46.75 P.N. . 19.50 P.N.
6145 Bell & Howell Projection Kodacolor lens and Condenser	. 19.50 P.N. . 5.50 P.N.
6147 1 Inch Cooke F:1.8 lens for Victor or Filmo camera	. 24.50 S.H.
6148 16 MM Wollensak F:3.5, 1" focus in focusing mount	. 6.50 P.N.

ROYAL

equipped
ZEISS TESSAR F 4.5

COMPUR

All metal—leather covered—very rigidly constructed

Here is a wonderful Camera for general all round work possessing features formerly to be had only in cameras selling for about double the price at which the Royal is offered.

It has been truly said that "No Camera can be better than its Lens," and the excellent definition and brilliance obtainable with the Zeiss Tessar, with which this camera is

equipped, certainly proves the accuracy of this statement. For consistently high quality and uniform excellence and reliability the Tessar is unsurpassed, particularly when used in conjunction with the precise Compur shutter.

The long bellows, the rising and falling front adjustment, lateral movements, the ground glass focusing screen; all these are features not found on ordinary hand cameras, but which are necessary to the advanced amateur who wishes to make really good pictures.

The Royal probably comes as close to being a truly "Universal" Camera as it is possible to construct. Here are a few of the many picture taking possibilities of this Camera: General snapshot pictures, high speed sport pictures (athletic events, etc.), News photographs, portraiture indoors and out, photography of small objects and the copying of other pictures (the long bellows permits small objects to be photographed to same size if desired). With optional lens attachments which may be purchased, either wide angle or tele-photo pictures may also be made.

Complete with 3 Single Plate Holders and F. P. Adapate	er\$48.00
Equipped with Schneider Xenar F 4.5	43.50
Case	4.25

THE SOFT-SHARP SCREEN

Made according to the investigations of Leonard Misonne

ADVANTAGES. This screen produces an effect superior to that produced by other similar appliances because it leaves part of the surface of the lens uncovered. This uncovered portion of the lens functions normally, that is to say, with a quality that gives the image a firm foundation such as is often lost in other methods of softening.

This firmness does not obliterate any of the soft quality and in the softest image there is still a trace of anastigmatic definition.

To convince oneself of this it is only necessary to slide the screen across the face of the lens and examine the image on the ground glass. You will see the image pass gradually from anastigmatic sharpness to extreme softness. As the screen covers a quarter, a third, a half, and so on, of the face of the lens, there will be a corresponding degree of softness in the definition of the image. In this way one has complete mastery over the degree of softness.

There are on the market a number of similar softening screens, but they all cover the lens entirely and one must therefore be satisfied with the quality of definition that they provide; it is not possible to regulate the quality with any of these screens.

Compared with semi-achromatic lenses (soft-focus lenses specially intended for portraiture), it is obvious that the soft-sharp screen is equally superior.

In the first place, such lenses almost always give excessive softness at the margins of the picture which makes it difficult, if not impossible, to use them for groups or landscapes. This can be avoided only by stopping down the lens and that leads to a loss of luminosity and the other special qualities of the lens. The soft-sharp screen, on the contrary, does not modify the quality of definition in the corners of the picture any more than it does in the center, and the softening is entirely independent of the diaphragm.

Size No. 1, 134 inches . . \$1.00 No. 2, 234 inches . . \$1.50 No. 3, 314 inches . . \$2.00

	Continued—MOTION PICTURE CAMERAS AND ACCESSOR	IES	
6149	35 MM New York Institute F:6.5 Camera	29.50	P.1
6150	Stewart-Warner Projector and Case 500 Watt Bulb	64.50	
6151	Cooke F:1.8 For Filmo 70 or 70D	39.50	
6152	Filmo 70DA camera with Cooke F:3.5 lens	179.50	P.1
6153	1 Inch Wollensak F:3.5 lens	7.50	P.Lh
6154	Peko Jr. Projector	12.50	
6155	Filmo 70A Camera, F:3.5 Cooke and case	44.50	
6156	Filmo 75 Camera with F:3.5 Cooke and Case	44.50	
6157	9 MM Pathex Motor Camera	16.50	P.N.
6158 6159	35 MM De Vry Camera, F:1.9 Wollensak lens	97.50	
6160	Filmo Projector Model GG, 400 Watt Bulb and Case		
6161	Eastman Kodascope Model C	24.50	P.N.
6162	Cine Kodak Model B. F:3.5 lens	29.50	
6163	34" Meyer Plasmat F:1.5 for Filmo 70 or 70D	.34.50	P.N.
6164	Filmo 70 Super Speed Model, Cooke F:1.8 lens and Case	97.50	P.N.
6165	8 MM Cine Kodak with F:3.5 lens	19.50	
6166	Cine Kodak Model B, F:1.9 lens	64.50	
6167	Victor 3T Turret Model Camera, F:3.5 Wollensak lens		P.N.
6168	Victor Projector 400 Watt Bulb complete with case	67.50	
6169	35 MM De Vry Camera, F:3.5 Wollensak lens	67.50 15.50	
6171	30x40 Dalite Challenger Screen	13.95	
6172	Simplex Pockette Camera, F:3.5 lens		P.N.
6173	Cooke F:1.5 Complete with Kodacolor Filters	49.50	
6174	Zeiss Kinamo Camera, F:2.7 lens, with case	37.50	
6175	35 MM De Vry Camera, F:3.5 Wollensak lens	44.50	S.H.
6176	Victor Model 3T Turret Camera, F:1.8 Cooke lens		P.N.
6177	30x40 Eastman Kodascope No. 1 Roller Type Screen		P.N.
6178	Eastman Cine Kodak Model B with F:6.5		P.N.
6179	39x52 Eastman Kodascope No. 2 Roller Type Screen		P.N.
6180	9 MM Pathex Camera		P.N. P.N.
6181	Filmo 70A Camera with F:3.5 Cooke and case		New
6182 6183	35 MM Universal Camera with Tessar F:3.5 lens		P.N.
6184	Eastman Model A Cine Kodak F:3.5		P.N.
6185	Willow Exposure Meter		P.N.
6186	Willow Exposure Meter. Cine Kodak Model K with F:1.9	97.50	P.N.
6187	Dremmeter for Filmo 70 or 75		P.N.
6188	8 MM Cine Kodak with F:1.8 Lens		P.N.
6189	35 MM Universal Camera with F:3.5 Tessar		S.H.
6190	Victor Model 3 Camera, Wollensak F:3.5 lens and case		P.N.
6191	9 MM Pathex Camera Motor Driven		P.N. P.N.
6192 6193	16mm Bell & Howell Splicer		P.N.
6194	16mm Kodascope Combination Rewinder & Splicing outfit		P.N.
6195	16mm Bell & Howell Combination Rewinder & Splicer		P.N.
6196	16mm Eastman Business Kodascope	29.50	P.N. *
6197	16mm. 2" F:1.9 Dallmeyer Lens for Filmo 70 or 70D		P.N.
6198	16mm F:4 Wollensak Verito soft focus 3" lens	9.50	P.N.
6199	35mm Sept Camera, F:3.5 Lens	19.50	P.N.
6199			P.N.
6199			P.N. P.N.
6199			P.N.
6199	E 3½x4 DeVry Stereopticon, 400 watt Nitro bulb, automatic	04.30	T
0199.	feeding device	25.50	New
6199		39.50	P.N.
6199	G 35mm Berwood Projector on stand	26.50	S.H.
6199			
	F:1.9 Lens	3.95	New
6199		2.95	New
6199		6.73	5 P.N.
6199		14 50	P.N.
	photo Lens	14.30	, I .IV.

PHOTOGRAPHIC ANNUALS

The American Annual of Photography, 1934

PAPER COVER - \$ 1 45

CLOTH BOUND _ \$25

Very careful selection from a large number of excellent articles of all kinds makes the reading matter in this forty-eighth volume of unusual value and interest to all classes of photographic workers.

The pictorialist, the commercial photographer, the user of a miniature camera or one who is interested in motion picture photography will find material that will be exceedingly helpful. The pictures represent outstanding work of the past year

The principal contents are as follows:

... The ... **British Journal** Photographic Almanac, 1934

This is the famous "Big Book" of photography that has been published annually for 75 years.

It is read by photographers in every part of the world and is the most widely used photographic book. Its pages are constantly referred to for the latest information on any and every subject pertaining to photography and cinematography.

READY IN JANUARY 1934

It is essential that you order this book in advance because it goes out of print immediately in England and the American dealers sell out rapidly also.

The 1934 B. J. Almanac will include 64 grayure reproductions of the best pictorial photography of the year.

Price \$1.00 in paper, \$1.50 cloth

Up to date photographers read the B. J. Almanac to be up to date.

CASH from Your Camera

By H. R. Snyder and K. A. Barleben, Jr.

Revised and Enlarged

This book has been completely rewritten and entirely enlarged, nothing in previous editions remaining in the present. It gives specific instructions as to how to make and sell photographs to newspapers and other users, along with many hints for profitable photographic side lines, a chapter on the making and selling of commercial photographs, and a thorough treatise on making motion picture photographs for the news reels. A market list gives specific information as to buyers of photographs with their wants and prices paid, and also requirements of the news reel companies for motion pict-

Bound in Red Cloth. Price. \$1.50

The Photographic Darkroom

E. J. WALL, F.C.S., Hon. F.R.P.S. Author of "The History of Three Color Photography", etc.

A Practical and Comprehensive Book, full of Helpful Suggestions for the Amateur and for the Professional

No one could be better able than the late Professor Wall to give advice and suggestions as to the fitting up of a practical and complete darkroom. The subject is dealt with from the point of view of the amateur who wants a place where he can do his photographic work comfortably and conveniently. Even an experienced photographer can find many helpful suggestions in these pages. Many useful gadgets are described and illustrated.

108 pages, $5\frac{1}{2}$ x 8, bound in red cloth, price \$1.50

Without Failures Photography

Anonymous

A Book that Shows the Beginner How to Become a Successful Photographer

Very Simply Written and Profusely Illustrated.

It deals only with those fundamentals which it is essential for the beginner to grasp.

The commonest errors in photography are graphically illustrated and their causes are described with many helpful suggestions on how to avoid them.

112 pages, 51/2 x 8 3/4, bound in red cloth. Price, \$1.50

	Continued—MOTION PICTURE CAMERAS AND ACCESSORI	ES	
C100T	16mm 4¾" Carl Zeiss F:6.3 Lens for Filmo 70 or Victor	34.50 F	P.N
6199L 6199M	3" Graf Projection Lens	4.95 F	
6199N	16mm 2" F:3.5 Goerz Hypar Lens	22.50 F	N.B
6199P	Panrite Titling Top	6.75 F	P.N.
6199R	Triax Tripod, Central Tilting Top	8.75 E	
6199S	Bell & Howell Combination Rewinder & Splicer	7.50 F	
6199T	Bell & Howell Exposure Charts for either 70 or 75	.25 N	
6199U	16mm Stewart-Warner DeLuxe model, F:1.5 Velostig. Lens	39.50 H	
6199V	16mm 100 ft. reels, new stock, postive film	1.20 N	
6199W	Willo film Inspection Glass	2.00 N 9.75 N	
6199X	Kodacolor Assembly for Eastman Kodascope B	3.75 H	
6199Y 6199Z	16mm Eastman Kodatoy	4.40 I	
6199A		39.50 I	
6199B			3
01772	tessar and 6 inch Carl Zeiss F:4.5 tessar complete with		•
	carrying case and 4 magazines	147.50 E	P.N. 1
6199C	C Home talking Outfit to be attached to Filmo DeVry Eastman	14.50 \$	S.H.
_	ROLL FILM CAMERAS & KODAK SIZES 35mm to 21/4x37	4	
6200	13 X 16 Piccochic Camera, F: 4.5 Vidar lens in self timing Pronto shutter \$		PN)
6200	1x1½ Leica model D Camera with F:3.5 lens	87.50 1	PN
6202	15/8x2½ V.P. Ihagee Ultrix Camera, Tessar F:3.5 lens, Compur shutter	29.50	PN
6203	15/8×2½ Eastman Kodak Special with Kodak F:4.5 lens, Diomatic shutter	17.50	
6205	1x1½ QRS Kamra, F:3.5 Graf Anastig lens	14.50	
6206	21/4 x 31/4 Eastman Kodak Ser. 111 with F:6.3 Kodak lens in Diomatic		
	shutter	14.75	
6207	15/8x2½ Eastman V.P. Camera, Meniscus lens	2.75	
6209	2¼x3¼ Eastman Pocket Kodak, F:6.3 lens, Kodex shutter	6.95	
6210	15/8×2½ Eastman V.P. Special, with F:4.5 lens	12.50	
6211	158x2½ Zeiss V.P. Camera, F:4.5 Zeiss lens in Compur shutter	34.50	P.N.
6212	1½ XI 16 Foth Derby Camera, new model, with F:3.5 self-timing Focal Plane shutter	17.50	PN
6213	15/8x2½ Ica Atom Camera, Dominar F:4.5 lens, Compur shutter	18.50	
6214	15/8×2½ Eastman V.P. Ser. 111 Camera with F:6.3 lens in Diomatic	10.00	
0211	shutter	9.50	
6215	21/4 x31/4 Eastman Premo Camera with Achromatic lens	3.75	S.H.
6216	13 Zeiss Kolibri Camera with Tessar F:3.5 lens in Compur shutter	00 50	D 3.7
	with case	32.50	
6217	2½/4×3½/ Zeiss Cocarette Camera, Tessar F:4.5 in Compur shutter	26.50 19.50	
6218	2½x3¼ Eastman Special, Tessar F:6.3 lens, Optimo shutter	69.50	
6219	15/8x2½ Zeiss Ikomat A Camera, Tessar F:4.5 lens, Compur shutter	32.50	
6221	2½x3½ Eastman Special Kodak, F:6.3 lens, Optimo shutter	19.50	
6222	1x1½ Leica model A Camera, F:3.5 Elmar lens	36.50	
6223	1x11/ ORS Kamra F:7.7 lens	4.95	
6224	13 X 19 Zeiss Baby Ikomat. Novar F:4.5 lens	13.50	
6225	15/x2½ V.P. Ser. 111 Kodak, F:7.9 lens	8.50	
6226	3/4x1 Ansco Memo Camera, F:6.3 lens	6.75	
6227	15/8×2½ Goerz Tenax Camera, Dogmar F:4.5 lens, Compur shutter	22.50 24.50	
6228	2½x3½ Voightlander Inos Camera, Skopar F:4.5 lens, Compur shutter	27.50	P.N.
6229	1 fs x 1 fs Foth Derby Camera, F:2.5 lens	44.50	
6230	2½x3½ Ikomat C Camera, Tessar F:4.5 lens, Compur shutter	31.50	P.N.
6232	21/x21/ 7eiss Icarette Camera, with Tessar F:4.5 lens in Compur shutter	34.50	P.N.
6233	21/x21/ Voightlander Brilliant Camera with F: 6.3 Anastigmat lens	18.50	P.N.
6234	21/x21/4 Voightlander Brilliant Camera, F:// Anastig. lens	10.50	P.N.
6235	21/4 x 31/4 Voightlander Prominent Camera, Heliar F: 4.5 lens, Compur	CO TO	D 17
	shitter	69.50	
6236	21/x31/ Autographic Kodak Kodar lens		P.N.
6237	Eastman Kodak Ser 111 with F:6.3 lens in Diomatic shutter	16.50 19.50	D.M.
6238	15/8x21/2 Goerz Tenax Camera, F:6.8 Dagor lens, Compur shutter	8.95	P N
6239	2½x2½ Voightlander Bessa Camera, F:7.7 Voightar lens	74.50	
6240	1/8x1/6 Dolly Camera, F:4.5 Certar lens	9.75	
6241	176X116 Dolly Calliera, 1.4.3 Certal lelis		

FOR MINIATURE CAMERA USERS

The Book of the Miniature Camera

by George W. Hesse

A profusely illustrated book on the technique of miniature camera photography by a well-known contributor to photographic journals. Divided into seven sections, it covers exhaustively: Miniature Photography in General-The Choice of a Miniature Camera-Hints on Exposure-Choice of Films-Development-Enlarging-Projection and Film Slides.

50 cents per copy

Leica Data Book

by Karl A. Barleben, F.R.P.S.

tive—its Development and Care

by Augustus Wolfman

A new book for the miniature en-thusiasts library embracing the de-velopment and care of the tiny minia-ture negative, embracing the latest in formulas that are of proven worth.

50 cents per copy

Developing, Printing and Enlarging Leica **Pictures**

By Morgan and Barleben is an enlarged version of the now famous Leica booklet containing innumerable developer formulas, as well as complete and detailed information regarding the printing and enlarging of Leica negatives.

25 cents each

The Leica in Science

By Willard D. Morgan of E. Leitz, Inc., is an entirely new booklet show-ing how the Leica is applicable in various fields of science, together with working details of such application.

25 cents each

SEEN BY THE CAMERA The Pictures tell their own Story

A series of small volumes containing about sixty striking pictures with a list of titles and short explanations. A pleasant and easy way of acquiring knowledge and information. Those already published are:

BEAUTY IN ANIMALS

With 64 photographs of living animals, wild and domesticated, weird and delightful.

NEGRO TYPES

ed

ue

er

d-

10

With 64 photographs of the unspoiled men and women of the "dark" continent.

CHINA AND THE CHINESE

With 63 photographs depicting everyday life in the cities and villages of China.

HOLLYWOOD AS IT REALLY IS

With 61 photographs of work in the studios, of stars at work and play, and of the activities of the men behind the camera.

THE MALE BODY

With 59 photographs showing the beauty of the human body in harmonious development. ANIMAL FACES

With 64 photographs, sometimes grotesque, sometimes beautiful, always interesting.

\$1.00 EACH

PRACTICAL PHOTOGRAPHY—40c PER

This is the title of a series of manuals, edited by Frank R. Fraprie, F. R. P. S., each of which conveys in reasonably short space all that is essential for a thorough understanding of some restricted department of photography. They are simply written and begin from first principles, so that they may be useful to the beginner but each carries its treatment far enough, and thoroughly enough to be of assistance even to the experienced photographer. They are all written by experts and most of them have been through a number of editions, each one having been completely revised and often rewritten.

Beginner's Troubles. In a sense this book is a manual of photography, for it gives innumerable pointers for success in all the work involved in making a perfect negative and a satisfactory print. Its primary purpose is to point out possible causes for failure and to help the reader to avoid them.

No. 3. How to Choose and Use a Lens. Without being too theoretical, this book explains the reason for existence and the particular qualities of each type of lens now in use in photography. It tells exactly what each will do and how to use it to the best advantage. It tells how to test a lens and answers every ordinary question likely to occur to a photographer who desires to understand his lens.

No. 4. How to Make Prints in Color. This book describes how to make prints in monochrome, in all possible colors except black: i.e., brown, green blue, red, purple, and all the other practicable tints. It gives only workable formulas and all that tests have proved to be reliable. In addition it tells how to work the processes of true color photography, Autochrome and Paget.

No. 5. How to Make Enlargements. A new edition of this standard book on enlargement is almost doubled in size. It contains full directions on every phase of enlarging work from constructing an enlarging camera, several types being described, through the theory and practice of making, developing and mounting the prints. A complete manual.

No. 6. How to Make Portraits. A complete description of the most successful methods of making portraits indoors and outdoors, with numerous diagrams showing positions of light, camera and sitters. Contains full practical instructions for all stages of the work, from posing to finished prints. New edition, containing the famous Inglis method

of lighting.

No. 8. The Elements of Photography.

No. 8. The Alements of Photography, explain A complete elementary textbook of photography, explaining carefully the principles and methods of manipulation of all the ordinary processes of photography, simple enough for the absolute novice, yet complete enough to give new ideas to even the experienced. The British Journal of Photography calls it "the best elementary manual yet written."

No. 10. Practical Printing Processes. A descriptive manual containing directions for the working of the following processes: blue print, self-toning paper, printing-out paper, homemade silver, platinum, satista, palladiotype, gaslight, bromide, sepias, carbon, carbro, gum-bichromate, kallitype, oil prints, bromoil.

No. 11. Modern Development. Describes all methods of development, but lays the greatest stress on the modern factorial and thermo methods with full directions for applying the latter to any desired developer. Formulas for all developers in use are given.

No. 12. A Manual of Bromoil and Transfer. This manual for self-instruction in bromoil printing and bromoil transfer contains, in brief and yet ample form, all that the beginner should know to enable him to master this process, and it calls attention to the errors which may occur. With some diligence and attention any one will be able to take up bromoil printing and to lift himself from the routine type of photography to those artistic effects which the bromoil process affords.

	The state of the s	07/ 07	,	
	Continued—ROLL FILM CAMERAS & KODAKS, SIZES 35mm to	21/4×31	4 11	
6242			S.H.	
6243	3 2½x3½ Eastman Special Box only	7.50	P.N.	
6244	1 13 x 1 16 Plaubel Makinette Camera, F:2.7 Anticomar lens in Compur	39.50	DN	
(24)	shutter		P.N.	
6245	Expo Watch Camera	42.50		
6246		31.50		
624	Minitex Camera with F:2./ Plasmat lens, Comput shutter	31.30	1 .14.	
6249		22.50	DM	
COT	shutter F.25 I are in Compare shutter	32.50		
6250	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18.50		
625	1 15/8x2½ Zeiss Ikomat A Camera, Novar F:4.5 lens	13.50		
6252	2 2½x3½ Zeiss Cocarette Camera, F:6.3 Novar lens		P.N.	
625	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	39.50		
625			P.N.	
625.			P.N.	
625	6 15\% x2\frac{1}{2} Eastman V.P. Kodak, Single lens		S.H.	
625	7 2½x3½ Eastman Premo Camera, Meniscus Achromatic lens			
625	8 2½x3½ Eastman Autographic Kodak, F:6.3 lens	12.50		
6259	9 1x1½ Peggy Camera, F:3.5 Tessar lens	49.50		
626	1 136 X1 16 Dolly Camera, F:2.9 Schneider Xenar lens, Compur shutter	29.50		
626	1 2½x3½ Eastman Autographic Brownie Camera, RR lens	19.50	P.N.	
626	2 2½x3½ 6-20 Eastman Kodak, Kodak F:4.5 lens			
626		21.50	P.N.	
626		10 40		
	Compur shutter	19.50		
626			New	
626	6 21/4 x 31/4 Ser. 111 Kodak, with F:7.9 lens	8.75	P.N.	
626	7 13 X 19 Kodak Pupille Camera, F:2 Schneider Xenar lens in Compur	40.50	D. 3.T	
	shutter		P.N.	
626	8 15/8x21/2 Vest Pocket Dolly, with F:3.5 Tessar lens in Compur shutter		P.N.	
626	9 1x11/4 Leica model C Camera with F:3.5 lens		P.N.	
627	0 2½x3½ Six 20 Jiffy Kodak		P.N.	
627	1 2½x3½ Zeiss Icarette C, Tessar F:4.5 lens in Compur shutter		P.N.	
627	2 15/8 x 21/2 Eastman V.P. Special Kodak, with F:5.6 lens		P.N.	
627			P.N.	
627			P.N.	
627			P.N.	
627	76 34x1 Ansco Memo Camera, F:3.5 lens		P.N.	
627			New	
627	8 21/4 x 31/4 Eastman Kodak, Ser. 11 Meniscus Achromatic lens		P.N.	
627	79 2½x3½ Foth Camera, F:4.5 lens in Pronto shutter	12.50	P.N.	
628		107.50	P.N.	
628	31 13/8x2½ Thagee Ullrix equipped F:3.5 Tessar in Compur	14.50	P.N.	
628	32 13 x1 16 Eastman Vollanda Schneider F:4.5	14.50	P.N.	1
628			P.N P.N	
628	Zeiss Ikomat A with F:4.5 Novar lens	19.50	T.N.	
-	Outfor Complete with One Helder (Fither Plate of Cut Film	1-		
(1)	Outfits Complete with One Holder—(Either Plate of Cut Film 00 5x7 Korona View Camera, 5x7 B & L Tessar F:4.5 lens Packard	,		
650	JU 5X/ KOTONA VIEW CAIHETA, 5X/ D & L TESSAF F.4.5 IENS FACKATO	\$ 60 50	PM	
(1)	Shutter, flolder and case	46.50	PM	
650	T	40.50	1.11	1
650	JZ OXIU KOFORA FIORIE FORTRAIL CAMERA, VERRO F.4, SOIL TOCKS IERS 14/2	87 50	P.N	
(*	inch focus, Packard shutter, 1 holder and case	07.50	1.11	
650	Determination 1 holder and case	64.75	P.N	
~	Betax shutter, 1 holder and case		P.N	
650	J4 8X10 Improved Selecta view Camera, box only) P.N	
65	55 5x12 Korona Panormaic View Camera, 1 holder	13 75	P.N	
65	06 4x5 Korona View Camera, Verito F:4 lens, 1 holder and case	22.50) S.H	
65	07 11x14 Korona View Camera, defective bellows	40.50) P.N	
65		77.30	, 1.1/	•
65	09 5x/ Confey View with Case, 9/2 inch Wollensak Vilico F :0.8 lens, Autex	54 50	S.H	
-	shutter	21.50) S.H.) P.N	
65		21.30	J 1.1V	
65	II 8XIU Korona view Camera, venostigmat Series II F.4.5 felis, 12 Inch	112 50	PN	
	Focus, Packard shutter, 1 holder and case	112.00	1 .T.	

A NEW EDITION, DOUBLED IN SIZE

Photographic Amusements

Including a description of a number of novel effects obtainable with still and movie cameras

By FRANK R. FRAPRIE and WALTER E. WOODBURY

TENTH EDITION

Completely rewritten and greatly enlarged. The present edition of this book, although it treats practically all of the subjects covered by Mr. Woodbury in his original work by this title, has been so rewritten and enlarged that it contains nearly three times the number of pages contained in the ninth edition. It is a practically complete account with working directions of all the numerous novel tricks and effects which have been invented by photographers for use in both still and motion-picture photography in the last hundred years, and also contains instructions for work in a large number of less usual departments of photography which are in no sense tricks, though they may afford an agreeable side line or pastime to the experienced photographer. Two of the most important chapters in the book are the last two, "Trick Effects in Home Movies," and "New Eyes, New Compositions, New Conscience," a complete review of the methods and achievements of modernistic photography. Each of these two articles shows how practically all of the previous chapters of the book can be applied to the subjects on which they treat. A list of contents follows:

Introduction Composite Photography Double Exposures
Spirit Photography
Doubles and Monsters Doubles and Monsters
Duplicators and Triplicators
Freak Pictures and Doubles with a
Black Background
A Man in a Bottle
Freak Pictures by Successive Ex-Multiple Photography with Mirrors Amusing Effects with Convex and Concave Mirrors
A Method of Silvering Glass
Caricature Photographs
Comical Portraits A Simple Method of Enlarging A Portrait on a Cone Photographing a Catastrophe Wide-angle Studies Pinhole Photography Telephoto Pictures with an Opera Glass Panoramic Views Artificial Mirages of Photography Table-top Photography Photography for Household Deco-Photographic Bookplates Stamp Portraits Photographic Statuettes Leaf Prints Making Copies by Direct Reflec-

Photographs on Apples and Eggs

Photographing Seaweeds Floral Photography

Photographing Snow and Ice How to Print a Photograph Inside a Bottle
Photographing Ink Crystals The Photo-Anamorphosis Statuette Portraits Photographs without Light Electric Photographs Photographing the Invisible Simpson's Invisible Photographs Making Direct Positives in the Camera Pictures with Eyes which Open and Close
The Disappearing Photograph
Magic Photographs Luminous Photographs Photographs in any Color Blueprints Kallitype
A Photographic Barometer
Dry Plates that will Develop with
Water
Magic Vignettes Silhouettes Firelight Effects Firelight Effects
Imitation Bas-reliefs
Moonlight Effects
Night Photography
Photographing Lightning
Photographing Fireworks
Photographing the Sun
Taking Photographs of an Eclipse
of the Sun
Nature's Caricatures
Instantaneous Photography Instantaneous Photography Aerial Photography Stereoscopic Photographic Architectural Photography

Photographs on Silk Photographs on Canvas To Print on Cloth
Photographs on Various Fabrics
Shortcuts and Handy Devices Blanchard Brush Blisters Bolting Silk Cooling or Freezing Mixture Fireproofing Fabrics
Finding the Focal Length of a Lens Ground Glass Screen Harmonizing Harsh Negatives Shutter-speed Testing Titles on Prints Stripping Negatives
Blisters on Bromide Paper
To Clean Bottles
To Dry Bottles To Loosen Stoppers Coins as Weights Fireproofing Muslin Writing on Glass Paint for Dulling Bright Surfaces Cement for Porcelain Paint for Blackboard Dead Black for Wood Black for Cameras
To Make a Pen-and-ink Sketch
from a Photograph Photo Sketches and Photo Film Etchings Photographic "Old Masters" Trick Effects in Home Movies
New Eyes, New Compositions.
New Conscience

The book contains nearly three hundred pages and about one hundred and eighty illustrations. Bound in red cloth.

Price, \$3.00

Continued-VIEW, HOME PORTRAIT & STUDIO OUTFITS

	Continued—VIEW, HOME FORTRAIT & STUDIO OUTFILE	o		
6512	2 8x10 4A Century Studio Camera, Heliar F:4.5 lens, 14 inch focus, silent			
	shutter	165.00	P.N.	
651				x
	F:4.5 lens, Regno shutter, case and holder	47.50		r
651		49.50	P.N.	0
651.		40.50	D.3.	e
	lens, Auto shutter, 1 Plate Holder	49.50		d
651		32.50		16
651		13.50 26.50		e
652		24.50		1
652	1 11x14 Century Portrait Camera. 8x10 and 5x7 Reducing Back complete	24.50	1 .14.	
002	with centennial stand	169 50	PN.	
652	with centennial stand			
	holder for 5x7 and 8x10	33.75	P.N.	
652	3 4x5 Korona View Camera, R.R. lens, General shutter, 1 holder and case	31.75	P.N.	
652	4 11x14 8A Century Studio Camera, three 11x14 studio holders, 1 8x10 reg.			
	back for double holders, 1 5x7 back for curtain slide holders; complete	97.50		-
652	5 8x10 Improved Seneca View Camera, R.R. lens, Auto shutter	42.50	P.N.	K
652	6 12x20 Korona Banquet Camera, Turner-Reich Series II F:7.5 lens, Universal shutter, film holder and case	1/2 50	DAT	
	Universal shutter, film holder and case	162.50		
652	7 8x20 Korona Panoramic View Camera, 1 holder and case		P.N.	
652 652			P.N.	
653		40.50	1	
030	shutter, 1 holder and case	94.50	P.N.	
653			S.H.	
653				
	shutter, 1 holder		P.N.	
653	shutter, 1 holder		P.N.	
653	4 5x7 Korona View Camera, Dager F:6.8 lens and Packard shutter		P.N.	(
653	5 5x7 Seneca View Camera		P.N.	-
653	6 8x10 Eastman Home Portrait outfit	39.50	P.N.	-
653		67.50	P.N.	
(5)	holder		S.H.	200
653 653			S.H.	
654			P.N.	
654				
00	focus. Packard shutter, 1 holder and case	112.50	P.N.	
654	focus, Packard shutter, 1 holder and case			
	plete with holder		S.H.	
654	3 5x7 Korona View Camera, case and holder		P.N.	
654	8x10 Deardorf View Camera, box only	69.50	P.N.	
654		110 50	DM	
65	shutter	119.50	P.N.	
654 654			P.N.	
654		17.00		
03	F:4.5 lens, Betax shutter	84.50	P.N.	
654			P.N.	
65	The second secon	46.50	P.N.	
65.		29.50	P.N.	
65.			P.N.	
65	52 3½x4½ Korona View		P.N.	
65.				
	shutter	54.50	P.N.	
65.	57 5x7 Korona View equipped F:4.5 Ser. II Velostigmat in Betax shutter		P.N.	
65.	58 5x7 Century Triple Extension leather bellows with R.R. lens	32.50	P.N.	
65				
	Syntor F:6.8 in Koilos shutter	34.50	P.N.	



A NEW PHOTO - FLOOD LAMP OF OPAL GLASS

A marvelous new Photo Flood Lamp made of Osram glass, producing a soft diffused white light which is not hard on the sitters eyes and gives a more even illumination, 25% greater than the old Photo Flood. Particularly suitable for use in enlarging machines. One lamp is equivalent to 750 watts and has an approximate life of FIVE hours.

Price single bulbs40	cents	each
In lots of six—\$1.9232	cents	each
Per dozen—\$3.6030	cents	each
Eighteen or more28	cents	each

NEW EASTMAN KODAFLECTOR \$4.95

Eastman introduces a newaid to indoor movie making with 16mm cameras and Cine-Kodaks Eight, alike. Designed especially for use with Photo-flood lamps, the Kodaflector is the simplest and by far the most efficient lighting outfit ever produced. Its two aluminum reflectors, which lie flat when not in use, snap quickly into position. Its stand telescopes into a fraction of its full height. Its swivel head makes it possible to direct the beams of its lights in any desired direction. Easy to use, easy to pack, easy to carry, Kodaflector.



Flash Bulb
Reflector
and
2 Flash Bulbs
79c
Complete

Here is a very special value of a flash reflector complete with 2 flash bulbs. The reflector measures 12 inches in diameter and is capable of throwing a fine flood of light. Reflector is complete with battery ready for use.

PHOTO FLASH BULBS 15c EACH LOTS OF 6 72c

Think of it—with the Photo Flash Bulb, you can take pictures any place, any time; indoors, outdoors; rain or shine; and get perfect negatives every time. All the light you want for any job and no noise, no smoke, no fumes, no dirt and with absolute safety—just as safe as the ordinary Mazda bulb. Use them with the same films or plates you are using at present and see the beautiful detail in the shadows, the sparkling high lights.



	C .: 1 MIEW HOME DODEDAIM & CHILDIO OHMBIT	_
	Continued—VIEW, HOME PORTRAIT & STUDIO OUTFIT	
6560	5x7 Pony Premo No. 4 Stereo Camera with R.R. lens	39.50 P.N.
6561	5x7 Pony Permo No. 6	18.50 S.H.
6562	6½x8½ Seneca View, new Bellows	26.50 P.N.
6563	5x7 Korona Ser. V equipped with Plaubel Orthos Triple Convertible in	57 50 D N
	Compur shutter	57.50 P.N.
	ROLL FILM CAMERAS	
6200	2½x4¼, 3¼x4¼, 2½8x4½, 3¼x5½	40 F0 G TT
6300	3½x5½ Zeiss Nixie B Camera, Tessar F:4.5 lens, Compur shutter\$	
6301	2½x4¼ Cocarette Camera, F:4.5 Tessar Iens, Compur shutter 2½x4½ 2C Eastman Kodak, Ser. 111, F:5.6 Iens, Diomatic shutter	29.50 P.N. 21.50 P.N.
6303	3½x5½ 3A Eastman Special, F:6.3 lens, Optimo shutter	19.50 S.H.
6304	2½x4¼ 1A Eastman Kodak, F:7.7 lens	10.50 P.N.
6305	27/8×47/8 2C Eastman Kodak, F:7.7 lens	9.50 P.N.
6306	3¼x4¼ No. 3 Eastman Kodak, Ser. 111 F.6.3 lens, Diomatic shutter	19.50 P.N.
6307	2½x4¼ Eastman Kodak, Meniscus Achromatic lens	7.50 P.N.
6308	3½x5½ 3A Eastman Kodak, Meniscus Achromatic lens	9.50 P.N.
6309	3½x4½ Zeiss Nixie A Camera, Tessar F:4.5 lens Compur shutter	57.50 P.N.
6310	2½x4¼ Autographic Brownie, Meniscus Acromatic lens, B.B. shutter	4.50 S.H.
6311	2½x4¼ 1A Eastman Special, Kodak F:6.3 lens, Optimo shutter	27.50 P.N.
6312	2½x4¼ Eastman Kodak, F:7.9 lens, Kodex shutter	6.75 S.H. 14.50 P.N.
6314	3½x5½ Eastman Special, F:6.3 Kodak lens, Optimo shutter	18.50 S.H.
6315	3½x4½ Eastman Kodak, F:7.7 lens	9.50 P.N.
6316	27/8 x 47/8 2C Eastman Ser. 111, F:6.3 lens, Diomatic shutter	17.50 P.N.
6317	3½x5½ Palko Camera, F:4.5 lens, Ilex shutter	54.50 P.N.
6318	3½x4½ Eastman Kodak, F:6.3 lens, Kodex shutter	13.50 P.N.
6319	2½x4¼ Zeiss Icarette D Camera, Tessar F:4.5 lens, Compur shutter	37.50 P.N.
6320	3½ x5½ Eastman Kodak, RR lens, BB shutter	7.75 S.H.
6321	3½x5½ 1A Eastman Kodak, RR lens	9.75 P.N. 11.50 P.N.
6322	27/8×47/8 2C Kodak, F:7.9 lens, Kodex shutter	29.50 P.N.
6324	2½x4¼ Eastman Ser. 111 Camera, F:6.3 lens, Diomatic shutter	13.75 P.N.
6325	4½x6½ 4A Eastman Kodak, RR lens	22.50 P.N.
6326	3½x5½ Eastman Kodak, F:7.7 lens, BB shutter	8.50 S.H.
6327	No. 4 Eastman Panoram Camera	24.50 P.N.
6328	2½x4¼ Eastman Special, 11B Tessar F:6.3 lens, Optimo shutter	26.50 P.N.
6329	2½x4¼ Voightlander Avus Camera, Skopar F:4.5 lens, Compur shutter	26.50 P.N.
6330	27/8x47/8 2C Eastman Kodak, RR lens, BB shutter	9.75 P.N.
6331	3½ x5½ Eastman Special Range Finder Model, F:6.3 11B Tessar lens,	34.50 P.N.
6332	Optimo shutter	24.50 P.N.
6333	2½x7 No. 1 Panoram Kodak	14.50 P.N.
6334	2½x4¼ 1A Kodak, F:6.3 lens, Regular shutter	11.50 P.N.
6335	2½x4¼ 1A Eastman Ser. 111, F:5.6 lens, Diomatic shutter	19.50 P.N.
6336	2½x4¼ Voightlander Avus Camera, Heliar F:4.5 lens Compur shutter	36.50 P.N.
6337	3½x5½ Nixie B Camera, Tessar F:4.5 lens, Compur shutter	67.50 P.N.
6338 6339	3½x4½ Eastman Kodak Special, F:6.3 lens. Kodomatic shutter	17.50 P.N. 36.50 P.N.
6340	2½x4¼ Eastman Kodak, F:6.3 lens, Kodex shutter	7.50 S.H.
6341	27/8×47/8 2C Eastman Special Range Finder Model, F:6.3 lens, Kodo-	7.00 5.11.
	matic shutter	22.50 P.N.
6342	3½ x5½ 3A Eastman Kodak, F:7.9 lens, Kodar Regular shutter	14.75 P.N.
6343	3½x5½ 3A Eastman Kodak Box only	6.75 P.N.
6344	2½x4¼ 1A Kodak Box Only	4.95 P.N.
6345	2½x4½ Zeiss Cocarette Camera, F:4.5 Tessar lens, Compur shutter	29.50 P.N.
6346	31/4x41/4 No. 3 Kodak, Box only	5.75 P.N.
6347 6348	2½x4¼ Six 16 Eastman Kodak, F:6.3 lens. 2½x4½ 2C Kodak, Box only.	11.50 P.N. 6.50 P.N.
6349	2½x4½ Eastman Kodak, Ser. 11, F:7.7 lens	9.75 P.N.
6350	3½x5½ 3A Kodak Special, Range Finder Model, Box only	12.50 P.N.
6351	3½x5½ Eastman Special with Range Finder, F:6.3 Kodak lens	22.50 S.H.
6352	2½x4¼ Foth Roll Film Camera, F:4.5 lens	16.50 P.N.
6353	2½x4½ 1A Fastman Box only	5.50 P.N.
6354	2½x4¼ Eastman Special, F:6.3 lens, Optimo shutter	14.50 S.H.

A WONDERFUL VALUE

THE PRACTOS EXPOSURE METER



FOR BOTH MOVIE AND STILL CAMERAS

Precise and dependable instruments, simple in operation and remarkably free from complicating gadgets.

You do not have to use a sliding scale—you simply look into the meter and obtain

your findings visually. It is indispensable for both still and cine work.

Practos is very simple to use and its exposure reading are very accurate. This meter has a compensating scales for the various film speeds and the different kinds of filters. This meter works as accurately indoors as outdoors. It is very small and can be carried in the vest pocket conveniently.

TAKE PICTURES IN THE HOUSE with

THE CLAMP-ON PHOTOFLECTOR



Special

Complete

With this new lamp, you can get good pictures with 1 to 5 second exposure, even when a simple box camera is used, and in split seconds with cameras having fast lenses. The lamp is as clean and as simple to use as a regular Mazda lamp. It operates on ordinary house current (105-120 volts A. C. or D. C.). It has a burning life of approxi-

mately 2 hours. And—it costs but a few pennies more than the lamps you use to light your home! The reflector is made of aluminum and measures 12 inches across giving a very nice flood of light. It is mounted on a very unique clamping device which will clamp on the back of the chair or any other fixture handy without marring because the clamp is padded. It makes a very fine light to use for indoor photography.

With new Opal Photo-Flood bulb advertised on page 16......\$1.84

Flashed Opal Glass

A first quality flashed glass for use as a diffusing screen. Just the right quality to

Flashed Opal Glass:	
7x 7 or smaller	
8X10	1,60
10x10	
10x12	0.40
For R. B. Enlarging Camera 11x11	100
No. 1 Crown Printer, 9x11	
No. 2 Crown Printer, 12x1546	100
No. 1 F. & S. Professional Printer 9x11	
NO. 4 F. & S. Professional Printer 1281516	100
Wratten Safelight Lamp, No. 1, 64x9%	.60
GROUND GLASS EXTRA FINE	ORANGE AND DUDY GTACE

GROUND GLASS	EXTRA PINE	ORANGE AND	RUBY GLA
3 1/4 x 4 1/4\$0.15	6½x 8½80.25	3 ½ x 4 5/8\$0.10	
4 x5	8 x1030	3 5/8 x 4 5/8	8 x10
3½ x5½	10 x12	4 x515	10 x12

5 x7 16 x20

10		No. of Contrast of	-
	Continued—ROLL FILM CAMERAS	00.70	
6355	2½x4¼ "6-16" Eastman Kodak, F:4.5 lens	22.50	
6356	31/4×41/ Fastman Kodak. RR lens	6.75	
6357	3½x5½ Ansco Camera. RR lens	7.50	
6358	27/8 x 47/6 2C. Kodak. Meniscus Achromatic lens	8.75	
6359	2½x4¼ Zeiss Ikomat Camera, F:6.3 Novar lens	13.50	P.N.
6360	3½x5½ Eastman Special. Range Finder model, F:6.3 lens, Kodomatic	20 50 1	DM
	shutter	29.50 I 19.50 I	
6361	3½x5½ 3A Kodak, F:6.3 lens, Ilex shutter	7.50	
6362	3½x4½ No. 3 Eastman Kodak, Meniscus Achromatic lens	5.75	SH
6363	2½x4¼ 1A Eastman Kodak, RR lens	29.50	
6364	2½x4¼ Voightlander Inos, Skopar F :4.0 lens, Comput shutter	9.75	
6365	No. 3A Eastman Kodak, F:7.9 lens	19.50	
6366	2½x4¼ Zeiss Ikomat D equipped F:6.3 Novar lens	16.50	
6367			
	PLATE AND FILM PACK CAMERAS	1	
	2½x3½, (6½x9CM)—3¾x¼¼ (9x12CM)—4x5—4x6 (10x15CM	specific	h
	utfits are complete with 3 holders and F. P. Adapter unless otherwise	specifie	u.
6400	10x15CM Certo Camera with F:3.5 Schneider Xenar Lens in Comput	46.50	SH
(101	shutter 9x12CM (3½x4¼) Ideal B Camera, Tessar F:4.5 Lens in Compur	10.50	D.11.
6401	9x12CM (3¼x4¼) Ideal B Camera, Tessar F:4.5 Lens III Comput	49.50	S.H.
(400	shutter	12.00	J
6402	4x5 Seneca double extension camera equipped with F.o.s Rodak Lens	19.50	P.N.
6402	in Optimo shutter, holder	18.50	
6403	2½x3¼ Premo No. 12 Camera, F:7.7 Lens, 1 holder	8.75	
6404	4x5 Saneca box only 1 holder	12.50	
	4x5 Seneca box only, 1 holder		
6406	Compute shitter	28.50	P.N.
6407	Compur shutter 9x12CM Voightlander Avus Camera, Skopar F:4.5 Lens in Compur		
0407		27.50	S.H.
6408	5-7 7 7 ics Iswell B Camera with Tessar F: 4.5 Lens in Comput shutter	179.50	P.N
6409	0x12CM Certo Camera with F:3.5 Schneider Aenar lens in Comput		
0409	/ about tom	39.50	
6410	4-5 Contury double extension (amera, with KK Lens	13.50	
6411	1 Triple extension Korona Camera with F:6.3 Lens in Uptimo shutter	24.50	P.N.
6412	10x15CM (4x6) Certo Camera equipped with F:3.5 Schneider Aeliai	50.50	DM
All goods	I in Company	59.50 32.50	
6413	61/20CM Varyage Camera with Tessar F:4.5 Lens in Comput shutter	32.30	1 .11.
6414	45x107MM Voightlander Stereoflectoscope with Heliar F:4.5 Lenses,	97.50	PN
	Compur shutters, including case, plate magazine, pair 2X and 5X filters	77.50	
6415	0x12(M Voightlander Bergnell Califera, Hellal 1 .4.5 Lells III Compar	46.50	P.N.
	shutter		
6416	0½X9CM (½4X5¼) Volgittation Avus Camera equipped with biopar	26.50	P.N.
(117	F:4.5 Lens in Compur shutter		
6417	-1	22.50	
6410	21/ FI/ Transa Detit Camera H.63 Anastig. Lens in Shutter	17.50	P.N.
6418	9x12CM Plaubel Camera equipped with the Anticomar F:2.9 Lens in		
6419	C abutton	69.50	P.N.
6420	0-12CM Voightlander Bergheil Camera, F:3.5 Hellar Lells III Comput		
6420	1	62.50	
6421		36.50	
6422	At/-6CM Contessa Nettel Hron detective camera, will I essai I .4.3 Lens	49.50	
6423		6.50	
6424	CT OCAT 7-1- Ideal A Camera Tessar H 4.5 Lens III Comput Shutter	49.50	
6425	10 1FCM Timbet Descripton I amera 1 PSSAT F. 4.1 Lello III Collipui director	87.50	P.N.
6426	O 10CM Vaightlander Vac Camera P.D. J. Lells	19.50 37.50	P.N.
6428	Car OCAL 7-1 Daha Camera Tessar H 4 5 Lens Collinul Silutter	37.30	r.IV.
6429	31/251/ Senera double extension Camera, equipped with the Bens in	12.50	PM
		69.50	
6430	o togget I to f Descricion Camera H.45 Lessar Lens III Comput Strutter	09.50	1 .IV.
6431	61/-OCM Certo High Speed Camera, F:2.9 Schneider Aeliai Lelis III	42.50	PN
	C -1	8.75	
6432	and fird D - Josepha partonesion BOV	17.50	
6433		17.50	
		THE PERSON NAMED IN	CONTRACTOR .

ROYAL SYNCHRONIZING BATTERY OUTFIT



Royal

that the shutter and flash bulb go off at same time. Attaches to tripod socket and holds the reflector in position, leaving the hands free to hold camera and operate release. Weight complete, 24 oz. Price with battery without bulb......\$5.25


HOW TO MAKE GOOD PICTURES

One hundred and fifty pages of carefully arranged facts. Information on all branches of amateur photography, compiled from the vast experience of the kodak company.

In board covers, per copy......\$0.48

Cable Release Synchronizer

FOR KODAKS AND \$1.75 COMMERCIAL CAMERAS




This cable release synchronizer is used for all style Kodaks and Commercial Cameras. It is used to synchronize the lash bulb and the shutter. It is very simple to attach and can be used with any flash bulb reflector, whether it is used on 110 volt circuit or is used with a small battery. It permits the proper photographing of all indoor sport pictures, baby pictures and in all indoor shots it eliminates the possibility of any movement during the flash light exposure. One operation serves to both operate the shutter and the bulb. the bulb.

Levels

These instruments are of the greatest convenience for placing the camera and thereby rendering parallel lines correct.

No. 2. T. Level\$0.72 each No. 1. Circular Levels No. 4. Montauk Double "Square"



No. 2 No. 1 No. 4


PUSH CORD SHUTTER RELEASES

Push Cord Shutter Release will not fail you at the critical moment, but does its work well and faithfully all the time. The materials used in construction are metal and cloth. The The materials used in construction are metal and cloth. The working parts are simple. A wire runs through a flexible woven tube of cloth and is movable by a slight pressure on a finger-button at one end, causing the wire to protrude at the other. The leading feature, it will be noted, is that the working efficiency of the materials used in construction are not in any way affected by climatic changes.

No. 4—For Universal, Goerz Sector, Bausch & Lomb, each \$0.50 No. 5a-For Roller Blind Shutter 1.00

For Wollensak Studio Shutter, 36" 2.50

When ordering Compound Shutter Release, designate for old or new style compound shutters so as to receive correct models.





	20	CENTRAL CAMERA CO., CHICAGO, ILL.		
		Continued—PLATE AND FILM PACK CAMERAS		
	6.5 ETF		00.50	D.)
	6434	6½x9CM Maximar A Camera, Tessar F:4.5 Lens, Compur shutter	29.50	
	6435	9x12CM Kodak Recomar, F:4.5 Schneider Xenar Lens in Compur shutter	26.50	S.F
	6436	45x107MM Richards Verascope with Tessar F:4.5 Lens, complete plate	97.50	DI
	6437	magazine and case	9.50	
	6438	9x12CM Kodak Recomar Camera, Kodar F:4.5 Lens	34.50	
	6439	10x15CM Zeiss Orix Camera with spring back, equipped with Tessar	01.00	
	0402	F:45 Lens in Compur shutter	74.50	P.N
	6440	F:4.5 Lens in Compur shutter	12.50	
	6441	9x12CM Zeiss Jewell A Camera, Tessar F:4.5 Lens in Compur shutter	174.50	
	6442	31/4x51/2 Premo Camera, F:6.3 Lens in Optimo shutter	17.50	
	6443	6½x9CM Voightlander Vag Camera, Skopar F:4.5 Lens in Ibsor shutter	18.50	P.N
	6444	6½x9CM Plaubel Makina Camera, F:2.9 Anticomar Lens in Compur	59.50	PN
	6445	shutter	34.50	
	6446	9x12CM Linhof Precision Camera Tessar F:4.5 Lens in Comput shutter	74.50	
	6447	9x12CM Linhof Precision Camera, Tessar F:4.5 Lens in Compur shutter 4x5 Century Camera with F:6.3 Velostigmat Lens in Optimo shutter,		
		1 holder		P.N.
	6448	4½x6CM Zeiss Bebe Camera, Tessar F:4.5 Lens in Compur shutter	32.50	
	6449	10x15CM Voightlander Bergheil Camera, Skopar F:4.5 Lens	47.50	
	6450	6½x9CM Certo Camera, F:2.9 Xenar Lens in Compur shutter	35.50 16.50	
	6451	4x5 Korona double extension, box only, 1 holder	64.50	
	6452 6453	9x12CM Voightlander Avus Camera, Skopar F:4.5 Lens in Compur	41.00	
	0433	chitter	33.50	
	6454	shutter	14.50	S.H.
	6455	45x107MM Richards Glyphoscope Stereo Camera, Archromatic Lenses,		
		3 holders	8.75	P.N.
	6456	6x13CM Richard Stereo Camera, Tessar F:4.5 Lens including magazine	139.50	DM
		and carrying case	49.50	
	6457	9x12CM Voightlander Bergheil Camera, F:3.5 Heliar Lens in Compur	49.50	5.11.
	6458	alasttan	48.50	S.H.
	6460	61/20CM Kawee Camera equipped with the F:4.5 Meyer Goerlitz Lens		
	0400	in Compute shifter	22.50	
	6461	Art Vorona View Camera holder	34.50	
	6462	31/441/ Zeiss Trona Camera with F:4.5 Lens in Comput shutter	39.50 29.50	
	6463	3½x4½ Korona View Camera, case, 1 holder	29.30	1.11.
	6464	6x13CM Voightlander Stereoflectoscope, Heliar F:4.5 Lens in Compur	132.50	P.N.
	6465	shutter		P.N.
	6466	0-12CM Voightlander Vag Camera F:4.5 Skopar Lens in Ibsor snutter	22.50	P.N.
	6467	45x107MM Rolleidoscope Stereo Camera with Zeiss F:4.5 Lens in	07.50	DAT
	a land	Company shutter	97.50	P.N.
	6468	9x12CM Royal, F:4.5 Tessar in Compur shutter	30.30	F.1V.
	6468	5x7 Zeiss Juwel equipped Zeiss Protar F:6.3 with 3 elements giving 6 focal lengths 6", 7", 8", 11", 14" and 17½" in Compur shutter complete		
		with case 2 holders and adapter	197.50	P.N
		LEICA ACCESSORIES		
	6000	6½x8½ Enlarging Easel with adjustable masking bands	\$ 12.50	P.N.
	6801		1.10	
	6702	T :- Illuminator for Reproduction Stand with 2 40 Watt Bulbs	9.75	P.N.
	6703	Toign Fixed Focus Enlarger for 34x54 enlargements, complete with	14.75	DN
		illuminating lamp		P.N.
	6704	Illuminator for reproduction stand. Leitz Fodis Range Finder	6.50	P.N.
	6705	Days Aluminum Light Tripod 9 Sections special	5.75	New
	6706	Ever ready case	4.75	P.N.
	6707 6708	Discrete society for reproducing stand		P.N.
	6709		39.50	P.N.
-	6710	5x7 Leica Enlarging Easel	5.50	P.N.
1	6711	Valoy Enlarger 5x7 Leica Enlarging Easel Leitz Enlarging Apparatus, the Filoy, complete with lens	34.50	P.N. P.N.
1	6712		37.50	P.N.
	6713	35MM. Wide Angle Elmar lens for Leica D or C	0, 100	
				SOURCE STATE

Popular Lighting Arrangements at a glance on the NEW PORTRAIT LIGHTING CHART

A comprehensive digest of portrait lighting information of the utmost value to all amateurs interested in this phase of photography. A complete diagrammatic arrangement of how each result is obtained makes portraiture now remarkably simple. Fifteen different effects illustrated

50 cents

"QUICK-SET" EXPOSU METER

For Correct Exposures

The correct exposure for an outdoor picture depends on the sum of three factors:

1. Speed of film or plate used,

Light conditions, which vary with the hour of the day, the month, and sky conditions.

3. Subject of the picture.



THE AUTOKNIP SHUTTER

Which enables you to get into the group pictures y with spring motor.

Simply clip it to your cable-release, set it and step into the picture.


NEVER FAILS TO OPERATE

Model I for instantaneous exposure only.

Model II is bearing a regulating disk for seconds, by means of which everybody is in a position of making exposures for time and instantaneous adjustment from ½ a second to 10 seconds. A small red disk indicates whenever the shutter opens and shuts. This small model II, called time-releaser, works like a clockwork and is an instrument of utmost precision.







Granako Enlarging Easel

ONLY

The Granako Easel is a useful and accurate enlarging accessory which takes any size paper 11x14" and 725 smaller. Instant adjustment to any size is facilitated by means of a ruled indicator. It can be suspended. placed on edge or used flat for ver-

ticla Enlargers. A simple, improved locking device insures ease of operation. Composed of wood and metal, it is, at the same time, light and rugged and is handsomely finished in black crackle. Weight, 2 lbs. Overall dimensions: 14x16x11/2".

Continued—LEICA ACCESSORIES

	Continued—LEICA ACCESSORIES			ı
-6714	13.5CM. F:4.5 Telephoto lens for Leica Model C or D	47.50		
6715	Reelo Tank	5.75		ı
6716	Leitz Eldia Printing Apparatus	10.75		ı
	F:1.9 lens for Model D	89.50		ı
6718	Self Timer for Leica Cameras		New	ı
6717 6718 6719	Reproduction Stand	16.75		Ī
6720	Leica Front lens 11 for F:3.5 lens		P.N.	ı
6721	Universal View Finder		P.N.	ı
6722	Panormaic and Tilting Top		New	ı
6723	Leica Front lens 1 for F:3.5 lens		P.N.	ı
6724	Carrying Case for Camera and 2 extra magazines		P.N.	ı
6725	Leica Tilting Top		New	ı
6726	Uleja Projector compate with lens	24.50		
6727	Vidom View Finder		P.N.	E
6728	Correx Tank		P.N.	ı
6729	11x14 Enlarging I adjustable masking bands		P.N.	A
6728	Filoy Enlarger equ .5 Elmar complete		P.N.	1
/ 0.20	Now available the ne	. 91.0	0	
	ANASTIGMAT LENSES			
6600	61/01/ Hawkeye Apactic F-45 0" lens Betay shutter	59.50	P.N.	

	Now available the new 2 Summer lens in rigid mount	91.00	,
	ANASTIGMAT LENSES		
6600	6½x8½ Hawkeye Anastig. F:4.5 9." lens, Betax shutter	59.50	P.N.
6601	8x10 Velostig. Ser. 11 F:4.5 lens, 12" focus, Betax shutter	84.50	
6602	5x7 Wollensak Ser. 11 F:4.5 lens in Bbl	26.50	
6603	5v7 Hey Paragon F:45 lens. General shutter	29.50	
6604	5x7 Velostigmat Ser 11 F 4.5 Anastig, lens. 7" focus, Betax shutter	29.50	
6605	61/281/ Ser 11 F:45 Velostic lens, 91/2" focus, Bbl. Iris Dia	46.50	P.N.
6606	5x7-7" Wollensak Velostic Ser. 11 F:4.5 lens, Regno shutter, speeds 1	05.50	DAT
	sec. ½, 1/5, 1/25, 1/5 8x10 Cooke Ser. 11 P 7:4.5 in Bbl. Iris Dia. Diffusion device,	27.50	P.N.
6607	8x10 Cooke Ser. 11 P :4.5 in Bbl. Iris Dia. Diffusion device,	147 50	DN
	6½x8½ Conley F:6.8 focus, regular shutter	147.50 19.75	P.N.
6608	6½x8½ Conley F:6.8 focus, regular shutter	19.75	
6609	3½x5½ Voightlander Commear Ser. 111 F:6.8 lens, Compound shutter	16.50	
6610	50MM B & 1 (C. Tessar F:3.5 lens, Bbl. With Iris Dia	42.75	
6611	8x10 Gundlach Ser. IV F:6.3 lens, 12" focus, General shutter	32.50	
6612	4x5 Schneider Xenar F:3.5 lens, 6½" focus, in Bbl	32.30	r.IV.
6613	5x7 Goerz Dogmar F:4.5 Convertible lens, focus 81/4" focus, 14-20 Bbl.	48.50	DM
	with Iris Dia.	125.00	
6614		48.75	
6615	11x14 Gundlach Ser. IV lens, F:6.3 in Bbl. Iris Dia. 16" focus	24.50	
6616	5x7 Ser. 11 F:4.5 Velostig. lens, 7" focus in Bbl	63.75	
6617	9x12CM Carl Zeiss Tessar F:2.7 lens, 6½" focus in Bbl. Iris Dia	43.75	
6618	8x10 Conley Ser. V F:6.8 lens, 13" focus, Safety shutter	14.50	P.N.
6619	4x5 Cooke Kodak Anastig. F:6.3-6½" focus, Compound shutter	56.50	
6621	5x7-7½" Special Anastig. F:6.3 lens, Betax shutter	21.50	
6622	5x7 Carl Zeiss 1C Tessar F:4.5 lens, Iris Dia. 10" focus		P.N.
6623	6½x8½ B.&L. Tessar F:4.5 Anastig lens, 10" focus in Bbl. Iris Dia	62.50	
6624	5x7 Cooke Aviar F:4.5 lens in Bbl. Iris Dia. 8¼" focus	72.50	
	2½x3½ B.&L. 1C Tessar F:4.5 lens, 35%" focus, Compur shutter	14.50	
6626 6627	7x9½ Goerz Dogmar F:4.5 Convertible lens, 10¾" focus in Bbl		P.N.
6628	3½x4½, 5½" Skopar F:4.5 lens, Compur shutter		P.N.
6629	5x7 Bbl. for B.&L. 1C Tessar with Iris Dia	34.50	P.N.
6630	10x12 Ilex Paragon F:4.5 lens, 14½" focus, in Bbl. Iris Dia	98.50	P.N
6632	4x5-6" Heliar F:4.5 lens, Compound shutter	37.50	P.N.
6633	5x7 Ross Anastig. lens, F:6.3, 7" focus, Multispeed shutter	16.75	PN.
6634	11×14 Heliar F:4.5 lens, $14 \frac{1}{2}$ " focus, in Bbl. Iris Dia	98.50	P.N.
6635	4x5 Gundlach F:6.3 lens, Gammax shutter		P.N.
6636	3½ x4¼, 4¾" Voightlander Dynar F:6 lens, General shutter		P.N.
6637	3" Rausch & Lomb Prism for use with process lenses up to 16" tocal length		P.N.
6638	11x14 Goerz Dagor F:7.7 Anastig. lens, 14" focus, Bbl. Iris Dia	92.50	P.N.
6639	11x14 Velostig. Ser. 11 F:4.5 lens, 15½" focus, Studio shutter	110.00	
6640	5x7 Wollensak Ser. IV F:6.3 lens in Betax shutter		S.H.
6641	6½x8½ B.&L. 1C Tessar F:4.5 lens, 9¾" focus in Betax shutter	69.50	P.N.
00 11			

The Barre Auxiliary Combination Lens Outfit.

We are again able to supply the above outfits which have proven so popular

Wide Angle Lens-


A considerably wider angle of view is obtainable for photographing high buildings, trees, etc.

Portrait Lens-

Subject can be photographed at closer distance, the picture being much enlarged.

Copying Lens-

It shortens the focus, so that smaller objects may be photographed full size.



Telephoto Lens—
This increases the focal length considerably, thereby reproducing distant objects
much larger.
Color Screens—

There are three: light, medium, and dark, increasing the exposure 3, 6 and 10 times respectively, when used with color sensitive plates or films.

films.
When using films the lightest screen is used, increasing the exposure about ten times.

This Holder is most convenient, consisting of a threaded metal ring with holder and spring catch, by means of which any of the auxiliary lenses or color screens are instantly attached or removed.

The outfit is furnished in a satin lined carrying box containing a pouch with individual compartments for each lens and complete instructions.

CHROMOS SUPPLEMENTAL LENSES

A valuable help for Portraits, Reproductions, Teelphotos and Wide Angle Work, using your own camera and lens.

Each set includes a high grade Yellow Filter and a Holder which holds all the lenses as required and fits your lens hood. Comes packed in a handsome box. The lenses are marked for identification as follows:

Lens No. 1 WIDE ANGLE LENS increases the angle of the lens, considerably reducing the focus to the same extent, securing heightened perspective, increasing field and particularly adapted to interiors.

tive, intereasing associated interiors.

Lens No. 2 REPRODUCTION LENS shortens focus % and increases intensity of light for increasing size of near-by objects without double extension.

Lens No. 3 PORTRAIT LENS lengthens the focus 1/4 and brings distant objects in the middle ground closer, permitting larger heads in portraiture.

Lens No. 4 TELEPHOTO LENS for bringing distant objects closer, increases focus 3.

Ray Filter for foliage and landscape work, an indispensable auxiliary to your outfit.

PRICE LIST

Size No. 1	Diameter of lenses 31 mm (11/4	in.)\$4.25
Size No. 2	Diameter of lenses 39 mm (11/2	in.) 5.25
Size No. 3	Diameter of lenses 51 mm (2	in.)


Korona Direct View Brilliant Finders


The illustration shows very clearly the style of this finder which is made to fold and occupy very little space when not in use. Finders of this type are frequenty very very venient in hand camera work and they are better than ordinary finders for centering fast-moving objects on the plate.

These finders may be used with a camera of any size.


Size of Lens 18x18
For 24x34
Price\$2.10

4x5 \$2.25 5x7 \$2.50





	Continued—ANASTIGMAT LENSES		
6642	5x7 Ilextigmat F:6.3 lens, Gen. shutter	24.50	
6643	51/4" Kodak Anastig. F:8.8 lens in shutter, bulb and instantaneous	2.45	
6644	5x7 Schneider Symmar F:6.8 lens, 7" focus, Compur shutter	36.75 34.50	
6645	8x10 Carl Zeiss Protar Ser. VIIA Convertible lens, Compur shutter,	34.30	1 .11.
0040	131/" focus	152.50	P.N.
6647	13½" focus 6½x8½ Conley F:6.8 Anastig. lens, 8x9½" focus, Optimo shutter	29.50	P.N.
6648	4½x7¼ B.&L. Protar Ser. VIIA No. 7, F:6.3 lens, 6½" focus, Universal		
	shitter	34.75	
6649	3½x4¼ Goerz Dagor F:6.8 lens, Bbl. Iris Dia	18.50 44.75	
6650	5x7 Ser. 11 F:6.8 Turner Reich lens, 7½" focus, Acme shutter	14.50	
6651	3½x4½ Kodak F:4.5 Anastig. lens, 5½" focus, Bbl. Iris Dia	46.75	
6653	3½x5½ Kodak F:6.3 Anastig. lens, 6½" focus, Universal shutter	17.50	
6654	5x7 B.&L. Ser. V11A Protar lens, F:6.3, 7¼" focus, Comb. 13¾",		
0001	Ontimo shutter	39.50	
6655	5x7 Zeiss Kodak Ft6.3 lens, 8½" focus, Compound shutter	22.75	
6656	4x5 Carl Zeiss 1C Tessar F.4.5 lens, 6" focus in Compur shutter	26.75	
6657	3½x4½ Goerz Dogmar F:4.5 lens, 5" focus in Bbl	24.50 42.50	
6658	5x8 B.&L. 1C Tessar lens, 8¼" focus, in Bbl	34.50	
6659	3½x4½ Voightlander Skopar F:4.5 lens, 5½" focus in cells	11.75	
6661	4x5 Graf Variable F:3.8, F:4.5 Anastigmat lens, No. 64, 7½-8½" focus	46.50	
6662	75MM B.&L. Tessar F:3.5 lens, focusing mount	22.50	P.N.
6663	5v7 Hey Paragon lens in Bhl	29.50	
6664	2½x3½ Carl Zeiss Tessar F:6.3 Anastig. lens, 4¾" focus, Compur shutter	11.75	
6665	5x7 Ilex Paragon F:4.5 lens in Bbl	28.50 18.75	
6666	4x5 Goerz Dagor F:6.8 lens, Bbl. Iris Dia. 6" focus	29.50	
6667	5x7 Wollensak Ser. 11 F:4.5 lens, Betax shutter 8x10 Turner Reich Ser. 11 F:6.8 Convertible lens, Universal shutter	76.50	
6668	6½x8½ B.&L. Zeiss Protar Convertible No. 12 lens, F:6.3 9½" focus,		
0002	Volute shutter	82.75	P.N.
6670	8x10 Goerz Dagor F:68 lens 12" focus. Acme shutter	79.50	
6671	8x10 B.&L. 1C Tessar F:4.5 lens in Bbl. with Iris Dia	97.50	
6672	Goerz Hypar F:3.5 lens, Bbl. 2" focus, Iris Dia	17.50 34.75	
6673	5x7 Velostig, Ser. 11 F:4.5 lens, 7¼" focus, Optimo shutter	48.50	
6674	4x5 B.&L. 1C Tessar F:4.5 lens in Bbl.	24.50	
6676	5x7 81/4" focus Goerz Celor F: 4.5 lens. Bbl. Iris Dia	19.75	P.N.
6677	5x7 Kodak F:4.5 lens. 8½" focus. Bbl	38.50	
6678	8x10-12" focus F:4.5 Wollensak Velostig, Ser. 11 lens in Bbl	77.50	P.N.
6679	6½x8½ Turner Reich Ser. 11 F:6.8 lens, 10½" focus, Convertible type	59.50	DN
6600	Acme shutter 13" Cooke Process F:10 lens	67.50	
6680	5x7 Ser. 1 Velostig. F.6.3 lens, Optimo shutter	19.50	
6682	5x7 Wollensak Ser. 11 F:4.5 lens. Betax shutter	22.50	P.N.
6683	4x6 Schneider Xenar F:3.5 Anastig. lens, 8¼" focus	45.50	
6684	5x7 Hex Paragon F:4.5 lens. Gen. shutter	31.50	
6685	11x14 Berthoit F:6.3 Anastig. 20" focus lens in Bbl. Iris Dia	57.50 19.75	
6686	3½x5½ B.&L. Zeiss Tessar, 11B F:6.3 lens, Ilex Acme shutter		
6687	20" Wollensak Process F:16 lens 20x24	149.50	
6688 6689	8x10 Velostic Ser 1 F:6.3 lens. 12" focus. Betax shutter	47.50	Charles of the Control of the Contro
6690	5x7 Meyer Aristigmat F:0.8 lens, /" locus in Bol	17.50	
6691	18" Cooke Portrait lens, F:5.6	179.50	P.N.
6692	4x5 Cooke Ser. 11 F:4.5 lens	37.50	
6693	16" Cooke Portrait lens, Ser. 11 F:45.	179.50 59.50	
6694	5x7 Carl Zeiss F:3.5 Anastig. lens, 8¼" focus in Bbl. with Iris Dia 11x14 Turner Reich Ser. 11 F:7.5 lens, 15" focus, Betax shutter	115.00	
6695 6696	8x10 Busch Omnar F:5.5 Anastig. lens, 13" focus, Volute shutter	46.50	
6697	61/4" F 27 Carl Zeiss Tessar lens	69.50	P.N.
6698	61/281/ Kodak Anastic F:45 lens. Betax shutter	64.50	
6699	2i/x3i/ Dominar F:4.5 lens, 3i/2" focus, Compur shutter	14.50	P.N.
66991	5x7 Wollensak Ser. 1V F: 6.3 lens, Betax shutter	19.50 87.50	P.N.
66991	8 8x10 Ilex Paragon F:4.5 lens in Bbl	07.30	r.IV.



THE WÖRSCHING COUNTER-LIGHT CAPS

Counter-Light Exposures,

Counter-Light Exposures,

that is, exposures against the light, belong to one of the most interesting and charming branches of the photographic art, the object to be photographed is here lighted from the side or the back and appears far more plastic than with the usual method of lighting, for the photographic black and white picture this plasticity is of especial value. Up to now it was not easy for the amateur to produce pictures of this kind, since the slightest ray of the sun falling being a more or less foggy and flat negative.

With the invention of the Worsching Counter-Light Cap, photography against the sun, lens from all false light, can be fixed on any camera, even the smallest hand camera, by a of the lens, like a color screen, it consists of three parts:

1. a cup shaped tube.

2. interchangeable rectangular stops, and
3. a sun cover or shade, which can be turned and moved in all directions. The cup shaped tube serves to keep all reflected and false side light from the lens, at the same time from the following considerations: Every photographic lens projects a circular picture, for instance, a lens f/4.5 with a focus of 15 cm projects a circle of light with about 30 cm the result is that a vast amount of false side light passes through the lens into the interior trary, it is reflected by the bellows or walls of the camera on the sensitive plate there producing fog and consequently flat negatives.

PRICES OF WORSCHING COUNTER-LIGHT CAPS


PRICES OF WORSCHING COUNTER-LIGHT CAPS

~.		dring coolilit	M-LIGHT CAPS	
Size 0 a 0 b 1½ 1½ 1½a 1½b	Lens Diameter 24 mm. 24 mm. 30 mm. 22-30 mm. 32.8 mm.	Price Size \$2.50 III 2.50 III a 2.50 III a 3.00 IV IV a	Lens Diameter 37 mm. 31-37 mm. 42 mm. 38-42 mm. 51 mm. 40-51 mm.	Price \$3.60 3.60 4.50 5.00 5.00
50-60-70 mm.	812.00	PROFESSIONAL SIZE		

80-90 mm.

ORTHOPLAN Graduated Filters

Complete with REVOLVING HOLDFR and CASE



This is two filters in one—because when filter is slid to one end it is a color filter and at the other a sky filter.

A Universal Filter for All Makes of Cameras NEW LOW PRICES

	M.M.	Filter Size Inches	Lens Fitted		nches	List
1	25x45	1 x134	3/4	to	1	\$4.00
2	30x55	1 16 x 2 1/4 1 16 x 2 3/4	7/8	to	11/4	4.95
3	40x70		11/8	to	1%	7.90
4	45x75	1%x3	11/4	to	15%	8.25

NEW Round Orthoplan



\$15.25

UV RAPID **FILTER**

\$17.75

100-110-125 mm.

For STILL and CINE Cameras

Uniform pale-green optical glass throughout; ground optically flat and polished on both sides.

Absorbs ULTRA VIOLET Completely

Sky filter effects for cloud, snow and sea pictures at normal exposure, without ad-justments to horizon line and **Without Pro**longing Exposure.

Furnished Complete in Self-Centering RHACO SPRING HOLDER

			STATE OF STREET	The state of the last		
Order	Dia	meter	Fit	ting	2	
No.	mm	Inch	lens			Price
6511	19	3/4	3/4	to	7/8	\$2.70
6521	25	1	3/4	to	1	3.60
6531	31	1 7/32	7/8	to	11/4	4.20
6541	39	1 17/32	11/8	to	1%	4.80
6551	51	2	1 %	to	2	6.60

Continued—ANASTIGMAT LENSES

6699C	5x7 Goerz Dagor F:6.8 lens, 7" focus, Bbl. Iris Dia	29.50	P.N.
6699D	3½x4½ Carl Zeiss Protar F:6.3 Anastig. lens, 5" focus, Comb. 8½x 8¾", Compur shutter	29.75	P.N.
6699E	6½x8½ Goerz Dagor F:6.8 lens, 8x9½" focus, Universal shutter	57.50	P.N.
6699F	5x7 Velostig. Ser. 1V lens, F:6.3 in Auto shutter	18.75	P.N.
6699G	10x12 Cooke Ser. V11B Port. lens, F:5.6 in Bbl. Iris Dia. with		
	diffusion 18" focus	165.00	P.N.
6699H	11x14 Ilex Paragon F:4.5 Anastig. lens, 153/4" focus in Bbl. with		
007727	Iris Dia.	122.50	P.N.
6699I	3½x5½ Carl Zeiss 1C F:4.5 lens, 6½" focus in Bbl	24.50	P.N.
66991	4x5 6" Goerz Dogmar, F:4.5 in Bbl	-29.50	S.H.
6699K	6½x8½-9½" Goerz Dagor in Bbl	62.50	P.N.
6699M	13 x 1 16 2" Carl Zeiss Tessar F:3.5 in Bbl	19.50	P.N.
6699N	15%x2½ 3" Carl Zeiss Tessar F:3.5 in Bbl	23.50	P.N.
6699P	5x7 Cooke Anastigmat F:8 in Bbl	14.50	P.N.
66990	7" Heliar F:4.5 in Compound shutter		P.N.
6699T	6" Aldis 4.5 in Sunk Mount	22.75	P.N.
00227	Tital in in Same Tablant III.		

	RAPID RECTILINEAR, PORTRAIT, WIDE ANGLE AND TELEPHOTO LENSES	•
6700 6701	15" Taylor Hobson Cooke Telephoto Anastigmat lens F:5.6\$ 8x10 B.&L. Protar Ser, V Extreme W.A. lens F:18 in Bbl. Iris Dia.	107.00 P.N.
6702	7% focus 6½x8½ Ideal Extreme Wide Angle lens in Bbl. Iris Dia	22.50 P.N. 9.75 P.N.
6703	3½x4½ Kodak Anastigmat F:8.8 in shutter bulb and Instantaneous without dia. 8x10 Gundlach Perigraphic F:5.6 Convertible lens, 12" focus, Universal	2.45 P.N.
6704	shutter	37.50 P.N. 42.75 P.N.
6705 6706	5x7½ Carl Zeiss Protar Ser. V, Wide Angle F:18 5½" focus, Bbl. with Iris Dia.	22.75 P.N.
6707 6708	8x10 Vitax F:3.8 Portrait lens, 16" focus with studio shutter 5x7 R.R. lens in Conley Automatic shutter	71.50 P.N. 5.50 P.N.
6709 6710	8x10 Rapid Rectilinear lens, F:8 in Bbl. Iris Dia. 12" focus	14.50 P.N.
6711	focus	22.50 P.N. 56.75 P.N.
6712	43/4x61/2 Carl Zeiss Protar Ser. V, Wide Angle F:18 41/2" focus, Bbl. with Iris Dia. 8x10 Struss Pictorial lens, F:5.5 in Bbl. Iris Dia. 18" focus	16.50 P.N. 29.75 P.N.
6713 6714	8x10 Graf Soft Focus lens, having two combinations, 14½" at F:4.5 and 17" at F:5 in Bbl. Iris Dia.	41.50 P.N.
6715 6716	6½x8½ Spencer Portland lens, F:4.5 9" focus in Bbl. with Iris Dia 4x5 R.R. lens for Enlargers in defective shutter for experimental pur-	21.50 P.N.
6717	poses	3.50 P.N.
6718	Dia. 6½x8½ Verito F:4 lens, 11½" focus in Bbl	64.50 P.N. 32.75 P.N.
6719	5x7 B.&L. Protar Ser. V, Extreme W. A. F:18 lens, 4½ focus, in Bbl. with Iris Dia. 5x7 Bausch & Lomb F:6.8 Telestigmat Telephoto lens 24″ focus	17.25 P.N. 87.50 P.N.
6720 6722 6723	5x7 Verito F:4 lens, 9" focus in studio shutter	24.50 P.N.
6724	Iris Dia	51.75 P.N. 77.50 P.N.
6725 6726	5x7 Struss Pictorial F:5.5 lens, Bbl. without Dia. 12" focus	17.75 P.N. 7.25 P.N.
6727 6728	12x15 Dallmeyer Rapid Rectilinear in Bbl. Waterhouse stops 20" focus. 5x7 Ser. III Velostigmat F:9.5 Wide Angle lens, Bbl. Iris Dia	24.50 P.N. 21.50 P.N. 26.50 P.N.
6729 6730	5x7 B.&L. Protar Ser. V, Wide Angle lens in Volute shutter 8x10 Wollensak Ser. III Extreme Wide Angle lens, F:12.5 in Betax	20.50 P.N. 22.75 P.N.
6731	shutter, 6¼" focus	24.75 P.N.,



The Ideal Enlarging and Copying Lens

The Ideal Enlarging and Copying Lens will enable those possessing cameras that are not long focus instruments to photograph small articles to their full size or even larger, if it is desired. It will be found invaluable for copying pictures, making lantern slides by reduction with a short bellows hand camera and photographing small objects.

Some idea of the value of this lens can be learned when two photographs taken with and without the lens are com-

pared as to size. A 4x5 photograph when copied with an ordinary camera, will produce a picture about the size of a postage stamp, and when our enlarging and copying lens is attached the photograph can be copied full size, or can be enlarged beyond its natural size.

The lens is mounted in a brass cell, polished and nickel plated, with adjustable springs that it fits over the hood of the objective lens like a cap.

Full directions are supplied with each lens.

	Inches	Our		Inches	Our
No.	in Diam.	Price	No.	in Diam.	Price
0	7/8	\$0.90	8	134	\$2.25
00	11/2	1.12	/9		2.70
1.	1-5/16 (for 4x5 cameras)	1.35	/10		3.15
3	For box cameras	1.35	/ 11	21/2	3.60
4	17 (for 4x5 cameras)	1.67	/ 12		4.00
6	1½ (for 4x5 cameras)		13		4.50
			· (X)		



Igento Color Filter

(WALLACE'S VISUAL LUMINOSITY.)
A New Departure in Color Filters

The Ingento Color Filters were designed by Mr. R. James Wallace, F. R. A. S., A. A. P. S., instructor in Photophysics at the Yerkes Observatory of the University of Chicago. Mr. Wallace is well known as final authority on all matters pertaining to orthochromatic autography, his whole working lifetime having been devoted to research, demonstrating and teaching along this line. The "Ingento Series B" is the highest achievement in color filters, it having been originally designed for critical scientific use. In the possession of such a filter, you get the benefit of this experience, and get a color filter that is not approximately but absolutely correct.

The "Ingento Series B" is the most rapid in action of any accurately measured filter yet made. This permits its use on work where ordinarily the increase in exposure time necessary with any other "adjusted" filter would prevent its employment. This screen requires 3 times normal exposure. The style "A" Filter requires 3 times normal exposure.

In nickel plated cells with rubber covered adjustable springs.

In nickel plated cells with rubber covered adjustable springs.

Style A Style B Style A Style B Our Prices diameter 21/2 Our Prices 8, No. 0, for No. 3 F. P. K... 1, diameter 1 in...... No. in..... \$2.92 3.15 \$0.68 **6**3.37 No. No. 1.12 in.__ No. 10, diameter 2, for box cameras.... 1.12 1.35 in. 3.60 176 No. 11, No. diameter in..... 1.12 diameter 4.05 1.35 in. 12, No. 4, diameter diameter in.___. in.____ No. No. 13, diameter in.___ 1.80 2.25 diameter in..... 5.40 in.____ 2.02 diameter 14, diameter in._ diameter 24 No. in.____

THE IDEAL DUPLICATOR

These Duplicators are fitted with adjustable springs, covered with rubber. They slip over the lens like a cap; made in all sizes to fit any lens.

By attaching the Duplicator to the lens of any camera, a person or persons can be photographed in two positions on the same plate, without showing any division line where the two exposures meet on the plate. Many humorous pictures can be obtained in this way. Two persons can be photographed on one plate without either one having seen the other. The duplicator can be turned around so that the image can be thrown on any part of the plate. part of the plate.



No. Inches	Our	No. Inches	Our
in Diam.	Price	in Diam.	Price
0 %		5 2	\$0.72
1 1 18		6 21/4	
2 17		7 2½	
3 1½ ···································		8 2 3/4	95

40	CENTRAL CAMERA CO., CHICAGO, ILL.	
(Continued—RAPID RECTILINEAR, PORTRAIT, WIDE ANGLE	AND
6732	9x12 CM Carl Zeiss Protar Ser. V Wide Angle lens, F:18 33%" focus	
	Bbl. Iris Dia. 10x12 B.&L. Protar Ser. V Wide Angle lens F:18 8½" focus Bbl.	14.75 P.N.
6733	Iris Dia.	32.50 P.N.
6734	Iris Dia	39.50 P.N.
6735	6½x8½ Gundlach Portrait lens F:6.5 in Bb1	22.50 P.N.
6736	5x7 Bausch & Lomb Rapid Rectilinear in barrel without dia	2.45 P.N.
6737	31/4 x 41/4 Kodak Anastigmat F:8.8 in shutter with bulb and instantaneous,	0.45 5.34
-	without dia	2.45 P.N.
6738	4x5 Rapid Rectilinear lens, Auto shutter	6.50 P.N.
6739	5x7 Bausch & Lomb Rapid Rectilinear in Bbl. without Dia 6½x8½ Ser. VII Extreme Wide Angle lens, 5½" focus, F:9.5 Regno	2.45 P.N.
0740	shutter	19.50 P.N.
6741	5x7 No. 2 B.&L. Telephoto Attachment will fit Protar or Tessar lens,	
	5x7 or 5x8	15.00 P.N.
6742	5x7 Verito F:4 lens, 83/4" focus in Bbl. Iris Dia	23.75 P.N.
6743	10x12 R.&J. Beck R.R. lens, 16" focus in Bbl. Iris Dia	16.50 P.N.
6744	21/4 x 31/4 B.&L. Protar Ser. IV lens in Bbl. Iris Dia. 21/4" focus F:12.5	11.50 P.N.
6745	3½ x4½ Protar Ser. IV F:12.5 lens, Bbl. Iris Dia. 378" focus	12.75 P.N.
6746	8x10 Rapid Symmetrical F:8 lens, Auto shutter	16.75 P.N. 22.50 P.N.
6747	6½x8½ Sereco Extra Rapid F:4 lens 14" focus in Bbl. with Iris Dia	
6748	5x7 Pinkham Smith No. 1 Ser. IV Synthetic lens 10" focus	16.75 P.N. 8.50 P.N.
6749	31/4 x 41/4 Verito F:6 Soft Focus lens in Auto shutter	5.75 P.N.
6750	4x5 Ajax Portrait lens, F:5, 7" focus in Bbl. Waterhouse Stops	135.00 P.N.
6751	12x15 B.&L. Sigmar F:4.9 lens in Bbl. Iris Dia. 22" focus	18.75 P.N.
6752	14x17 Platyscope R.R. lens 20" focus in Bbl. Iris Dia	14.75 P.N.
6753	8x10 Rapid Convertible lens, Unicum shutter	14.75 1.11.
6754	fit in Compur shutter in place of F:4.5 lens	26.75 P.N.
6755	Pancratic Telephot lens for 4x5 or 5x7	12.50 P.N.
6756	5x7 Vesta Portrait lens F:5 10" focus, Waterhouse Stops	17.50 P.N.
6757	8x10 Verito F:4 lens. 141/2" focus, Bbl. Iris Dia	44.75 P.N.
6758	4x5 Ideal F:6 lens, Ser. D 6½" focus in Bbl. Iris Dia	9.50 P.N.
6759	6½x8½ Voltas F:8 Convertible lens, Regno shutter	12.75 P.N.
6760	8x10 Wide Angle F:16 lens in Bbl. with Waterhouse Stops 6½" focus	8.50 P.N.
6761	4x5 Verito F:4 lens, Bbl. 7" focus	17.50 P.N.
6762		33.75 P.N.
(7/2	9" focus Bbl. Iris Dia	54.75 P.N.
6763	8x10 Gundlach Achromatic Meniscus Portrait lens, F:6 in Bbl. Iris Dia.	34.73 1.11.
6764	15" focus	23.50 P.N.
6765	15" focus	
0,00	F:12.5, 718" focus 5x7 Perigraphic Convertible F:5.6 lens, 8" focus, shutter	19.35 P.N.
6766	5x7 Perigraphic Convertible F:5.6 lens, 8" focus, shutter	21.50 P.N.
6767	8x10 Wollensak Wide Angle lens F:16 Bbl. Iris Dia. 7½" tocus	12.75 P.N.
6768	5x7 Meyer F:9 Extreme Wide Angle Aristostigmat lens with Comput	20 50 73 37
	shutter and Bbl. 434" focus	29.50 P.N.
6769	6½x8½ B.&L. Protar Ser. V, Extreme Wide Angle lens Bbl. Iris Dia.	10.75 D.N
(HH)	5½ focus F:18	19.75 P.N. 9.50 P.N.
6770	5x7 Planatograph F:8 lens, B.&L. Auto shutter	9.30 F.N.
6771	Did with Iria Dia	43.75 P.N.
6772	Bbl. with Iris Dia	10110 2 1211
0772	Inia Dia	38.75 P.N.
6773	5x7 Kalosat B. F:4.5 lens, 9" focus, 12½" in Bbl. Iris Dia	24.75 P.N.
6774	11x14 Verito F:4 lens, 18" focus, Bbl. Iris Dia	59.75 P.N.
6775	9x12 CM Schneider Tele-Xenar F:3.5 lens, in cells 9½" focus, fits	0155
	Compute shutter with F:4.5	24.75 P.N.
6776	8x10 Rapid Rectilinear lens, F:8 in Bbl. Iris Dia. 12" focus	11.50 P.N.
6777	10x15 CM Plaubel Telepeconar Telephoto lens F:6 (older model)	19.50 P.N.
6778	8x10 Radar Extreme Wide Angle lens, F:16, 6¼" tocus Betax shutter	24.75 P.N.
6779	9x12 CM Plaubel Anastigmat lens, Telepeconar, Base Speed F:3 up to	29.75 P.N.
CHOO.	8 magnifications	69.50 P.N.
6780	12" Cooke F:5.6 Telephoto lens for use on either 3½x4½ or 4x5	74.50 P.N.
6781	12" Dallmeyer Telephoto F:4.5 for 3½ x4½ or 4x5	74.50 1.11.

CENTRAL METAL TRIPOD

FITS ALL CAMERAS (UNIVERSAL)

This is a tripod we can highly recommend for the smaller types of Cameras. It is light in weight, compact and rigid, features which are most essential. Entirely made of metal with telescoping sections.

Sections Closed	Length Extended	Weight	Our Price
No. 1 3 15½ in.	39½ in.	15 oz.	\$1.95
No. 2 4 15 in.	48½ in.	25½ oz.	2.65
No. 3 5 13½ in.	58 in.	25 oz.	3.95
Canvas Carrying Case			.95

Now Only



Central M. Q. Developer

Made from the finest chemicals highly concentrated making 10-12 ozs., of developer for any developing paper and 12 ounces for plates or Film, in Glass tubes.

6	for .		 	 \$0.25
3	Doz.	tubes	 	 1.35
6	Doz.	tubes	 	 2.55
12	Doz.	tubes	 	 4.75



CENTRAL. TILTING TOP

The Central Tilting Top is small all metal head. The camera can swing and be moved to any angle then tightened and held at that spot. little head is This strong enough for 21/4 x31/4 cameras smaller.

Price	\$0.95	
	and stronger tilting top for	
9x12	cm. cameras or larger	


THE OPTIPOD

Here is a neat little device — a combined tripod head and felt-lined clamp that is frequently used in-stead of a tripod and, in many cases, in conjunction with that larger support.

Used alone the Optipod clamps to any shelf, table, window ledge, running board or other support, and holds the camera firmly while the camera firmly

holds the camera firmly while the exposure is being made. It fits any standard tripod socket. It is small and light, and slips readily into the pocket. The ball and socket joint is a great convenience since it permits tilting the camera to almost any angle. It is especially valuable when the Optipod is used in connection with a tripod to photograph subjects which are at close range or otherwise so situated that it is impossible to place the tripod alone in the desired position.

in the desired position. The Optipod\$1.22



All metal tilting and panoraming top. Works fine with either movie or still cameras.

THE KODAPOD

The little Kodapod is an exceedingly handy arrangement, particularly suited for use in place of a tripod outdoor photography. The toothed jaws at one end firmly grip tree, fence or other wooden object, while the other end threads into any standard tripod socket. A clamping screw adjusts the camera to the correct horizontal or vertical position, where it is firmly held while the exposure is being made.



The Kodapod\$1.65

FOREIGN SCREW

By the use of this screw any foreign make of Camera can be adapted so that an American-made Tripod can be used and vice versa.



MISCELLANEOUS SUPPLIES

6901	2½x3¼ Case for Graflex Jr	4.75 P.N.
	5x7 Fastman Plate Developing Tank adjustable	5.50 P.N.
6902	5x/ Eastman Tate Developing Tank, adjustable	
6903	4x5 Graflex Plate Magazines	9.50 P.N.
6904	5x7 Graflex Plate Magazines	9.75 P.N.
6905	2¼x3¼ Case for R. B. Series B. Graflex	5.75 P.N.
6906	8x10 II S Ir Stoneware Developing Outfit No 3 2x9x145/"	8.75 P.N.
	Oxfo O. S. Ji. Stoffeware Developing Outsite No. 6, 28781178	5.95 S.H.
6907	31/4 x41/4 Graflex Plate Magazines	
6908	5x7 Graflex Plate Magazines	7.75 S.H.
6909	2¼x4¼ Case for 1A Graflex	3.50 P.N.
6910	4x5 Dallon Tank Developing Fixing, Washing one process	5.75 P.N.
ALL DESCRIPTION OF THE PARTY OF	3½x4¼ Graflex Plate Magazines	8.25 P.N.
6911	3/4X4/4 Granex rate magazines	6.95 S.H.
6912	4x5 Graflex Plate Magazines	
6913	3½x4½ Case for Series B Graflex	6.75 P.N.
6914	5x7 Case for Auto Graflex	7.75 S.H.
6915	2½x3¼ Graflex Plate Magazines	5.50 S.H.
	274 G allex Magazines	6.95 S.H.
6916	4x5 Graflex late Magazines	
6917	3½x4½ Case for R. B. Series B or D Graflex	8.50 P.N.
6918	4x5 Case for Speed Graphic	6.50 P.N.
6919	2½x3½ Graflex Magazines	7.75 P.N.
6920	5x7 Case for Press Graflex	9.50 P.N.
	3x/ Case for Tress Granes.	3.95 S.H.
6921	3½x4½ Case for Series B Graflex	
6922	5x7 Case for Graflex Home Portrait	14.50 P.N.
6923	5x7 Graflex Plate or Film Holders	2.45 P.N.
6924	3½x5½ Case for Speed Graphic	5.50 P.N.
	3½x5½ Graflex Plate or Film holders	1.65 P.N.
6925	374X372 Granex Flate of Film holders	8.50 P.N.
6926	5x7 Case for Series B Graflex	
6927	4x5 Case for Series B Graflex	7.50 P.N.
6928	4x5 Graflex Plate Holders	1.85 P.N.
6929	3½x5½ Case for 3A Graflex Roll Film	5.75 P.N.
	5/4x5/2 Case for Speed Creation	8.75 P.N.
6931	5x7 Case for Speed Graphic	1.85 P.N.
6932	3¼x4¼ Graflex Plate Holders	
6934	4x5 Case for R. B. Series B or D Graflex	8.75 P.N.
6935	2½x3¼ Graflex Plate Holders	1.45 P.N.
6936	2½x3¼ Graflex Cut Film Magazines	7.75 P.N.
6937	Lios Cine Exposure Motion Picture Meter	4.25 P.N.
6938	No. 3 Developing and Fixing Box, will hold 5x7 or 8x10 film	
0930	No. 3 Developed and Tixing Box, will note by or external	2.95 P.N.
1000	hanger in Porcelain Ideal Print Washer, Diameter 24" 4x5 Graflex Cut Film Magazines	
6939	Ideal Print Washer, Diameter 24"	11.75 P.N.
6940	4x5 Graflex Cut Film Magazines	9.50 P.N.
6941	Dremmeter, Regular price \$6.50 (works same as Justophot)	3.95 New
6942	8x10 Fastman Plate Tank, Reversible	5.75 P.N.
6943	8x10 REXO Developing Racks, style A, for 12 plates	1.95 P.N.
	5x7 Graflex Cut Film Magazines	9.75 P.N.
6944	5x/ Granex Cut Film Magazines	
6945	B & H Photometer, regular price \$17.00	9.75 P.N.
6946	14 Gal. Stoneware U. S. Tank, 9½x9x42"	13.75 P.N.
6947	31/4 x 41/4 Dallon Developing tank for Cut Film, Pack, plates	4.75 P.N.
6947		
0517.	metal tops and hard rubber slides	1.65 New
6010		5.75 P.N.
6948	2¼x3¼ Graflex Roll Holder	
6949	Westphalen Photo Electric Meter	14.50 P.N.
6950	3¼x4¼ Graflex Roll Holder	6.75 P.N.
6951	K-21/4x31/4 No. 1 Premo Film Pack Tanks	1.00 P.N.
6952	3½x5½ (or smaller) Kodak Roll Film Tank 3½"	4.25 P.N.
	21/-41/ Dieta Halders for Arms Comers	.65 P.N.
6953	34x444 Plate Holders for Avus Camera	
6954	3½x4½ Plate Holders for Avus Camera	5.75 P.N.
6955	2½x3½ Film Pack Adapter for Avus Camera	1.75 P.N.
6956	2½x4¼ Kodak Roll Film Tank, 2½"	3.45 P.N.
6957	6½x9 CM Plate holders for Avus Camera	.50 P.N.
	Art Croffer Doll Holder	7.75 P.N.
6958	4x5 Graflex Roll Holder	105 D.M
6959	9x12 Film Pack Adapter for Avus Camera	1.95 P.N.
6960	2½x3½ Eastman Roll Film Tank, 2½"	2.25 P.N.
6961	6½x9 Plate Holders for Ica Ideal B	.45 P.N.
6962	5x7 Graflex Roll Holder	7.50 P.N.
6963	9x12 Plate Holders for Maximar B	.65 P.N.
	The late Holder to Manimal D	

All you need for the HOME DARKROOM

Complete in every detail, Kodak Darkroom Outfit No. 1 furnishes everything anyone needs for developing roll film, cut film, film packs or plates, and for printing from the negatives.

It includes a book of instructions together with a copy of "How to Make Good Pic-

tures."

Another valuable feature is a durable fibre case which may be used permanently to hold the outfit when not in use. Ask any of our salesmen to show you this kit the next time you stop in for a fresh supply of film. The cost is substantially less than if the various items were purchased singly.



KODAK DARKROOM OUTFIT NO.1, in-

cludes the following materials and equipment:

4x6 Enameled Trays 5x7 Enameled Tray 8-ounce Eastko Grad-

Stirring Rod, Eastman Hard Rubber

Eastman Thermometer

Pair 31/2-inch Eastman Price, with case

Film Developing Clips 4-ounce Bottle Nepera Solution

Kodak Auto-Mask

Printing Frame. 1 Brownie Safelight

Lamp 1 10-watt Mazda Lamp Blotters-Size 91/2x12 in.

Tubes Eastman Special Developer

Pound Kodak Acid Fixing Powder

Instruction Book "How to Make Good

Pictures"

2-4x5 glass trays

1-5x7 glass tray

1-4 oz. graduate 2-3½" developing clips.

Outfit No. 2, complete.....

1—Ruby eelctric bulb.

frame

3-4x\$ glass trays. 1-4x5-31/4x51/2 printing

CENTRAL OUTFIT NO. 2 For 4x5, 3\4x5\frac{1}{2} or smaller.

6-tubes Montauk M. Q. 1-copy "Print Perfection"

1-Auto-Mask printing frame with adjustable mask.

1-copy "Perfect Negatives" 1-Ruby electric bulb.

1 lb. acid fixer.

2 doz. 31/4 x 51/2 or 4 x 5 azo

CENTRAL OUTFIT NO. 3

For 4x5, 31/4x51/2 or smaller.


1 lb. acid fixer

6-tubes M. Q. Developer

1-"How to Make Good Outfit No. 3, complete

Pictures" 2-dz. Azo Develop. Paper 1-4 oz. graduate. paper.

Developing and Printing Outfits



Developing and printing is very simple and easy. The outfits to do this work are not expensive. By doing your own developing and printing the pleasure derived from photography is immeasurably increased.

1-4 oz. graduate. 4—composition trays.

1—instruction book

5—tubes Special Developer. 2—dz. Printing paper. ½ 1b. Acid Fxer. 2—Oz. Nepera solution. ½ 1b. Acid Fxer. 1—Kodak candle lamp.

1-printing frame

Continued—MISCELLANEOUS SUPPLIES

Continued—Midelellanteodb Boll Eleb	
6964 V.P. Kodak Roll Film Tank	2.15 P.N.
0904 V.I. Rodak Roll Film Talik	
6965 6½x9 Plate Holders for Maximar A	.40 P.N.
6966 2½x3¼ Graflex Film Pack Adapter	3.45 P.N.
6967 5x7 Graflex Focusing Panel	6.50 P.N.
1070 21/ Tr/ Dist. II-liams	1.50 P.N.
6968 3½x5½ Plate Holders	1.50 F.N.
6969 9x12 Plate Holders for Kawee 9x12	.65 P.N.
6970 31/4 x 41/4 Graflex Film Pack Adapter	3.75 P.N.
	4.50 P.N.
6971 3½x5½ Graflex Focusing Panel	1 05 D N
6972 5x7 Eastman Plate or Film Holders	1.85 P.N.
6973 4x5 Graphic Film or Plate Holders	1.65 P.N.
6974 31/4 x51/2 Graflex Film Pack Adapter	3.95 P.N.
1077 17 C G Francis Bond	4.50 P.N.
6975 4x5 Graflex Focusing Panel	1.50 I.IV.
6976 8x10 Seneca or Korona Holders	1.75 P.N.
6077 4x5 Korona Plate Holders	1.35 P.N.
	4.25 P.N.
6978 4x5 Graflex Film Pack Adapter	205 D N
6979 3½x4¼ Graflex Focusing Panel	3.95 P.N.
6980 8x10 Eastman Plate Holder	2.25 P.N.
6981 5x7 Seneca or Korona Plate Holders	1.25 P.N.
cool of Col Carlotte Indicate	5.15 P.N.
6982 5x7 Graflex Film Pack Adapter	ATT CIT
6983 5x7 Graflex Roll Holder	4.75 S.H.
6984 8x10 Eastman Plate Holder	2.05 P.N.
6985 5x7 Graphic or Korona Film Holder	
COOT 27/ Fr/C Q D 11 II 11 II III COO COOT 27/ Fr/C Q D 11 II 11 III III III III III III III	175 C LI
6987 3½x5½ Graflex Roll Holder	4.75 S.H.
6988 6½x8½ Seneca Plate Holder	1.00 5.11.
6990 3½x4½ Graflex Roll Holder	5.25 S.H.
	5.50 S.H.
6991 4x5 Graflex Roll Holder	1 65 D M
6992 6½x8½ Graphic Plate Holder	1.65 P.N.
6994 No. 5 Packard Shutter 21/2" for time exposure	4.25 P.N.
6995 No. 2 Iris Flange, opens 31/5"	4.25 P.N.
10995 100. Z 111s Flange, Opens 5/5	
6996 10" Deckle Edge Trimmer	2.00 New
6997 8x10 Washing Tank, Special	3.95 P.N.
6998 No. 6 Packard shutter 23/4" for time and inst.	4.35 P.N.
6999 Willo Drying Press, complete with blotter	4.95 P.N.
6999 Willo Drying Press, complete with blotter	8.75 P.N.
6901A 12" Metal Trimmer	
6902A 11x14 Ingento Plate Washer	5.75 P.N.
6903A Hyde Exposure Meter	2.25 S.H.
COORA IT TO BE STORY TO THE STORY OF THE STO	.95 P.N.
6905A 5x7 Professional Printing Frame	
6906A 8x10 Eastman No. 4 Film Hangers	.55 P.N.
6907A Bewi Sr. Exposure Meter	7.50 P.N.
6908A Testrite Reflector Battery for Double Flash Bulbs; New \$7.50,	
1900A Testific Reflector Battery for Bouble Flash Builds, 11011 4.105,	4.95 New
Special	4.93 INCW
6910A 8x10 Eastman No. 2 Film Hangers	45 P.N.
6911A 8x10 Professional Printing Frame	1.45 P.N.
6912A No. 2 Halldorson Home Portrait Flash Lamp	. 23.75 P.N.
COLAR O 10 Comp. Delete	42 50 P M
6913A 8x10 Crown Printer	. 42.50 P.N.
6913A 8x10 Crown Printer	. 42.50 P.N.
6913A 8x10 Crown Printer	. 42.50 P.N. 2.75 P.N.
6913A 8x10 Crown Printer	29.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric	. 42.50 P.N. 2.75 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device	. 42.50 P.N. 2.75 P.N. . 29.50 P.N. . 6.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Fastman No. 2 Developing Hangers	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Fastman No. 2 Developing Hangers	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Fastman No. 2 Developing Hangers	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4½ No. 2 Film Pack Tank	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge	42.50 P.N. 2.75 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 15 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 15 P.N. 13.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 115 P.N. 13.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 115 P.N. 13.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 115 P.N. 13.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 2.25 P.N. 15 P.N. 13.50 P.N. 15 P.N. 29.75 S.H.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 2.25 P.N. 13.50 P.N. 15 P.N. 29.75 S.H.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 275 P.N. 275 P.N. 13.50 P.N. 15 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 13.50 P.N. 15 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N. 4.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk 6932A Victor Flash Gun 10", a sure fire, compact	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 9.75 P.N. 13.50 P.N. 13.50 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N. 4.50 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk 6932A Victor Flash Gun 10", a sure fire, compact 6933A Century Folding Retouching Frame	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 495 P.N. 2.25 P.N. 15 P.N. 13.50 P.N. 15 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N. 3.75 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Elash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4½ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk 6932A Victor Flash Gun 10", a sure fire, compact 6933A Century Folding Retouching Frame 6934A 2½x3½ Brownie Enlarger for 5x7 Enlargements	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 2.25 P.N. 15 P.N. 13.50 P.N. 15 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N. 3.75 P.N. 3.75 P.N. 3.75 P.N.
6913A 8x10 Crown Printer 6914A 6½x8½ B. & J. Style E. Developing Tanks 6916A No. 3 Halldorson Home Portrait Flash Lamp with Electric Ignition 6917A 4x5 Kodak Amateur Printer with Masking Device 6918A 7x11 Eastman No. 2 Developing Hangers 6919A 4x5 Professional Heavy Printing Frame 6920A Victor Open Electric Hand Flash Lamps; Special 6921A 5x7 Ansco Printer 6922A 3½x4¼ No. 2 Film Pack Tank 6923A 4x5 Amateur Printing Frames, Piano hinge 6926A Zeiss Mirax Enlarger 6927A 3½x5½ Amateur Printing Frames, Piano hinge 6929A 5x7 Kodak Service Printer with Register 6930A 5x7 Eastman Horiz. Enlarger, 10" Condensing Lenses, 1000 Watt Nitro Bulb, Focusing Platform 6931A R.O.C. Retouching Desk 6932A Victor Flash Gun 10", a sure fire, compact 6933A Century Folding Retouching Frame	42.50 P.N. 275 P.N. 29.50 P.N. 6.50 P.N. 45 P.N. 45 P.N. 495 P.N. 2.25 P.N. 15 P.N. 13.50 P.N. 15 P.N. 29.75 S.H. 57.50 P.N. 3.75 P.N. 3.75 P.N. 3.75 P.N. 3.75 P.N.

AND NOW MICROGRAIN "85"

The Finest of Fine Grain Developers

at

NEW LOW PRICES

8 oz	. Bottle	 	 . \$0.65
16 oz	. Bottle	 	 . 1.10
32 oz	. Bottle	 	 . 1.90
64 oz	. Bottle	 	 . 3.50

Films developed with Micrograin "85" can be enlarged up to 85 diameters without showing signs of grain. This seems unbelievable but it is true and makes no difference whether the film be Super Panchromatic, Regular Panchromatic or Orthochromatic. Think of it, from film of 1"x1½", enlargements 7 feet x 12 feet, or, of course any size smaller that you would prefer, can be made.



Listed Below are Other Features that Make Micrograin "85" the Finest of Developers

- It requires no increase in picture exposure.
- It is supplied ready for use—no mixing necessary.
- It has indefinite keeping qualities.
- It can be used under varying degrees of temperature with equal success.
- It may be used with any type of film.
- It is the simplest of all developers to use.
- Fifteen rolls of Leica, 25 rolls Vest Pocket or 18 rolls 2½x3¼ film can be developed with one 32 oz. bottle, using the complete time and temperature table supplied. Developing each film at a minium cost for fine grain development.
- It produces incomparable results.



Micrograin "85" A Product of the Photo-Research Laboratories

Continued—MISCELLANEOUS SUPPLIES

		11 05 7 77
6936A	Halldorson Electric Dome for use with 1,500 Watt Lamp	11.25 P.N.
6937A	5x7 Elwood Special with 250 Watt bulb (could use 300 W.)	42.50 P.N.
6938A	5.7 R & I Fnlarger with 9" Condensing Lenses, 100 Watt bulb	52.50 P.N.
	2½x3½ Brownie Enlarger for 3½x5½ Enlargements	3.25 P.N.
6939A	Kodak Negative Holder for Eastman Enlarger	1.25 P.N.
6941A	Rodak Negative Florider for Eastillan Emarger	14.75 P.N.
6942A	Sunny Twin Arc Lamp, 3000 Watt, Complete with stand	3.25 P.N.
6943A	Eastman Studio Scale, Avoirdupois	
6944A	4x6 Kodak Auto Focus Enlarger with 200 Watt Bulb	23.50 P.N.
6945A	5x7 Flwood Studio Enlarger, 100 Watt bulb (could use 200)	21.75 P.N.
6949A	3A Brownie Enlarger for 7x11 Enlargements	4.75 P.N.
6950A	20" Eastman Metal Trimmer	16.75 P.N.
6961A	Eastman Amateur Printer	6.75 P.N.
6962A	No. 5 Packard Shutter 1¼" for time exposure	2.95 P.N.
AND THE RESIDENCE OF THE PARTY	No. 2 Korona Studio Stand	11.50 P.N.
6963A	24" Steel Cutter (weight at end of blade for easy cutting)	22.50 P.N.
6964A	24" Steel Cutter (weight at end of blade for easy cutting)	5.50 P.N.
6965A	4" No. 6 Packard Shutter	
6966A	1 Pr. 4½" Condensing Lenses, Unmounted	1.95 P.N.
6965A	Special 60 MM x 80 MM Agia Filter Nos. 10, 11, 10, 13,	1 45 D 37
	without holder. Each	1.45 P.N.
6966A	4x5 Kodak Film Pack Adapter	1.45 P.N.
6967A	Kodak Sky Filter Nos. 0. 1, 2, Each	.45 P.N.
6968A	3½" No. 8 Packard Shutter for time and inst	5.75 P.N.
6969A	Wratten 4" Sq. Filter G, K1, K3, in B. Glass, Unmt. ea	6.75 P.N.
A THE RESIDENCE OF THE PARTY OF	3½x5½ Kodak Film Pack Adapter	1.45 P.N.
6970A	Kodak Sky Filter Nos. 5, 6, 7, Each	.75 P.N.
6971A	Kodak Sky Filter Nos. 5, 0, 7, Each	14.50 P.N.
6972A	5x7 Condensing lenses, Unmounted	9.95 P.N.
6973A	316" Lux Behind the lens shutter	
6974A	5x7 Kodak Film Pack Adapter	1.65 P.N.
6975A	4" No 6 Packard Shutter	5.50 P.N.
6976A	8x10 Pair 14" Condensing lens, unmounted	44.50 P.N.
6977A	8x10 Reducing Back for 4x5 Plates	5.75 P.N.
6978A	31/4 x 41/4 Kodak Film Pack Adapter	1.10 P.N.
6979A	3½" No. 5 Packard Shutter, for time exposure	4.50 P.N.
	No. 2 Optimo Shutter from 1 to 1/300th part	8.75 P.N.
6980A	8x10 Krauss Metal Masking Easel with Adjustable Masking	
6981A		9.50 P.N.
	Bands	11.50 P.N.
6982A	8x10 Back for 8x20 Korona Banquet Camera	4.75 P.N.
6983A	2½" No. 6 Packard Shutter, for time and instantaneous	
6984A	11/" Packard Shutter No 6 for time and inst	3.65 P.N.
6986A	45v107 Stereoscope Mahogany finish	2.75 P.N.
6987A	5x71/ Seneca Rocal Plane Shifter older model, With adjustable	46 50 5 37
	curtain	16.50 P.N.
6988A	45v108 Verascone Plate Magazine	18.75 P.N.
6989A	Colored Box No. 2A Brownie	1.75 S.H.
6990A	8x10 Seneca Focal Plane Shutter	18.75 P.N.
With the second second second second	6½x8½ Seneca Focal Plane shutter, out of order	11.50 S.H.
6991A	10x10 Ilexpo Shutter for Studio Camera	14.50 P.N.
6992A	10x10 Hexpo Shutter for Studio Camera	1.50 S.H.
6993A	E. K. Tilting Stroll	3.25 P.N.
6994A	3½x5½ Combination Plate Attachment for 3A special	11.75 P.N.
6995A	4x5 Seneca Focal Plane Shutter, will fit Seneca Camera	
6996A	No 21/2 Ideal Wooden Tripod	3.25 S.H.
6997A	No 2 Compound Shutter	12.50 P.N.
6998A	31/x51/ Combination Plate Attachment for 3A Reg	3.80 P.N.
6999A	61/x9 Ica Palmas Double Plate Holder	2.75 P.N.
6901L	No 1 Combination 3 fold Tripod	3.65 P.N.
6901L	11 v14 Century Centennial Stand 2A	37.50 P.N.
	3½x5½ Combination 3A Back Plate Holder	1.10 P.N.
6903L	3 Section Metal Tripod, regular price \$2.35, Special.	1.75 New
6905L	3 Section Metal Tripod, regular price \$2.55, Special.	7.50 P.N.
6906L	No. 1 Crown Tripod	7.00 1.11.
6907L	1000 Watt Halldorson light Complete with carrying case and	22.50 P.N.
	1000 Watt Bulb	
6908L	Color Plate Holders for Ica Ideal A	1.35 P.N.
6909L	F & S Compact Studio Stand	12.75 S.H.
6910L	No 2 Kodale Metal Tripod 5 sections	3.25 P.N.
6911L	11x14 Korona Reducing Back for 8x10 Holders	11.50 P.N.
0,111		

Unbreakable Focusing Screens

Type 1 ONE SIDE FROSTED

Type 2 BOTH SIDES FROSTED

To Avoid Interfering Reflections

CM.	INCHES	PRICE					
CM.	INCHES	No. 1	No. 2				
4.5x6 6.5x9 9x12 	13/4×23/8 21/2×31/2 	\$.15 .25 .30 .30 .50	\$.25 .30 .40 .40 .60				

Gravure Brown Developer

Develops prints a beautiful rich brown or sepia tone. Necessitates no special handling.

For brown tones—use 1 part to 2 parts water.

For Dark Sepia—use 1 part to 8 parts water.

For Art Gravure—use 1 part to 12 parts water.

Longer or shorter exposure with the use of a weaker or stronger solution containing a small quantity of 10%. Potassium Bromide will give a complete range of tones from rich dark brown to art gravure effects.

4	oz.													.25c
8	OZ.	-												.35c
16	OZ.									1				.60c

NOW YOU CAN PRINT YOUR OWN FAVORITE NEGATIVES

ON

SCARFS — HANDKERCHIEFS — CUSHION TOPS — ETC.

USE

LEROITYPE SENSITIZER

This new Leroitype Sensitizer opens up a field of photography that in the past, because of its difficulty in handling, was seldom made use of.

It is now easy to print your negatives onto all kinds of cloth, fabrics, papers and even onto wood. It requires no experience, nor any special apparatus.

The sensitizer is poured onto the surface that is to be printed, the exposure is made either in sunlight or under photo light or any high powered bulb, the exposure requires about 6 minutes. This is then developed and then fixed.

The finished print is permanent and cannot be washed out. We have tested and tried Leroitype and fully guarantee it. One bottle will print about 36 handkerchiefs.

Price, per bottle

TRIAL OUTFITS for Bromoil Printing

To facilitate the first trials of beginners, or to acquaint Bromoil workers with Drem appliances, handy outfits are available in suitable cartons, containing:



Brush No. 8, Tube of Black Pigment, Spreader, Tube of Drem Medium, Tube of Novo Medium, 2 cartridges of Bleacher, Cartridge of Special Developer, Piece of Mastic Rubber, One Bromide for Illustration, and One bleached Print, 3x4".

30	CENTRAL CAMERAT CO., CITCLEO, 122.		
San Park	Continued—MISCELLANEOUS SUPPLIES		
COLOT	Treepods, a rigid camera support	75	New
6912L	Treepods, a rigid camera support		P.N.
6913L	No. 1 Korona Folding Studio Stand No. 2½ 5x7 Ideal Combination Tripod (for 5x7 camera)		
6914L	No. 2½ 5x7 Ideal Combination Tripod (for 5x7 camera)	4.45	
6915L	Ideal Posing Chair	9.75	P.N.
6916L	Compact Hand Model American Visible Automatic Number-		
	ing Machine	6.50	P.N.
6917L	No 4 Crown Tripod	8.75	P.N.
6920L	1x69 Zeiss Distar Telephoto lens, will fit over any lens 69 mm.		
09201	outside diameter	6.00	P.N.
COOST	Wratten 1" sq. Filter K1, K2, K3, in B Glass, unmt. ea		P.N.
6921L	Wratten 1" Sq. Filter K1, K2, K3, in B Glass, unint. ca	1.00	±
6923L	Wratten 17%" Dia. Filter K3, G, C, in B Glass, mounted in	2 00	P.N.
	metal cell, each	3.00	r.n.
6924L	metal cell, each	0.05	D 37
	outside diameter	3.25	
6925L	No. 3 Wollensak Telephoto lens, fits lens 1%, 14/16"	2.00	
6926L	4x5 Cases for Plate Camera	2.25	P.N.
6927L	4x5 Cases for Plate Camera No. 3 Wollensak Telephoto lens, fits lens 1%, 14/16"	2.00	P.N.
6928L	1x57 Zeiss Proxar Wide Angle, will fit over any lens 57 MM		
09201	autida diameter	5 75	P.N.
COCOT	wratten 2½" Dia. Filter K1, A, in B Glass, Mtd. in metal	0.70	
6929L	Wratten 2/2" Dia. Filter KI, A, ill D Glass, With. in metal	4.00	PM
	cell, Each		
6930L	9x12 Avus Cases for Film Pack Camera	3.25	
6931L	No. 1 Wollensak Telephoto Lens. Fits $1\frac{5}{32} \times 1\frac{13}{32}$ "	1.50	P.N.
6933L	Wratten 3" Dia. Filter K1, K2, in B Glass mtd. in metal		
	cell, Each	5.00	P.N.
6934L	6½x9 CM Avus Cases for film pack camera	2.75	P.N.
6935L	Wollensak Supplementary Wide Angle lenses: No. 1		
09331	$(1\frac{1}{2}x1\frac{1}{3}x1\frac{1}{3}x1)$ \$1.50; No. 2 $(\frac{7}{16}x1\frac{9}{16})$ \$1.75; No. 3 $(1\frac{9}{16}x1\frac{1}{4}/16)$ \$2.00;		
	(132X132) \$4.00, 10. 2 (16X116) \$4.00, 100. 6 (16X16) \$4.00, 100.	2.50	P.N.
COOCT	No. 4 (113/16x2")	2.50	
6936L	5X Zeiss Optical Filter, fits over any lens 30 MM outside diameter	2.50	1 .14.
6937L	Wratten 23/8" Dia. Filter K1, K3, A, in B Glass, mtd. in metal	4.00	DAT
	cell, Each	4.00	
6939L	No. 5 Artograph Soft Diffusion Screen 5" Diameter	5.45	P.N.
6940L	5V Zeige Optical Filter fits over any lens 3/ MM outside		
	diameter	2.50	P.N.
6941L	diameter Wratten 2" Dia. Filter K1, K2, K3, A. B.C. Mtd. in metal		
07411	cell, Each	3.00	P.N.
6943L	V. P. Carrying Cases for Roll Film Cameras		S.H.
	Wratten 13/4" Dia. Filter G. K2, K3, mtd. in metal cell, each	2.15	
6945L	Wratten 194 Dia. Fitter G. K.Z., R.J. intu. in Include con, cach	2.10	
6946L	5XZeiss Optical Filter, fits over any lens 42 MM outside	3 00	P.N.
	diameter		P.N.
6947L	21/4 x 31/4 Roll Film Carrying Cases; specify make of camera	1.25	L.14.
6950L	Ducar Zeiss Optical Filter, fits over any lens 32 MM outside	075	DAT
	diameter	2.75	P.N.
6951L	Ducar Zeiss Optical for Agfa Color Plates, fits over any lens,		
	37 MM outside diameter		P.N.
6952L	3¼x5½ Roll Film Carrying Cases, specify make of camera	1.95	
6953L	21/x41/ Roll Film Carrying Cases, specify make of camera		P.N.
6954L	3½x4¼ Roll Film Carrying Cases, specify made of Camera		S.H.
6955L	C A F Panel		S.H.
6956L	No. 9 Wollensak Telephoto lens, fits lens 3 %, 4 % "		P.N.
09301	NO. 9 Wolfelsak Telephoto Jens, how stope Samples		
	SPECIAL OFFER ON STORE STATE TO Demonst	ration	D118-
(Not	ne of the following merchandise has been used except for Demonst	ration	pui-
pose).			725
6901X	9x12 CM Dallon tank	• • • •	7.25
6902X	21/v41/ Dallon tank		6.95
6903X	21/x31/ Dallon tank		6.25
6904X	21/x31/ Correx Developing tank		8.50
6905X	156x21/ Correy Developing tank		8.00
6906X	Largodrem meter		7.95
	5x7 Elwood Studio Enlarger	1	23.50
6907X	Tele Bewi meter complete for exposure and Distance Finding		11.95
6908X	Tele Bewi meter complete for exposure and Distance Finding		8.75
6909X	Bewi Senior Exposure meter		8.75
6910X	5x7 Central Printer complete with automatic masking device	• • • •	
6911X	No. 1 Crown tripod	••••	8.50
6912X	Vest Pocket Beda Lux tank		6.75



NEW NOGRAIN DEVELOPER 35c PER CAN

Here is a new fine grained developer—an ideal solution because it is easy to use and requires dilution in water only. It may be kept for a long period of time, and can be used over and over again.

The contents of the bottle are dissolved in 26 oz. of water. Development is carried out for 20 minutes at 65 degrees.

Will not fog.

QUICK DRYER

After bathing in this solution negatives may be dried in five minutes.

May be used for plates, films, lantern slides, and prints.

The most concentrated solution of this kind; same solution may be used repeatedly.

Price, 4 oz. bottle48c

REDUCER

TO INCREASE CONTRAST

For all negatives that are dense and lack contrast due to over-exposure. Works clean and rapid. Will not stain. Makes flat, slow printing negatives into negatives with proper scale of gradation with finer details retained.

4-oz. bottle, makes 32 to 40 ounces..25c 8-oz. bottle, makes 64 to 80 ounces..35e

LENS

CLEANSER AND POLISHER

Photographic and other fine lenses require cleaning often to give the best results. Dust and other foreign matter will gather on lenses and a "blume" often forms on the exposed surfaces, that materially affects the fine gradation of the lens image.

Lenses are easily scratched and should never be wiped off or cleaned with ordi-nary cloth or paper. One scratch may ruin a fine expensive lens.

VereBest Lens Cleaner and Polisher is a complete outfit, containing everything necessary to put and keep lenses in perfect condition, without any possible harm or injury to either lens or mounting.

Each outfit includes a bottle of cleaning solution with which is incorporated a polishing ingredient. This is applied to the lens with special swabs, allowed a few minutes to dry, wiped off with the spe-cially treated Chamois and finished with JapSilk Tissue. Lenses treated as above will be bright and clean, with every trace of dirt and "blume" removed.

Each outfit consists of 1 bottle of Cleaning and Polishing Solution, 3 applicator swabs, 4 specially treated Chamois and 25 Lens Tissue.

Complete Outfit50e

PRINT FLATTENER **ESSENCE**

Photographic prints look best when they lay flat and Print Flattener makes old and new prints flat, to stay at.

Make a stock solution of 1 part of Print Flat-tener and 15 parts of water. This solution keeps indefinitely and can be used repeatedly until exhausted. Immerse prints for about 20 minutes for single weight, longer for double weight papers.

New prints can be placed directly in Flattener solution from wash water following developing and fixing. Dry prints should be first soaked in water until limp. After soaking prints in Flattener solution as noted above, remove, mop or squeegee off surplus solution and dry prints face down on clean mustin or blotting respectively. clean muslin or blotting paper.

After Flattening treatment, prints on Matte and rough surface papers will show a marked improvement in details in shadows and Bromide paper prints and enlargements will have that brilliant finish they had in the wash water but which disfinish they had in the wash water, but, which disappeared when they were dry.

4 ounce bottle....35c 8 ounce can......60c

RAPID DESENSITIZER

Most workers prefer to follow the progress of development of their negatives visually, but with Panchromatic and other ultra-fast plates and film this is practically impossible even with the aid of efficient safe lights. A two to three minute immersion in Rapid Desensitizer before placing film or plates in the developing solution makes it possible to finish development in an orange light that is safe for bromide papers. There is no danger of light or chemical fog. All eye strain is eliminated and the progress of development can be watched and controlled by the operator with perfect ease.

The use of Rapid Desensitizer increases brilliancy and clearness, as it acts similar to Bromide Potassium in ordinary developers. Rapid Desensitizer works efficiently with all non-staining developers. Not recommended for Pyro developers.

No. 1 bottle with dropper measure makes 96 ounces Desensitizer\$.60

No. 2 bottle with dropper measure makes 142 gallons Desensitizer 1.00

NEW MONTAUK ACID FIXER

With 8 COMPLETE FIXING BATHS

Each pound of this fine acid fixier has 8 separate containers each a complete acid fixing to be dissolved in 8 oz. of water. If a larger bath is wanted 2 containers make 16 oz. of solution and etc. In this way your fixing bath can be made in the quantities you want without any waste.

\$0.29 per Pkg.

CENTRAL HYPOSULPHITE OF SODA (Hypo)

This is a fine selected hyposulphite of soda, pea crystals, for fixing plates or paper The crystals are pure, transparent, small and easily dissolved.

The crystais are pure, transparent, small and cashly dissolved.	
	Pea
	Crysta
Per pound box	\$0.10
Per 6-pound box	
Per 10-pound bag	
Per 25-pound pail	1.50
Per 100-pound keg	4.00
Per 5-100 pound kegs	3.85
Per 100-pound bag	
Per 5-100 pound sacks	3.65
Per 10-100 pound sacks	

KODAK ACID FIXING POWDER

1/4 pound carton		\$0.09
½ pound carton		.14
1 pound carton		.2
5 % pound carton	ns	.40
10 1/2 pound carton	ıs	.78
25	½ pound cartons	1.7
50	14 pound cartons	3.0
5	½ pound cartons	.6
	½ pound cartons	
25	½ pound cartons	
	½ pound cartons	
	pound carton	/ 1.10
Darrison Davies	1 pound cartons	1.0
10	1 pound cartons	1.00
36	1 pound cartons (case)	6.3
108	1 pound cartons (3 cases)	16.5

CENTRAL FIXING POWDER

Our own make—clear and fresh—always gives best results.	
1 pound carton	\$0.21
5 1 pound cartons	
10 1 pound cartons	
36 1 pound cartons	
108 1 pound cartons	
Special 1 10 pound carton	1.45

Photographic Chemicals

We carry a full stock of the purest Chemicals for Photographic use and guarantee them to produce the best results.

Prices subject to market fluctuations.

You will find that we carry a full stock of photographic chemicals that are perfectly fresh and dependable. Acid Acetic No. 8 Bottle

Acid Acetic Glacial 99% Bottle

Acid Citric Powdered Bottle 19

Acid Muriatic, C. P. Bottle 38

Acid Oxalic Bottle 17

Acid Phosphoric 50% Mall Bottle 17

Acid Pyrogallic Crystal Eastman 25

Acid Pyrogallic Crystal (Mallincrodt) 25

Acid Pyrogallic Resublimed (Mallincrodt) 25

Acid Sulphuric Bottle 36

Acid Acid Pyrogallic Resublimed (Mallincrodt) 25

Acid Pyrogallic Resublimed (Mallincrodt) 25

Acid Sulphuric Bottle 36

Adural Bottle 36

Adural Bottle 36

Adural Bottle 36

Alcohol, Wood, 1 pt., \$0.50; 1 Qt., \$0.65; 1 Gal., \$1.35

Aluminum Chloride 24

Alum Ammonium 66 1 oz. 1/4 lb. 1/2 lb. 1 lb. 80.30 \$0.95 1.00 1.50 .48 .82 .82 .22 .50 2.25 .35 .68 .25 .25 .27 .36 .60 1.00 .60 1.00 1.90 8.90 .72 10.25 48 .82 3.38 1.90 6.20

 Alcohol, Wood, 1 pt., \$0.50; 1 Qt., \$0.65; 1 Gal., \$1.35
 ...

 Aluminum Chloride
 .24

 Alum Ammonium
 ...

 Alum Chrome Crystals
 Carton

 Alum Powdered (Pure)
 Carton

 Amidol (Hauff's or Agfa)
 Bottle

 Ammonia Liquid Conc.
 Bottle

 Ammonium Bichromate
 Bottle

 Ammonium Bromide
 Bottle

 Ammonium Carbonate
 Bottle

 Ammonium Iodide
 Bottle

 Ammonium Persulphate
 Bottle

 Ammonium Sulphocyanate
 Bottle

 Barium Sulphate
 Bottle

 Borax Powdered Pure
 Carton

 Copper Chloride (Pure)
 Bottle

 Eikonogen
 1.00

 Edinol
 Bottle

 Formaldehyde
 Bottle

 Formaldehyde
 Bottle

 Gold Chloride
 15 gr. Vial \$0.72

 Glycin (Hauff's or Agfa)
 Bottle

 Hydrochinone
 Carton

 Carton
 20

 Iodine
 Bottle

 Bottle
 .88

 Iron and Ammonium Citrate (Green Pearls)
 .25

4095 .2415 -68 1.90 3.38 6.30 30.0095 .35 .9550 2.10 2.10 1.35 1.53 6.10 .32 1.35 .2928 .70 .62 6.50 11.75 9.00 2.30 4.15 1.90 3.38 6.30 30.00 .40 .75 1.45 .58 .95 1.60 7.65 2.40 9.00 .75 1.45 1.40 4.5063 1.68 2.93 5.40 3.50 25.65 1.05 1.90 0Z., \$0.33; 4 oz., \$0.90; 1 lb., .64 1.15 2.00 Ortol Bottle
Pictol Bottle
 Ortol
 Bottle
 55

 Pictol
 Bottle
 48

 Potassium Bichromate
 Bottle
 18

 Potassium Bromide Crystal
 Can
 14

 Potassium Carbonate
 Bottle
 12

 Potassium Caustic
 Bottle
 18

 Potassium Ferricyanide
 Bottle
 18

 Potassium Indida
 Bottle
 38
 1.90 3.38 6.30 30.00 1.35 2.65 4.35 19.65 .25 .36 .38 .6536 .55 .63 Potassium Iodide Bottle
Potassium Meta-Bisulphite Bottle
Potassium Oxalate Carton
Potassium Permanganate Bottle
Potassium Phosphate Bottle .38 .9838 3.70 .31 .14 1.90 .19
 Potassium Permanganate
 Bottle
 .19
 .24

 Potassium Phosphate
 Bottle
 .35
 .72

 Potassium Sulphocyanate
 Bottle
 .35
 .72

 Rodinol (Agfa)
 3 oz., \$0.58; &
 .85

 Silver Nitrate
 Bottle
 .76
 1.85

 Sodium Bisulphite
 Bottle
 .14
 .17

 Sodium Carbonate
 Bottle
 .22
 .32

 Sodium Citrate
 Bottle
 .33
 .30

 Sodium Caustic Sticks
 Bottle
 .33
 .30

 Sodium Hyposulphite
 6 lb., 40
 10 lbs., .65; 2t

 Sodium Phosphate
 Bottle
 .19

 Sodium Sulphate
 Carton
 .19

 Sodium Sulphide
 Bottle
 .18

 Sodium Sulphite
 Bottle
 .18

 Sodium Sulphite
 Bottle
 .18
 .30 .85 1.00 2.45 oz., \$0.58; 8 oz., \$1.10; 16 oz., 3.25 6.00 .18 1.05 .36 25 lbs., \$1.50; .60 100 lbs., \$4.00 ... Sodium Sulphite Bottle Bottle Dry Carton .50 .50 .82 3.85



"Tabloid" Developers

Zubioid Do. ciopoid	
	Price
"Rytol" the Universal developer	\$0.57
Rytol—large size, 4 times the above.	. 1.95
Tancol Developer	
Metol-Quinol Developer	
Hydroquinone (Quinol) Developer	
Metol Developer	
Pyro Soda Developer	57
Pyro-Metol Developer (Imperial Stand	
ard formula)	07

Copper Ferrocyanide Toner......\$0.48

"Tabloid" Photographic **Preparations**

Burroughs, Wellcome & Company line of Photographic products need no introduction. Their "Tabloid" brand of Photographic chemicals in tablet form are known wherever pictures are taken.

The absolute reliability of their products,

splendid results obtained, make the "Tabloid" developers and chemicals the choice of the world's greatest photographers.

We particularly recommend "Tabloid Rytol" as a universal developer without a peer, for tank or tray development. Works equally well with plates, films and papers.

"Tabloid" Photographic Stains

			Our	Price
"Soloid"	Stain	(Red)	 	.\$0.33
"Soloid"	Stain	(Yellow)	 	33
"Soloid"	Stain	(Green)	 ••••	33

"TABLOID" TONERS

Our Price

Platinum Toning Compound Blue Toner Green Toner Brown Toner		Gold Chloride with Sulphocyanide Compound (B6)	
	"TABLOID"	CHEMICALS	
Chromium Intensifier Mercuric Iodide & Sodium Sulph Bleaching Compound Ammonium Persulphate Potassium Ferricyanide Reversing Compound Colour Plate Intensifier Potassium Bromide, gr. 1		Potassium Metabisulphite, gr. 10	.33



"Tabloid" Photographic Outfit No. 907

Sepia Toner

CONTENTS

"Tabloid" Rytol Universal Developer.
"Tabloid" Desensitiser.
"Tabloid" Hypo.
"Tabloid" Chromium Intensifier.
"Tabloid" Sepia Toner.
"Tabloid" Potassium Bromide.
copy of the "Wellcome" Photographic Exposure
Calculator Handbook and Diary.

Comes Packed in a Box Made of Metal.

PRICE

COMPLETE WITH CONTENTS As Listed Above

"TABLOID" DESENSITISER

Abolish the Ruby Lamp and stuffy dark room and develop your plates or films as if they were gaslight prints.

The action of the Desensitiser is to remove a great proportion of the sensitiveness of the emulsion without destroying the latent image created by exposure. Price

DESENSOL

A Desensitizer for White Light Development of Plates and Films
Regular, Ortho, Panchromatic and Autochrome
Develop at six feet from ordinary 16 c. p. electric light.

4-oz. bottle

Retouching and Finishing for Photographers By J. SPENCER ADAMSON

This book is written for professional photographers and keen amateurs who wish to know the latest methods and processes which are available for the retouching of photographic negatives and prints. The retouching of negatives and finishing photographs in monochrome and colour are important adjuncts to photography, particularly so in the field of professional portraiture. Affording a fair amount of scope for the expression of individuality calling for skill and knowledge, the work is really an art matter, one sympathetically responsive to the merits of artistic application. Over the long years of use no serious mechanical means has been devised to threaten abolition from the fields of handicrafts; and modernization, of course, has to be recorded, and it is with the modern aspect and principles of the work that this volume is arranged Price

Retouching and Finishing Sets

The "President Set" is designed for Professional use and contains a better assortment than the Senator outfit. It has two Retouching Pencils of different grades, Tube of Retouching Medium, Etching Knife, Artist's Stump, Eraser, Two Spotting Brushes, Tube of Spotting Medium, Black Chalk in Cedar Handle, Black and White Chalks for Bromide Enlargements. All pencils, etc., of the best quality.



THE SENATOR




Victor Spotting Colors

Furnish ideal color mediums for spotting or retouching photographic prints of all tones. They are put up on celluloid sheets in very convenient form, and also in opal glass jars Color is picked up direct from these sheets or jars by means of a moistened spotting brush All the colors dissolve readily, and adhere perfectly when applied to the print.


The color is put in the No. 2 size jars in moist condition and sealed in. so as to reach you

moist condition and sealed in, so as to reach you in the best condition for use. Jars also protect colors from dust or contamination after being opened.



	0 Black, shades, pe	r set			V. Commission of	
	sepia. per	white,	photo.	brown,	and	
140.	2 Black, sepia, per	white.	photo	hromn		
No.	2 Any sir	gle sha	ide. eacl	h		.78

Eastman Spotting Colors





Supplied in stick form for spotting negatives or prints. The ink is of the highest quality 'ndia Ink, per stick.....

Rubiline

A Varnish for Making Ruby Glass

This preparation will be found practical and economical for making ruby glass, coating dark-room windows and incandescent lamps. It can be applied with a brush, without heat. It gives a safer light, with more illumination, than the ordinary ruby glass as it absorbs completely all of the actinic rays to which dry plates are sensitive.

Eastman Abrasive Reducer

A finely ground abrasive in paste form that gives quick and satisfactory results in local reduction.

Eastman Abrasive Reducer is a local reducer, this preparation is without a peer. It is applied with a soft cloth or tuft of cotton. Its action is purely mechanical and is therefore entirely at the command of the operator at all times. By its use any portion of the negative may be reduced to the exact degree desired. It will be found indispensable for bringing up hair, draperies and the light portions of the picture. Put up in convenient tins. Price.



Eastman Reducing Pencils

A new reducer that comes in pencil form and is used as a pencil and used for local reduction. Is extremely simple to use and does the work very efficiently.

Eastman Reducing Pencils, each Per Dozen



Agfa Reducer

Powder of excellent keeping qualities. Only requires dissolving in 10 parts of water. Remarkably uniform reduction. Easily controlled. Equally good for negatives, diapositives and bromide papers. Put up in practical form.

Original bottles, with screw-cap and measuring glass stopper, containing 100 grammes, \$0.85. Glass cartridges in boxes of 10, \$1.35. Each, \$0.15.

Victor Intensifier ONE SIMPLE SOLUTION


Will intensify very strongly, yet any degree of density can be given from very slight—produced in 2 or 3 seconds—to very strong, as shown above.

It can be applied locally with cotton to strengthen certain parts of the nega-

tives. It keeps indefinitely and can oe used

repeatedly until consumed.

	PRI	CES—P	owdered	Per	Tube
No. 1	Powder,	makes	4 OZ.		\$0.23
No. 2	Powder,	makes	8 oz.		.43
No. 3	Powder,	makes	16 os.		.82





Agfa Intensifier

(Mercury Preparation)

A liquid of good keeping qualities, to be diluted in proportion of 1 to 9 only. No subsequent blackening; intensifies in one operation. Also suitabale for Diapositives and Collodion negatives. Extremely suitable for intensification of color plates, because action of intensifier is under direct control.

Made up in original bottles containing.

8 ounces......\$1.18 16 ounces..... 1.73

AGFA COPPER INTENSIFIER

Easy to use. No subsequent treatment necessary. Powder of good keeping qualities. May be used for toning pictures on development papers as well as diapositives. No poison certificate necessary for purchasing. Original bottles, with screw-cap and measuring glass stopper, containing 50 grammes. Glass cartridges in boxes of 10, \$1.85. Each, \$.20.

INTENSIFIERS

LIFE IS COLOR!

\$3.75 Eastman Oil Coloring Outfit



Special Holiday Offer

\$325

Coloring your pictures add charm and beauty to them—It makes the subjects in your pictures actually live—Contrary to the general idea coloring of photographs is very simple—After the novice has read the instruction sheet—He can do a very good job of coloring his pictures—Think of the added beauty your pictures would have if they were colored—And best of all it is simple to do and requires no artistic ability—

Coloring Photographs

IN OIL COLORS

By Avenir Le Heart—\$ 1 00

Avenir Le Heart is today probably the leading writer on this subject. This is his latest book on the coloring of photographs and is the best he has done from every standpoint, being a complete course of study in oil coloring of photographic views, portraits, miniatures, and enlargements.



Blotter Book

This book consists of 24 sheets of very heavy chemically pure photographic blotting paper, with waxed paper inserts, and is bound in high-grade cover stock.

Kodak Drying Roll


This Roll Drying method is very convenient to dry a large number of prints in a small amount of space. The roll measures 11½ inches by 6 feet. It prevents the prints from curling. It will hold any size 8x10 or smaller.

World Blotting Paper

Highly absorbent stock and chemically pure. Made in two weights—regular and extra heavy, the former weighing 100 and the latter 120 pounds to the ream. Supplied in sheets Blotting Paper:

Extra Heavy	. \$0.78 88	\$6.50 7.75	½ ream (250 sheets) (50 \$12.00 15.00	90 sheets) \$23.00 28.75
20 in x 10 ft Extra Heavy 75 lbs. 24 in. wide				18.90
Extra Heavy 75 lbs. 24 in. wide 24 in. x 10 ft.	• • • • • • • • • • • • • • • • • • • •	• • • • • • • •		18.90

\$4.50 EASTMAN STUDIO SCALE



SPECIALLY PRICED AT

A two-pan scale of the accuracy requisite for handling photographic chemicals. Furnished with weights and markings either for the Avoirdupois or Metric System of weights, the avoirdupois scale being the American system of weights and measures and the metric the European system.


A graduated beam with sliding weight provides for minor weights, from 1 to 50 grains avoirdupois scale and 1 to 50 decigrams metric scale.

Additional metal weights to be placed in the pan are as follows: Avoirdupois 2 of 50 grains, 1 each of \(\frac{1}{4}\), \(\frac{1}{2}\) and 1 ounce and 1 of 2 ounces; Metric 2 of 5, and 1 each of 10, 15, 30 and 60 grains.

With nickeled and black enameled metal parts and a mahogany finished base -9 inches long-these scales are as attractive in appearance as they are accurate in performance.

In ordering please specify whether the avoirdupois or the metric system scale

SPECIAL SAVING OF 40% ON PROFESSIONAL



AUTO MASK PRINTING FRAME

\$1.45


This frame can be used in printing from any negatives of amateur size: 4×5 , $3\frac{1}{4} \times 5\frac{1}{2}$ inches or smaller.

Attached to the frame are two slides adjusted from the outside, forming an accurate mask of whatever size is desired. Any number of uniformly masked prints can be made without readjusting the negative or the masking slides.

The entire frame is carefully constructed, of quality material, to give years of service.

HEAVY WEIGHT

PRINTING FRAMES



These frames have a two section hinged back, with clamps to hold the negative and paper firmly. Construction is of high grade wood that assures rigidity and long life, and obviates danger of warping.

Regular Price Special Price

4	x	5	\$1.25	\$0.65
5	x	7	2.00	1.35
8	x	10	2.50 .	1.65
1	1	v 14	5 00	9.45



Elwood Studio Enlarger

Will do all you can ask of any enlarger.
Can be used vertically or horizontally.
Will make enlargements of any size.
From 5x7 negatives or smaller.
Covers the entire plate perfectly and has more speed than you will need.
Has silvered and highly polished parabola-reflector.
The most efficient light possible to make at any price.

price.
Your camera may be clamped to lens-board of enlarger.
Or your lens may be mounted directly to lens-

board.
Uses any size light up to 400 watt, concentrated Substantially constructed and built for service. It will speed up and improve your enlarging work. For use vertically it may be clamped on the edge of any table or stand. Height, full extended, 60 inches.

This is not an automatic focusing enlarger.

- Into is not an automatic locusing enlarger.	
Price of Enlarger complete, without lens but with light bulb\$27.0	0
200 Watt special frosted bulb	1
Price with 6½ in. focus Gundlach special Anastigmat f:6.3 lens	0
Price with 6½ in. focus Wollensak Velostigmat f:4.5 lens	0



Foth Derby Enlarger, equipped F3.5 Anastigmat Lens, \$26.00


The Foth Derby Enlarger is used for the making of enlargements from motion picture film negatives or from negatives 15%x1¼ in size. It comes equipped with the 2" Foth Anastigmat F:3.5 Lens and the lamp house is especially designed to give brilliant illumination. The condenser in the illuminating system insures even illumination. Enlargements up to 9 diameter magnification can be made with this enlarger. The highly corrected and high speed F:3.5 Lens is easily focused and capable of producing faultless enlargements. The instrument is light, compact and strong. All metal parts are nickel plated steel and finished on crystallized steel black enamel. It is supplied with an adjustable red filter for placing the paper.

Price complete with negative holder and 75 watt\$26.00 Base Board

Zeiss Ikon Mirax

An Enlarger to Use With Your Camera

The Mirax Attachment fulfills a long felt need. It converts your own camera, (roll film or film pack type) to a highly efficient enlarger at a low price. It is within the reach of everyone. It is possible to use any camera taking a picture of vest pocket size to 9x12cm size. The Mirax has an all metal body and stand, special care having been taken to render the construction absolutely lightproof. Illumination is by a 75 watt electric bulb inserted in the removable back of the apparatus. The reflector insures even illumination and uses a flash opal ground glass. This entus. The reflector insures even illumination and uses a flash opal ground glass. This enlarger can be used either horizontally or vertically. The Mirax will make enlargements as large as 16x20".



Price complete with 75 watt bulb

LARGODREM



Electric Exposure
Meter for Bromide
Enlarging

Something quite new to photography; a meter that has long been needed, and one of immense value to both amateur and professional photographers. The LARGODREM is simply connected to the electric supply of the enlarger, and then, in a few seconds, in the simplest conceivable manner. indicates

manner, indicates the absolutely correct exposure time for any kind of paper, any negative, any degree of enlargement.

Standard Model for 110 Volts, Price....\$10.00

FOCUSING MICROSCOPE

SOLVES THE ENLARGING PROBLEM



\$15<u>00</u>

With the focusing microscope you can be sure that the enlargement is in the sharpest focus possible. This is done with ease and eliminates those out of focus enlargements.

ZEISS IKON

METAL PAPER HOLDERS

(Hold enlarging paper flat and give clear-cut border)

A well made accessory, built with the precision that makes Zeiss products famous.

Paper	Holder	for	6:5	x	9	cm.	(21/4	x	31/4	")		• •	 		 	 		 		 	 	\$ 1.21
Paper	Holder	for	9	x	12	cm.	(31/2	x	4 3/4	")				 		 		 		 	 	1.21
Paper	Holder	for	10	x	15	cm.	(4	x	6")				 				 	 	 	 	1.48
	Holder																					
Paper	Holder	for	18	x	24	cm.	(7	x	91/2	")				 			 	 	 	 	 	1.48
Paper	Holder	for	24	x	30	cm.	(91/2	x	12")						 	 		 	 	 • • •	1.99



Eastman Timer

The most important factor in the making of good prints is the accurate exposure of every print in the order. The Eastman Timer solves the problem. Has both minute and split second hands which may be instantly reset. The large and plainly marked dial is easily read in subdued light.

THE DREMMETER

PRINT EXPOSURE GAUGE



FOR
THE CAREFUL
WORKER

A print exposure gauge with twelve test fields, for contact prints and enlargements on Bromoil, Bromide, Chloride or Gaslight paper, lantern slides, enlarged film or glass negatives.

Size 31/4 x 41/4.

CENTRAL PRINTER

With

AUTOMATIC MASKING DEVICE

\$1250

For quick and convenient contact printing the amateur or professional can choose no better means than this compact device, built simply but to Eastman scientific standards.



It fits negatives from $1\frac{1}{8}$ " x $1\frac{1}{4}$ " and including 5 x 7 inches. The negative to be printed is placed on the top glass window by the light of a red bulb inside the printer. A simple masking arrangement controls the white margins and holds the negative during any number of exposures. With this masking device it is possible to automatically mask out any portion of the negative. It also makes it easy and convenient to get white margins with any size negative up to and including 5 x 7. The paper is placed over the negative and the hinged frame closed. This automatically turns on a 60-watt electric lamp (not supplied) and makes the exposure. The position of this lamp is readily adjustable to give even illumination to negatives of various sizes.

The printer is supplied with 5½ feet of electric cord with plug attached, and one red bulb. By simply inserting an ordinary 60-watt lamp the printer is made ready for instant use.

Central Stirring Rod Thermometer 95c

A high grade thermometer in a glass stirring rod. This combination enables the worker to watch the temperature at the same time that the chemicals are being dissolved. The Ingento No. 5 is 9¼ inches long and a quarter of an inch thick. The headis flattened for crushing any particles that do not dissolve readily. Price......95c



Ideal Thermometer No. 1

This thermometer is made especially for photographic use. It is mounted on a metal plate which has two springs to hold it in the photographic tray so that the temperature of the bath may be ascertained while prints are being toned. Price, each \$0.32

Combined Tray and Tank Thermometer

This thermometer is particularly adapted for use with developing tanks. It is shaped so as to occupy the least possible space and has a hook for fastening to the edge of the tank. The holder is made of brass heavily silvered, will not corrode. The scale reads from .30 to 120 degrees Fahrenheit.



Eastman Tested Hydrometer

The Eastman
Tested Hydrometer is graduated with extreme accuracy
and its unique,
flat stem makes
possible an
accurate scale
reading even
under trying
conditions.

Eastman Tested Hydrometer, complete with jar\$1.45

Eastman Tested Hydrometer, without jar 98c



Milton Bradley Trimming Board

The blades of this Trimmer are made of the finest carbon steel, properly tempered. The handle blade is hollow ground, which makes it self-sharpening, an exclusive feature of the greatest practical advantage. The beds are maple, finely polished, and are subdivided into perfect half-inch squares, enabling exact trimming at any point.

Length of blade, inches	8½	10½	12 1/2	15	24
	4½ lbs.	6 lbs.	8 1/4 1bs.	20 lbs.	50 lbs
	\$2.45	\$2.85	\$4.45	\$7.50	\$21.60
		Ψ2.00	Ψ1.10	Ψ1.50	ф21.0

Montauk Incandescent Ruby Light

Electric light and plenty of it is what is wanted in all cases where electric current is available for dark room purposes.

This lamp has an inner amber incandescent bulb of 8 candle power, suitable for 110 volt current, which can be used alone for working gas-light papers, it also has an outside ruby globe to be screwed on when handling plates or bromide papers The bulb fits the ordinary Edison electric light socket.

Price, complete, \$1.95.

Outer globe separate....\$1.00 Inner globe separate....\$0.82 Do not use on any but a 110 volt current



Brownie Safelight Lamp

But little larger than the electric bulb it holds, the Brownie Safelight Lamb screws into an electric socket which may be conveniently situated close to the place where the work is to be done.

The lamp is made of metal, neatly japanned; has circular safelight in the end and side safelight as well. Both safelights are the regular Series 1, and removable so that other series may be used, if desired. A 15 Watt Mazda lamp is used, but is not supplied.

The Brownie offers a most satisfactory means for dark room lighting where electricity is available.

where electricity is available.

Brownie Safelight Lamp

Extra Circular End Safelight (any series), each

Extra Side Safelight (any series), each



Kodak Safelight Lamp

The Kodak Safelight Lamp is ideal for all dark room uses, whether that be the work of the beginner, the advanced amateur, or the professional.

The lamp is supplied with a 5x7, Series 1 safelight for use with films or plates, not color sensitive. Safelights of other series may be obtained, if desired, for more advanced work. It is made of metal; neatly finished in a warm tone of brown and the inside is enameled white to intensify the force of the reflected light from the electric bulb in the top. The lamp is supplied complete, excepting electric bulb, including besides the safelight, four feet of electric light cord with socket and related. plug.



PRICE

Kodak Safelight Lamp



Green, Ruby and Orange Electric Bulbs

Plain or frosted electric bulbs which can be used in any electric lamp. Convenient and safe method of lighting your dark room. 4, 8 or 16 C. P.

Price	Ruby Bulb\$0.50
Price	Orange Bulb50
	Bulb for Panchromatic 1.25

"PRINT PERFECTION AND HOW TO ATTAIN IT," by Dr. B. T. J. Glover. This little book of less than eighty pages is re-plete with valuable information not only for the beginner, but also for advanced worker. the Written in a clear man-ner, it gives instruction production of the highest possible printing quality.

Price\$0.60

BEDA - LUX DAYLIGHT Developing Tank

LOADING—DEVELOPING—FIXING—WASHING
—ALL IN DAYLIGHT—

The BEDA-LUX daylight developing tank is constructed of brass and finished in a fine nickel plating.

All operations are done in daylight, all dark room errors are eliminated. Loading, developing, fixing, and washing are all




Loading, developing, fixing, and washing are all done in daylight. The film is not removed from the tank for any operations and comes out ready to dry, making the Beda-Lux Daylight Tank the finest achievement for tank development of roll film to date.

Vest Pocke	t size	\$8.50
21/4x31/4 siz	e	9.50



CENTRAL Miniature Developing Tank



SIMPLE—COMPACT—EFFICIENT FOR VEST-POCKET LEICA OR 2¹/₄x3¹/₄ FILM

Due to its unique construction, film with antihalation coating can be developed without fear of streaking or becoming spotted. It is of nonrust metal, handsomely chromium plated and holds approximately 20 ozs. In spite of its small measurements, it is easy to manipulate and of elegant finish.


Please specify size when ordering

ROLLER FILM DRYER

SIMPLE AND EFFECTIVE

When film is removed from the drier, this ingenious little device evenly removes remaining moisture and drops of water without damaging the film emulsion. The mode of operation is extremely simple and effective—makes cleaner negatives and reduces drying time.


Price\$3.00



FILM DEVELOPING TRAY

This special tray is made for the developing of any size of roll film. It is made of glass and is extra deep. The removable glass rod in the tray is removable and revolves freely in the grooves. The film is threaded on the rod and sea sawed back and forth until developed.

Price\$0.83




BLUE ENAMEL STEEL TANKS

4x5 SIZE \$1.29 Measuring 6"x45%"x63%"

5x7 SIZE \$1.75 Measuring 7½"x7¾"x4¾"

These steel enamel tanks can be used for developing, fixing and washing. They are made to accommodate the regular Eastman developing hangars, the 4x5 taking 4x5 and smaller and the 5x7 for 5x7 and smaller.





STEEL ENAMEL TRAYS SPECIAL



These new Steel Enamel Trays we are offering at these special prices:

4 x 6	0.40 11 x 14\$1.60
5 x 7	.55 14 x 17 2.55
61/ × 81/	.82 16 x 20 3.15
8 × 10	.90 18 x 22 0.05
10 v 12	05 20 x 24 , 7.50
10 X 12	国民党 对自己的 国际 (1995年)

MORTARS AND PESTLES

Just the thing to thoroughly dissolve or mix chemicals.

Jabe en																					
4-Ounce						3.													.9	, .	60
8-Ounce																			•		70
16-Ounce																				1.	10
32-Ounce		a .																		1.	60
or ounce	CHESTO.	1000	100																		





Dallan Developing Tanks

(The One-tank Process)

For Cut Film, Plates and Film-Packs-Daylight Development

With the Dallon Tank the three operations: developing, fixing and washing can be accomplished without necessitating the removal of the film. This is made possible by the unique inlet and washing can be accomplished without necessitating the removal of the film. This is made possible by the unique inlet and drain outlet. The Dallon accommodates either film packs, cut film or plates. After the tank has been loaded a dark room is no longer necessary and the other operations can be carried out with any kind of light.

They are constructed of heavily nickel plated brass, are solu-

Size	Price		Price	quickly linea and chiptied,		Sheaths
4½x 6cm	\$7.25	21/4 x 3 1/4 8		Extra Accessories		Per Doz
15 x107mm 64x 9cm				4½x6CM—2¼x3¼ 45x107MM—6½x9CM	\$2.75	\$2.75
6 x 13cm				6x13CM—7x13CM	The state of the	
7 x 13cm	8.00			9x12CM—10x15CM	} 3.00	3.50
9 x 12cm 10 x 15cm				3½x5½—4x5)	
IU A ISCHI	0.10			5x7	4.50	4.50

And Now the Dallon-"Six" Tank

Holds only six films or plates

This tank possesses all leatures of the regul	ular dollar tank, only instead of accommodating 12 p.	lates or
films, it accommodates six only and it does not	ot have top inlet or bottom outlet. Must be loaded in dar	k room.
	Price Size	
		Price
4½ x 6 cm	\$4.50 21/4 x31/4	\$4.75
45 x107 mm	4.50 3¼ x4¼	4.75
6 x 13 cm	5.25 3 1/4 x 5 1/2	5.75
9 x 12 cm	ROE A -E	E ME

..... 6.25 5 x7

The Kodak Film Tank FOR AUTOMATIC DAYLIGHT DEVELOPING OF ROLL PILM

10 x 15 cm

The Kodak Film Tank automatically develops a roll of film put into it just as well as the film could be developed by the most experienced photographer. It is very simple. If directions are followed any boy or girl can get just as good results from the Kodak Film Tank as the most expert photographer can developing the film in the darkroom.



\$4.75 6.25

7.20

Accessories for Film Tanks

Duplicating Outfit for Brownie Tank\$1.75	Apron 6X \$0.60	12X
Do., for V. P. K	.60	
Do., for 2½ inch	.60	.90
Do., for 3½ inch	.80	1.20
Do., for 5 inch	1.20	1.80
Do., for 7 inch	1.50	

Kodak Film Pack Tanks

For the amateur who wishes to do his own work, the difficulties and uncertainties of development are entirely removed by the Premo Film Pack Tank. Absolutely no experience or technical skill is required to get perfectly developed negatives. The tank method of development is automatic and scientifically exact.

Kodak Film Tank No. 1 for 12 1% x2%
or 2 4 x 3 4 films
Ditto No. 2, for 12 21/2 x 4 1/4, 3 1/4 x 5 1/4 films 3.25
Ditto No. 3, for 6 5x7 films 3.75
Premo Tank Developing Powders, in
packages of 6, No. 1
Ditto, No. 2



\$33.00 REG. PRICE — \$17.50 SPECIAL WESTON EXPOSURE METER



When you use the Weston Universal E posure Meter, you get a correct exposu every time. No guess work...no wastefilm...no disappointments...every shipst right! The Weston Exposure Met pays for itself in cost of film and time save


Measuring the brightness reflected by the subject or seene, the Weston Exposure Met translates it into the correct combination of f. or US stop and shutter speed for ar film or plate.

FEATURES

- For both cine and stills.
 For any film or plate.
- 3. No batteries.
- 4. No adjustments.
- 5. Always ready for use.
- 6. Nothing to wear out or replace.
- 7. For any temperature, weather, or climate.
- 3. Not damaged by direct sunlight.

\$17.50 WITH CASE BRAND NEW

NEW . . . CENTRAL ADJUSTABLE PRINTING MASK



These new adjustable masks come in various sizes. The are ideal to use for either contact printing or enlarging. Wit these adjustable masks it is possible to get any size whit margin on the pictures, also any portion of picture can b masked out. They are made of metal and easily adjustable All of the masks will adjust from ½"x½" or larger.

Outside	Mas	kir	g Size		F	ric
4"x 5"	 1/2"x1/2"	to	23/8"X	33/8"	9	3 .6
5"x 7"	 1/2"X1/2"	to	33/8"X	53/8"		.9
8"x10"	 1/2"X1/2"	to	63/8"X	83/8"		1.0
				123/8"		

Tra	nsparent Kodaloid	Approximate thickness	Per Square foot
No. 1—Thin No. 2% Medium No. 8—Heavy No. 5—Ruby and Orange, heavy No. 6—Transparent. Extra heavy		.002" .003 ¼ " .005 ½ " .008"	\$0.25 .25 .30 .35

Mounting Tissue

By its use prints can be mounted on thin cards, without curling, required. Just the tissue and a flat iron. No apparatus

 Size
 2½x3½
 2½x4¾
 3¼x4½
 3¼x5½

 Package
 3 dozen
 3 dozen
 3 dozen
 2 dozen

 Price
 \$0.09
 \$0.09
 \$0.09
 \$0.09

 4x6 5x7 6 1/2 x 8 1/2 8x10 11x14 1 dozen 1 dozen 1 dozen 1 dozen 1 dozen \$0.09 \$0.09 \$0.14 \$0.35 .65 Gross. .20 .25 .45

4x5, 2 Doz., \$0.09; Gross, \$0.45



Eastman Mask Charts

For producing printing masks with rectangular openings. Made of non-actinic paper, accurately ruled in quarter-inch spaces and marked in inches both ways from the center. The chart is placed over the mask paper and both chart and masking blank cut with a sharp knife to the desired size. The chart may be used as a mask when only one of a size is desired.

Eastman Mask 5 x 7 8 x 10 11 x 14

Charts, per dz. . \$0.15 \$0.25

Black Masking Paper

A good quality, heavy black paper easily cut to desired size and form for masking. It is also suitable for making special sized leaves for albums.



SQUEEGEE PLATES

Our squeegee plates are the best obtainable and will insure prints with a very high gloss. There are two kinds. The Ingento Squeegee plate which is a highly polished black enamel plate and with proper care will last a long time. The other style is known as the Chromium Squeegee plate and this plate with proper care is good for years. The chromium plate is the kind used in commercial finishing plants.

CENTRAL	SQUEEGEE	PLATES

		- 560.	JAGAL LALLED		CHROI	TIUM	
uare Corners	Net	Per	Round Corners	Net	Per SQUEEGEE	PLAT	ES
	Each	Doz.		Each	Doz. Round Corners	Net	Per
x14—Light	\$.18	\$1.65	10x14—Heavy	\$.30	\$3.38	Each	Doz.
x14—Heavy			14x20—Heavy	.60	5.8510x14	.\$.75	\$7.50
x20—Heavy			18x24—Heavy	90	9.0014x20	. 1.50	15.00
x24—Heavy	.90	8.75			18x24		

VISCOSE SPONGES

Imperishable, acid and gasoline proof arti-ial silk sponges, LINT-LESS, of enormous sorption, for instant surface drying of ms, plates and photographic papers.— xceptionally suited for bromoil work. To dry any length of roll or Cine-Film, indwich the film band between two pieces Viscose sponge and pass down under Viscose sponge and pass down under intle even pressure.

LARGE VISCOSE SPONGE—Size I. RY: 4%x3x14" Absorption: /ET: 64x34x134" up to 8 ounces...\$1.50


HALF-SIZE VISCOSE SPONGE-Size II. RY: 2½x3x1¼" Absorption: VET: 3½x3½x1¾" up to 4 ounces... **30.75**

Polishing Solution

This solution is to be rubbed on the squeegee or ferrotype plate. It absolutely prevents prints from sticking to the plates so that when the prints dry they peel off without tear or blemish and have a most magnificent glace polish.

Photographers who are required to furnish glace prints will appreciate the advantage of having at hand a solution that will preserve all their prints.

4-oz.	size															80	0.32	
8-oz.																		
16 0	. Size	9															.75	



Rexo Print Roller

Print Rollers are convenient for smoothing prints after mounting and for squeegeeing prints on ferrotype plates. The frame is enameled black.

4-inch																						32	
6-inch																 					.4	15	
8-inch																					.8	56	


Willo Drying Press

5x7-11x14

The new Willo Drying Press flattens and dries your prints at one time. It accommodates 11"x14" prints or smaller, and possesses a very unique arrangement for applying pressure. Enough pressure can be applied to insure that the prints will be flat after they have dried. This press will hold a large number of various size prints. It takes practically no space. no space.

Size 11x14 Complete with 24 Blotters\$7.50 Size 5x7 Complete with 24 Blotters 3.75





GLASS FUNNELS

Glass Funnels, fluted or plain, for filtering. Fluted more desirable than plain funnels, because the filtering is much more rapid. Be sure to state size wanted. Shipping weight, 2½ lbs. to 7½ lbs. according to

Size.	Plain or
¼-pint	Fluted\$0.25
½-pint	
1-pint	
1-quart½-gallon	
72-gallon	

AMBER COLORED BOTTLES

With

SCREW ON CAP

These amber colored bottles are especially fine for the keeping of photographic chemicals and solutions.

The amber color of the bottles protect the solutions or chemicals from spoiling as it is a known fact that light affects many photographic chemicals and solutions.

These bottles are supplied with wide mouths in the 8 oz., 16 oz. and 32 oz. size and narrow mouth in the 64 oz. The screw on cap is very convenient to use and prevents leakage.

T	D	T	CTC	
P	1	Т	CES	

64 oz.45

ENGRAVED GRADUATE

This graduate is made of first quality glass. Markings are carefully engraved. Has pedestal base, easy to grasp.

1 dram	1 oz.	2 oz.	4 oz.
80.38	\$0.38	\$0.38	\$0.45
8 oz.		oz.	32 oz.
\$0.55	\$0	0.85	\$1.55



Eastman Visible Graduate

A strong and accurately mould graduate; the graduations are opaq and thus can readily be seen und the dark room light—a distinct a Has pedestal base. vantage.

32 0 2 07 4 oz. 8 oz. 16 oz. \$0.38 \$0.48 \$0.58 \$0.85 \$1.

R. O. C. Tumbler Graduate, Moulded

Inexpensibe but reliable. Shaped like a water glass with lip for pouring. R. O. C. Tumbler

2 oz. 4 oz. 8 oz. 16 oz. 32 oz.\$0.12 \$0.17 \$0.22 \$0.36 \$0.70 Graduate



U. S. Wood Clip

Per dozen

Kodak Film Clip Separator



Improved Kodak Film Clip

in one size only. Kodak Film Clip.....
With lead weights.....



Kodak Junior Film Clip

Is most practical for tray development or drying of films. Two teeth in jaw to prevent film from slipping. One size only. films.



Eastman Film Developing Clip

A thoroughly dependable clip. Made in two sizes and nickel plated.

inch, per pair.....

Special Sale of Negative Albums



Keep Your Negatives Safe

With Negative Album the photographer can store film negative in individual translucent envelopes, where they can be viewed one by one—without being removed. They are ready

for reprints, safe from loss or damage. Each album holds 100 negatives. A convenient index is included.

	Regular Special Price Price	Regular Price	
For 100 negatives, 15%x2½ For 100 negatives, 2¼x3¼ For 100 negatives, 2½x4¼ For 100 negatives, 3¼x4¼	1.25 .95 1.25 .95	For 100 negatives, 4 x5\$1.50 For 100 negatives, 3½x5½ 1.50 For 100 negatives, 5 x7 1.75	\$1.15 1.51 1.25

Rexo Print Tongs



These tongs are designed for handling prints in the developer and hypo. They are as dexterous as one's fingers, and therefore obviate the necessity of placing the hands in the developing and fixing solutions. Their use insures clean hands and clean prints.

Price each	100			0.18
Smaller Size,	Hard	Rubber	Tongs	.25
Hard Rubber	Print	Tongs.		.30

Eastman's Print Paddle



Made of pure, hard rubber, ¼ in. round, smooth surface. It is exactly the right shape for handling prints in the fixing bath.

Price, each \$0.48

EASTMAN'S HARD RUBBER STIRRING ROD


INGENTO TABLET CRUSHER

This is a combined chemical crusher and stirring rod. It is made of extra heavy glass and has a specially reinforced flattened head with a rough surface to facilitate the grinding of the chemicals. Length 8 inches, diameter of head % inch.

So.12

 FLAIN GLASS STIREING RODS

 8-inch
 \$0.09
 10-inch
 \$0.14
 12-inch
 \$0.15



Eastman Automatic Tray Siphon

This device converts an ordinary tray into a very efficient washing machine. The siphon may be adjusted to maintain the water at any level. The water entering the tray makes a complete circuit and is siphoned out at the same speed it enters. Prints are kept in motion and the water is completely changed every few minutes. The siphon is adjustable to any tray.

Metal Fasettos (For Embossing)




An ingenious device for EMBOSSING, plat sinking, etc., into which the print or mount in placed FACE UP, for secure determination of the desired margins. It accommodates mounts up to cardboard thickness.

The Fasettos permit embellishment of Album without detaching the sheets from the binding or binders.

Each Fasetto furnished complete with embossing tool.


Length 36	cm14	inches							. 8	1.50
Length 52	cm20	inches								1.8
Embossing	tool sir	glv		 				 3		.25



EASTMAN PRINT EMBOSSER

This handy tool is used for producing plate sunk centers of prints or enlargements. A steel ball rotating in the end of a rod permits one to exert the pressure necessary to emboss a sharp line at the edge of the embossing form without cracking the print. Such embossing adds greatly to the attractive ness of the print.

Eastman Print Embosser......\$0.50



Housh Masks


These Masks are made in following sizes: 1%x2½, 2¼x3¼, 2½x4¼, 3¼x 4¼, 3¼x5½, 4x5, 5x7. Nine Masks to a package, one of each shape. Note the variety of margin widths these Masks will afford you, in the square or oval types. Made of heavy black opaque paper. Price, per package.......\$0.25



Kodaloid Printing Masks

These transparent, durable masks, orange-red in color, have openings of various convenient sizes. Their transparency enables the user to see clearly the portions of the picture which are being masked off. This is an advantage not present in masks made of opaque material.

Outside No. Dimension	Size of Opening	(With or Wit	thout Guide) For	Price Ea. Net
1 4 x5 3 4 x5 4 4 x5 6 4 x5 8 5 x7	1- 1/2 x2- 3/8 2- 1/16x3- 1/16 2- 3/8 x4- 1/16 2-15/16x3-15/16 3- 1/8 x5- 3/8		9 5 x7 11 5 x7 12 5 x7 13 6½x8½ 14 6½x8½	



Amateur Delivery Envelope

A well designed stoutly made two-pocket envelope of green paper for use by finishers in delivering prints and negatives to amateurs. They are supplied either without printing or with the following sentences printed on the inside flaps of the pockets: "All Films should be developed promptly after exposure. For the best results use Eastman, and let us develop it" and "For the best results use Eastman Film and let us develop it promptly after exposure." There is no extra charge for this printing. Any other printing may be placed on the face side by the finisher.

PRICES

	prints up	p to	Per 100	Per 1000 \$ 6.30
No. 2	4x6		.95	8,00
No. 3	5x7		1.30	11.25



THE NEW DEAL

Slip-In Double Flap Folder

New in every way this double flap folder will have a wide appeal. The cover is deeply embossed in color. The card has beveled edges and the embossed frame is two-toned.

The New Deal is a quality folder for high grade portraits.

SIZES AND PRICES OF THE NEW DEAL GRAY, NEUTRAL

(Size 46-x and 57, 50 in a box—Size 80, 25 in a box)

Order	
No.	
46-x 57	
80	

Fold	ed Size
61/4	x9 1/8
101	x10%

Opening 3 \% x 5 \% 4 \\\2 x 6 \\2 7 x 9 \% For Photo 4x6 5x7 8x10

Per 100 \$ 6.08 7.90 14.85 Per 25 \$1.70 2.20 4.15 Per Doz. \$0.85 1.10 2.10

Sample on receipt of 12 cents



THE GILBERT—SLIP-IN EASEL

The Ascot is a substantial mount intended for those who desire a conservative mounting, yet not too plain.

This mount has been priced at extremely low figures.

SIZES AND PRICES Gray and Neutral (50 in a Box)

Order No.	Folded Size	Opening	For Photo	Per 100	Per 25	Per Doz.
35	4 3/4 x 6 7/8	3x4½	3 1/2 x 5	\$5.69	\$1.56	\$0.88
46	5 % x8 ¾	3 % x 5 %	4x6	7.42	2.06	1.10
57	6 3/4 x 9 5/8	4½x6½	5x7	8.66	2.39	1.29



THE ITASCA—SLIP-IN EASEL

A conservative easel yet in exceedingly good taste. The two-tone effect on face-card sets off the portrait and adds the necessary finishing touch. This easel will sell on sight to the photographer who insists on the best. An under-card gives this mount the sturdiness that is so desirable.

SIZES AND PRICES Gray and Neutral

(50 in a Box)

Order No.	Folded Size	Opening	For Photo	Per 100	Per 25	Per Doz.
34	4 1/2 x 6 1/2		3x4	\$6.72	\$1.86	\$0.90
35	4 3/4 x 6 7/8	3x4½	4½x5	8.10	2.25	1.19
46	5 % x8 %	3 % x 5 %	4x6	10.80	3.00	1.58
57	6 34 x 9 5%	4½x6½	5x7	12.60	3.54	1.83



Globe-Slip-in Mounting

Light Gray and Parisian Brown

B C EF D E	7% x9% 9% x11% 9% x13% 11% x13% 14x17	For Photograp 5x7 6½x8½ 6x10 8x10 11x14		
Size	Per 100	Per 25	Per do:	
B	\$5.40	\$1.50	\$0.80	
C	7.20	2.00	1.10	
EF	9.00	2.50	1.35	
D	9.00	2.50	1.35	
No. 711	10.80	3.00	1.65	
E	18.00	5.00	2.40	

25 in a box Sample on receipt of 10 cents



Lafayette

An inexpensive printed mount for every day work. I is a beveled card of medium thickness and good quality with plain surface and an attractive combination o printed borders around the edges and the mounting space. A mounting of great utility. 10 Ply.


Ash Gray and Fox Brown

Size	Card	For Photo	Per doz	Per 25	Per 10
В	8x10	5 x 7	80.55	81.00	83.60
C	10x12	6½x 8½	.70	1.35	4.95
D	12x14	8 x10	.90	1.75	6.30

Hoover Folder Slip-in Mounting


Brown Cover enclosing Parisian Brown Insert Gray Cover enclosing Cloud Gray Insert

VP	For Photo	Per Doz.	Per 100
Size	1%x2½	\$0.35	\$2.25
В	21/4 x31/4	.40	2.50
D	2 1/2 x 4 1/4	,45	2.75
2-C	2 % x 4 %	.52	3.00
E	31/4 x 4 1/4	.58	3.25
F	314 x5 1/2	.65	3.50
Ğ	4 x5	,65	3.50
No. of the last of	E0 1-	a ham	



Conquest Solid Amateur Mount

Ash Gray and Beaver Brown





SPECIAL OFFERING OF ALBUMS



SIZES 7" x 9" or 8" x 10"

At a 35% Saving

80c SALE REGULARLY \$1 25 GROUP No. 1

REGULARLY 95c SALE PRICE GROUP \$1.50 No. 2

\$1.25 SALE PRICE

REGULARLY \$2.00

GROUP No. 3

These albums are fresh new stock which we are able to offer at this big saving to you because of a fortunate purchase. They are grouped into three groups of different quality and are available in red, black, green, blue, and brown, and come in plain or fancy finishes. When ordering specify the following—

Price - Size - Color - Plain or Fancy

Note:

These albums are beautiful and artistic and we urge you not to hesitate sending in your order-if you are not pleased with the album you receive you have the right to return it for a refund.

Nu Ace Mounting Corners

"The Best by Every Test" Made in five colors, Black, White, Sepia, Gold and Silver. Meatness—Simplicity
Useless Colors Eliminated.
At any Dealer.
Coast to Coast.
Every Package Makes a
Friend.



Patented The NuAce Corner is an artistic device for holding prints, snapshots, or postcards in albums or elsewhere.

Made in the form of a pocket—no folding or paste necessary.

NuAce is made of strongest Kraft Paper,

backed by strongest, quick-sticking, odor-less glue. Prints may be removed at will. less glue. Prints may be 100 Corners in a package. Packages

TRANSPARO FOTO CORNERS

THE INVISIBLE ART CORNER Made of Cellulose

These pocket style corners are invisible when used for mounting prints in an album. The gummed paper tab enables pictures to be held tight—or they may be slipped in and out if preferred. Come packed 100 to a package.

1Pkg. Transparo	Fotocorners\$.20
5 Pkgs	
10 Pkgs	1.80
25 Pkgs	4.25
Box 50 Pkgs	8.25

"YES"

A STIKFLAT GLUE For All Purposes Will Not Curl Your Papers and Sticks Everything FOR MOUNTING OF ALL KINDS

This paste is a recent creation adapted for use in the factory, office, home and Studio, where an all-around adhesive is required. It is transparent and will not discolor any material. Will stick paper, leather, imitation leather, cloth, photomounts, etc., to tin, glass, wood, metal, varnished surfaces and numerous other articles.

2-oz. bottle, brush separate
5-oz. bottle, brush inside
8-oz. bottle, brush inside



The Photographic Workroom Handbook By SIGSIMUND BLUMANN (4th EDITION).....\$1.00

GEVALUXE VELOURS

A New Paper for Fast Contact or Meduim Speed Projection

It is our privilege to announce a new striking addition to our line of projection papers which marks the greatest improvement of the age in the production of sensitized papers.

GEVALUXE VELOUR is a medium speed enlarging or fast contact paper, brilliant in gradation and with an absolute matte surface so beautiful that it is difficult to describe. It is somewhat rough but has no indication whatever of coarse texture; hence it is excellent for projection prints from small negatives that have a tendency to show grain.

The emulsion, coated on india tint double weight stock, is particularly rich in silver and beautiful warm black tones, transparent shadows and full scale of gradation can be produced readily from negatives of normal density. It is particularly adapted for landscapes, pictorial subjects and portraits because of the stereoscopic effect that this rich emulsion renders.

Order a trial package. You will be surprised at the beautiful results secured.

PRICES

Size	Per Doz.	Per ½ Gross	Size	Per Doz.	Per ½Gross
5x7	\$1.60	\$ 7.70	11x14	\$6.15	\$32.40
8x10	3.30	17.30	14x17	9.30	49.50

DASSONVILLE PHOTOGRAPHIC PAPER CHARCOAL BLACK

For Landscapes or Portraits Where Prints With Individuality and Character Are Required

"Charcoal Black" belongs in the field of fairly fast projection papers. Projection printing time runs from 10 seconds up with a delicate negative and proper light strength.

For contact printing use a light so weak that an exposure of not less than ten seconds is required.

"Charcoal Black" should be opened and handled in a light such as Wratten Series O or OA, or one that is safe for Bromide Papers.

DEVELOPMENT

Many developers contain so much carbonate in relation to bromide that they spoil rapidly, and can stain "Charcoal Black." If your developer starts to darken upon slight use, take fresh developer. adding more bromide.

THE CHARCOAL BLACK PAPERS

Grade A. A very thin white paper of marked distinction. True sketching surface.

Grade B. Similar to Grade A, but of medium weight, and slightly rougher in surface.

Grade C. Laid surface (lightly ribbed) suggestive of artists' charcoal paper. Pure ivory tone. Medium weight. (Laid marks run long way of sheet except in sizes 6½x8½ and 10x12).

Grade D. An exquisite, rough wove surface on purest white stock. Medium weight. (Predominant ribbings run short way of sheet except in sizes 61/2 x81/2 and 10x12).

Grade E. Surface and weight identical with Grade B, but having the pure ivory tone of Grade C.

Grade F. "Opaline Parchment-Extra Thin." A translucent white sheet, smooth and almost without grain. Special instructions in packages of paper for: Making of high grade paper negatives; printing through the back of the sheet to pick up delightful pictorial grain; and making straight prints of exceptional detail, without gloss.

Grade G. "Opaline Parchment Extra Heavy." An exceedingly heavy and smooth white paper, having the beauty and luminous feeling of opal glass. Gives exceptional detail without gloss.



Doz. Half Gr. Size Doz. Half Gr. Size Doz. Half Gr. Size Half. Gr. Doz. 5 x 7 ..\$0.65 6½x 8½ .. 1.00 \$3.65 \$ 8.25 11x14 12.65 14x17 \$16.35 16x20 8x10\$1.50 ...\$2.95 .\$6.10 \$34.00 10x12 5.50 ... 4.55 25.20 No other sizes cut.

Discount-Orders \$5.00 or more-10%



AZO DEVELOPING PAPER

Azo is a developing-out paper having a quality not equaled by any other paper selling at anywhere near o prices. As Azo is made in various degrees of contrast as well as in a great variety of surfaces, it is cessary to mention both the letter, indicating a surface, and number, indicating contrast and whether igle or double weight is required when ordering.

Numerical designations are used to denote the degree of contrast in Azo emulsions as follows: No. 0 negatives of extreme contrast, No. 1 medium contrast, No. 2 for average negatives, No. 3 flat negatives, Ago is the restriction of the property of

). 4	quite	TIME TICE	during, Tio.	, TOT C	rnemer	y flat ne	gauves.			s, No. 3 flat	negatives,
-Si	mooth,	ahealmi	e Weight Co	101			B—Media	m Rough	, matte (1	No. 2).	
-G	lossy (Pense)	(Nos. 0, 1, 2) natte (Nos. 0 1, 2, 3, 4, 5 1, 2, 3, 4, 5	2, 3, 4,	5).	/	E-Smoo	th, semi-r	natte (Nos	No. 2) 0, 1, 2, 3, 4 , 5) 1, 2) 2, 3).	, 5).
-G	lossy (Nos. 0.	1. 2. 3. 4. 5	0, 1, 2,	3, 4,	5).	H—Smoo	y (Nos. 0	, 1, 2, 3, 4	, 5).	
-G	lossy (Nos. 0,	1, 2, 3, 4, 5	j			K—Smoo	th, semi-n	natte (Nos.	2, 3).	
	Weigh	semi-m	atte (Nos. 2,	3, 4).			P_Fine	omnin land	/37 1	• 1	
2	½ Gr.			2	unie w	eight	Q—Fine	grain, mai	tte (Nos. 1, tinish (Nos. tinish (Nos.	2).	
oz.	Gr.	Gr. \$.50	Size 1%x 2%	Doz.		Gr.	R—White	e, Linen F	inish (Nos	1, 3, 5).	
.20		.60	21/4 x 31/4	\$.20 .25		\$.65 .75		Tillen Fill	ROLLS	1, 8, 5).	Double
.20		.70	2½x 3½	.25		.90	Weight \$2.50				Weight
.20		.80	2½ x 4¼ 2¾ x 3¾	.25		1.00 1.00	3.35	2	% in. x 20	00 It.	\$3.30 4.50
.20		.90	2 34 x 4 1/2	.25		1.15	3.50	2	1% in. x 20	00 ft.	4.65
25		1.00	2 % x 4 % 3 x 4	.30		1.25 1.15	3.60 3.45	2	5 in. x 20	00 ft.	4.80 4.30
		1.05	3 X 4 1/4			1.30	2.15		6 in. x	50 ft.	2.60
.25		1.15	3 1/4 x 5 1/4 3 1/4 x 4 1/4	.30		1.45 1.25	3.55 2.25	6	6 in. x 10	00 ft.	4.40
		1.15	31/4 X 4 1/8			1.45	3.90	6	½ in. x 1	00 ft.	2.75 4.85
.25		1.25	3½ x 5½ 3½ x 4½	.30		1.55	2.55 4.65		8 in. x 10	0 ft.	3.15
		1.35	31/2 x 51/2			1.40 1.70	3.05		10 in. x	50 ft.	5.80 3.80
.30		1.40 1.25	3½ x 5¾ 3¾ x 4¾	.40		1.75	5.70 1.50		10 in. x 10	00 ft.	7.10
		1.45	3 % x 5 ½	.30		1.55 1.80	3.55			0 ft. 0 yds.	1.80 4.50
.30		1.40 1.60	4 x 5	.40		1.75	2.80 6.85		40 in. x	0 ft.	3.40
		1.55	4 x 6 41/4 x 51/4	.45		2.00 1.95	0.05	500	40 in. x 1 SHEET PA	0 yds. CKAGES	8.70
••		1.60	4 1/4 X 5 1/2			2.00	Gimon T	Single De	olible	Sing	le Double
		1.85 1.65	4½ x 6½ 4½ x 5½	::		2.30 2.05	1 % X 2 3/4	Weight W	eight \$ \$2.00 3	%x4½\$3.5	ht Weight
••		2.10	4 % x 6 1/2	1 Doz		2.60	2½ x3½. 2½ x3½.	. 1.90	2.40 3	½ x5½ 4.2	0 \$4.40 5.30
.25	\$1.25 1.50	\$2.35 2.70	5 x 7	\$.30		\$2.95	2 ½ X3 ½ . 2 ½ X4 ¼	2.50	2.75 3 3.15 3	½ x5 ½ 4.2 ½ x5 ¾ 4.4	5.50
	1.55	2.85	5 x 8 5½x 7¾	::	1.90 1.95	3.40 3.55	2 ½ x 4 ¼ . 2 ¾ x 3 ¾ .	. 2.50	0.10	% x4 % 3.9 % x5 ½ 4.5	5 70
••	1.75 1.95	3.20	6 x 8 6 x 9		2.20	4.00	2 34 x 4 1/2 . 2 7/8 x 4 7/8 .		3.55 4 3.95 4	x5 4.40	5.50
::	2.15	3.55 3.95	6 x 9 6 x10	•	2.45 2.70	4.45	3 x4 3 x4¾.	. 2.00	3.55 4	x5 4.40 x6 5.00 14 x5 14 4.90	6.30 6.15
.40	2.00	3.65	6 1/2 X 8 1/2	.50	2.50	4.55	3 x434. 31/8 x51/8.	. 3.30	4.10 4	4 X0 /2 D.U.	6.30
•	2.25 2.45	4.15	7 x 9 7 x10		2.80 3.05	5.20	31/4 x 4 1/4.	. 3.15	4.50 4 3.95 4	½ x6½ 5.86 ½ x5½ 5.20	7.30
••	2.70	5.00	7 x11		3.40	5.75 6.25	3 ¼ x4 ¼ . 3 ¼ x4 % .	. 3.60	4.50 4	34 x 6 ½ 6.66 x 7 7.46	8.25
.55	2.55 2.80	4.60 5.20	7½ x 9½ 8 x10	.70	3.20	5.75	3 1/4 x 5 1/2. All oth	er sizes t			
	3.00	5.55	8 x10½		3.50 3.75	6.50 6.95	Clai Sizes	up to b x	7 Tilrnighed	at pringe 10	% greater
	3.15 3.30	5.80 6.15	8 x11 8½x11	••	3.95	7.25	than the	next large	r listed sizes for Photo	9.	
	3.40	6.30	8 v19		4.15 4.25	7.70 7.90	Single	weight	s for Thou	Double	Weight
.80	3.50 4.15	6.45 7.80	9 x11 10 x12		4.40	8.05	List.	1000 Ft. List	Width of R	250 Ft.	500 Ft.
	4.80	9.10	10 x14	1.00	5.20 6.00	9.75 11.40	\$ 5.50	\$10.35	1% in.	\$ 4.00	List \$ 7.30
1.00	5.25 6.20	9.95	11 x14 12 x15	1.25	6.55	12.45	6.45 7.05	12.05 13.20	2 1/4 in.	4.65	8.40
	6.60	12.40	12 x16	::	7.75 8.25	14.65 •15.50	7.30	13.75	2½ in. 2% in.	5.20	9.15 9.50
1.55	6.95 8.15	13.15 15.45	12 x17		8.70	16.45	7.60 7.90	14.35 14.90	2 % in.	5.40	9.90
1.50	8.00	15.20	12 x20 14 x17	1.95	10.20 10.00	19.30 19.00	8.45	16.05	2 % in. 3 % in.	5.55 5.95	10.25 11.00
1.95 2.40	10.60	20.35	16 x20	2.45	13.25	25.45	8.75	16.60	3 1/4 in.	6.10	11.35
2.85	12.95 15.60	25.05 30.20	18 x22 20 x24	3.00 3.55	16.20 19.50	31.30	9.35 9.65	17.80 18.35	3½ in. 3% in.	6.50 6.70	12.10
		AZC	POST CAR	EDS	13.50	37.75	9.90	18.95 19.50	3 % in.	6.85	12.45 12.85
Doz. 0.40			Gross			500	10.20 11.70	19.50 22.40	3 % in. 4 ½ in.	7.05	13.20
Can	only b	e had i	\$1.70 n following	grades:		\$5.65	12.25	23.55	4 % in.	8.00 8.40	15.05 15.75
E-	1, 2, 3,	4, F-1	n following , 2, 3, 4, K-	2, 3.			12.55 13.10	24.10 25.25	4 % in.	8.60	16.15
00 pa	ckage	BLE	OST CARDS	F ON	LY	610.05	13.95	27.00	5 1/8 in. 5 1/2 in.	8.95 9.50	16.95 18.05
		Double	Weight Cor	trasts	•••••	\$10.85	14.55	28.15	5% in.	9.85	18.75
-Sm	ooth, a	absolute	Weight Con	s. 1, 2).		15.40 16.25	29.85 31.55	6 1/2 in.	10.45 11.00	19.85 20.95
-1-5	mooth,	sugnt	lustre (108.	1, 2).			16.85	32.70	6 % in.	11.35	21.70
			STER	REO	DIE	CUT A	AZO, G	rades C	& F		
er G	ross	100									
			Hiscount o	iven o	nly on	4x6 and	larger sizes	of Velox	and Azo	••••••	
uers	1rom	\$1.00 to	\$2.00		• • • • • • •	15%	Orders ove	r \$2.00 o	r more		25%

VITAVA PROJECTION DEVELOPING-OUT PAPER FOR ENLARGING

Vitava Projection Paper has about three times the speed of Vitava Rapid Black so that it can be used in the printing room safely without reducing the light to the de-gree necessary when regular Bromide papers are used.

It is furnished in surfaces that correspond with Vitava Athena enabling you to make projection prints in the same surfaces and weights as you use for Vitava contact

Another advantage lies in the fact that each of its nineteen grades is supplied in two contrasts—No. 2, for normal negatives and No. 3, medium, for softer negatives.

A—Cream White, single weight, semi-matte.
B—Cream White, double weight, semi-matte.
C—Cream White, double weight, matte.
D—White Rough, double weight, matte.
E—Buff Rough, double weight, matte, rough.
E—Buff Semi-Matte, double weight, semimatte.

Smooth, double weight, E-Buff

smooth.

F-White, single weight, glossy.

L-White Rough, double weight, lustre. W-Old Ivory, double weight, medium rough semi-matte.

X-Silk Old 'Ivory, double weight, semmatte. Y-Silk Cream White, double weight, semimatte.

VITAVA PROJECTION PAPER SINGLE WEIGHT

Sixes	Doz.	1/2 Gross	Gross
		\$1.75	\$ 3.30
5x7	\$0.35	2.80	5.15
6 1/2 x 8 1/2	.55	3.95	7.35
8x10	.75	5.85	11.00
10x12	1.15	7.40	14.05
11x14	2.17	11.30	21.45
14x17	500	11.00	\$2,25

VITAVA PROJECTION PAPER DOUBLE WEIGHT

Sizes	1 Doz.	2 Doz	1/2 Gross	Gross
4x6		\$0.65		\$ 2.80
5x7x	\$0.45		\$ 2.20	4.15 6.45
6 1/2 x 8 1/2	.70		3.50 4.75	8.80
7x11	.90 .95		4.95	9.20
8x10 10x12	1.45		7.30	13.75
11x14	1.75		9.25	17.55
14x17	2.65		14.15	26.80 35.90
16x20	3.45		18.70 22.80	44.15
18x22 20x24	4.25 5.00		27.50	53.25
ZUX24	0.00			

POST CARDS SEMI-MATTE

500 \$7.80 Gross \$2.35 2 Doz. 50c To Dolle

		Charles and hear	and the supposed the first building the sale	
Size	Single '	Wgt.	Size	Single Wgt.
10 Ft.			20 Inch 40 Inch	\$2.50 4.75
10 Ft. 10 Yd.		4.85	20 Inch	6.30
10 Yd.		9.35	40 Inch	12.15

Discount on Eastman Vitava, Opal and Bromide Papers

15% on orders from......\$1.00 to \$1.99 25% on orders from......\$2.00 and Up

Agfa Brovira Paper

Photographers who have felt in usi Bromide papers that they were trying, u der difficulties, to make the negative plup to its contact-print possibilities, will fi in Brovira the paper they have longed for Brovira assures enlargements with contact print quality. It is supplied in three cotrasts in commercial surfaces to meet all the contact of commercial print produces the contact of commercial prints of commercial prints. varied requirements of commercial pring and amateur enlarging, and in seven portrait surfaces as well. Brovira is a pap of remarkable latitude and entirely from the smoky, hazy appearance usual associated with Bromide emulsions. E sides having great latitude in exposure at development, it will yield by direct develoment any desired degree of warmth from metallic black to a red chalk. It also preduces beautiful sepia tones in the usu hypo-alum bath. requirements of commercial varied hypo-alum bath.

Single Weight

Code	No.	
303	Glossy,	soft grade.
353	Glossy,	medium grade.
373	Glossy,	hard grade.
351	Velvet,	soft grade.
361	Velvet.	medium grade.
381	Velvet.	hard grade.

Agfa Brovira Paper

Double Weight

Code	No.
305	White Matte, soft grade.
355	White Matte, medium grade.
304	Buff Matte, soft grade.
	Buff Matte, medium grade.
	Rough White, soft grade.
357	Rough White, medium grade.
308	Rough Buff, soft grade.
	Rough Buff, medium grade.
321	Velvet, soft grade.
	Velvet, medium grade.
371	Velvet, hard grade.
372	Royal, normal and medium.

Glossy Soft Medium and Hard. Crystal Stipple White, Soft and medium. Porcelain Stipple White, Soft and medium. Silk White, Soft and medium. Antique White, Soft and medium.

	Sin	gle W		Dou	ble W Half	
	Doz.	Gross		Doz.	Gross	
5x7	\$0.35		\$3.00			
6 1/2 x 8 1/2	.55		5.15	.70	3.50 4.95	6.4 9.2
8x10	.75	5.85	7.35		7.30	
10x12 11x14	1.40		14.05	1.75		17.5
14x17	2.10	11.30	21.45		14.15	
16x20		14.95			18.70	
18x22		18.25			22.80	
20x24	4.00	22.00	42.60	5.00	27.50	00.2

ROLLS

		Weight	
20"x10 ft		• • • • • • • •	\$2.00
20"v10 vdg			4.0
40"x10 ft		•••••	9.3!
40"x10 yds	11	will be	furn.
Special narrow width ished when ordered in su	rolls	t quantiti	es to
take the full width of a	roll 4	0 inches	wide

DISCOUNT

10% \$2.00 to \$5.00 20% \$5.00 and up



TROX FILM WASHER

This Trox Film Washer is one of the most useful articles for the amateur that we have introduced in some time. It is intended for the amateur who uses the bathroom as his dark room.

Any size roll of film can be placed in the water. is fastened by two pins.

A rubber hose is attached to the washer and to the faucet of the bathtub, the washer being placed high enough over the bathtub so that the film does not touch the bottom. It is completely washed in a few minutes, as the construction of the washer is such that the water flows over each side of the film its entire length.

Price\$0.50

EASTMAN PORTRAIT FILM

ASTMAN PORTRAIT FILM comes in the following variety of different surfaces and dif-rent speeds. Portrait film comes in a complete array of emulsions to be used for every ssible kind of photographic work and under every kind of conditions. The approximate lative speeds of the various brands of Eastman Professional Film, based on a speed of 0%, assigned to Par Speed Portrait Film, are exposed to light not differing from daylight in lor or spectral composition. lor or spectral composition.

EASTMAN PORTRAIT PEED is film for general portraiture...100%
EASTMAN COMMERCIAL FILM has a
ow emulsion suitable for general work and
pying where color corrections are not
cessary. It is also furnished with a matter FILM PAR emulsion. irface .25% COMMERCIAL PANCHRO-EASTMAN ATIC FILM is a fast film completely color ensitive and especially suited for all forms from the form of commercial work where the correct renering of colors are desired......100%
SUPER SENSITIVE PANCHROMATIC
ILM is the fastest emulsion made retaining il the other advantages of regular portrait

Panchromatic200% EASTMAN PORTRAIT FILM SUPER

EASTMAN COMMERCIAL ORTHO FILM is sensitive to the green and yellow but not

range and color sensitivity......100%

AGFA PORTRAIT FILM

AGFA PORTRAIT FILM REGULAR with lear base and with matte back.

AGFA PORTRAIT FILM REGULAR with base.

AGFA PROCESS FILM. AGFA PROCESS FILM CONTRAST. COMMERCIAL ORTHO PROCESS PRICES

AGFA SUPERSENSITIVE PLENACHROME

PORTRAIT FILM and COMMERCIAL ORTHO Clear base and back.

AGFA COMMERCIAL PANCHROMATIC film in back and clear base.

PORTRAIT STUDIO HIGH SPEED

All Eastman Pan. All Agfa Pan, and Matte. Back.

	FILM (Clear Base Only)	****	11914	I wii.	and	-
All All	Eastman Emulsion except Pan. Agfa Except Pan. and Matte.					
All	Gevaert Film.					

	All Gevaert Film.					
		Per Doz.	Per Case -		Per Doz.	Per Case
	21/4 x31/4	\$0.36	30 doz \$ 9.45		\$.40	\$10.50
	3 1/4 x 4 1/4	48	30 doz 13.65		.55	15.75
	4x5 or 31/4 x51/2	68	30 doz 18.90		.75	21.00
	5x7	1.05	20 doz 20.30		1.17	22.40
	6½ x8½	1.60	12 doz 18.48		1.76	20.58
	8x10 or 7x11	2.35	10 doz 22.40		2.55	24.85
п	7x17	4 20	4 doz 15.68		4.55	17.36
	11x14	6.04	3 doz 16.90			
	8x20	6.07	2 doz 12.53		6.55	18.69
	12x20	0.40		. /	6.90	13.80
	12220	3.43	2 doz 18.98		10.47	20.94
			Centimeter Sizes			
	4 1/2 x 6 cm	\$0.30	4 1/4 x 6 cm.		80.36	
	6 1/2 x 9 cm	38	6½x 9 cm.		.42	
	9x12cm	60	9 x12 cm.		.68	
	10x15cm	87	10 x15 cm.		.98	

DEFENDER PORTRAIT DEFENDER PANCHROMATIC FILM DEFENDER COMMERCIAL FILM DEFENDER EXTRA FAST PANCHROMATIC

$\begin{array}{c} \text{Doz.} \\ \text{in Case} \\ 5 & \text{x 7} & \dots & 20 \\ 6 & \text{x 8} & \text{x 8} & \dots & 12 \\ 8 & \text{x 10} & \dots & 10 \\ \end{array}$	Doz. 1.06 1.61 2.34	Case 20.30 18.48 22.40	per Case 19.34 17.60 21.34	$\begin{array}{c} \text{Doz.} \\ \text{in Case} \\ 5 \times 7 & \dots & 20 \\ 6 \frac{1}{2} \times 8 \frac{1}{2} & \dots & 12 \\ 8 \times 10 & \dots & 10 \end{array}$	Doz. 1.17 1.79 2.60	Case 22.40 20.58 24.85	Case 3 Case 21.3 19.6 23.6
				8 x10 10	2.60	24.85	

Eastman P. M. C. Bromide Papers

The numbers from No. 1 to including No. 5 are all single weight papers, the others are all double weight. P. M. C. is supplied in three grades of contrast. Normal, medium contrast, and contrast. Each surface grades of contrast supplied are indicated in the following manner. Normal (N); medium contrast (M); Contrast (C); extreme contrast (EC).

No.	1 Glossy White		N,C.
No.	2 Smooth	N	M,C,EC.
	3 Rough		
No.	4 Gloss	1	N.
	5 Matt Smooth		
	6 Smooth		
No.	7 Rough Matts	N	,M,C,EC.
No.	8 Bluff	N	,M,C,EC.
No.	9 White Semmi-Gloss	N	,M,C,EC.
	10 Glossy		
No.	11 Natural Tint Luster .	N	,M,C,EC.

Dauble We

		Single W			ounte M	
	1,	2, 3, 4,	5	Nos.		
Size	Dz.	1/2 Gro.	Gro.	Dz.	1/2 Gro.	
5x7	\$0.35	\$1.75	\$3.30	\$0.45	\$2.20	84.15
6 1/2 x 8 1/2	.55	2.80	5.15	.70	3.50	6.45
8x10	.75	3.95	7.35	.95	4.95	9.20
10x12	1.15	5.85	11.00	1.45	7.30	13.75
11x14	1.40	7.40	14.05	1.75	9.25	17.55
14x17	2.10	11.30	21.45	2.65	14.15	26.80
16x20	2.75	14.95	28.70	3.45	18.70	35.90
18x22	3.40	18.25	35.30	4.25	22.80	44.15
20x24	4.00	22.00	42.60	5.00	27.50	53.25
	1/2 3/4	D 70 C	TAT TO	OTTE		

C:--1- TTTA

10	ft.	20	in.	Single Wgt. 1, 2, 3, 4, 5\$	2.00
10	ft.	40	in.		3.75
10	vd.	20	in.		4.85
					9.35
10	ft.	20	in.	Double Wgt. 6, 7, 8, 9	2.50
					4.75
10	vd.	20	in.		6.30
10	vd.	40	in.		12.15
			200	Post Cards	

No. 10 Normal only 2 doz. \$0.50 Gross \$2.35 500 Pkg. \$7.80

Transparent Negative Preserve

Transparent Negative Preservers as made of strong, heavy translucent pape through which the negatives can be in spected, thereby making it unnecessary tremove them from the envelope. A gree convenience and time saver.

	Per 100	Per 100
3 1/4 x 4 1/4		\$5.25
314 x5 1/2		6.00
4x5		6.00
5x7		7.00
6 1/2 x 8 1/2	1.75	12.00
8x10	1.80	12.50



Manila Negative Preservers

Envelopes foglass negatives made of stron manila paper, pu up in packages offty each. Be sur to state size want ed. shipping w't 4 oz. to 1% lbs. according to size

Per 100 Per 1000
6 1/2 x 8 1/2 \$0.45 \$4.1!
8x10 .55 5.30
10x12 1.10 9.60
11x14 1.20 10.50
14x17 2.00 18.35

DISCOUNT ON PMC

15% on orders \$1.00 to \$2.00 25% on orders \$2.00 and up



TRU-VUE

Extra Views 35 cents each

4355

Century of Progress #1-#2-#3-#4

Chicagoland #1-#2

Grand Canyon

NEW VIEWS JUST RECEIVED — 35c EACH

THREE LITTLE PIGS GOLDILOCKS No. 1, No. 2 EACK STAGE THE CIRCUS DAY OF 49 WISCONSIN DELLS SEPTEMBER CURRENT EVENTS NEW YORK No. 1 HOLLYWOOD PREMIERE

SALLY RAND and her fan dance......

......**50** cents

CENTRAL CAMERA COMPANY

Chicago's Photographic Headquarters

230 So. Wabash Ave.

Chicago, Ill.