


Effective June 1, 1953


Leica



PRICE LIST


E. LEITZ, INC. 468 Fourth Ave., New York 16, New York






INDEX

Adapters	22	Lamps	24
Auxiliary reproduction devices	33	Leica cameras	5
Bellows focusing devices	34	Leica lenses	6
Binoculars	45	Lens caps	20
Binocular accessories	50	Literature	52
Cable releases	22	Magnifiers	36
Cases	18	Monoculars	49
Close-focusing devices	33	Photomicrographic equipment	41
Code words	53	Polarizing filters	15
Conditions of sale	3	Projectors	43
Contact printers	26	Publications	51
Correction lenses	21	Rangefinder filters	21
Darkroom equipment	25	Rangefinder	5
Developing equipment	25	Reproduction equipment	37
Enlargers	29	Slide binding material	28
Exposure meter	16	Small accessories	21
Extension tubes	36	Sunshades	9
Film speed indicating knob	6	Supplementary equipment	16
Filters	10	Tax information	3
Flash unit	17	Viewer	26
Focalslide equipment	35	Viewfinders	8






CONDITIONS OF SALE


E. Leitz, Inc., New York, N. Y., distributors of world famous products made by Ernst Leitz, Wetzlar, Germany, offer these and other products of domestic manufacture for sale under the following conditions:

- 1: Leica-Leitz products (except books, instruction booklets, certain other publications and binders which are also sold direct) are sold only through franchised dealers.
- 2: Leica cameras, lenses, and Leitz binoculars sold by E. Leitz, Inc., New York, are accompanied by Import and Registration Certificates which must be presented to the purchaser at the time of sale.
- 3: Retail prices which are published from time to time including Federal Excise Taxes, are fair-traded under the terms of the E. Leitz, Inc., Fair Trade Contract with its dealers. These provisions do not apply to sales in any State, District or Territory which has no Fair Trade Act. No discounts are permissible to non-franchised dealers, individuals, Federal, State or Local governments.

TAX INFORMATION

- 1: Federal Manufacturer's Excise Tax, where applicable, is included in the retail prices.
- 2: Certain duly accredited representatives of foreign governments entitled to tax exemption, may obtain merchandise less the tax allowance. Orders must be placed with E. Leitz, Inc., by such representatives.
- 3: Leitz binoculars are subject to 20% Federal Retailer's Excise Tax which must be collected by the dealer at time of sale.
- 4: List prices do not include Local or State Sales Tax, which, where applicable, must be collected by the dealer at time of sale.






LEICA CAMERAS

Leica IIIIf with Summicron, Cat. No. 10,061

Catalog Number and Code Word	Item	Retail Price
10,000 OEFGO	Leica Model If, chrome finished housing, covered in leather grained vulcanized fabric with eyelets for neckstrap, lens changing flange ring, two special accessory shoes, focal plane shutter with speeds from 1/25 to 1/500 of a second and "bulb". Built-in synchronizer for all flash and zero delay electronic units, with adjustable synchro-dial for all shutter speeds and synchro-contact. Film speed indicator built into winding knob for both A.S.A. and Weston ratings; including take-up spool, <i>but without viewfinder and without lens</i>	\$ 64.80*
10,005 OEGIO	Leica Model If, as described above, including reflecting viewfinder for 50mm lenses.....	75.00*
10,010 OEINO	Leica Model If, as described above, with Elmar 50mm, f/3.5 lens and viewfinder.....	143.00*
10,015 OESFO	Leica Model If, as described above, with Summitar 50mm, f/2 lens and viewfinder.....	233.00*
10,016 OEGIOSOIC	Leica Model If, as described above, with Summicron 50mm, f/2 lens and viewfinder.....	258.00*
10,020 OEFGOSOONC	Leica Model If, as described above, with Summaron 35mm, f/3.5 wide angle lens, without viewfinder.....	166.80*
10,025 FOKOS	Attachable Rangefinder, for Leica If, chromium plated.....	21.00
10,027 CLIPP	Leica Accessory Clip, for mounting on cameras of larger size, accommodating Rangefinder FOKOS, Flash Unit CEYOO or Leica-Meter.....	1.20
10,030 LOOSE	Leica Model IIIf, chrome finished housing, covered in leather grained vulcanized fabric with eyelets for neckstrap, lens changing flange ring, built-in viewfinder and coupled rangefinder, with 1.5x telescope system, twin eyepieces for rangefinder and viewfinder, focal plane shutter with speeds from 1/25 to 1/500 of a second and "bulb". Synchronized for all flash and zero delay electronic units, with adjustable synchro-dial for all shutter speeds and synchro-contact. Film speed indicator built into the winding knob for both A.S.A. and Weston ratings; including take-up spool, <i>but without lens</i>	131.00*
10,035 LOEEL	Leica Model IIIf, as described above, with Elmar 50mm, f/3.5 lens.....	199.00*
10,040 LOOSU	Leica Model IIIf, as described above, with Summitar 50mm, f/2 lens.....	289.00*
10,041 LUOON	Leica Model IIIf, as described above, with Summicron 50mm, f/2 lens.....	314.00*

* Including Federal Manufacturer's Excise Tax.

10,045 LOOSESOONC	Leica Model IIIf , as described above, with Summaron 35mm, f/3.5 wide angle lens.	\$233.00*
10,050 LOOHW	Leica Model IIIIf , chrome finished housing, covered in leather grained vulcanized fabric with eyelets for neckstrap, lens changing flange ring, built-in viewfinder and coupled rangefinder, with 1.5x telescope system, twin eyepieces for range and viewfinder, focal plane shutter with speeds from 1 second to 1/1000 of a second, "bulb" and "time". Synchronized for all flash and zero delay electronic units, with adjustable synchro-dial for all shutter speeds and synchro-contact. Film speed indicator built into winding knob for both A.S.A. and Weston ratings; including take-up spool, <i>but without lens</i>	210.00*
10,055 LOOPN	Leica Model IIIIf , as described above, with Elmar 50mm, f/3.5 lens.	278.00*
10,060 LOOKX	Leica Model IIIIf , as described above, with Summitar 50mm, f/2 lens.	368.00*
10,061 LUOOX	Leica Model IIIIf , as described above, with Summicron 50mm, f/2 lens.	393.00*
10,065 LOOIT	Leica Model IIIIf , as described above, with Summarit 50mm, f/1.5 lens.	434.00*
10,070 LOOHWSOONC	Leica Model IIIIf , as described above, with Summaron 35mm, f/3.5 lens.	312.00*
10,100 FSIWKR	Film Speed Indicating Winding Knob , adjustable to indicate speed of film in both A.S.A. and Weston ratings, showing RED for color and BLACK for other film; as supplied on Leica Models If, IIIf, and IIIIf, for interchanging with non-indicating winding knob on Leica cameras with serial numbers over 400,000.	2.10




Leica IIIIf with Telyt 200mm Lens, Cat. No. 11,065
and Magnifier, Cat. No. 16,725

LEICA LENSES

Leica lenses are interchangeable between all Leica cameras of model Standard and later manufacture; and, with the exception of the Hektor 135mm in short mount and the Telyt 200mm and 400mm lenses, couple automatically to the built-in rangefinder without adaptation or adjustment. All glass-to-air surfaces are coated.

11,000 HOOPY	Hektor 28mm, f/6.3 , extreme wide angle lens, in non-collapsible focusing mount, angle of view 76°.	102.00*
------------------------	---	---------

11,005 SOONC	Summaron 35mm, f/3.5, wide angle lens, with click stops, in non-collapsible focusing mount, angle of view 64°	\$102.00*
11,010 ELMAR	Elmar 50mm, f/3.5, standard lens, in collapsible focusing mount, angle of view 47°	68.00*
11,015 SOORE	Summitar 50mm, f/2, universal high speed lens, in collapsible focusing mount, angle of view 47°	158.00*
11,016 SOOIC	Summicron 50mm, f/2, universal high speed lens, with click stops, in collapsible focusing mount, angle of view 47°	183.00*
11,020 SOOIA	Summarit 50mm, f/1.5, high speed lens, with click stops, in non-collapsible focusing mount, angle of view 47°	224.00*
11,025 SOOCX	Summarex 85mm, f/1.5, long focus high speed lens, with click stops, in focusing mount, including sunshade and lens and dust cap, angle of view 28°	442.00*
11,030 ELANG	Elmar 90mm, f/4, long focus lens, in light weight focusing mount, angle of view 27°	98.00*
11,035 HEFAR	Hektor 135mm, f/4.5, long focus lens, in light weight focusing mount, angle of view 19°	150.00
11,040 OHEBO	Hektor 135mm, f/4.5, long focus lens, in short mount angle of view 19°, for use on Mirror Reflex Housing	132.00
11,045 ZOOAN	Short Focusing Mount, to fit Hektor 135mm lens HEFAR, for use on Mirror Reflex Housing. Serial number of lens must be supplied with order. Lenses having numbers lower than 241,000 must be sent to service department for fitting	21.00
11,050 ZOOKE	Long Focusing Mount, to fit Hektor 135mm OHEBO, converting to HEFAR, for use with the built-in rangefinder of the Leica camera. Serial number of lens must be supplied with order	24.00
11,055 OZYXO	Mirror Reflex Housing, with wide field magnifier 5x and double cable release	102.00
11,060 OTPLO	Telyt 200mm, f/4.5, telephoto lens, in short mount, with sunshade, lens and dust cap, angle of view 12°, for use on Mirror Reflex Housing	156.00
11,065 TOOLP	Telyt 200mm, f/4.5, complete, with Mirror Reflex Housing, focusing magnifier 5x, and double cable release	258.00
11,066 TLCOO	Telyt 400mm, f/5, telephoto lens, in short mount, including sunshade and lens and dust cap, angle of view 6°, for use on Mirror Reflex Housing	450.00
11,067 TLOOB	Telyt 400mm, f/5, telephoto lens, complete with Mirror Reflex Housing, magnifier 5x, and double cable release	552.00
11,070 MOOSP	Extension Tube 15mm, for close-up photography at distances less than 10 feet with Telyt 200mm	2.10
11,075 TZOON	Intermediate Collar, for Telyt 200 mm, for mounting the lens directly to the Leica camera without the Mirror Reflex Housing, including special viewfinder shoe	16.50
11,080 CINLE	Cine Adapter, adapting all Leica lenses, except Hektor 135mm in short mount and Telyt 200mm and 400mm lenses, for use on any 16mm motion picture camera having type "C" mount	4.50



Viewfinder, 35mm, Cat. No. 12,010

ACCESSORIES

Viewfinders

*Catalog Number
and Code Word*


Item

Retail Price

12,000 VIOOH	Imarect Viewfinder , for all Leica lenses from 35mm to 135mm, with parallax correction, built-in prism for image erection. . . .	\$42.00
12,005 TUV00	Adapter for Imarect Finder , containing negative lens which allows the Imarect Finder VIOOH to be used with the Hektor 28mm lens.	10.50

Optical Eye-level Viewfinders, fitting into accessory clip of the Leica, showing a field larger than that covered by the lens. The field covered by the lens is indicated by a reflected translucent mirror border, permitting observation of a moving object before it enters the photographic field.

12,010 SBLOO	Optical Eye-level Viewfinder , for 35mm lenses.	21.00
12,015 SBOOI	Optical Eye-level Viewfinder , for 50mm lenses.	10.20
12,020 SGOOD	Optical Eye-level Viewfinder , for 85mm lens.	15.00
12,025 SGVOO	Optical Eye-level Viewfinder , for 90mm lenses.	15.00
12,030 SHOOC	Optical Eye-level Viewfinder , for 135mm lenses.	15.00
12,035 SFTOO	Sports Finder , for Telyt 200mm.	15.90
12,040 ROSOL	Frame Finder , with interchangeable frames for 50mm, 85mm, 90mm, and 135mm lenses.	11.10



Sunshades


Summarit Sunshade, Cat. No. 12,515

*Catalog Number
and Code Word*

Item

Retail Price

12,500 SOOHN	Lens Sunshade, with clamping screw, for Hektor 28mm.....	\$ 2.40
12,505 FOOKH	Lens Sunshade, with clamping screw, for Summaron and Elmar 35mm.....	2.40
12,510 FISON	Lens Sunshade, with clamping screw, for Elmar 50mm.....	2.10
12,515 SOOPD	Lens Sunshade, collapsible, with clamping device, for Summarit 50mm.....	9.90
12,516 SOOFM	Lens Sunshade, collapsible, with clamping device, for Summicron 50mm.....	10.50
12,520 XOONS	Lens Sunshade, with clamping screw, for Summarit 50mm...	3.90
12,525 ORQPO	Lens Sunshade, with bayonet fitting, for Summarex 85mm (<i>as replacement</i>).....	3.90
12,530 FIKUS	Lens Sunshade, adjustable, with clamping screw, for Elmar 50mm and 90mm and Hektor 135mm.....	5.70
12,535 TNGOO	Lens Sunshade, with clamping screw, for Telyt 200mm (<i>as replacement</i>).....	4.50
12,540 THMOO	Lens Sunshade, with clamping screw, for Telyt 400mm (<i>as replacement</i>).....	13.50



Summarit Filters

Filters

Filters in slip-on mount, 34mm diameter, with clamping screw, for: Hektor 28mm, Summaron and Elmar 35mm, Elmar 50mm and 90mm and Hektor 135mm lenses.

<i>Catalog Number and Code Word</i>	<i>Item</i>	<i>Retail Price</i>
13,000 FIHEL	Yellow Filter 0 (very light).....	\$5.55
13,005 FIGRO	Yellow Filter I (light).....	5.55
13,010 FIGAM	Yellow Filter II (medium).....	5.55
13,015 FIPOS	Green Filter (medium).....	6.30
13,020 RQPOO	Blue Filter	5.55
13,025 FSEOO	Orange Filter (medium-dark).....	5.94
13,030 FIRAD	Graduated Yellow Filter (clear to medium).....	7.20
13,035 FOOBD	Graduated Green Filter (clear to medium).....	7.20
13,040 FEDOO	Infrared Filter I (light), for use with infrared film.....	6.30
13,045 FIKYB	Infrared Filter II (medium), for use with infrared film.....	6.30
13,050 FEOOG	Infrared Filter III (dark), for use with infrared film.....	6.30
13,055 FIOLA	Ultra Violet Protection Filter (colorless).....	5.55
13,060 FIKAT	Type "A" Filter , laminated, for use with Kodachrome Type "A" film in daylight.....	7.44
13,065 FIKLO	Photoflood Filter , laminated, for use with Kodachrome Film, daylight type, in artificial light.....	7.44
13,070 FICHR	Flash Filter , laminated, for use with Kodachrome Type "A" film and clear flash bulbs.....	7.44
13,075 FISKF	Skylight Filter , for use with Kodachrome Film, daylight type, for reduction of ultra violet haze.....	7.44

Filters in Screw-in Mount, 36.4mm diameter, for Summitar 50mm Lens.

13,080 GBOOM	Yellow Filter 0 (very light).....	\$5.10
13,085 GBWOO	Yellow Filter I (light).....	5.10
13,090 GCOOL	Yellow Filter II (medium).....	5.10
13,095 GCYOO	Green Filter (medium).....	5.55
13,100 GDOOK	Orange Filter (medium-dark).....	5.55
13,105 GHOOF	Graduated Yellow Filter (clear to medium).....	7.50
13,110 GILOO	Graduated Green Filter (clear to medium).....	7.50
13,115 GECOO	Infrared Filter I (light), for use with infrared film.....	5.55
13,120 GFEOO	Infrared Filter II (medium), for use with infrared film.....	5.55
13,125 GFOOH	Infrared Filter III (dark), for use with infrared film.....	5.55
13,130 GHIOO	Ultra Violet Protection Filter (colorless).....	5.10
13,135 FIDAY	Type "A" Filter , laminated, for use with Kodachrome Type "A" film in daylight.....	6.66
13,140 FIFLO	Photoflood Filter , laminated, for use with Kodachrome Film, daylight type, in artificial light.....	6.66
13,145 GCHEO	Flash Filter , laminated, for use with Kodachrome Type "A" film and clear flash bulbs.....	6.66
13,150 GCSKY	Skylight Filter , for use with Kodachrome Film, daylight type, for reduction of ultra violet haze.....	6.66
13,152 ADSUM	Filter Adapter , adapting Summitar filters for use on Hektor 28mm, Elmar and Summaron 35mm, Elmar and Summar 50mm, Elmar 90mm or Hektor 135mm lenses. (<i>Summitar sunshade SOOPD can be used on adapter</i>).....	3.60

Filters in Screw-in Mount for Summicron 50mm Lens.

13,081 HOOAR	Yellow Filter 0 (very light).....	5.70
13,086 HOOBE	Yellow Filter I (light).....	5.70
13,096 HOOFG	Green Filter (medium).....	6.00
13,098 HOOKI	Blue Filter	5.70
13,101 HOOGU	Orange Filter (medium-dark).....	6.00

13,116 HOOCS	Infrared Filter I (light), for use with infrared film.....	\$6.00
13,121 HOODF	Infrared Filter II (medium), for use with infrared film.....	6.00
13,126 HOOET	Infrared Filter III (dark), for use with infrared film.....	6.00
13,131 HOOIV	Ultra Violet Protection Filter (colorless).....	5.70
13,136 FIDAYMI	Type "A" Filter , laminated, for use with Kodachrome Type "A" film in daylight.....	7.32
13,141 FIFLOMI	Photoflood Filter , laminated, for use with Kodachrome Film, daylight type, in artificial light.....	7.32
13,146 GCHEOMI	Flash Filter , laminated, for use with Kodachrome Type "A" film and clear flash bulbs.....	7.32
13,151 GCSKYMI	Skylight Filter , for use with Kodachrome Film, daylight type, for reduction of ultra violet haze.....	7.32
13,154 ADSUMMI	Filter Adapter , adapting Summicron filters for use on Hektor 28mm, Elmar and Summaron 35mm, Elmar and Summar 50mm, Elmar 90mm or Hektor 135mm lenses. (<i>Summicron sunshade SOOFM can be used on adapter</i>).....	3.60

Filters in Bayonet Mount, 40mm diameter, for Summarit 50mm Lens.

13,155 XOOPT	Yellow Filter 0 (very light).....	7.08
13,160 XOOQG	Yellow Filter I (light).....	7.08
13,165 XOORU	Yellow Filter II (medium).....	7.08
13,170 XOOSH	Green Filter (medium).....	7.89
13,175 XOOZY	Orange Filter (medium-dark).....	7.89
13,180 XPGOO	Graduated Yellow Filter (clear to medium).....	7.89
13,185 XPOOF	Graduated Green Filter (clear to medium).....	7.89
13,190 XOOUI	Infrared Filter I (light), for use with infrared film.....	7.89
13,195 XOOVW	Infrared Filter II (medium), for use with infrared film.....	7.89
13,200 XOOWK	Infrared Filter III (dark), for use with infrared film.....	7.89
13,205 XOOYL	Ultra Violet Protection Filter (colorless).....	7.08
13,215 XOOAY	Type "A" Filter , laminated, for use with Kodachrome Type "A" film in daylight.....	9.00

13,220 XOSKY	Skylight Filter, for use with Kodachrome Film, daylight type, for reduction of ultra violet haze.....	\$ 8.10
13,225 XOFLA	Flash Filter, laminated, for use with Kodachrome Type "A" film and clear flash bulbs.....	9.00

Filters in Screw-in Mount, 57mm diameter, for Summarex 85mm Lens.

13,230 UPOOZ	Yellow Filter 0 (very light).....	10.65
13,235 UQMOO	Yellow Filter I (light).....	10.65
13,240 UQOOY	Yellow Filter II (medium).....	10.65
13,245 UROOX	Green Filter (medium).....	12.00
13,250 USOOW	Orange Filter (medium-dark).....	12.00
13,255 USQOO	Infrared Filter I (light), for use with infrared film.....	12.00
13,260 UTOOV	Infrared Filter II (medium), for use with infrared film.....	12.00
13,265 UTSOO	Infrared Filter III (dark), for use with infrared film.....	12.00
13,270 UVOOF	Ultra Violet Protection Filter (colorless).....	10.65
13,275 USOAY	Type "A" Filter, laminated, for use with Kodachrome Type "A" film in daylight.....	15.00
13,280 USSKY	Skylight Filter, for use with Kodachrome Film, daylight type, for reduction of ultra violet haze.....	12.00
13,285 USFLA	Flash Filter, laminated, for use with Kodachrome Type "A" film and clear flash bulbs.....	15.00


Filters in Screw-in Mount, 48mm diameter, for Telyt 200mm Lens.

13,290 POOAH	Yellow Filter 0 (very light).....	7.08
13,295 POOBV	Yellow Filter I (light).....	7.08
13,300 POOCI	Yellow Filter II (medium).....	7.08
13,305 POODW	Green Filter (medium).....	7.89
13,310 POOKZ	Orange Filter (medium-dark).....	7.89
13,315 FOOGL	Infrared Filter I (light), for use with infrared film.....	7.89
13,320 FOOEK	Infrared Filter II (medium), for use with infrared film.....	7.89

13,325 POOHY	Infrared Filter III (dark), for use with infrared film	\$ 7.89
13,330 POOFX	Ultra Violet Protection Filter (colorless)	7.08
13,335 POOAY	Type "A" Filter, laminated, for use with Kodachrome Type "A" film in daylight	10.50
13,340 POSKY	Skylight Filter, for use with Kodachrome Film, daylight type, for reduction of ultra violet haze	9.00
13,345 POFLA	Flash Filter, laminated, for use with Kodachrome Type "A" film and clear flash bulbs	10.50

Filters in Screw-in Mount, 85mm diameter, for Telyt 400mm Lens.

13,291 TFOOG	Yellow Filter 0 (very light)	18.00
13,296 TFSSO	Yellow Filter I (light)	18.00
13,301 TGOOF	Yellow Filter II (medium)	18.00
13,306 TIYOO	Green Filter (medium)	18.00
13,311 TEQOO	Orange-Filter (medium-dark)	18.00
13,316 TGUOO	Infrared Filter I (light), for use with infrared film	18.00
13,321 THOOE	Infrared Filter II (medium), for use with infrared film	18.00
13,326 THWOO	Infrared Filter III (dark), for use with infrared film	18.00
13,331 TIOOD	Ultra Violet Protection Filter (colorless)	18.00



Polarizing Filter, Cat. No. 13,395

Polarizing Filters

Polarizing filters for the reduction of glare and reflections. Neutral density, laminated, for use with black-and-white or color film.

<i>Catalog Number and Code Word</i>	<i>Item</i>	<i>Retail Price</i>
13,350 POOEL	Polarizing Filter , in slip-on mount, for Hektor 28mm, Summaron and Elmar 35mm, Elmar 50mm and 90mm and Hektor 135mm lenses. Numbers engraved on mount for convenience in setting desired angle.....	\$18.90
13,355 POORE	Polarizing Filter , in screw-in mount, for Summitar 50mm lens. Numbers engraved on mount for convenience in setting desired angle.....	19.80
13,356 POOTR	Polarizing Filter , in screw-in mount, for Summicron 50mm lens. Numbers engraved on mount for convenience in setting desired angle.....	19.80
13,360 XQ100	Polarizing Filter , in screw-in mount, for Summarit 50mm lens. Numbers engraved on mount for convenience in setting desired angle.....	19.80
13,390 FILPO	Polarizing Filter , in slip-on mount, with clamping screw and rotating swing-out filter for viewing polarization. For Hektor 28mm, Summaron and Elmar 35mm, Elmar 50mm and 90mm and Hektor 135mm lenses.....	36.00
13,395 FISUM	Polarizing Filter , in slip-on mount, with clamping screw and rotating swing-out filter for viewing polarization. For Summarit 50mm lens.....	37.50
13,396 FISUMMI	Polarizing Filter , in slip-on mount, with clamping screw and rotating swing-out filter for viewing polarization. For Summicron 50mm lens.....	37.50
13,400 FINON	Polarizing Filter , in slip-on mount, with clamping screw and rotating swing-out filter for viewing polarization. For Summarit 50mm lens.....	37.50



Self-Timing Device, Cat. No. 16,010


Supplementary Equipment

Catalog Number
and Code Word

Item

Retail Price


16,010 ASKOO	Self-Timing Device, attaching to Leica, having a delay of approximately 12 seconds between tripping and exposure, in leather case.....	\$7.56
16,000 APDOO	Self-Timing Device, without case.....	6.66
14,645 APOOM	Leather Case, for Self-Timing Device.....	.90
16,015 SYOOM	Leicavit Rapid Winder, manually operated for sequence photography. Replaces Leica baseplate. (Cannot be used on Leica cameras with serial numbers below 400,000).....	24.00



Leica-Meter, Cat. No. 16,017

Exposure Meter

16,017 METER	Leica-Meter, direct reading scale, simple calculator reading in A.S.A. and Weston; Leica shutter speeds and aperture markings; including Super-Sensitive Cell and two leather cases.....	24.00
16,018 METERCELL	Super-Sensitive Cell, for Leica-Meter (as replacement).....	7.50
10,027 CLIPP	Leica Accessory Clip, for mounting on cameras of larger size, accommodating Leica-Meter, Rangefinder FOKOS or Flash Unit CEYOO.....	1.20




Flash Unit

Flash Unit, Cat. No. 16,020
with Adapter, Cat. No. 16,025 on Leica If

Catalog Number and Code Word	Item	Retail Price
16,020 CEYOO	Flash Unit, for synchronized Leica cameras, fitting into accessory clip of the Leica and connecting to the synchro-socket. Consists of small battery case, lamp socket for standard flash bulbs, bayonet bulb adapter with ejector button, adjustable folding matt finish reflector, B-C insert with 22½ volt battery, test lamp and connecting cord with removable female socket CUMOO.....	\$ 24.00
16,025 ZIOOQ	Adapter, adapting Flash Unit to Leica model If.....	.90
16,090 CNOOS	Connecting Cord, fitted with Leica synchro-plug, male plug fitting Flash Unit CEYOO and female socket CUMOO, supplied with Flash Unit CEYOO (as replacement).....	3.30
16,095 COONS	Connecting Cord, fitted with Leica synchro-plug and plug to connect to flash units of other than Leitz make.....	3.30
10,027 CLIPP	Leica Accessory Clip, for mounting on cameras of larger size, accommodating Flash Unit CEYOO, Rangefinder FOKOS or Leica-Meter.....	1.20
16,060 VLOOF	Folding Fan-Type Reflector, supplied with Flash Unit (as replacement).....	6.00
16,062 CQQWO	Bayonet Bulb Adapter, with ejector button; adapting standard lamp socket for use with midget bulbs having bayonet base (as replacement).....	5.40
16,065 COOQW	Test Lamp, supplied with Flash Unit (as replacement).....	.25
16,080 COOWZ	B-C Insert, with 22½ volt battery, supplied with Flash Unit (as replacement), consisting of:.....	3.85
16,070 COOUY	B-C Insert, without battery.....	2.70
16,075 COOVM	22½ Volt Battery, for B-C insert.....	1.15
16,100 CUMOO	Removable Female Socket, fitting male plug on connecting cord or Flash Unit, for connecting to flash or electronic units of other than Leitz make (as replacement).....	.60
16,102 COOMU	Male Plug, as supplied on connecting cord CNOOS, for connecting Flash Unit CEYOO to synchronizing units of other than Leitz make.....	.90
16,105 COOKT	Extension Cord, 5 feet long, with male and female plug, used with Flash Unit for extension flash, or with Double Connector CNXOO for multiple flash. Two or more cords can be connected to obtain desired length.....	3.30

16,110 CNXOO	Multiple Flash Plug , used with Flash Unit and Extension Cord COOKT for multiple firing of second Flash Unit. <i>Three flash units may be fired in multiple by employing two Multiple Flash Plugs and two Extension Cords.</i>	\$ 2.70
16,125 CTOOM	Angle Bracket , adjustable, fastening into tripod socket of Leica; permits mounting Flash Unit at side of camera.....	6.60




Combination Case, Cat. No. 14,546

Cases

14,500 ESOOG	Eveready Case , leather, with neckstrap, for Leica model If with Elmar 50mm lens and detachable rangefinder.....	12.30
14,505 EQBOO	Eveready Case , leather, with neckstrap, for Leica model If with Summarit or Summicron 50mm lens and detachable rangefinder.	12.30
14,510 ESNAR	Eveready Case , leather, with neckstrap, for Leica camera with Hektor 28mm, Summaron or Elmar 35mm or Elmar 50mm lens.	12.30
14,515 ESFUS	Eveready Case , leather, with neckstrap, for Leica camera with Summarit or Summicron 50mm lens.....	12.30
14,520 EXOOM	Eveready Case , leather, with neckstrap, for Leica camera with Summarit 50mm lens.....	12.30
14,525 ENTAR	Eveready Case , leather, with neckstrap, for Leica camera with Hektor 28mm, Summaron or Elmar 35mm, Elmar, Summarit or Summicron 50mm lens and Imarect Finder or Leica-Meter attached.....	24.00
14,527 ETRNA	Eveready Case , leather, with neckstrap, for Leica camera with Summarit 50mm lens and Imarect Finder or Leica-Meter attached.....	27.00
14,530 ESOOR	Eveready Case , similar to ESNAR, but for Leica camera fitted with Leicavit Rapid Winder.....	12.60
14,535 EPZOO	Eveready Case , similar to ESFUS, but for Leica camera fitted with Leicavit Rapid Winder.....	12.60
14,540 EMOOX	Eveready Case , similar to EXOOM, but for Leica camera fitted with Leicavit Rapid Winder.....	12.60
14,542 ETFLA	Carrying Case , leather, pouch-type with strap handle and shoulder strap; for Leica and Flash Unit CEYOO and additional items.....	12.30

14,545 EHOOB	Combination Case, leather, with carrying strap, holding Leica camera, 35mm, 50mm, 90mm and 135mm lenses, universal viewfinder, three cassettes, lens hoods, eight filters, cable releases, etc. (<i>imported</i>).....	\$38.85
14,546 ELFOR	Combination Case, leather, with carrying strap, holding Leica, assorted lenses and accessories (<i>domestic</i>).....	33.00
14,550 ETILA	Leather Case, for Hektor 28mm, Summaron or Elmar 35mm lens.....	2.40
14,560 ETIME	Leather Case, for Elmar 50mm lens.....	2.40
14,565 ETBIX	Leather Case, for Summitar, Summicron or Summarit 50mm lens.....	2.40
14,570 ENOOW	Leather Case, with carrying strap, for Summarex 85mm lens..	8.10
14,575 ETINI	Leather Case, with carrying strap, for Elmar 90mm lens.....	6.60
14,580 ETIPO	Leather Case, with carrying strap, for Hektor 135mm lens....	7.20
14,585 EMTOO	Leather Case, with carrying strap, for Telyt 200mm or Hektor 135mm lens in short mount and Mirror Reflex Housing.....	24.00
14,590 BOORW	Plastic Case, transparent, for Hektor 28mm, Summaron or Elmar 35mm or Elmar 50mm lens.....	.90
14,600 BOOSK	Plastic Case, transparent, for Summitar, Summicron or Summarit 50mm lens.....	1.20
14,605 BOOPV	Plastic Case, transparent, for Elmar 90mm lens.....	1.20
14,610 BDOOZ	Plastic Case, black, for Hektor 135mm lens.....	1.50
14,615 EBOOH	Leather Case, for Imarect Viewfinder.....	1.80
14,620 COOXN	Leather Case, for 35mm viewfinder, SBLOO.....	1.20
14,625 COOYA	Leather Case, for 50mm viewfinder, SBOOI.....	1.20
14,630 CPBOO	Leather Case, for Viewfinders 85mm SGOOD, 90mm SGVOO or 135mm SHOOC.....	1.20
14,635 RWBOO	Leather Case, for frame finder, ROSOL.....	1.20
14,640 EHLOO	Leather Case, for rangefinder, FOKOS.....	2.10
14,645 APOOM	Leather Case, for self-timer APDOO.....	.90
14,650 UYOOQ	Fiber Case, for Bellows Focusing Device and accessories.....	12.00
14,655 ONLIO	Canvas Bag, for portable copying equipment.....	20.40
14,660 POOSD	Plastic Box, transparent, for filters fitting Hektor 28mm, Summaron or Elmar 35mm, Elmar or Summitar 50mm, Elmar 90mm and Hektor 135mm lenses.....	.45


14,665 DYTUU	Carrying Case, fabric covered, for Prado "150" Projector	\$12.60
14,670 UNOPU	Carrying Case, fiber, with fittings for Prado "250" Projector and accessories (17 x 11 x 6 inches)	12.00



Dust Cap, Cat. No. 14,050 and
Lens Cap, Cat. No. 14,030

Lens Caps

14,025 ORVZOCHROM	Lens Cap, chrome plated, for Hektor 28mm, Summaron and Elmar 35mm, Elmar 50mm and 90mm and Hektor 135mm lenses75
14,030 ORSTO	Lens Cap, chrome plated, for Summitar 50mm lens84
14,031 ORSTOMI	Lens Cap, chrome plated, for Summicron 50mm lens84
14,035 ORXDO	Lens Cap, chrome plated, for Summarit 50mm lens84
14,040 ORPNO	Lens Cap, chrome plated, for Summarex 85mm lens (as replacement)96
14,045 TNOOZ	Lens Cap, black finish, for Telyt 200mm lens (as replacement)84
14,046 TNOOQ	Lens Cap, black finish, for Telyt 400mm lens (as replacement)	2.52
14,050 ORYFOCHROM	Dust Cap, screw-on type for all Leica lenses, chrome plated75
14,055 ORTVOCHROM	Lens Opening Cover, to protect camera housing when lens is removed; chrome plated75



Small Accessories

Camera Sling, Cat. No. 14,095


Catalog Number
and Code Word

Item

Retail Price

14,057 ORAKO	Orange Rangefinder Filter , slip on, for Leica Camera Models II, III and IIIa	\$ 2.70
14,058 OKARO	Orange Rangefinder Filter , slip on, for Leica Camera Models IIc, IIIf, IIIfb, IIIc and IIIIf	2.70
14,060 ORWYB	Correction Lenses , for use on rangefinder and viewfinder, to correct near and far sightedness. For Leica camera models IIIb, IIc, IIIc, IIIf and IIIIf only. <i>Prices vary in accordance with prescriptions and range from:</i> <i>Plus or Minus Spheres</i> Plano to 2.00 diopters	10.00
	2.25 to 4.00 "	12.00
	4.25 to 6.00 "	12.00
	6.25 to 8.00 "	15.00
	<i>Minus only</i> 8.25 to 9.00 diopters	15.00
	9.25 to 20.00 "	18.00
	<i>Plus only</i> 8.25 to 9.00 diopters	15.00
	9.25 to 12.00 "	18.00
	12.25 to 16.00 "	18.00
	16.25 to 20.00 "	21.00
	<i>It is essential that the prescription be furnished for the eye used.</i>	
14,065 ORYCE	Correction Lenses , for astigmatism, for use on rangefinder and viewfinder of Leica camera models IIIb, IIc, IIIc, IIIf and IIIIf only. <i>Sphere</i> <i>Cylinder</i> 0.25 to 2.00 diopters to 2.00 diopters	12.00
	2.25 to 3.00 " to 2.00 "	12.00
	3.25 to 4.00 " to 2.00 "	15.00
	4.25 to 6.00 " to 2.00 "	15.00
	<i>It is essential that the prescription be furnished for the eye used.</i>	
14,020 SPULM	Leica Camera Take-up Spool (as replacement)	1.20

14,070 FINOT	Leica Camera Cable Release , 10 inches long, with set-screw . . .	\$ 1.20
14,075 OPKOM	Leica Camera Cable Release , 20 inches long, with set-screw . . .	1.62
14,080 FIDRI	Leica Camera Cable Release , 10 feet long, with protection spiral	10.50
14,085 OZWTO	Double Cable Release , for Mirror Reflex Housing (<i>as replacement</i>)	10.50
14,090 TRPOO	Neck Strap , for Leica Camera, with safety hooks	1.98
14,095 TROOV	Camera Sling , with safety lock, for holding camera steady . . .	2.55
14,110 TOOQE	Table Tripod , with ball and socket tripod head, consisting of:	12.90
14,100 TOOUG	Table Tripod , consisting of 3 folding legs and vertical pillar with tripod thread	9.30
14,105 FOOMI	Ball and Socket Tripod Head , small	3.60
14,115 KGOON	Ball and Socket Tripod Head , large, special rigid construction.	9.00




Cine Adapter, Cat. No. 11,080

Adapters

10,027 CLIPP	Leica Accessory Clip , for mounting on cameras of larger size, accommodating Rangefinder FOKOS, Flash Unit CEYOO or Leica-Meter	1.20
11,080 CINLE	Cine Adapter , adapting all Leica lenses, except Hektor 135mm in short mount and Telyt 200mm and 400mm lenses, for use on any 16mm motion picture camera having type "C" mount . . .	4.50
12,005 TUVOO	Adapter, for Imarect Finder , containing negative lens which allows the Imarect Finder VIOOH to be used with the Hektor 28mm lens	10.50
13,152 ADSUM	Filter Adapter , adapting Summitar filters for use on Hektor 28mm, Elmar and Summaron 35mm, Elmar and Summar 50mm, Elmar 90mm or Hektor 135mm lenses. (<i>Summitar sunshade SOOPD can be used on adapter</i>)	3.60


13,154 ADSUMMI	Filter Adapter , adapting Summicron filters for use on Hektor 28mm, Elmar and Summaron 35mm, Elmar and Summar 50mm, Elmar 90mm or Hektor 135mm lenses. (<i>Summicron sunshade SOOFM can be used on adapter</i>)	\$3.60
16,025 ZIOOQ	Adapter , adapting Flash Unit to Leica Model If.90
16,062 CQQWO	Bayonet Bulb Adapter , with ejector button; adapting standard lamp socket for use with midget bulbs having bayonet base (<i>as replacement</i>)	5.40
16,550 VMCOO	Front Lens Adapter , for using supplementary Front Lenses on Summar 50mm, f/2 Leica lens.	1.05
16,570 UOOST	Divisible Interchangeable Adapter , for use with lens unit of Hektor 135mm, f/4.5 lens and Bellows Focusing Device UXOOR (<i>Supplied with Bellows Device UXOORHE</i>)	4.80
16,575 UOOTG	Divisible Interchangeable Adapter , for use with lens unit of Elmar 90mm, f/4 lens and Bellows Focusing Device UXOOR.	4.80
16,590 UOOYW	Interchangeable Adapter , without extension tube, for use with Bellows Focusing Device UXOOR and any lens or extension tube with Leica lens thread.	3.45
16,595 UYCOO	Interchangeable Bayonet Adapter , for use with Elmar 50mm, f/3.5 Leica lens and Bellows Focusing Device UXOOR. (<i>Supplied with Bellows Device UXOOREL</i>)	4.80
16,597 USOOR	Interchangeable Bayonet Adapter , for use with Summitar 50mm, f/2 lens and Bellows Focusing Device UXOOR.	4.80
16,600 UWYOO	Adapter Plate , fitting Bellows Focusing Device to Carrying Arms ROONP and ROOFU for use on Leitz enlargers and copying stand.	2.10
16,705 XBEET	Adapter Bracket , with dovetail slide, fitting Focaslide to arm of Leitz Pillar Stand LURTE or US II.	9.20
16,760 UVWOO	Lamp Adapter , for connecting four lamps of any design, such as desk lamps, to built-in change-over switch in base of Reprovit I	2.70
17,035 GDIK	Adapter , for fitting Micro Ibsa to Leitz polarizing microscopes having large diameter draw-tube.	4.00
17,040 AGIIU	Clamping Ring , fitting microscope adjustable draw-tube having inside diameter of 31.8mm (Leitz Stand B). <i>Maintains adjustment of draw-tube under weight of Micro Ibsa and Leica</i>	3.50
17,045 GFEII	Clamping Ring , fitting microscope adjustable draw-tube having inside diameter of 25.4mm (Leitz Stand G). <i>Maintains adjustment of draw-tube under weight of Micro Ibsa and Leica</i>	3.50



Replacement Lamps

Test Lamp, Cat. No. 16,065
 Ruby Bulb, Cat. No. 15,185
 Projection Lamp, Cat. No. 19,105
 Enlarger Bulb, Cat. No. 17,760

<i>Catalog Number and Code Word</i>	<i>Item</i>	<i>Retail Price</i>
15,180 OSLAM	White Bulb, 15 watt, for Professional Contact Printers.....	\$.60
15,185 OSROT	Ruby Bulb, for Professional Contact Printers.....	1.50
15,220 DABRB	Bulb, for Bindomat.....	.16
16,065 COOQW	Test Lamp, for Flash Unit.....	.25
16,825 VOLAM	Projection Bulb, 100 watt, for Special Projection Head OUTSO	4.50
16,830 VFOOL	Bulb, 100 watt, for Four-Lamp Illuminator RKCOO.....	1.00
16,835 BERAT	Bulb, 25 watt, for Illuminating Box OOEVM.....	.80
16,840 VKOOK	Bulb, 60 watt, for Illuminating Box OOEUK.....	.90
17,075 LINID	Bulb, 6 volt, 5 ampere: for Microscope Lamp Monla.....	2.50
17,760 FLABU	Bulb, 75 watt, for Valoy, Focomat Ic and IIa enlargers.....	.45
17,765 AKTOO	Aktina High-Efficiency Opal Lamp, 250 watt, for Focomat IIa..	2.40
19,040 DVUUM	Projection Lamp, 150 watt, for Prado "150" Projector.....	7.00
19,105 APUUM	Projection Lamp, 250 watt, for Prado "250" Projector.....	8.50



Leitz-Agfa Rondinax Tank, Cat. No. 15,080

DARKROOM EQUIPMENT

Catalog Number and Code Word	Item	Retail Price
14,120 FCKOO	Single Film Holder, for Leica camera models Ic, IIc, IIIc, IIf and IIIf with serial numbers below 590,681. <i>Cannot be used with cameras fitted with baseplate having film positioning bar.</i>	\$1.50
14,125 FHKOO	Single Film Holder, for Leica camera models I (A), II (D), Standard (E), III (F), IIIa (G) and IIIb.	1.50
14,000 FILCA	Roll Film Magazine, with aluminum container.	3.45
14,005 FILCASINE	Roll Film Magazine, but without aluminum container.	3.00
14,010 DRXOO	Aluminum Container, for use with spare roll film magazine (as replacement).	.45
14,015 SPUCA	Magazine Spool, for use with spare roll film magazine (as replacement).	.75
15,000 ABLON	Film Trimming Template, used to trim bulk film for loading into film magazines.	2.40
15,005 AGRIF	Hand Film Winder, for loading bulk film into film magazines in darkroom.	.60
15,010 AFLOO	Table Film Winder, with spring clip and winding-crank, for loading bulk film into film magazines in darkroom. Fastens to work table with two screws (accommodates magazines of "250" exposure Leica).	7.50
15,015 ABCOO	Film Cutting Knife, for removing exposed portions of film from Leica camera in the darkroom.	1.50

Developing Equipment


15,020 CORUN	Developing Tank, bakehite, 16 oz. (500cc) complete with reel, celluloid apron embossed on both sides of each edge, lid and hand agitator (retains solution temperature better than metal tank).	9.00
15,025 CORYB	Spare Apron, for 16 oz. developing tank.	3.60
15,030 CORID	Spare Reel, for 16 oz. developing tank.	2.85
15,035 COSTI	Spare Agitator, for 16 oz. developing tank.	.60
15,040 COROL	Developing Tank, CORUN, complete, but without reel or apron.	4.50

Catalog Number
and Code Word

Item

Retail Price

15,045 CORFE	Developing Tank only, without lid, agitator, reel or apron..	\$ 2.85
15,050 CORCF	Spare Lid, for 16 oz. developing tank.....	1.65
15,055 CODRO	Developing Tank, bakelite, 12 oz. (310cc), complete with reel, celluloid apron embossed on one side of each edge, lid and hand agitator (<i>retains solution temperature better than metal tank</i>)....	6.00
15,060 CORBA	Spare Apron, for 12 oz. developing tank.....	2.70
15,065 CORSO	Spare Reel, for 12 oz. developing tank.....	1.35
15,070 CORLE	Spare Lid, for 12 oz. developing tank.....	2.70
15,072 COSTIS	Spare Agitator, for 12 oz. developing tank.....	.60
15,075 CORET	Tank Thermometer, for 12 or 16 oz. developing tank.....	1.50
15,080 TEOOH	Daylight Loading Developing Tank, Leitz-Agfa RONDINAX, for complete processing of film in daylight.....	24.00
15,500 NOOBU	Negative Viewer, with polished metal film channel and focusing 5x magnifier. <i>Negatives can be studied for composition and quality without being placed in the enlarger</i>	15.00




Professional Contact Printer, Cat. No. 15,125

Contact Printers

15,085 ELDIA	Contact Printer, with 24 x 36mm interchangeable window, for printing on 35mm paper or film strips from Leica double frame negatives.....	21.00
15,090 ELKIN	Interchangeable Window, 18 x 24mm, for ELDIA Contact Printer, for printing 35mm single frame negatives.....	3.60
15,095 ELDUR	Contact Printer, for printing on 50 x 50mm (2 x 2 in.) sensitized glass plates from 35mm double or single frame negatives.....	21.00
15,100 ELGLA	Metal Pressure Plate, for ELDUR or lantern slide attachment of Professional Contact Printer, for making contact prints on sensitized paper from Leica negatives.....	.75

15,115 KOVIR	Professional Contact Printer , for printing on 50 x 50mm (2 x 2 in.) sensitized glass plates from 24 x 36mm double frame and 18 x 24mm single frame negatives, with built-in light source, consisting of:.....	\$ 72.00
15,105 KOLOM	Base Housing , with 15 watt white bulb for exposure, built-in rheostat for exposure control, ruby bulb for viewing the negative, milk glass plate for diffusion, device for dodging and two film spools for holding negative roll.....	48.00
15,110 KOGLA	Lantern Slide Attachment , with 24 x 36mm interchangeable window and holder for 50 x 50mm (2 x 2 in.) glass plates...	24.00
15,160 KOREF	Interchangeable Window , 18 x 24mm, for lantern slide attachment KOGLA, for 35mm single frame negatives.....	2.85
15,165 KONAF	Interchangeable Window , 3 x 4cm, for lantern slide attachment KOGLA.....	4.20
15,170 KODRE	Interchangeable Window , 4 x 4cm, for lantern slide attachment KOGLA.....	4.80
15,175 KOSUS	Spools , (set of 2) for lantern slide attachment KOGLA, for roll film negatives 3 x 4cm and 4 x 4cm.....	1.80
15,100 ELGLA	Metal Pressure Plate , for lantern slide attachment KOGLA or Contact Printer ELDUR, for making contact prints on sensitized paper from Leica negatives.....	.75
15,140 KOFIM	Professional Contact Printer , for printing on 35mm paper or film strips from 24 x 36mm double frame negatives, with built-in light source, consisting of:.....	99.00
15,105 KOLOM	Base Housing , with 15 watt white bulb for exposure, built-in rheostat for exposure control, ruby bulb for viewing the negative, milk glass plate for diffusion, device for dodging and two film spools for holding negative roll.....	48.00
15,120 KOTOS	Film Attachment , with 24 x 36mm non-interchangeable window, for printing on 35mm paper or film strips from double frame negatives.....	51.00
15,150 KOORA	Professional Contact Printer , for printing on 35mm paper or film strips from 24 x 36mm double frame and 18 x 24mm single frame negatives, with built-in light source, consisting of:.....	105.00
15,105 KOLOM	Base Housing , with 15 watt white bulb for exposure, built-in rheostat for exposure control, ruby bulb for viewing the negative, milk glass plate for diffusion, device for dodging and two film spools for holding negative roll.....	48.00
15,145 KOOHI	Film Attachment , with interchangeable 24 x 36mm and 18 x 24mm windows, for printing on 35mm paper or film strips from 35mm double or single frame negatives.....	57.00
15,125 KOPAT	Combination Professional Contact Printer , for printing on 50 x 50mm (2 x 2 in.) sensitized glass plates or 35mm paper or film strips from 24 x 36mm double frame negatives, with built-in light source, consisting of:.....	123.00
15,105 KOLOM	Base Housing , with 15 watt white bulb for exposure, built-in rheostat for exposure control, ruby bulb for viewing the negative, milk glass plate for diffusion, device for dodging and two film spools for holding negative roll.....	48.00
15,110 KOGLA	Lantern Slide Attachment , with 24 x 36mm interchangeable window and holder for 50 x 50mm (2 x 2 in.) glass plates...	24.00
15,120 KOTOS	Film Attachment , with 24 x 36mm non-interchangeable window, for printing on 35mm paper or film strips from double frame negatives.....	51.00


15,155 KOOLX	Combination Professional Contact Printer , for printing on 50 x 50mm (2 x 2 in.) sensitized glass plates or 35mm paper or film strips from 24 x 36mm double frame and 18 x 24mm single frame negatives, with built-in light source, consisting of:.....	\$129.00
15,105 KOLOM	Base Housing , with 15 watt white bulb for exposure, built-in rheostat for exposure control, ruby bulb for viewing the negative, milk glass plate for diffusion, device for dodging and two film spools for holding negative roll.....	48.00
15,110 KOGLA	Lantern Slide Attachment , with 24 x 36mm interchangeable window and holder for 50 x 50mm (2 x 2 in.) glass plates...	24.00
15,145 KOOHI	Film Attachment , with interchangeable 24 x 36mm and 18 x 24mm windows, for printing on 35mm paper or film strips from 35mm double or single frame negatives.....	57.00
15,180 OSLAM	White Bulb , 15 watt, for Professional Contact Printers (<i>as replacement</i>).....	.60
15,185 OSROT	Ruby Bulb , for Professional Contact Printers (<i>as replacement</i>)..	1.50



Bindomat, Cat. No. 15,205

Slide Binding Material

15,205 DAMOT	Bindomat , for mounting transparencies between 2 x 2 inch glass plates, including 100 glass plates, 100 masks, one roll of binding tape, one "C" clamp.....	18.00
15,210 DAMCO	Bindomat Spring , (<i>as replacement</i>).....	.36
15,215 DACMO	Bindomat Tape Core , (<i>as replacement</i>).....	.24
15,220 DABRB	Bulb , for Bindomat (<i>as replacement</i>).....	.16
15,190 UGRIN	Glass Plates , 2 x 2 inch, ground edges, for mounting lantern slides; box of 100.....	1.50
15,195 USMAS	Masks , 2 x 2 in., 24 x 36mm aperture, silvered, for masking transparencies; box of 100.....	.85
15,200 TIEUP	Cloth Binding Tape , 1/2 inch wide, 70-foot roll, for use with Bindomat (<i>supplied in red only</i>).....	1.50



Focomat IIa Enlarger, Cat. No. 17,690

Enlargers

Catalog Number and Code Word	Item	Retail Price
17,500 VALOY	Valoy Universal Enlarger , for 35mm single or double frame, 3 x 4cm or 4 x 4cm negatives. Baseboard 15½ x 17½ inches with grooves accommodating clamps for locking easel and built-in light switch; upright pillar 32 inches high, 32mm diameter; lamp housing with adjusting screws for centering 75 watt diffusing bulb, single element condenser serving as negative pressure plate, interchangeable glass-less carrier for 24 x 36mm negatives, helical focusing mount threaded for Leica 50mm lenses (except f/1.5 lenses) or special 50mm enlarging lens; with clamps for easel, <i>but without easel or lens</i>	\$81.00
17,570 VALOYCENTO	Valoy Universal Enlarger , as described above, but with upright pillar 39 inches high in place of 32 inch upright.....	84.60
16,620 VALOO	Diaphragm Actuating Ring , with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in enlarger, in Bellows Focusing Device or on copying stand in vertical position.....	6.60
17,581 DOOHF	Focotar 50mm, f/4.5 Enlarging Lens , coated, with click stops. <i>Especially corrected for enlarging and reproduction work; for use on Valoy and Focomat Ic enlargers</i>	45.00
17,675 DOORX	Extension Ring , for converting Focotar lens DOOCQ as supplied with Reprovit II to Focotar lens DOOHF for use in Valoy and Focomat Ic enlargers.....	1.50
17,505 FYLTO	Orange Filter , for Valoy Enlarger.....	9.90
17,510 FELUK	Enlarging Easel , 8 x 10 inches, for use with Valoy Enlarger; with adjustable masking bands and margin stops; white surface for focusing projected image and with metal flange fitting under clamps on baseboard.....	22.50
Interchangeable Masking Negative Carriers for Valoy Enlarger and discontinued Focomat I.		
17,515 VDOON	Negative Carrier , for 18 x 24mm negatives.....	2.40
17,520 VNOOD	Negative Carrier , for 24 x 24mm negatives.....	3.00
17,525 VDMOO	Negative Carrier , for 24 x 36mm negatives (<i>as replacement</i>)...	3.00
17,530 VAVIR	Negative Carrier , for 3 x 4cm negatives.....	4.80

17,535 VAKES	Negative Carrier, for 4 x 4cm negatives.....	\$4.80
17,600 ICWOO	Focomat Ic, Automatic Focusing Enlarger, for 35mm single or double frame, 3 x 4cm or 4 x 4cm negatives, complete, consisting of:.....	222.30
17,575 ICOOP	Focomat Ic Enlarger, with baseboard 16 x 21 inches, quick-clamping device for locking easel and built-in light switch; upright pillar 32 inches high, 40mm diameter; tilting lamp housing with finger grip for locking head, spring balanced parallel arms and adjustable cam for automatic focus, scale calibrated from 2 to 10 diameters, adjusting screws for centering 75 watt diffusing bulb, single element condenser serving as negative pressure plate, interchangeable glass-less carrier for 24 x 36mm negatives, helical focusing mount (for manual focus at more than 10 diameters) threaded for Leica 50mm lenses (except f/1.5 lenses) or special 50mm enlarging lens..	147.00
17,581 DOOHF	Focotar 50mm, f/4.5 Enlarging Lens, coated, with click stops. Especially corrected for enlarging and reproduction work: for use with Focomat Ic or Valoy enlargers.....	45.00
17,590 FOOES	Orange Filter, for Focomat Ic Enlarger.....	7.80
17,585 FPYOO	Enlarging Easel, 8 x 10 inches, for use with Focomat Ic or IIa enlargers; with adjustable masking bands and margin stops; white surface for focusing projected image and with metal dovetail grooves fitting quick-clamping device on baseboard.....	22.50
17,625 IHOOC	Focomat Ic Enlarger, as described under ICOOP, but with baseboard 22 x 25 inches and upright pillar 47 inches high.....	164.70
17,630 FUOOR	Enlarging Easel, 12 x 16 inches, for use with Focomat Ic or IIa Enlarger; with spacing ring fitting upright and raising lamp housing to compensate for greater thickness of easel, adjustable masking bands and margin stops; white surface for focusing projected image and with metal dovetail grooves fitting quick-clamping device on baseboard.....	54.00
16,620 VALOO	Diaphragm Actuating Ring, with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in enlarger, in Bellows Focusing Device or on copying stand in vertical position.....	6.60
17,655 ZISOO	Perspective Correcting Device, for use with Focomat Ic Enlarger. When a vertical object is photographed with the camera tilted, parallel lines converge. This convergence can be corrected by tilting the negative, the easel or both during enlarging. The Correcting Device provides tilting control of the negative and easel. Complete, consisting of:.....	42.30
17,640 ZE00U	Tilting Negative Carrier Holder, with two ball and socket spring clips for negative carrier ZFNOO, two adjusting nuts and two clamping screws.....	15.90
17,645 ZFNOO	Hinged Negative Carrier, with optical glass plate and metal plate having 24 x 36mm aperture; fitting tilting holder ZE00U.....	2.40
17,650 ZFOOT	Tilting Easel Holder, with base having metal dovetail grooves fitting quick-clamping device on baseboard of enlarger; metal standard providing tilting and rotating adjustments of easel, three wing nuts for locking adjustment and removable dovetail slider with knurled locking ring fitting grooves of easels FPYOO and FUOOR.....	24.00
17,660 VBHOO	Bayonet Collar, fitting Elmar 50mm, f/3.5 Leica lens, for use with Perspective Correcting Device.....	3.30

17,665 Newton Ring Eliminator, with 24 x 36mm aperture, for use on
NEWOO condenser of Focomat Ic enlarger to avoid Newton's Rings... \$1.50

17,670 Film and Plate Holder, for single film strip or 2 x 2 inch glass
RCOOF sensitized plate. Permits Valoy or Focomat Ic enlarger to be
used as a copying camera..... 10.50

Interchangeable Masking Negative Carriers for Focomat Ic Enlarger and discontinued Focomat Ia.

17,516 Negative Carrier, for 18 x 24mm negatives..... 2.40
VNAOO

17,521 Negative Carrier, for 24 x 24mm negatives..... 3.00
VNIOO

17,526 Negative Carrier, for 24 x 36mm negatives (*as replacement*)... 3.00
VNEOO

17,531 Negative Carrier, for 3 x 4cm negatives..... 4.80
VNOOU

17,536 Negative Carrier, for 4 x 4cm negatives..... 4.80
VNUOO

17,550 Single Negative Holder and Mask, for enlarging single 24 x 36
VAZEL mm negatives, consisting of:..... 3.30

17,540 Metal Negative Mask, with 24 x 36mm aperture, for use
VBOOP with glass negative holder VOOMD when enlarging single
negatives..... 1.20

17,545 Hinged Double Glass Plate, 3.5 x 12cm, holding short strip
VOOMD of 35mm negatives or single exposure cut from roll. *To be
used with Negative Mask VBOOP*..... 2.10

17,565 Hinged Double Glass Plate, 5 x 16cm, holding short strip or
VOONR single exposure cut from roll of 3 x 4cm or 4 x 4cm negatives. *To
be used with Negative Mask VAZUP or VAZIS*..... 4.20

17,555 Metal Negative Mask, with 3 x 4cm aperture, for use with glass
VAZUP negative holder VOONR when enlarging single negatives.... 1.20


17,560 Metal Negative Mask, with 4 x 4cm aperture, for use with glass
VAZIS negative holder VOONR when enlarging single negatives.... 1.20

17,690 Focomat IIa, Automatic Focusing Enlarger, for negatives up to
TYDOO 6.5 x 9cm (2½ x 3½ in.), complete, consisting of:..... 483.00

17,680 Focomat IIa Enlarger, with baseboard 20½ x 27 inches,
TVOOR quick-clamping device for locking easel and built-in light
switch; upright pillar 32 inches high, 50mm diameter; lamp
housing with spring balanced parallel arms and two adjust-
able cams for automatic focus, scale calibrated from 2 to
13 diameters for use with 50mm lens and 1.3 to 4.8 diam-
eters for use with 95mm lens (greater enlargements may
be obtained by manual focus), adjusting screws for centering
75 watt diffusing bulb, removable double condenser, remov-
able negative carrier, two interchangeable negative masks with
apertures of 24 x 36mm and 6.5 x 9cm, lens turret carrying the
Focotar 50mm, f/4.5 lens DOOOM and Focotar 95mm,
f/4.5 lens FOODE, each in helical focusing mount..... 450.00

17,685 Orange Filter, for Focomat IIa enlarger..... 10.50
FYOON

17,585 FPYOO	Enlarging Easel , 8 x 10 inches, for use with Focomat IIa or Ic enlargers; with adjustable masking bands and margin stops; white surface for focusing projected image and with metal dovetail grooves fitting quick-clamping device on baseboard.....	\$ 22.50
17,683 DOOOM	Focotar 50mm, f/4.5 Enlarging Lens , coated, with click stops; for use with Focomat IIa (<i>as replacement</i>).....	54.00
17,710 GLOOC	Hinged Double Glass Plate , 10 x 22cm, for holding single negatives in Focomat IIa enlarger. <i>Areas up to 2½ x 3½ inches can be enlarged from a 5 x 7 inch negative</i>	10.50
17,715 CBOOD	Negative Masking Plate , 18 x 24mm aperture, for Focomat IIa	1.50
17,720 CKOOV	Negative Masking Plate , 24 x 24mm aperture, for Focomat IIa	1.50
17,725 CDEEO	Negative Masking Plate , 24 x 36mm aperture, for Focomat IIa (<i>as replacement</i>).....	1.50
17,730 CDOOB	Negative Masking Plate , 3 x 4cm aperture, for Focomat IIa..	1.50
17,735 CFIOO	Negative Masking Plate , 4 x 4cm aperture, for Focomat IIa..	1.50
17,740 CGLOO	Negative Masking Plate , 4.5 x 6cm aperture, for Focomat IIa..	1.50
17,745 CFOOZ	Negative Masking Plate , 4 x 6.5cm aperture, for Focomat IIa..	1.50
17,750 CGOOY	Negative Masking Plate , 6 x 6cm aperture, for Focomat IIa..	1.50
17,755 CHOOX	Negative Masking Plate , 6 x 9cm aperture, for Focomat IIa..	1.50
17,756 CHNOO	Negative Masking Plate , 6.5 x 9cm aperture, for Focomat IIa (<i>as replacement</i>).....	1.50
17,630 FUOOR	Enlarging Easel , 12 x 16 inches, for use with Focomat IIa or Ic enlarger; with spacing ring fitting upright and raising lamp housing to compensate for greater thickness of easel; adjustable masking bands and margin stops; white surface for focusing projected image and with metal dovetail grooves fitting quick-clamping device on baseboard.....	54.00
17,635 EAWOO	Automatic Electric Enlarging Easel , 110 volts, A.C., for use with Focomat Ic or IIa enlarger; metal construction with dovetail grooves fitting quick-clamping device on baseboard; white surface for focusing projected image; adjustable masking bands for maximum picture size of 5⅞ x 7⅞ inches, lever-adjusting margin stops adjustable from ⅜ to ½ inch in ⅛ inch increments, calibrated scale indicating margin width; foot switch for operating easel. <i>Designed for production enlarging. Operation of foot switch raises top frame and rear margin stop which serves as paper clamp, subsequent operations ejecting exposed paper. Frame is lowered on paper by depressing bar at front of easel</i>	135.00
17,760 FLABU	Bulb , 75 watt, for Valoy, Focomat Ic and IIa enlargers (<i>as replacement</i>).....	.45
17,765 AKTOO	Aktina High-Efficiency Opal Lamp , 250 watt, for Focomat IIa	2.40
17,770 UOOPE	Voltage Reducer , with voltmeter and switch, 110/220 volts, A.C. or D.C.; for use with Aktina High-Efficiency Lamp to dim lamp while focusing, burning at full intensity during exposure	48.00



COPYING EQUIPMENT

Auxiliary Devices


Auxiliary Reproduction Device, Cat. No. 16,515

Catalog Number
and Code Word

Item

Retail Price

16,500 NOOKY	Optical Close Focusing Device , for use with Elmar 50mm, f/3.5 Leica lens; couples to rangefinder for focusing at distances between 3½ feet and 16½ inches; automatic compensation for parallax and reduced field of view, utilizing built-in viewfinder of Leica camera.....	\$31.50
16,505 NOOKYHESUM	Optical Close Focusing Device , for use with Hektor 50mm, f/2.5, Summar or Summitar 50mm, f/2 Leica lenses; couples to rangefinder for focusing at distances between 3½ feet and 16½ inches; automatic compensation for parallax and reduced field of view, utilizing built-in viewfinder of Leica camera.....	31.50
16,510 BELUN	Auxiliary Reproduction Device , used with Leica camera and Elmar 50mm, f/3.5 lens for natural size reproductions (<i>ratio 1:1</i>). Consists of special extension tube, lens clamping collar, three non-adjustable legs and baseplate with 24 x 36mm cut-out for framing object.....	12.00
16,515 BELUNHESUM	Auxiliary Reproduction Device , used with Leica camera and Summitar 50mm, f/2 lens for natural size reproductions (<i>ratio 1:1</i>). Consists of special extension tube, lens clamping collar, three non-adjustable legs and baseplate with 24 x 36mm cut-out for framing object.....	12.00
16,520 BEHOO	Auxiliary Reproduction Device , used with Leica camera and Elmar 50mm, f/3.5 lens for reproduction at ratios of 1:1.5, 1:2 and 1:3. Consists of three special extension tubes, lens clamping ring and four adjustable legs with markings indicating correct focusing distance for each of the three working distances.....	15.00
16,525 BOOWU	Auxiliary Reproduction Device , used with Leica camera and any 50mm Leica lens, reproducing areas of 8¼ x 11 5⁄8 in., 5 7⁄8 x 8¼ in. and 4 1⁄8 x 5 7⁄8 in. Consists of three intermediate lens adapters and four adjustable legs with snap retaining rings positioning at correct focusing distance for each of the three ratios.....	24.00
16,530 ELPRO	Supplementary Front Lens I , for Elmar 50mm, f/3.5 Leica lens, covering areas 16 9⁄16 x 24 13⁄16 in. to 8 9⁄16 x 12 14⁄16 in.....	6.00
16,535 ELPIK	Supplementary Front Lens II , for Elmar 50mm, f/3.5 Leica lens, covering areas 8 7⁄16 x 12 10⁄16 to 5 10⁄16 x 8 8⁄16 in.....	6.60
16,540 ELPET	Supplementary Front Lens III , for Elmar 50mm, f/3.5 Leica lens, covering areas 4 1⁄16 x 6 5⁄16 in. to 3 3⁄16 x 5 in.....	8.40
16,550 VMCOO	Front Lens Adapter , for using Supplementary Front Lenses on Summar 50mm. f/2 Leica lens.....	1.05




Bellows Focusing Devices

Bellows Focusing Device, Cat. No. 16,555
 With Bellows Sunshade, Cat. No. 16,565
 and Reflex Housing, Cat. No. 11,055

Catalog Number and Code Word	Item	Retail Price
16,555 UXOORHE	Bellows Focusing Device , for use with Leica camera, Mirror Reflex Housing and lens unit of Hektor 135mm, f/4.5 lens; with adapter for Hektor lens; continuous focusing from infinity to ratio of 1:1; scale on focusing bed indicates ratio of reproduction and exposure factor (<i>Hektor lenses below serial number 241,000 cannot be used</i>).....	\$58.50
11,055 OZYXO	Mirror Reflex Housing , with wide field magnifier 5x and double cable release, consisting of:.....	102.00
16,710 OZUPO	Mirror Reflex Housing , with double cable release, but without magnifier.....	81.00
16,625 LVFOO	Wide Field Focusing Magnifier 5x , for use with Mirror Reflex Housing OZUPO or Focaslides.....	21.00
16,560 UXOOREL	Bellows Focusing Device , for use with Leica camera, Focaslides and Elmar 50mm, f/3.5 Leica lens; with adapter for Elmar lens; continuous focusing from a ratio of 1:17 to 2.5:1; scale on focusing bed indicates ratio of reproduction and exposure factor....	58.50
16,562 UXOORSOORE	Bellows Focusing Device , for use with Leica camera, Focaslides and Summitar 50mm, f/2 lens; with adapter for Summitar lens; continuous focusing from a ratio of 1:17 to 2.5:1; scale on focusing bed indicates ratio of reproduction and exposure factor....	58.50
16,605 OZAB	Focaslides , with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica lenses and with two tripod bushings for fastening to Bellows Focusing Device, tripod or Carrying Arms ROONP and ROOFU for use on Leitz enlargers, copying stand or Reprovit I.....	36.00
16,565 UZEOO	Adjustable Bellows Sunshade , leather, for use with Bellows Focusing Device, with interchangeable mask for vertical or horizontal pictures.....	16.50
16,570 UOOST	Divisible Interchangeable Adapter , for use with lens unit of Hektor 135mm, f/4.5 lens and Bellows Focusing Device UXOOR (<i>supplied with Bellows Device UXOORHE</i>); consisting of:....	4.80
16,590 UOOYW	Interchangeable Adapter , without extension tube, for use with Bellows Focusing Device UXOOR and any lens or extension tube with Leica lens thread.....	3.45
16,580 UOOVH	Special Extension Tube , fitting Interchangeable Adapter UOOYW, for use with lens unit of Hektor 135mm, f/4.5 lens	1.35
16,575 UOOTG	Divisible Interchangeable Adapter , for use with lens unit of Elmar 90mm, f/4 lens and Bellows Focusing Device UXOOR; consisting of:.....	4.80

16,590 UOOYW	Interchangeable Adapter , without extension tube, for use with Bellows Focusing Device UXOOR and any lens or extension tube with Leica Lens thread.....	\$ 3.45
16,585 UOOWV	Special Extension Tube , fitting interchangeable Adapter UOOYW, for use with lens unit of Elmar 90mm, f/4 lens...	1.35
16,595 UYCOO	Interchangeable Bayonet Adapter , for use with Elmar 50mm, f/3.5 Leica lens and Bellows Focusing Device UXOOR (<i>supplied with Bellows Device UXOOREL</i>).....	4.80
16,597 USOOR	Interchangeable Bayonet Adapter , for use with Summitar 50mm, f/2 lens and Bellows Focusing Device UXOOR.....	4.80
16,600 UWYOO	Adapter Plate , fitting Bellows Focusing Device to Carrying Arms ROONP and ROOFU for use on Leitz enlargers and copying stand.....	2.10
14,650 UYOOQ	Fiber Case , fitted for Bellows Focusing Device, Mirror Reflex Housing, Focaslide, adapters, Leica camera and accessories...	12.00



Leica IIIIf with Focaslide, Cat. No. 16,605,
Diaphragm Ring, Cat. No. 16,620,
Helical Mount, Cat. No. 16,610
and Magnifier, Cat. No. 16,625

Focaslide Equipment

16,605 OOZAB	Focaslide , with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica lenses and with two tripod bushings for fastening to tripod, Bellows Focusing Device or Carrying Arms ROONP and ROOFU for use on Leitz enlargers, copying stand or Reprovit I.....	36.00
16,610 ZOOXY	Helical Focusing Mount , for use with Focaslide and Elmar 50mm, f/3.5 Leica lens, adjustable through a range of 22.5mm, for reproduction ratios of 1:17 to 1:2.....	12.00
16,660 ZOONT	Special Helical Focusing Mount , for use with Focaslide and Elmar 50mm, f/3.5 Leica lenses of older design and focal length groups 2 to 3 or with focal length group unmarked. (<i>Focal length group is marked on underside of lens infinity lock</i>).....	12.00
16,650 ZWTOOHESUM	Intermediate Focusing Mount , for use with Focaslide and Summar or Summitar 50mm, f/2 Leica lens, adjustable through a range of 8mm.....	9.90
16,665 ZOOMF	Special Extension Tube , 50mm, for use with Focaslide and Hektor 135mm f/4.5 lens in short mount OHEBO. <i>Permits ground-glass focusing from infinity to 5 feet</i>	2.70

16,670 COOED	Short Focusing Mount , for use with Focaslide and lens unit of Elmar 90mm, f/4 lens. <i>Permits ground-glass focusing from infinity to 3½ feet.</i>	\$ 16.50
16,620 VALOO	Diaphragm Actuating Ring , with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in vertical position, in enlarger or in Bellows Focusing Device. <i>Extension of adjusting ring serves as sunshade and Elmar filters may be fitted to front of the ring.</i>	6.60


Extension Tubes for use with the Focaslide, either direct or in conjunction with the Helical or Intermediate Focusing Mount. May also be used on the Bellows Focusing Device or Reprovit I. Tubes may be used individually or in combination to obtain the desired reproduction ratio.

16,635 BOOXZ	Extension Tube 7mm, (B)	1.20
16,640 FVOOQ	Extension Tube 15mm, (F)	1.50
16,615 ROOYH	Extension Tube 26mm, (Repro) . <i>For use with Helical Focusing Mount ZOOXY and Elmar 50mm, f/3.5 Leica lens, for reproduction ratios of 1:2 to 1:1</i>	2.70
16,645 GVKOO	Extension Tube 30mm, (G)	2.70
16,646 FUFOR	Extension Tube 45mm	3.42
16,647 FULGX	Extension Tube 60mm	3.77
16,648 FULHI	Extension Tube 90mm	4.44

Magnifiers for observing image on the ground-glass focusing screen. All magnifiers, except the 4x magnifier PEGOO, are interchangeable between the Focaslide and Mirror Reflex Housing.

16,725 PEGOO	Wide Field Angular (45°) Focusing Magnifier 4x , <i>for use with Mirror Reflex Housing; image erect and laterally correct.</i>	45.00
16,624 LGC00	Standard Focusing Magnifier 5x	13.68
16,625 LVFOO	Wide Field Focusing Magnifier 5x	21.00
16,715 PAM00	Wide Field Angular (90°) Focusing Magnifier 5x	36.00
16,720 LWHOO	Focusing Magnifier 30x	19.20
16,680 ROONP	Carrying Arm , fitting uprights 32mm in diameter; has tapped holes for Tape Measure SOOWU, tripod screw for fastening Focaslide or Bellows Focusing Device with adapter; and wing nut for tightening on upright.....	12.00
16,685 ROOFU	Carrying Arm , fitting uprights 40mm in diameter; has receptacle for holding Special Projection Head OUTSO, tapped holes for Tape Measure TUSOO, tripod screw for fastening Focaslide or Bellows Focusing Device with adapter; and wing nut for tightening on upright.....	12.00

16,690 SOOWU	Tape Measure, fitting Carrying Arm ROONP, with weight, for measuring height of camera above base board.....	\$ 3.30
16,695 TUSOO	Tape Measure, fitting Carrying Arm ROOFU, with weight, for measuring height of camera above base board.....	3.30
16,700 YROOF	Rack and Pinion Attachment, for critical adjustment of focus, for use with Focaslide on Carrying Arms ROONP and ROOFU.....	25.50
16,705 XBEEF	Adapter Bracket, with dovetail slide, fitting Focaslide to arm of Leitz Pillar Stand LURTE or US II.....	9.20
16,750 OUTSO	Special Projection Head; with 100 watt special projection bulb and condenser; bayonet flanges fitting over ground-glass screen of Focaslide for projecting focusing pattern and outlining area to be photographed.....	33.00



Reprovit II, Cat. No. 16,795


Reproduction Equipment

16,630 OOZMY	Basic Focaslide Outfit, for use with Elmar 50mm, f/3.5 Leica lens, with <i>wide-field magnifier</i> for reproduction ratios 1:17 to 1:1; consisting of:.....	79.92
16,605 OOZAB	Focaslide, with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica lenses and with two tripod bushings for fastening to tripod, Bellows Focusing Device or Carrying Arms ROONP and ROOFU for use on Leitz enlargers, copying stand or Reprovit I.....	36.00
16,610 ZOOXY	Helical Focusing Mount, for use with Focaslide and Elmar 50mm, f/3.5 Leica lens, adjustable through a range of 22.5mm, for reproduction ratios of 1:17 to 1:2.....	12.00
16,615 ROOYH	Repro Extension Tube, 26mm, for use with Helical Focusing Mount ZOOXY and Elmar 50mm, f/3.5 Leica lens, for reproduction ratios of 1:2 to 1:1.....	2.70
16,620 VALOO	Diaphragm Actuating Ring, with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in vertical position, in enlarger or in Bellows Focusing Device. <i>Extension of adjusting ring serves as sunshade and Elmar filters may be fitted to front of the ring.</i>	6.60

16,625 LVFOO	Wide Field Focusing Magnifier 5x , for use with Focaslide or Mirror Reflex Housing OZUPO.....	\$ 21.00
14,075 OPKOM	Leica Camera Cable Release , 20 inches long, with set screw..	1.62
16,655 ZOOSIHESUM	Intermediate Focusing Mount , with set of three Special Extension Tubes, for use with Focaslide and Summar or Summitar 50mm, f/2 Leica lens, for reproduction ratios of 1:14.5 to 1:1 consisting of:.....	15.30
16,650 ZWTOOHESUM	Intermediate Focusing Mount , for use with Focaslide and Summar or Summitar 50mm, f/2 Leica lens, adjustable through a range of 8mm.....	9.90
16,635 BOOXZ	Special Extension Tube B , (7mm) for use with Summar or Summitar 50mm, f/2 Leica lens.....	1.20
16,640 FVOOQ	Special Extension Tube F , (15mm) for use with Summar or Summitar 50mm, f/2 Leica lens.....	1.50
16,645 GVKOO	Special Extension Tube G , (30mm) for use with Summar or Summitar 50mm, f/2 Leica lens.....	2.70
16,735 BRBSM	Basic Reproduction Outfit , for use with Elmar 50mm, f/3.5 Leica lens, for copying at ratios of 1:17 to 1:2; consisting of:..	90.18
16,675 VELTU	Copying Stand , consisting of base board 15¼ x 20¾ in. with upright 39 inches high, 32mm diameter.....	16.50
16,680 ROONP	Carrying Arm , fitting uprights 32mm in diameter and accepting Focaslide.....	12.00
16,605 OOZAB	Focaslide , with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica lenses and with two tripod bushings.....	36.00
16,610 ZOOXY	Helical Focusing Mount , for use with Focaslide and Elmar 50mm, f/3.5 Leica lens, adjustable through a range of 22.5mm, for reproduction ratios of 1:17 to 1:2.....	12.00
16,624 LGCOO	Standard Focusing Magnifier 5x , for use with Focaslide....	13.68
16,740 OMEXOROOHY	Portable Reproduction Outfit , for use with Elmar 50mm, f/3.5 Leica lens, with <i>wide-field magnifier</i> , for reproduction ratios 1:17 to 1:1; consisting of:.....	163.32
16,730 OOZEG	Folding Copying Stand , with 62cm calibrated upright, calibrated base rod with adjustable supporting feet and two adjustable rods for steadying the camera.....	54.00
14,115 KGOON	Large Ball and Socket Tripod Head , special rigid construction.....	9.00
16,605 OOZAB	Focaslide , with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica Lenses and with two tripod bushings.....	36.00
16,610 ZOOXY	Helical Focusing Mount , for use with Focaslide and Elmar 50mm, f/3.5 Leica lens, adjustable through a range of 22.5mm, for reproduction ratios of 1:17 to 1:2.....	12.00
16,615 ROOYH	Repro Extension Tube , 26mm, for use with Helical Focusing Mount ZOOXY and Elmar 50mm, f/3.5 Leica lens, for reproduction ratios of 1:2 to 1:1.....	2.70
16,620 VALOO	Diaphragm Actuating Ring , with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in vertical position, in enlarger or in Bellows Focusing Device. <i>Extension of adjusting ring serves as sunshade and Elmar filters may be fitted to front of the ring.</i>	6.60

16,625 LVFOO	Wide Field Focusing Magnifier 5x, for use with Focaslides and Mirror Reflex Housing OZUPO.....	\$ 21.00
14,075 OPKOM	Leica Camera Cable Release, 20 inches long, with set screw..	1.62
14,655 ONLIO	Canvas Bag, for portable copying equipment.....	20.40
16,755 ROOSE	Reprovit I Reproduction Outfit , with Special Projection Head for use with Elmar 50mm, f/3.5 Leica lens, for copying by reflected or transmitted light at ratios of 1:17 to 1:2; consisting of:	144.60
16,745 OVAFO	Special Baseboard , 23 x 27 inches, with upright 47 inches high, 40mm diameter; rubber shock-absorbing supports and built-in change-over switch for switching from projection focusing light to copying lights.....	45.00
16,685 ROOFU	Carrying Arm , fitting uprights 40mm in diameter; has receptacle for holding Special Projection Head OUTSO, tapped holes for Tape Measure TUSOO, tripod screw for fastening Focaslides or Bellows Focusing Device with adapter; and wing nut for tightening on upright.....	12.00
16,605 OOZAB	Focaslides , with ground-glass focusing screen having clear glass center with focusing pattern, sliding upper plate holding Leica camera, lower plate with lens flange threaded for Leica lenses and with two tripod bushings.....	36.00
16,750 OUTSO	Special Projection Head ; with 100 watt special projection bulb and condenser; bayonet flanges fitting over ground-glass screen of Focaslides for projecting focusing pattern and outlining area to be photographed.....	33.00
16,610 ZOOXY	Helical Focusing Mount , for use with Focaslides and Elmar 50mm, f/3.5 Leica lens, adjustable through a range of 22.5mm, for reproduction ratios of 1:17 to 1:2.....	12.00
16,620 VALOO	Diaphragm Actuating Ring , with click stops, for use with Elmar 50mm, f/3.5 Leica lens. Convenient for adjusting lens aperture when lens is used in vertical position, in enlargers or in Bellows Focusing Device. <i>Extension of adjusting ring serves as sunshade and Elmar filters may be fitted to front of the ring.</i>	6.60
16,760 UVWOO	Lamp Adapter ; for connecting four lamps of any design, such as desk lamps, to built-in change-over switch in base of Reprovit I	2.70
16,785 RKCOO	Four-Lamp Illuminator , for illumination by reflected light; consisting of large stand fitting under baseboard, four adjustable reflectors with inside frosted 100 watt bulbs and connectors for connecting to built-in change-over switch in base of Reprovit I	99.00
16,795 ROOXU	Reprovit II Universal Reproduction Outfit , with special projection head; special focusing stage with bellows and rack and pinion focusing movement, which can be removed and placed on a tripod for field use; 50mm, f/4.5 lens corrected for close distances, lens diaphragm adjusting automatically as focusing stage is moved from focusing to taking position; counter-weight for ease in positioning self-locking copying head on upright and rack and pinion adjustment of vertical movement for critical focus. For copying by reflected or transmitted light at ratios of 1:17 to 1:1, or with accessories at magnifications up to 6.5x. Consisting of:.....	445.65
16,765 RIOOX	Special Baseboard , 23 x 27 inches, with double vertical column 47 inches high; self-locking counterbalanced carrying arm for holding Special Projection Head, attached tape measure and Special Focusing Stage; rubber shock-absorbing supports and built-in change-over switch for switching from projection focusing light to copying lights.....	156.00

16,770 ROOAI	Special Focusing Stage, with ground-glass focusing screen having clear glass center with focusing pattern; sliding upper plate holding Leica camera; lower plate with leather bellows and rack and pinion focusing movement, calibrated scale indicating ratios of reproduction from 1:17 to 1:1 and exposure factors. <i>Tripod socket permits removal from carrying arm and placing on tripod for field use.</i>	\$105.00
16,775 RDQOO	Diaphragm Lever and Lever Operating Guide, attaching to sliding upper plate of Focusing Stage. Automatically opens lens diaphragm when stage is in focusing position, closing it down to f/11 when stage is moved to taking position	7.20
16,750 OUTSO	Special Projection Head; with 100 watt special projection bulb and condenser; bayonet flanges fitting over ground-glass screen of Special Focusing Stage or Focastide for projecting focusing pattern and outlining area to be photographed	33.00
16,781 DOOCQ	Focotar 50mm, f/4.5 coated lens, with click stops. Especially corrected for reproduction work within the range of the Reprovit	45.00
16,785 RKCOO	Four-Lamp Illuminator, for illumination by reflected light; consisting of large stand fitting under baseboard, four adjustable reflectors with inside frosted 100 watt bulbs and connectors for connecting to built-in change-over switch in base of Reprovit II	99.00
16,790 RFOOC	Special Tool, for assembling Reprovit II45
16,820 SUMANROOVZ	Micro Summar 24mm, f/4.5 lens, with intermediate adapter, for use on Reprovit II to obtain magnifications up to 6.5x	75.00
16,615 ROOYH	Repro Extension Tube, 26mm, for use on Reprovit. Range of Reprovit I is extended from 1:2 to 2:1 by using 3 <i>Repro</i> tubes. <i>Range of Reprovit II is extended from 1:1 to 2:1 by using 2 tubes.</i>	2.70
17,675 DOORX	Extension Ring, for converting Focotar lens DOOCQ, as supplied with Reprovit II, to Focotar lens DOOHF for use in Valoy and Focomat Ic enlargers	1.50
16,800 RGWOO	Framing Box, 16 $\frac{5}{8}$ x 23 $\frac{3}{8}$ inches, with clamping device, for holding material to be copied. <i>Books up to 5 inches thick are held flat by pressure against a thick glass top.</i>	111.00
16,805 OOEVM	Illuminating Box, 7 x 9 $\frac{1}{2}$ inches, with milk-glass plate for diffusion and clear glass plate for holding material to be copied; four 25 watt bulbs assures even illumination. <i>For copying transparent material, x-ray negatives, etc.</i>	42.00
16,810 OOEUK	Illuminating Box, 14 x 16 inches, with milk-glass plate for diffusion and clear glass plate for holding material to be copied; four 60 watt bulbs assures even illumination. <i>For copying transparent material, x-ray negatives, etc.</i>	84.00
16,815 BEEUL	Connecting Cord, 5 feet long, plug, socket and switch; for connecting Illuminating Boxes OOEVM and OOEUK	5.00
16,825 VOLAM	Projection Bulb, 100 watt, for Special Projection Head OUTSO (as replacement)	4.50
16,830 VFOOL	Bulb, 100 watt, for Four-Lamp Illuminator RKCOO (as replacement)	1.00
16,835 BERAT	Bulb, 25 watt, for Illuminating Box OOEVM (as replacement)80
16,840 VKOOK	Bulb, 60 watt, for Illuminating Box OOEUK (as replacement)90



PHOTOMICROGRAPHIC EQUIPMENT

Micro Ibsor, Cat. No. 17,000
with Double Release, Cat. No. 17,010


Catalog Number
and Code Word

Item

Retail Price

17,000 MIKAS	<p>Micro Ibsor, for photomicrography with Leica camera, fitting any microscope having standard diameter draw-tube. Consists of: focusing eye-piece with diopter scale for focusing microscope and viewing image; swing-out prism transmitting 60% of light for photography, 40% for viewing; Ibsor shutter with speeds from 1 to 1/125th second; interchangeable conical tube with 1/3x correction lens; Periplan 10x compensating ocular; cable release with set-screw for operating prism and cable release without set-screw for operating shutter.....</p>	\$108.00
17,005 MIBAC	<p>Micro Ibsor, as described above, but with interchangeable Conical Tube with 1/2x correction lens in place of 1/3x tube.....</p>	111.00
14,070 FINOT	<p>Leica Camera Cable Release, 10 inches long, with set-screw. <i>For locking focal plane shutter in open position when using Leica models If or IIf with Micro Ibsor</i>.....</p>	1.20
17,025 GIIEF	<p>Interchangeable Conical Tube, with 1/3x correction lens, for use with Micro Ibsor, (as replacement).....</p>	14.00
17,030 GIIMW	<p>Interchangeable Conical Tube, with 1/2x correction lens, for use with Micro Ibsor, (as replacement).....</p>	17.00
17,050 RPNOO	<p>Micro Attachment, for photomicrography with Leica camera and Focalslide fitted to upright of Leitz enlarger, copying stand or Reprovit I. (<i>Carrying Arm ROONP or ROOFU is required to fit Focalslide to upright</i>). Consists of: focusing eye-piece with diopter scale for focusing microscope and viewing image; swing-out prism transmitting 60% of light for photography, 40% for viewing; Ibsor shutter with speeds from 1 to 1/125th second; interchangeable cylindrical tube with 1/3x correction lens; light excluding adapter for light-tight connection of microscope and Micro Attachment; cable release with set-screw for operating prism and cable release without set-screw for operating shutter; <i>but without ocular</i>.....</p>	100.00
14,070 FINOT	<p>Leica Camera Cable Release, 10 inches long, with set-screw. <i>For locking focal plane shutter in open position when using Leica models If or IIf with Micro Attachment RPNOO</i>.....</p>	1.20
17,055 PEZEN	<p>Periplan Compensating Ocular, 10x, for use with Micro Attachment RPNOO or as replacement for Micro Ibsor. <i>Ocular is supplied with Micro Ibsor MIKAS but not with Micro Attachment RPNOO</i>.....</p>	13.00
17,010 CALOS	<p>Double Release, fitting cable releases of Micro Ibsor or Micro Attachment RPNOO, for simultaneously swinging prism out of path of rays and releasing Ibsor shutter.....</p>	10.00

17,015 GIIBR	Cable Release , with set-screw, for operating prism, as supplied with Micro Ibsso and Micro Attachment RPNOO, (as replacement)	\$2.00
17,020 GIIFT	Cable Release , without set-screw, for operating shutter, as supplied with Micro Ibsso and Micro Attachment RPNOO, (as replacement)	1.80
17,032 LSZOO	Light-Excluding Rings , set of two, for light-tight connection between microscope and Interchangeable Conical Tube GIIEF or GIIMW when used direct on Focalslide. (<i>Microscope is focused by observing image on ground-glass screen</i>)	7.50
17,035 GDIHK	Adapter , for fitting Micro Ibsso to Leitz polarizing microscopes having large diameter draw-tube	3.50
17,040 AGIHU	Clamping Ring , fitting microscope adjustable draw-tube having inside diameter of 31.8mm (Leitz Stand B). <i>Maintains adjustment of draw-tube under weight of Micro Ibsso and Leica</i>	3.50
17,045 GFEII	Clamping Ring , fitting microscope adjustable draw-tube having inside diameter of 25.4mm (Leitz Stand G). <i>Maintains adjustment of draw-tube under weight of Micro Ibsso and Leica</i>	3.50
17,060 BEECH	Universal Microscope Lamp Monla , for photomicrography or visual observation; low voltage, high amperage, concentrated filament bulb (6 volt, 5 ampere), focusing condenser and stand ..	38.00
17,065 REDYX	Regulating Transformer , for use with Microscope Lamp Monla, with ammeter, 110/220 volts, A.C.	45.00
17,070 REDIGBEEUL	Resistance , for use with Microscope Lamp Monla, 110 volts, D.C.	26.00
17,075 LINID	Bulb , 6 volt, 5 ampere; for use in Microscope Lamp Monla, (as replacement)	2.50
17,080 DTEEO	Lifa Green Filter , for photomicrography, fitting filter stand IFSTA	11.00
17,085 IFSTA	Lifa Filter Stand , for holding filters used in photomicrography ..	12.00



Prado "250" Projector, Cat. No. 19,060

PROJECTORS

Catalog Number and Code Word	Item	Retail Price
19,000 DUUYO	Prado "150" Projector , complete with coated two element condenser for 85mm lens, heat filter, 150 watt, 110 volt projection lamp, slide changer for 2 x 2 inch glass slides or "Readymounts"; fitted with tripod socket, built-in light switch and Hektor 85mm, f/2.5 coated projection lens in focusing mount.	\$ 78.00*
14,665 DYTUU	Carrying Case, fabric covered, for Prado "150" projector	12.60
19,005 DYUUI	Microfilm Reading Apparatus , for reading 2 x 2 inch slides, or by using film attachment, 35mm film strips. Consisting of:	124.00*
19,010 DUUOI	Prado "150" Projector , with coated two element condenser for 50mm lens, heat filter, 150 watt, 110 volt projection lamp, slide changer for 2 x 2 inch glass slides or "Readymounts"; fitted with tripod socket, built-in light switch and lens carrier for 50mm Leica or projection lenses, <i>but without lens</i>	49.00*
19,015 WUUNE	Elmar 50mm, f/3.5 coated projection lens , in focusing mount, <i>without iris diaphragm</i>	30.00
19,020 SHUUC	Reading Box , with bushing for mounting Prado "150" projector DUUOI, white projection surface set at convenient viewing angle and protected from stray light, adjustable mirror for projecting onto viewing screen and mirror holding bracket which can be swung down when projecting onto large projection screen.	45.00
16,635 BOOXZ	Special Extension Tube B, 7mm , for use with Prado "150" projector DUUOI and 50mm Leica lenses. <i>Tube B is placed between Leica 50mm lens and projector when used with Reading Box SHUUC</i>	1.20
19,025 SBUUI	Removable Film Attachment , for 35mm double frame (24 x 36 mm) film strips, for use on Prado "150" projectors DUUYO and DUUOI.	14.00
19,030 SUUAW	Interchangeable Mask , single frame (18 x 24mm), for film attachment SBUUI.	1.20
19,035 SCNUU	Removable Slide Changer , for 2 x 2 inch glass slides or "Readymounts". (<i>Replacement, as supplied with Prado "150" projectors DUUYO and DUUOI</i>).	6.60
19,040 DVUUM	Projection Lamp , 150 watt, 110 volt. (<i>Replacement, as supplied with Prado "150" projectors DUUYO and DUUOI</i>).	7.00
19,050 UDYTU	Prado "250" Projector , complete with coated two element interchangeable condenser, heat filter, 250 watt, 110 volt projection lamp, built-in tilting adjustment, window shutter for reading notes, slide changer for 2 x 2 inch glass slides or "Readymounts" and Hektor 85mm, f/2.5 coated projection lens in focusing mount.	105.00*


* Including Federal Manufacturer's Excise Tax.

19,055 UDOYU	Prado "250" Projector , complete as above, but with Dimaron 100mm, f/2.8 coated projection lens in focusing mount.....	\$104.00*
19,060 UDREU	Prado "250" Projector , complete as above, but with Hektor 100mm, f/2.5 coated projection lens in focusing mount.....	114.00*
19,065 UFAVU	Prado "250" Projector , complete as above, but with Hektor 120mm, f/2.5 coated projection lens in focusing mount.....	130.00*
19,070 UMYLU	Prado "250" Projector , complete as above, but with Dimaron 150mm, f/2.8 coated projection lens in focusing mount.....	118.00*
19,075 UESFU	Prado "250" Projector , complete as above, but with Hektor 150mm, f/2.5 coated projection lens in focusing mount.....	148.00*
19,080 UGHIU	Removable Film Attachment , for 35mm double frame (24 x 36 mm) film strips, for use on Prado "250" Projector.....	14.00
19,085 UFYRU	Interchangeable Mask , single frame (18 x 24mm), for film attachment UGHIU.....	1.20
19,090 UGFEU	Removable Slide Changer , for 2 x 2 inch glass slides or "Ready-mounts". (Replacement, as supplied with Prado "250" Projector).	6.00
19,095 UKYNU	Micro Projection Attachment , fitting Prado "250" Projector, for projecting microscopical specimens, complete with stage clips and Micro-Summar 25mm lens.....	66.00
19,100 DOBOR	Micro-Aquarium , fitting Micro Projection Attachment UKYNU, for projecting micro-organisms suspended in solution.....	6.60
19,105 APUUM	Projection Lamp , 250 watt, 110 volt. (Replacement, as supplied with Prado "250" Projector).....	8.50
19,110 ANZUU	Resistor , permitting use of Prado "250" Projector on 220 volt circuit.....	13.50
14,670 UNOPU	Carrying Case , fiber, with fittings for Prado "250" projector and accessories (17 x 11 x 6 inches).....	12.00

Interchangeable Projection Lenses for Prado "250" Projector. The lenses and focusing mounts are listed separately. One focusing mount is supplied with the projector when purchased.

19,130 UFOWU	Hektor 85mm , f/2.5 coated projection lens, <i>without focusing mount</i>	29.00
19,135 UEYSU	Dimaron 100mm , f/2.8 coated projection lens, <i>without focusing mount</i>	28.00
19,140 UFSEU	Hektor 100mm , f/2.5 coated projection lens, <i>without focusing mount</i>	38.00
19,145 UFGOU	Hektor 120mm , f/2.5 coated projection lens, <i>without focusing mount</i>	54.00
19,150 UFPYU	Dimaron 150mm , f/2.8 coated projection lens, <i>without focusing mount</i>	42.00
19,155 USERU	Hektor 150mm , f/2.5 coated projection lens, <i>without focusing mount</i>	72.00
19,160 UTBKU	Focusing Mount , for 85mm, 100mm, and 120mm projection lenses. (Supplied with Prado "250" projector when fitted with 85mm, 100mm or 120mm lens. Required when projector is purchased with 150mm lens and later used with 85mm, 100mm or 120mm lens).....	5.00

19,165 UTAHU	Focusing Mount , for 150mm projection lens. (<i>Supplied with Prado "250" projector when fitted with 150mm lens. Required when projector is purchased with 85mm, 100mm or 120mm lens and later used with 150mm lens</i>)	\$5.00
19,170 UNIEU	Interchangeable Condenser , coated, for use in Prado "250" projector when fitted with 85mm, 100mm or 120mm projection lens. (<i>Supplied with projector when fitted with 85mm, 100mm or 120mm lens. Required when projector is purchased with 150mm lens and later used with 85mm, 100mm or 120mm lens</i>)	4.00
19,175 UNLIU	Interchangeable Condenser , coated, for use in Prado "250" projector when fitted with 150mm projection lens. (<i>Supplied with projector when fitted with 150mm lens. Required when projector is purchased with 85mm, 100mm or 120mm lens and later used with 150mm lens</i>)	4.00



Leitz 6 x 30 Binoculars, Cat. No. 18,025

PRISM BINOCULARS

Leitz Prism Binoculars are light weight and constructed with the same high precision as the Leica camera and Leitz microscopes. All glass-to-air surfaces of the optical system are coated, producing an exceptionally brilliant image. The lenses and prisms are rigidly mounted, maintaining their fine adjustment through a lifetime of use, and are sealed against dust and moisture. The right eyepiece, on central focusing models, is adjustable for variance between an individuals eyes and is fitted with a diopter scale for ease in resetting; likewise, the interpupillary distance is readily reset by reference to the millimeter scale.

All Leitz binoculars, except the 3 and 4 power, 6 x 25, and the theatre glasses, are available in both central and individual focusing models. Central focusing offers the greatest convenience and is the most rapid for following motion or when changing from close to distant observation. Individual eyepiece focusing is recommended where the glass is to be used under extreme conditions or where it is essential that it be water-tight.

Leitz binoculars are available in a wide variety of magnifications and objective diameters to meet all requirements. Each binocular, except the theatre glass, is furnished with a neck strap and beautifully finished brown leather case with adjustable shoulder strap.

18,000 BINAR	Prism Binocular 3 x 13.5 , central focusing. A small glass for the theatre, indoor sports, or wherever the utmost performance at low magnification is desired.		
	<i>Light transmission</i>	20.25	
	<i>Angle of view</i>	13.3°	
	<i>Field at 100 yards</i>	23 yds	
	<i>Weight without case</i>	4 oz.	
	Complete in leather case		\$ 87.00†
18,005 OBERON	Prism Binocular 3.2 x 14 , central focusing. A compact, flat-styled, beautifully finished theatre glass.		
	<i>Light transmission</i>	19.14	
	<i>Angle of view</i>	12.5°	
	<i>Field at 100 yards</i>	22 yds.	
	<i>Weight without case</i>	4 oz.	
	Complete in folding, black morocco, vanity-type, leather case with mirror		84.00†
18,010 BITUR	Prism Binocular 4 x 20 , central focusing. A small glass for indoor and outdoor sports, bird watching and general use. Its size, light weight and high transmission makes it ideal for spotting game in deep woods.		
	<i>Light transmission</i>	25	
	<i>Angle of view</i>	10.3°	
	<i>Field at 1000 yards</i>	180 yds.	
	<i>Weight without case</i>	8 oz.	
	Complete in leather case		90.00†
18,015 BINOLIT	Prism Binocular 6 x 25 , central focusing. A compact lightweight glass for general use where high light transmission is not essential.		
	<i>Light transmission</i>	17.39	
	<i>Angle of view</i>	8.5°	
	<i>Field at 1000 yards</i>	150 yds.	
	<i>Weight without case</i>	14 oz.	
	Complete in leather case		99.00†
18,025 BIDOXIT	Prism Binocular 6 x 30 , central focusing. Standard glass for general outdoor and sport use where high transmission and minimum weight are required.		
	<i>Light transmission</i>	25	
	<i>Angle of view</i>	8.5°	
	<i>Field at 1000 yards</i>	150 yds.	
	<i>Weight without case</i>	17 oz.	
	Complete in leather case		114.00†
18,020 BIDOX	Prism Binocular 6 x 30 , individual focusing.		
	<i>Weight without case</i>	16½ oz.	
	<i>Other specifications as listed under BIDOXIT</i>		
	Complete in leather case		108.00†
18,035 BINUXIT	Prism Binocular 8 x 30 , central focusing. <i>Wide-field</i> glass for general outdoor and sport use. The coverage, which is the same as the 6 x 30 binocular, and the higher magnification makes this the ideal glass for spectator sports and tourist use.		
	<i>Light transmission</i>	14	
	<i>Angle of view</i>	8.5°	
	<i>Field at 1000 yards</i>	150 yds.	
	<i>Weight without case</i>	18½ oz.	
	Complete in leather case		126.00†

18,030 BINUX	Prism Binocular 8 x 30 , individual focusing. <i>Weight without case</i> 17½ oz. <i>Other specifications as listed under BINUXIT</i> Complete in leather case..... \$120.00†
18,045 MARSEPTIT	Prism Binocular 7 x 50 , central focusing. The exceptional transmission and ability to resolve detail in shadow, makes this the standard glass for night use. Medium power permits hand holding for observation of game in deep woods. <i>Light transmission</i> 51 <i>Angle of view</i> 7.3° <i>Field at 1000 yards</i> 128 yds. <i>Weight without case</i> 34 oz. Complete in leather case..... 162.00†
18,040 MARSEPT	Prism Binocular 7 x 50 , individual focusing. The ideal glass for marine and air use. <i>Weight without case</i> 33 oz. <i>Other specifications as listed under MARSEPTIT</i> Complete in leather case..... 156.00†
18,055 MAROCITIT	Prism Binocular 8 x 60 , central focusing. <i>Highest light transmission of any binocular.</i> Where weight is not a consideration, the additional transmission and magnification of this glass, over the 7 x 50 binocular, classes it as the best available for use under adverse light conditions. <i>Light transmission</i> 56.25 <i>Angle of view</i> 6.3° <i>Field at 1000 yards</i> 110 yds. <i>Weight without case</i> 44 oz. Complete in leather case..... 192.00†
18,050 MAROCTO	Prism Binocular 8 x 60 , individual focusing. <i>Weight without case</i> 43 oz. <i>Other specifications as listed under MAROCITIT</i> Complete in leather case..... 186.00†
18,065 CAMPARIT	Prism Binocular 10 x 40 , central focusing. <i>Wide-field</i> glass combining good transmission with a magnification still not too great for hand use. Ideal for game spotting in open country or mountain climbing where weight must be considered. <i>Light transmission</i> 16 <i>Angle of view</i> 7.3° <i>Field at 1000 yards</i> 128 yds. <i>Weight without case</i> 30 oz. Complete in leather case..... 177.00†
18,060 CAMPAR	Prism Binocular 10 x 40 , individual focusing. <i>Weight without case</i> 29 oz. <i>Other specifications as listed under CAMPARIT</i> Complete in leather case..... 171.00†
18,075 MARDIXIT	Prism Binocular 10 x 50 , central focusing. The highest power glass of medium weight for use under poor light conditions. <i>Light transmission</i> 25 <i>Angle of view</i> 5° <i>Field at 1000 yards</i> 87½ yds. <i>Weight without case</i> 33½ oz. Complete in leather case..... 171.00†

18,070	Prism Binocular 10 x 50, individual focusing.		
MARDIX	<i>Weight without case</i>	32½ oz.	
	<i>Other specifications as listed under MARDIXIT</i>		
	Complete in leather case.....		\$165.00†
18,085	Prism Binocular 10 x 60, central focusing. This glass embodies the highest light transmission and greatest magnification for hand use. Ideal for plane spotting and all uses where high magnification and transmission is required.		
DECIMARIT	<i>Light transmission</i>	36	
	<i>Angle of view</i>	5.8°	
	<i>Field at 1000 yards</i>	102 yds.	
	<i>Weight without case</i>	43 oz.	
	Complete in leather case.....		192.00†
18,080	Prism Binocular 10 x 60, individual focusing.		
DECIMAR	<i>Weight without case</i>	42½ oz.	
	<i>Other specifications as listed under DECIMARIT</i>		
	Complete in leather case.....		186.00†
18,095	Prism Binocular 12 x 50, central focusing. Wide-field glass of high magnification for game, mountain use and fire spotting by rangers.		
CAMPOMARIT	<i>Light transmission</i>	17.4	
	<i>Angle of view</i>	5.75°	
	<i>Field at 1000 yards</i>	100 yds.	
	<i>Weight without case</i>	42 oz.	
	Complete in leather case.....		189.00†
18,090	Prism Binocular 12 x 50, individual focusing.		
CAMPOMAR	<i>Weight without case</i>	41 oz.	
	<i>Other specifications as listed under CAMPOMARIT</i>		
	Complete in leather case.....		183.00†
18,105	Prism Binocular 12 x 60, central focusing. The highest power glass with sufficient light transmission to be used under poor light conditions.		
MARDOCIT	<i>Light transmission</i>	25	
	<i>Angle of view</i>	4.3°	
	<i>Field at 1000 yards</i>	75 yds.	
	<i>Weight without case</i>	43 oz.	
	Complete in leather case.....		195.00†
18,100	Prism Binocular 12 x 60, individual focusing.		
MARDOCE	<i>Weight without case</i>	42½ oz.	
	<i>Other specifications as listed under MARDOCIT</i>		
	Complete in leather case.....		189.00†
18,115	Prism Binocular 15 x 60, central focusing. Wide-field glass of highest magnification. Used for observing at great distances. Ideal for viewing in the clear air at high altitudes.		
CAMPOFORTIT	<i>Light transmission</i>	16	
	<i>Angle of view</i>	4.64°	
	<i>Field at 1000 yards</i>	81 yds.	
	<i>Weight without case</i>	45 oz.	
	Complete in leather case.....		204.00†
18,110	Prism Binocular 15 x 60, individual focusing.		
CAMPOFORT	<i>Weight without case</i>	44 oz.	
	<i>Other specifications as listed under CAMPOFORTIT</i>		
	Complete in leather case.....		198.00†

Monoculars

Monoculars are used when price, weight or available space are considerations, or wherever a stereoscopic effect is not necessary. When mounted on a support they provide an excellent means of viewing a fixed area. Persons with sight in only one eye need not buy the more expensive binoculars to experience the thrill of using a fine glass.


A monocular is essentially half of a binocular. The single eyepiece is focused in the same manner as an individually focused binocular and is fitted with a diopter scale. The light transmission, angle of view and field covered are the same as for binoculars with the same magnification and objective diameter.

Leitz monoculars are available in a wide variety of magnifications and objective diameters to meet all requirements. Each monocular is furnished with a neck strap and beautifully finished brown leather case with adjustable shoulder strap.

<i>Catalog Number and Code Word</i>	<i>Item</i>	<i>Retail Price</i>
18,500 MONTUR	Prism Monocular 4 x 20, complete in leather case.....	\$42.00
18,505 MONDAL	Prism Monocular 6 x 15: <i>Light transmission</i> 6.25 <i>Angle of view</i> 6.8° <i>Field at 1000 yards</i> 120 yds. Complete in leather case.....	39.00
18,510 MONOL	Prism Monocular 6 x 24: <i>Light transmission</i> 16 <i>Angle of view</i> 8.5° <i>Field at 1000 yards</i> 150 yds. Complete in leather case.....	45.00
18,515 MONDOX	Prism Monocular 6 x 30, complete in leather case.....	54.00
18,520 MONUX	Prism Monocular 8 x 30, complete in leather case.....	60.00
18,525 MOMAR	Prism Monocular 7 x 50, complete in leather case.....	78.00
18,530 MONACHT	Prism Monocular 8 x 60, complete in leather case.....	93.00
18,535 MONOCAMP	Prism Monocular 10 x 40, complete in leather case.....	85.50
18,540 MONDIX	Prism Monocular 10 x 50, complete in leather case.....	82.50
18,545 MONDIMAR	Prism Monocular 10 x 60, complete in leather case.....	93.00
18,550 MONOMAR	Prism Monocular 12 x 50, complete in leather case.....	91.50
18,555 MONDOCE	Prism Monocular 12 x 60, complete in leather case.....	94.50
18,560 MONOFORT	Prism Monocular 15 x 60, complete in leather case.....	99.00

Binocular Accessories

<i>Catalog Number</i>	<i>Item</i>	<i>Retail Price</i>
18,565	Leather Rainguard, for binoculars, fitting on neck strap.....	\$1.65
18,570	Rubber Rainguard, for binoculars.....	.96
18,575	Yellow Filter I (light), for binoculars, slipping over eye-pieces for reduction of glare.....	2.85
18,580	Orange Filter II (medium), for binoculars, slipping over eye-pieces for reduction of glare.....	2.85
18,585	Orange-Red Filter III (dark), for binoculars, slipping over eye-pieces for reduction of glare.....	2.85
18,590	Red Filter IV (light), for binoculars, slipping over eye pieces for increasing contrast.....	2.85
18,600	Neophan Filter (red-green), for binoculars.....	3.60
18,605	Reticule, in mount. Fits in eyelens, used for estimating distance to object. (<i>If not ordered with binocular, glass must be sent to service department for installation</i>).....	7.80



Leica Manual, Cat. No. 20,010

PUBLICATIONS

LEICA PHOTOGRAPHY, quarterly publication sent without charge to all registered Leica owners residing in the United States and its possessions.

Domestic subscription to non-Leica owners, per year \$1.00
 Foreign subscription to Leica owners or non-owners, per year 2.00

Leica owners who reside in the United States or its possessions and who are not receiving "Leica Photography", may register their Leica equipment by sending their name and address and serial numbers of their camera and lenses to:

Registration Department
E. Leitz, Inc.
 468 Fourth Avenue
 New York 16, N. Y.


<i>Catalog Number and Code Word</i>	<i>Item</i>	<i>Retail Price</i>
20,000 LPBGL	Leica Photography Binder, 9½ x 11½ inches, holding up to 8 copies of "Leica Photography". Hard cover finished in green leatherette with embossed gold lettering.	\$ 3.00
20,005 LEBBM	Leica Binder, 7 x 9 inches, multiple ring, 1 inch capacity, for holding Leica booklets and literature. Flexible cover finished in blue morocco with gold stamping. Supplied with 5 index separators and registration card.	1.35
20,010 LIMAN	Leica Manual. An authoritative book on the Leica, its accessories and their uses. Over 400 pages, 24 chapters on all branches of Leica photography, written by experts. 12th edition, cloth bound.	5.00
20,012 PWLCB	My Experiences in Color Photography, by Dr. Paul Wolff. A comprehensive course in color photography illustrated with 54 full page Leica color photographs; 151 pages, translated from the German, deluxe cloth binding, with gold stamping.	10.00
20,020	Leica Camera Instruction Book.35
20,025	Close-up and Photomicrography with the Leica, an excellent reference and instruction manual for using Leica reproduction and photomicrographic equipment.35
20,035	Leica Lens Tables.15
20,040	Flash Factor Card, for use with synchronized Leica cameras having BLACK synchro-scale and shutter speeds of 1/30, 1/40, 1/60th second, etc.15

20,045	Flash Factor Card, for use with synchronized Leica cameras having RED synchro-scale and shutter speeds of 1/25, 1/50, 1/75th second, etc.....	\$.15
--------	---	--------

Literature Available on Request

Number	Item	Number	Item
1371	Leica Cameras	8310	Optical Close-Focusing Device
1356	Leica Lenses	1362	Bellows Focusing Device
1373	Leica Filters	13-A	Micro Ibsos for Photomicrography
1367	Leica-Meter	1380	Rondinax Daylight Developing Tank
1358	Imarect Viewfinder	1354	Focomat Ic Enlarger
8309	Self-Timer and Tripod Head	8274	Valoy Enlarger
1379	Leicavit Rapid Winder	1352	Bindomat for Slide Binding
1381	Summicron Lens	8062	Projectors
1365	Telyt Lenses	8187	Binoculars

Publications, books, instructions and binders listed herein, may be purchased from Leica Franchised Dealers or direct from E. Leitz, Inc., New York, N. Y.



CODE WORDS

<i>Code Word</i>	<i>Number</i>	<i>Page</i>	<i>Code Word</i>	<i>Number</i>	<i>Page</i>
ABCOO	15,015	25	CALOS	17,010	44
ABLON	15,000	25	CAMPAR	18,060	47
ADSUM	13,152	11, 22	CAMPARIT	18,065	47
ADSUMMI	13,154	12, 23	CAMPOFORT	18,110	48
AFLOO	15,010	25	CAMPOFORTIT	18,115	48
AGIIU	17,040	23, 42	CAMPOMAR	18,090	48
AGRIF	15,005	25	CAMPOMARIT	18,095	48
AKTOO	17,765	24, 32	CBOOD	17,715	32
ANZUU	19,110	44	CDEOO	17,725	32
APDOO	16,000	16	CDOOB	17,730	32
APOOM	14,645	16, 19	CEYOO	16,020	17
APUUM	19,105	24, 44	CFIOO	17,735	32
ASKOO	16,010	16	CFOOZ	17,745	32
			CGLOO	17,740	32
BDOOZ	14,610	19	CGOOY	17,750	32
BEECH	17,060	42	CHNOO	17,756	32
BEEUL	16,815	40	CHOOX	17,755	32
BEHOO	16,520	33	CINLE	11,080	7, 22
BELUN	16,510	33	CKOOV	17,720	32
BELUNHESUM	16,515	33	CLIPP	10,027	5, 16, 17, 22
BERAT	16,835	24, 40	CNOOS	16,090	17
BIDOX	18,020	46	CNXOO	16,110	18
BIDOXIT	18,025	46	CODRO	15,055	26
BINAR	18,000	46	COOED	16,670	36
BINOLIT	18,015	46	COOKT	16,105	17
BINUX	18,030	47	COOMU	16,102	17
BINUXIT	18,035	46	COONS	16,095	17
BITUR	18,010	46	COOQW	16,065	17, 24
BOOPV	14,605	19	COOUY	16,070	17
BOORW	14,590	19	COOVM	16,075	17
BOOSK	14,600	19	COOWZ	16,080	17
BOOWU	16,525	33	COOXN	14,620	19
BOOXZ	16,635	36, 38, 43	COOYA	14,625	19
BRBSM	16,735	38	CORBA	15,060	26

<i>Code Word</i>	<i>Number</i>	<i>Page</i>
CORCF	15,050	26
CORET	15,075	26
CORID	15,030	25
CORLE	15,070	26
COROL	15,040	25
CORPE	15,045	26
CORSO	15,065	26
CORUN	15,020	25
CORYB	15,025	25
COSTI	15,035	25
COSTIS	15,072	26
CPBOO	14,630	19
CQQWO	16,062	17, 23
CTOOM	16,125	18
CUMOO	16,100	17
ÐABRB	15,220	24, 28
DACMO	15,215	28
DAMCO	15,210	28
DAMOT	15,205	28
DECIMAR	18,080	48
DECIMARIT	18,085	48
DOBOR	19,100	44
DOOCQ	16,781	40
DOOHF	17,581	29, 30
DOORX	17,675	29, 40
DOOUM	17,683	32
DRXOO	14,010	25
DTEEO	17,080	42
DUUOI	19,010	43
DUUYO	19,000	43
DVUUM	19,040	24, 43
DYTUU	14,665	20, 43
DYUUI	19,005	43
EAWOO	17,635	32
EBOOH	14,615	19
EHLOO	14,640	19
EHOOB	14,545	19
ELANG	11,030	7
ELDIA	15,085	26
ELDUR	15,095	26
ELFOR	14,546	19

<i>Code Word</i>	<i>Number</i>	<i>Page</i>
ELGLA	15,100	26, 27
ELKIN	15,090	26
ELMAR	11,010	7
ELPET	16,540	33
ELPIK	16,535	33
ELPRO	16,530	33
EMOOX	14,540	18
EMTOO	14,585	19
ENOOW	14,570	19
ENTAR	14,525	18
EPZOO	14,535	18
EQBOO	14,505	18
ESFUS	14,515	18
ESNAR	14,510	18
ESOOG	14,500	18
ESOOR	14,530	18
ETBIX	14,565	19
ETFLA	14,542	18
ETILA	14,550	19
ETIME	14,560	19
ETINI	14,575	19
ETIPO	14,580	19
ETRNA	14,527	18
EXOOM	14,520	18
FCKOO	14,120	25
FEDOO	13,040	10
FELUK	17,510	29
FEOOG	13,050	10
FHKOO	14,125	25
FICHR	13,070	10
FIDAY	13,135	11
FIDAYMI	13,136	12
FIDRI	14,080	22
FIFLO	13,140	11
FIFLOMI	13,141	12
FIGAM	13,010	10
FIGRO	13,005	10
FIHEL	13,000	10
FIKAT	13,060	10
FIKLO	13,065	10
FIKUS	12,530	9
FIKYB	13,045	10

<i>Code Word</i>	<i>Number</i>	<i>Page</i>	<i>Code Word</i>	<i>Number</i>	<i>Page</i>
FILCA	14,000	25	GHIOO	13,130	11
FILCASINE	14,005	25	GHOOF	13,105	11
FILPO	13,390	15	GIIBR	17,015	42
FINON	13,400	15	GIIEF	17,025	41
FINOT	14,070	22, 41	GIIFT	17,020	42
FIOLA	13,055	10	GIIMW	17,030	41
FIPOS	13,015	10	GILOO	13,110	11
FIRAD	13,030	10	GLOOC	17,710	32
FISKF	13,075	10	GVKOO	16,645	36, 38
FISON	12,510	9	HEFAR	11,035	7
FISUM	13,395	15	HOOAR	13,081	11
FISUMMI	13,396	15	HOOBE	13,086	11
FLABU	17,760	24, 32	HOOCS	13,116	12
FOKOS	10,025	5	HOODF	13,121	12
FOOBD	13,035	10	HOOET	13,126	12
FOOES	17,590	36	HOOFG	13,096	11
FOOKH	12,505	9	HOOGU	13,101	11
FOOMI	14,105	22	HOOIV	13,131	12
FPYOO	17,585	30, 32	HOOKI	13,098	11
FSEOO	13,025	10	HOOPY	11,000	6
FSIWKR	10,100	6	ICOOP	17,575	30
FUFOR	16,646	36	ICWOO	17,600	30
FULGX	16,647	36	IFSTA	17,085	42
FULHI	16,648	36	IHOOC	17,625	30
FUOOR	17,630	30, 32	KGOON	14,115	22, 38
FVOOQ	16,640	36, 38	KODRE	15,170	27
FYLTO	17,505	29	KOFIM	15,140	27
FYOON	17,685	31	KOGLA	15,110	27, 28
GBOOM	13,080	11	KOLOM	15,105	27, 28
GBWOO	13,085	11	KONAF	15,165	27
GCHEO	13,145	11	KOOHI	15,145	27, 28
GCHEOMI	13,146	12	KOOLX	15,155	28
GCOOL	13,090	11	KOORA	15,150	27
GCSKY	13,150	11	KOPAT	15,125	27
GCSKYMI	13,151	12	KOREF	15,160	27
GCYOO	13,095	11	KOSUS	15,175	27
GDIHK	17,035	23, 42	KOTOS	15,120	27
GDOOK	13,100	11	KOVIR	15,115	27
GECOO	13,115	11	LEBBM	20,005	51
GFEH	17,045	23, 42			
GFEOO	13,120	11			
GFOOH	13,125	11			


<i>Code Word</i>	<i>Number</i>	<i>Page</i>
LGCOO	16,624	36, 38
LIMAN	20,010	51
LINID	17,075	24, 42
LOOEL	10,035	5
LOOHW	10,050	6
LOOHWSOONC	10,070	6
LOOIT	10,065	6
LOOKX	10,060	6
LOOPN	10,055	6
LOOSE	10,030	5
LOOSESOONC	10,045	6
LOOSU	10,040	5
LPBGL	20,000	51
LSZOO	17,032	42
LUOON	10,041	5
LUOOX	10,061	6
LVFOO	16,625	34, 36, 38, 39
LWHOO	16,720	36
MARDIX	18,070	48
MARDIXIT	18,075	47
MARDOCE	18,100	48
MARDOCIT	18,105	48
MAROCTO	18,050	47
MAROCITIT	18,055	47
MARSEPT	18,040	47
MARSEPTIT	18,045	47
METER	16,017	16
METERCELL	16,018	16
MIBAC	17,005	41
MIKAS	17,000	41
MOMAR	18,525	49
MONACHT	18,530	49
MONDAL	18,505	49
MONDIMAR	18,545	49
MONDIX	18,540	49
MONDOCE	18,555	49
MONDOX	18,515	49
MONOCAMP	18,535	49
MONOFORT	18,560	49
MONOL	18,510	49
MONOMAR	18,550	49

<i>Code Word</i>	<i>Number</i>	<i>Page</i>
MONTUR	18,500	49
MONUX	18,520	49
MOOSP	11,070	7
NEWOO	17,665	31
NOOBU	15,500	26
NOOKY	16,500	33
NOOKYHESUM	16,505	33
OBERON	18,005	46
OEFGO	10,000	5
OEFGOSOONC	10,020	5
OEGIO	10,005	5
OEGIOSOIC	10,016	5
OEINO	10,010	5
OESFO	10,015	5
OHEBO	11,040	7
OKARO	14,058	21
OMEXOROOHY	16,740	38
ONLIO	14,655	19, 39
OOEUK	16,810	40
OOEVM	16,805	40
OOZAB	16,605	34, 35, 37, 38, 39
OOZEG	16,730	38
OOZMY	16,630	37
OPKOM	14,075	22, 38, 39
ORAKO	14,057	21
ORPNO	14,040	20
ORQPO	12,525	9
ORSTO	14,030	20
ORSTOMI	14,031	20
ORTVOCHROM	14,055	20
ORVZOCHROM	14,025	20
ORWYB	14,060	21
ORXD0	14,035	20
ORYCE	14,065	21
ORYFOCHROM	14,050	20
OSLAM	15,180	24, 28
OSROT	15,185	24, 28
OTPLO	11,060	7
OUTSO	16,750	37, 39, 40
OVAFO	16,745	39

<i>Code Word</i>	<i>Number</i>	<i>Page</i>	<i>Code Word</i>	<i>Number</i>	<i>Page</i>
OZUPO	16,710	34	RWBOO	14,635	19
OZWTO	14,085	22			
OZYXO	11,055	7, 34	SBLOO	12,010	8
PAMOO	16,715	36	SBOOI	12,015	8
PEGOO	16,725	36	SBUUI	19,025	43
PEZEN	17,055	41	SCNUU	19,035	43
POFLA	13,345	14	SFTOO	12,035	8
POOAH	13,290	13	SGOOD	12,020	8
POOAY	13,335	14	SGVOO	12,025	8
POOBV	13,295	13	SHOOC	12,030	8
POOCI	13,300	13	SHUUC	19,020	43
POODW	13,305	13	SOOCX	11,025	7
POOEK	13,320	13	SOOFM	12,516	9
POOEL	13,350	15	SOOHN	12,500	9
POOFX	13,330	14	SOOIA	11,020	7
POOGL	13,315	13	SOOIC	11,016	7
POOHY	13,325	14	SOONC	11,005	7
POOKZ	13,310	13	SOORE	11,015	7
POORE	13,355	15	SOOPD	12,515	9
POOSD	14,660	19	SOOWU	16,690	37
POOTR	13,356	15	SPUCA	14,015	25
POSKY	13,340	14	SPULM	14,020	21
PWLCB	20,012	51	SUMANROOVZ	16,820	40
			SUUAW	19,030	43
			SYOOM	16,015	16
RCOOF	17,670	31			
RDQOO	16,775	40	TEOOH	15,080	26
REDIGBEEUL	17,070	42	TEQOO	13,311	14
REDYX	17,065	42	TFOOG	13,291	14
RFOOC	16,790	40	TFSOO	13,296	14
RGWOO	16,800	40	TGOOF	13,301	14
RIOOX	16,765	39	TGUOO	13,316	14
RKCOO	16,785	39, 40	THMOO	12,540	9
ROOAI	16,770	40	THOOE	13,321	14
ROOFU	16,685	36, 39	THWOO	13,326	14
ROONP	16,680	36, 38	TIEUP	15,200	28
ROOSE	16,755	39	TIOOD	13,331	14
ROOXU	16,795	39	TIYOO	13,306	14
ROOYH	16,615	36, 37, 38, 40	TLCOO	11,066	7
			TLOOB	11,067	7
ROSOL	12,040	8	TNGOO	12,535	9
RPNOO	17,050	41	TNOOQ	14,046	20
RQPOO	13,020	10	TNOOZ	14,045	20


<i>Code Word</i>	<i>Number</i>	<i>Page</i>	<i>Code Word</i>	<i>Number</i>	<i>Page</i>
TOOLP	11,065	7	USOAY	13,275	13
TOOQE	14,110	22	USOOR	16,597	23, 35
TOOUG	14,100	22	USOOW	13,250	13
TROOV	14,095	22	USQOO	13,255	13
TRPOO	14,090	22	USSKY	13,280	13
TUSOO	16,695	37	UTAHU	19,165	45
TUVOO	12,005	8, 22	UTBKU	19,160	44
TVOOR	17,680	31	UTOOV	13,260	13
TYDOO	17,690	31	UTSOO	13,265	13
TZOON	11,075	7	UVOOF	13,270	13
			UVWOO	16,760	23, 39
UDOYU	19,055	44	UWYOO	16,600	23, 35
UDREU	19,060	44	UXOOREL	16,560	34
UDYTU	19,050	43	UXOORHE	16,555	34
UESFU	19,075	44	UXOORSOORE	16,562	34
UEYSU	19,135	44	UYCOO	16,595	23, 35
UFAVU	19,065	44	UYOOQ	14,650	19, 35
UFKOU	19,145	44	UZEOO	16,565	34
UFOWU	19,130	44			
UFPYU	19,150	44	VAKES	17,535	30
UFSEU	19,140	44	VALOO	16,620	29, 30, 36, 37, 38, 39
UFYRU	19,085	44			
UGFEU	19,090	44	VALOY	17,500	29
UGHIU	19,080	44	VALOYCENTO	17,570	29
UGRIN	15,190	28	VAVIR	17,530	29
UKYNU	19,095	44	VAZEL	17,550	31
UMYLU	19,070	44	VAZIS	17,560	31
UNIEU	19,170	45	VAZUP	17,555	31
UNLIU	19,175	45	VBHOO	17,660	30
UNOPU	14,670	20, 44	VBOOP	17,540	31
UOOPE	17,770	32	VDMOO	17,525	29
UOOST	16,570	23, 34	VDOON	17,515	29
UOOTG	16,575	23, 34	VELTU	16,675	38
UOOVH	16,580	34	VFOOL	16,830	24, 40
UOOWV	16,585	35	VIOOH	12,000	8
UOOYW	16,590	23, 34, 35	VKOOK	16,840	24, 40
UPOOZ	13,230	13	VLOOF	16,060	17
UQMOO	13,235	13	VMCOO	16,550	23, 33
UQOOY	13,240	13	VNAOO	17,516	31
UROOX	13,245	13	VNEOO	17,526	31
USERU	19,155	44	VNIOO	17,521	31
USFLA	13,285	13	VNOOD	17,520	29
USMAS	15,195	28	VNOOU	17,531	31

<i>Code Word</i>	<i>Number</i>	<i>Page</i>	<i>Code Word</i>	<i>Number</i>	<i>Page</i>
VNUOO	17,536	31	XOSKY	13,220	13
VOLAM	16,825	24, 40	XPGOO	13,180	12
VOOMD	17,545	31	XPOOF	13,185	12
VOONR	17,565	31	XQIOO	13,360	15
WUUNE	19,015	43	YROOF	16,700	37
XBEET	16,705	23, 37	ZEOOU	17,640	30
XOFLA	13,225	13	ZFNOO	17,645	30
XOOAY	13,215	12	ZFOOT	17,650	30
XOONS	12,520	9	ZIOOQ	16,025	17, 23
XOOPT	13,155	12	ZISOO	17,655	30
XOOQG	13,160	12	ZOOAN	11,045	7
XOORU	13,165	12	ZOOKE	11,050	7
XOOSH	13,170	12	ZOOMF	16,665	35
XOOUI	13,190	12	ZOONT	16,660	35
XOOVW	13,195	12	ZOOSIHESUM	16,655	38
XOOWK	13,200	12	ZOOXY	16,610	35, 37,
XOOYL	13,205	12			38, 39
XOOZY	13,175	12	ZWTOOHESUM	16,650	35, 38





Leica



PRICE LIST

Punched for Leica Binder

No. 1382

MM-6-53-AMP.
Printed in U.S.A.