

PRICE LIST

GRAPHIC and GRAFLEX Cameras

CENTURY GRAPHIC CAMERAS with film receptacle, focusing panel, and coated lens indicated

Focal Length	Approx. Equivalent	Lens	Speed	Shutter		Cat. No.	Price
2 1/4 x 3 1/4 Century GRAPHICS with GRAFOLK Back							
EXCLUDING OPTICAL VIEWFINDER							
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1212 sheet film holder	CY-71	\$109.50
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1246 roll film holder	CY-713	126.90
INCLUDING OPTICAL VIEWFINDER INSTALLED							
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1212 sheet film holder	CY-70	116.50
103 mm.	4 1/16"	Trioptar	f/4.5	cs	With Cat. #1246 roll film holder	CY-703	133.90
101 mm.	4"	GRAFLEX Optar	f/4.5	#1 gxs	With Cat. #1212 sheet film holder	CY-734	162.40
105 mm.	4 1/8"	Kodak Ektar	f/3.7	#2 gss	With Cat. #1212 sheet film holder	CY-754	180.15

PACEMAKER GRAPHIC CAMERAS with one holder, focusing panel, and coated lens indicated

Focal Length	Approx. Equivalent	Lens	Speed	Shutter	Cat. No.	Price	Cat. No.	Price
2 1/4 x 3 1/4 GRAPHICS with GRAFLOK or GRAFLEX Back								
101 mm.	4"	GRAFLEX Optar	f/4.5	#1 gxs	C-734	\$194.40	Speed Graphic "23" S-734	\$234.40
105 mm.	4 1/8"	Kodak Ektar	f/3.7	#2 gss	C-754	212.15	S-754	252.15
3 1/4 x 4 1/4 GRAPHICS with GRAFLOK or GRAFLEX Back								
135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	#2 gxs	CL-833	\$196.75	Speed Graphic "34" SL-83	\$241.75
135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	#2 gxx	CL-831	179.75	SL-831	224.75
127 mm.	5"	Kodak Ektar	f/4.7	#2 kxs	CL-857	177.50	SL-857	222.50
152 mm.	6"	Kodak Ektar	f/4.5	#3 kxs	CL-862	202.00	SL-862	247.00
4 x 5 GRAPHICS with GRAFLOK or GRAFLEX Back								
***135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	#2 gxs	CL-93	\$201.75	Speed Graphic "45" SL-93	\$246.75
***135 mm.	5 1/4"	GRAFLEX Optar	f/4.7	#2 gxx	CL-931	184.75	SL-931	229.75
***127 mm.	5"	Kodak Ektar	f/4.7	#2 kxs	CL-957	182.50	SL-957	227.50
152 mm.	6"	Kodak Ektar	f/4.5	#3 kxs	CL-962	207.00	SL-962	252.00
152 mm.	6"	Kodak Ektar	f/4.5	#3 gxx	CL-968	216.00	SL-968	261.00

For GRAFLEX Back Insert the letter X in Cat. No.; e.g. SX-831; GRAFLEX Focusing Panel Included.

***Although 6" approximates the diagonal of a 4 x 5 negative, many news photographers and other GRAPHIC users prefer the greater angular coverage and depth of field of 127 mm and 135 mm lenses (5" and 5 1/4") stopping down to make the corners sharp or ignoring the slight unsharpness at the corners at full aperture. The same is true of 11.5 cm (4 1/2") lenses on the 3 1/4 x 4 1/4 GRAPHIC Cameras.

Shutter Symbols: gxs—Graphex Shutter with built-in synchronization.

gss—Supermatic Shutter with built-in synchronization

gxx—Graphex (X) Shutter.

kxs—Supermatic (X) Shutter.

Shutter Speeds: #1, #2—1 sec.—1/400; #3—1 sec.—1/200

cs—Century Shutter—1/2—1/200 sec.

ACCESSORIES FOR GRAPHICS

RANGEFINDERS AND ACCESSORIES

Cat. No.		Price
3147	Kalart E-4X Prism Rangefinder for GRAPHIC "23," factory installed on new cameras	\$38.45
3148	Kalart E-5 Prism Rangefinder for Century GRAPHIC, factory installed on new cameras	38.45
3140	Kalart E-4A Prism Rangefinder for GRAPHIC "34" and "45," installed (specify camera and lens)	32.95
3173	Kalart Focuspot Model G for GRAFLITE Battery Case	9.95
3301	Hugo Meyer Series P Rangefinder for GRAPHIC "34" and "45," installed (specify camera and lens)	31.50
3373	Hugo Meyer Focalite for Series P Rangefinder and GRAFLITE Battery Case	10.25

GRAFLITE MOUNTING PLATES AND BRACKETS FOR GRAPHIC CAMERAS

Cat. No.		Price
2753	Rangefinder Encircling Bracket for Pacemaker "34's" and "45's" with rangefinder	2.65
2755	Mounting plate for Pacemaker GRAPHICS without rangefinder	2.10
2758	L-Bracket for GRAPHIC Cameras not readily accepting 2754, 2753 or 2755	2.95

△ These are accessories accepted by the Century GRAPHIC.
Additional accessories listed on following pages.

SUNDRY ACCESSORIES

	Mount	2 1/4 x 3 1/4		3 1/4 x 4 1/4		4 x 5	
		Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
(2 1/2") 65 mm. GRAFLEX W. A. Optar f/6.8.....	gxs	205△	91.40② †	205	91.40② †	—	—
(3 1/2") 90 mm. GRAFLEX W. A. Optar f/6.8.....	gxs	—	—	221	94.60②	221	94.60②
(3 1/2") 88 mm. B.&L. W. A. f/6.8.....	gxs	—	—	319	121.50②	319	121.50②
80 mm. Kodak Wide Field Ektar f/6.3.....	gss	121△	120.00②	121	120.00②	—	—
100 mm. Kodak Wide Field Ektar f/6.3.....	gss	—	—	135	125.00②	135	125.00②
(8") 202 mm. GRAFLEX Tele-Optar f/5.6.....	bm	270	104.05①	270	104.05①	—	—
(8") 202 mm. GRAFLEX Tele-Optar f/5.6.....	gxs	271△	143.95②	271	143.95②	—	—
(10") 25 cm. GRAFLEX Tele-Optar f/5.6.....	bm	281	139.50①	281	139.50①	281	139.50①
(10") 25 cm. GRAFLEX Tele-Optar f/5.6.....	gx	282	157.90①	282	157.90②	282	157.90②
(10") 25 cm. GRAFLEX Tele-Optar f/5.6.....	gxx	283	165.40①	283	165.40②	283	165.40②
(15") 38 cm. GRAFLEX Tele-Optar f/5.6.....	bm	—	—	—	—	294	209.25①
(15") 38 cm. GRAFLEX Tele-Optar f/5.6.....	Alx	—	—	—	—	292	221.30①
Pacemaker Blank Metal Lensboards.....		9151△	.85	9171	1.00	9181	1.10
Pacemaker Lensboards for standard shutters.....		†	1.10	†	1.25	†	1.35
Adapter for Pacemaker GRAPHIC "45" Lensboards (for 4 x 5 Anniversary GRAPHICS).....		—	—	—	—	9230	5.95
GRAFLOK Back less 4-sided viewing hood, for Pace- maker GRAPHICS.....		9292	15.95	9293	18.75	9294	19.35
GRAFLEX Focusing Panel (with 4-sided hood)....		9142	10.50	9143	10.80	9144	11.40
Spring Kit for using roll holder on Graphic Cameras		9295	1.80	9296	1.80	9296	1.80
GRAFLEX Dividing Back.....		—	—	—	—	9014	27.00
Compact Carrying Case—Speed and Crown GRAPHIC.....		—	—	4213	17.50	4214	17.50
Vulcanoid Handicase.....		4212△	17.50	4236	18.50	4246	19.50
Compact Carrying Case—Century and Crown GRAPHICS with a few holders and small accessories		4224△	14.50	—	—	—	—
Custom Case—Fine Leather, velvet lined, for Speed and Crown GRAPHICS.....		4228△	43.50	4238	48.50	4238	48.50
GRAPHIC Pan Tilt Tripod Head.....		4610△	19.75	4610	19.75	4610	19.75
Graflarger Back.....		6017	38.75	6018	38.75	6019	38.75
Graflarger Stand.....		6040	17.95	6040	17.95	6040	17.95
① Pacemaker Lensboards for lens as indicated...		—	.85	—	1.00	—	1.10
② Pacemaker Lensboards with shutter release arm for lens indicated.....		†	1.10	†	1.25	†	1.35

gxs—Graphex Shutter with built-in synchronization.
gxx—Graphex (X) Shutter.
gx—No. 3 Graphex Shutter

gss—Supermatic Shutter with built-in synchronization
kxs—Supermatic (X) Shutter.
Alx—No. 4 Alphax Synchro Shutter

Note: All lenses have coated elements

For lensboards to fit older model cameras see your GRAFLEX Dealer.

†Specify lens and shutter combination to be used.

‡Not for use with Speed Graphic "23" or "34"

bm—Barrel Mount.

GRAFLEX CAMERAS

All listing include Film Pack Adapter

	Cat. No.	Price
2 1/4 x 3 1/4 Revolving Back Series B GRAFLEX including Kodak Ektalite Field Lens and fitted with 127 mm (5") Kodak Ektar lens in barrel with click stops f/4.5.....	L-221	\$129.50
3 1/4 x 4 1/4 Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 152 mm (6") Kodak Ektar lens in automatic diaphragm mount f/4.5.....	L-321	249.00
with 190 mm (7 1/2") Kodak Ektar lens in automatic diaphragm mount f/5.6.....	L-331	249.00
4 x 5 Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 190 mm (7 1/2") Kodak Ektar lens in automatic diaphragm mount f/5.6.....	L-431	269.00

ACCESSORIES FOR GRAFLEX

	2 1/4 x 3 1/4		3 1/4 x 4 1/4		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
25 cm (10") GRAFLEX Tele-Optar f/5.6 lens.....(bm)	281	\$139.50	281	\$139.50	—	—
38 cm (15") GRAFLEX Tele-Optar f/5.6 lens.....(bm)	—	—	—	—	294	\$209.25
Lensboard for above telephoto lenses.....	(not required)	—	9201	1.15	9217	3.75
DeLuxe Tan Carrying Case.....	—	—	4138	36.50	4148	36.50
Black Grain Leather Carrying Case.....	4124	16.00	—	—	—	—
No. 27 GRAFLITE Unit (2-cell battery case, 7" reflector only)	—	—	2727	25.95	2727	25.95
No. 25 GRAFLITE Unit (2-cell battery case, 5" reflector only)	2725	26.95	2725	26.95	2725	26.95
GRAFLITE mounting plate (for attaching battery cases to camera)	2754	1.10	2754	1.10	2754	1.10
20" GRAFLITE Synchronized Shutter Cord.....	—	—	2701	1.50	2701	1.50
Mendelsohn Model G Synchronizer Switch for Open Flash Synchronization with R.B. Series B (less cord).....	2234	4.90	(not required)	—	(not required)	—
GRAFLITE Model G Switch Cord.....	2707	1.50	(not required)	—	(not required)	—

GRAFLEX Roll Film Holders and other Film attachments, and GRAFLITE flash accessories listed on page 3.

bm—Barrel Mount.

△These are accessories accepted by the Century GRAPHIC.

GRAPHIC AND GRAFLEX FILM AND PLATE ATTACHMENTS

	2¼ x 3¼		3¼ x 4¼		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
GRAPHIC Film Pack Adapter.....	1232△	\$ 7.85	1233	\$ 8.85	1234	\$ 9.85
GRAPHIC "23" Roll Film Holder.....	1246△	21.75	1247	24.95	1248	24.95
GRAPHIC "23" Roll Film Holder.....	1249△	21.75	1250	24.95	1251	24.95
GRAFATIC Film Holder—GRAPHIC (6 septums).....	1266△	16.95	—	—	—	—
GRAPHIC Sheet Film Holder.....	1212△	4.35	1213	4.50	1214	4.65
GRAPHIC Plate Holder.....	—	—	—	—	1224	5.95
GRAFLEX Film Pack Adapter.....	1132	7.85	1133	8.85	1134	9.85
GRAFLEX "23" Roll Film Holder.....	1146	21.75	1147	24.95	1148	24.95
GRAFLEX "22" Roll Film Holder.....	1149	21.75	1150	24.95	1151	24.95
GRAFATIC Film Holder—GRAFLEX (6 septums).....	1166	16.95	—	—	—	—
GRAFLEX Sheet Film Holder.....	1112	5.45	1113	5.85	1114	6.25
GRAFLEX Plate Holder.....	1122	5.45	1123	5.85	1124	6.25
GRAFLEX Sheet Film Magazine.....	—	—	1153	33.50	1154	36.50
GRAPHIC Lantern Slide Plate Holder (3¼ x 4).....	—	—	1227	5.95	—	—

GRAFLITE FLASH EQUIPMENT

Unit for Shutters with Built-in Synchronization

	Cat. No.	Model	Price
2-cell with 5" reflector	2725	GRAFLITE No. 25 Unit	\$26.95†△
2-cell with 7" reflector	2727	GRAFLITE No. 27 Unit	25.95†
3-cell with 5" reflector	2735	GRAFLITE No. 35 Unit	27.45†
3-cell with 7" reflector	2737	GRAFLITE No. 37 Unit	26.45†

†Does not include Cord or mounting plate

Complete Synchronizers for Shutters Utilizing Solenoid Synchronization

	Cat. No.	Model	Price
		(Price includes installation and synchronization)	
	2736	GRAFLITE No. 35 Synchronizer	\$44.50*
	2738	GRAFLITE No. 37 Synchronizer	43.50*

*Includes installation and synchronization but no mounting plate.

GRAFLITE ACCESSORIES AND REPLACEABLE PARTS

CONNECTING CORDS

Cat. No.	Price	Cat. No.	Price
2701 20" GRAFLITE Synchronized Shutter (ASA double post) cord**.....	\$1.50△	2707 20" GRAFLITE Cord for Model G Switch.....	\$1.50
2702 36" GRAFLITE Synchronized Shutter (ASA double post) cord**.....	1.60	2708 Bayonet (ASA) Cord (Kodak, Ansco, etc)....	1.95
2703 17" GRAFLITE Solenoid Cord.....	1.45	2713 Shoe (A) Cord (Argoflex II, Argus 21).....	2.45
2704 36" GRAFLITE Solenoid Cord.....	1.60	2714 Cap Cord, large.....	1.95
2705 16" GRAFLITE Twin Case Connector Cord....	1.20△	2721 Cap Cord, small (for Compur and Prontor S Shutters).....	2.45
2706 15' GRAFLITE Extension Cord for Side Lighting Unit.....	1.75	2716 Block Post Cord (Argus G-3).....	2.45
		2718 Shoe (B) Cord (Universal Cameras).....	2.45
		2719 Shoe (C) Cord (Stereo Realist).....	2.45
		2720 15' GRAFLITE Remote Control Cord with Momentary Switch.....	3.20

**For GRAPHIC and GRAFLEX focal plane shutters and synchronized front shutters with double contact posts.

GRAFLITE BRACKETS AND MOUNTING DEVICES

Cat. No.	Price	Cat. No.	Price
2753 Rangefinder Encircling Bracket for Pacemaker GRAPHICS with Kalart or Hugo Meyer Rangefinder.....	\$2.65	2755 Battery Case mounting bracket for Pacemaker and Anniversary GRAPHICS without rangefinder.....	\$2.10
2754 Battery Case mounting plate for GRAFLEX Cameras.....	1.10	2756 Pair of Pacemaker Handle Lugs, complete90△
2752 Rangefinder Encircling Bracket for Anniversary Speed GRAPHICS.....	2.65	2758 L-Bracket.....	2.95△
		2759 Platform Bracket.....	3.75

GRAFLITE SIDE LIGHTING UNIT

2712 GRAFLITE Side Lighting Unit, including No. 2706, 15' extension cord, less reflector.....	16.00△
---	--------

GRAFLITE REFLECTORS

2747 7" GRAFLITE reflector for medium base lamps. .	\$6.50△	2746 Hinged Shield complete for 5" GRAFLITE and GRAFLEX reflectors.....	4.35△
2749 5" GRAFLITE adjustable reflector for bayonet base lamps.....	7.50△	2744 Diffusion Disc Shield for 5" GRAFLITE and GRAFLEX reflectors.....	2.50

GRAFLITE SOLENOID RELEASES AND SUNDRY ACCESSORIES

2531 No. 2 GRAFLEX Solenoid Release, less mount. .	12.85	2772 2-cell GRAFLITE Battery Case, with batteries and clamps.....	19.45
2532 No. 3 GRAFLEX Solenoid Release (for use with 3 cells only) less mount.....	12.85	2773 3-cell GRAFLITE Battery Case, with batteries and clamps.....	19.95
Solenoid release mounts (type depends on model and size of camera and shutter).....	1.50	2774 GRAFLEX 1-cell extension tube (may be used in multiple).....	1.50△
2588 Right Angle Connector Plug for synchronized shutters.....	.65	2771 Top and bottom clamps for GRAFLITE Battery Cases.....	4.50

GRAPHIC VIEW CAMERA


4 x 5 GRAPHIC VIEW II CAMERA

Including any one of the four backs listed below, 1 film holder, its pan-tilt base and Fibre Carrying Case designed and compartmented to hold the camera, base, 12 holders, additional lenses and accessories, without lens


	Cat. No.	Price
With 152 mm (6") Kodak Ektar f/4.5 lens, kxs	R-16	\$145.00
With 152 mm (6") Kodak Ektar f/4.5 lens, gxs	R-9632	\$232.00
With 152 mm (6") Kodak Ektar f/4.5 lens, gxs	R-9652	254.00
With 152 mm (6") Kodak Ektar f/4.5 lens, gxs	R-9642	241.00
With 203 mm (8") Kodak Ektar f/7.7 lens, gss	R-9842	\$222.50

ACCESSORIES FOR GRAPHIC VIEW


3½" (90 mm) GRAFLEX W. A. Optar f/6.8, gxs	221	\$ 94.60
100 mm (4") Kodak Wide Field Ektar f/6.3, gss	135	125.00
Recessed metal lensboard for 90 mm W. A. lens	9234	3.75
Extra 4 x 4 metal lensboard for GRAPHIC View Camera	9231	3.75
Accordion-type lensshade	9265	23.50
Lensboard adapter to accept Pacemaker GRAPHIC "45" lensboard	9230	5.95
4x5-4x5 GRAPHIC Back (less holder)	9266	21.95
4x5-3¼x4¼ GRAPHIC Back (less holder)	9267	21.95
4x5-4x5 GRAFLEX Back (with focusing panel less holder)	9268	21.95
4x5-3¼x4¼ GRAFLEX Back (with focusing panel less holder)	9269	21.95
Graflarger Back—4x5	6019	38.75



A. Graphex Synchronized Shutter (gxs)



B. Supermatic "X" Shutter (kxs)



C. Century Shutter

A. The **synchronized shutters** (gxs) (gss) are rim-set, cocking type shutters, providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter), including "T" and "B." Internal contacts and adjustments are provided for the type "X," type "F" and type "M" flash lamps. The GRAPHEX Synchro shutter (gxs) has a double "M" setting to provide optimum efficiency at the fast as well as the slow speeds with the type "M" flash lamps. An accessory solenoid may be fitted to the GRAPHEX shutter if desired.

B. The **"X" shutters** (gxx) (kxs) are rim-set, cocking type shutters providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter). Internal contacts are built-in to provide synchronization with the type "X" high speed electronic flash equipment. For synchronization with the type "M" flash lamps, an accessory solenoid should be used. This solenoid may also be used with the high speed electronic flash equipment operated by a built-in relay.

C. The **Century Graphic shutter** (cs) is a self-setting shutter providing speeds from 1/10 to 1/200 sec., including "T" and "B." Automatic internal synchronization is accomplished at all speeds as follows:

1/200, 1/100, 1/50
 "SM" and "SF" flash lamps
 only (type "F")
 1/25, 1/10

No. 5, No. 25, No. 22, press
 40, etc. (type "M")

Dual post type connecting cord for synchronization should be attached to the "shutter" or series outlet of the battery case.

Type "X"	High Speed Electronic Units Not Tripped By Relay	
Type "F" (5 millisecond)—Gas Filled	"SM," "SF"	Bayonet base
Type "M" (20 millisecond)—Wire or Foil Filled	No. 5, No. 25, No. 11, No. 22, No. 2, Press 40, etc.	Bayonet base Screw base

Jan. 10, 1951

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE
 ORDER THROUGH YOUR GRAFLEX DEALER

New York Sales and Service Offices
 50 Rockefeller Plaza, Suite 922
 New York 20, N. Y.

GRAFLEX, INC.
 ROCHESTER 8, N. Y., U. S. A.

Western Division
 3045 Wilshire Blvd.
 Los Angeles 5, Calif.